


Geiner Montoya Barrientos C205063
Laboratorio Backend



CONNECTIONS

- Lab_Countries1
 - Tables
 - dbo.Country
 - Views
 - Synonyms
 - Programmability
 - External Resources
 - Service Broker
 - Storage
 - Security

QUERY HISTORY

- ✓ Select * from Country: ((localdb)\MSSQLLo...
- ✓ SELECT * FROM Country: ((localdb)\MSSQL...
- ✓ INSERT INTO [dbo].[C...].[Europa]dIGO: (...)
- ✓ CREATE TABLE Country_100 NOT NULL(d...
- ✓ CREATE DATABASE Countries: ((localdb)\...

1 Select * from Country

OUTPUT TERMINAL QUERY RESULTS PORTS DEBUG CONSOLE

Results (1) Messages

	Id	Name	Language	Continent
1	1	Costa Rica	Español	América
2	2	Argentina	Español	América
3	3	Canada	Inglés/Frances	América
4	4	Francia	Frances	Europa
5	5	España	Español	Europa

OUTPUT TERMINAL QUERY RESULTS PORTS DEBUG CONSOLE

```
PS C:\Users\WEICORT\Documents\Geiner\UCR\1Sem2026\my_labs\laboratoriosFrontEndBackEnd\MiPrimerProyecto\backend-lab-C25063> dotnet run
info: Microsoft.Hosting.Lifetime[14]
      Now listening on: http://localhost:5144
info: Microsoft.Hosting.Lifetime[0]
      Application started. Press Ctrl+C to shut down.
info: Microsoft.Hosting.Lifetime[0]
      Hosting environment: Development
info: Microsoft.Hosting.Lifetime[0]
      Content root path: C:\Users\WEICORT\Documents\Geiner\UCR\1Sem2026\my_labs\laboratoriosFrontEndBackEnd\MiPrimerProyecto\backend-lab-C25063
```

Request URL

http://localhost:5144/api/Country

Server response

Code Details

200

Response body

```
{
  "language": "Español"
},
{
  "id": 2,
  "name": "Argentina",
  "continent": "América",
  "language": "Español"
},
{
  "id": 3,
  "name": "Canada",
  "continent": "América",
  "language": "Inglés/Frances"
},
{
  "id": 4,
  "name": "Francia",
  "continent": "Europa",
  "language": "Frances"
},
{
  "id": 5,
  "name": "España",
  "continent": "Europa",
  "language": "Español"
}
```

Response headers

Entity Framework (EF): Es un "mapeador" (ORM) completo de Microsoft. Permite trabajar con la base de datos usando objetos de C# casi sin escribir SQL. Es muy potente pero más pesado y lento que Dapper.

Dapper: Es un "micro-ORM" . Es extremadamente rápido y ligero. Su filosofía es: "Tú escribes el SQL, yo me encargo de convertir el resultado en objetos de C# automáticamente".

Postman: Es una herramienta para probar APIs. Permite guardar colecciones de pruebas, automatizar peticiones y simular diferentes escenarios de red.