

ZEBRA RFID AI PROJECT NOTE

Zebra RFID AI Application & SDK Sample

Android RFID Application & Gemini AI Developer Assistant

AUTHOR	Chuck Lin
DATE	September 29, 2026
REFERENCE	ZEBRA-RFID-AI

Project architecture, setup requirements, build instructions, and Gemini AI code assistant notes for the Zebra RFID Android application.

Contents

Zebra RFID AI - Android Application & Gemini AI Assistant **2**

 Application Screenshots 2

 Features 2

 Project Architecture 3


 Getting Started 3

 License 4

Zebra RFID AI - Android Application & Gemini AI Assistant

An Android application demonstrating production-ready integration with the **Zebra RFID API3 SDK** (`com.zebra.rfid.api3`) alongside **Gemini 3.8 AI Assistant** built with **Jetpack Compose Material 3**.

Application Screenshots



Features

- **Zebra RFID SDK Integration (`rfidapi3lib-2.0.5.292.aar`)**
 - Thread-serialized background SDK execution (`ExecutorService`) preventing UI thread blocking.
 - Automatic transport scanning across available reader interfaces.
 - Reader discovery, auto-connect, and region configuration (USA regulatory default).
- **Lifecycle-Aware Suspend & Resume**

- **Suspend:** Automatically disconnects reader and disposes `Readers` on `ON_PAUSE` / `ON_STOP`.
- **Resume:** Re-initializes SDK, discovers readers, and reconnects seamlessly on `ON_RESUME` / `ON_START`.
- **Real-Time RFID Tag Inventory**
 - Displays unique tag count, total read count, live scan status badge, and EPC tag items.
 - Calculates per-tag read counts and peak RSSI values (dBm).
 - Physical handheld trigger support (starts inventory on press, stops inventory on release).
 - Real-time search/filter by EPC tag ID.
- **Audible Tone Feedback**
 - `ToneGenerator` audio beeps for reader connection, disconnection, and new tag discovery.
- **Gemini 3.8 AI Assistant**
 - **Code Assistant:** Ask questions or request code snippet explanations for Zebra RFID SDK APIs (`RFIDReader`, `Readers`, `RfidEventsListener`, `TagData`).
 - **Inventory Analysis:** Analyzes active inventory tag lists directly with Gemini AI.
 - **Response Caching:** In-memory and persistent `SharedPreferences` caching for instant AI responses on repeated queries.

Project Architecture

app/src/main/java/com/zebra/rfid/ai/

— <code>MainActivity.kt</code>	# Entry point, Bluetooth/Location permissions & LifecycleObserver
— <code>MainAppScreen.kt</code>	# TopAppBar & Bottom NavigationBar (Scanner vs Gemini AI)
— <code>RfidScreen.kt</code>	# Material 3 UI for RFID Connection, Stats, & Tag List
— <code>RfidViewModel.kt</code>	# ViewModel & StateFlow for Tag Aggregation & UI State
— <code>RfidHandler.kt</code>	# Thread-serialized Zebra RFID SDK Manager (Init, Connect, Scan)
— <code>RfidUtility.kt</code>	# Helper methods for Reader Discovery, Regions, & Events
— <code>ToneFeedback.kt</code>	# Audio feedback generator
— <code>RfidAiScreen.kt</code>	# Gemini AI UI with Preset Prompts & Code Explanations
— <code>RfidAiViewModel.kt</code>	# Firebase Gemini 3.8 AI ViewModel with Local Caching

Getting Started

Prerequisites

- **Android Studio** 2026.1+ with JDK 19+.
- **Android Device:** Zebra TC701 / RFD40 / RFD8500 or Android device running API 35+.
- **Permissions:** Bluetooth (`BLUETOOTH_SCAN`, `BLUETOOTH_CONNECT`) and Location.

Building & Running

1. Clone the repository:

```
git clone https://github.com/GelatoCookie/Rfid-AI.git
cd Rfid-AI
```

2. Build the debug APK:

```
./gradlew app:assembleDebug
```

3. Install and run on device:

```
./gradlew app:installDebug
```

License

Licensed under the Apache License, Version 2.0.