

GemFind Ring Builder — QA Test Cases

Plugin: GemFind Ring Builder 1.0.0

Scope: Manual / exploratory QA across install, admin, storefront (v1 & v2), REST, WooCommerce, emails, print/PDF, routing, and error paths.

Prerequisites: WordPress ≥ 6.3, PHP ≥ 8.1, valid JewelCloud Dealer ID, WooCommerce (for cart cases), admin user with `manage_options` .

How to use

Column	Meaning
ID	Unique case id
Priority	P0 blocker / P1 high / P2 medium / P3 low
Type	Functional, UI, API, Integration, Negative, Regression, Security, Perf
Steps	Exact actions
Expected	Pass criteria

Mark each case: Pass / Fail / Blocked / N/A. Note environment (theme, WC on/off, tool_version).

0. Test environment matrix

Run critical storefront flows across at least:

Dimension	Variants
UI version	tool_version 2.0 and 1.0
Theme	Block theme (e.g. Twenty Twenty-Four) + classic theme
WooCommerce	Active + inactive
Shortcode	Default page vs custom page with <code>[gemfindRB_ring_builder]</code>
Device	Desktop + mobile viewport
Diamond types	Natural, lab-grown, fancy color (where inventory exists)
Ring path	Setting-first and diamond-first (if both supported)

1. Installation, activation, deactivation

ID	Priority	Type	Title	Steps	I
INST-01	P0	Functional	Fresh activate	Install plugin ZIP/folder → Activate	Plugin acti admin mer Builder ap

INST-02	P0	Functional	Pages created	After activate, check Pages	Pages exist (Ring Builder (settings), Link (diamond Builder page) shortcode; template applicable
INST-03	P0	Functional	Options stored	Check options after activate	gemfindRB_1 gemfindRB_2 gemfindRB_3 set to valid
INST-04	P1	Functional	DB tables	Inspect DB after activate	Tables {prefix}ringbuilder ringbuilder ringbuilder gemfindRB_1
INST-05	P1	Functional	Rewrite flush	Visit /ringbuilder/settings/ after activate	SPA loads 404
INST-06	P2	Functional	Reactivate	Deactivate → Activate again	Pages/options duplicated / config pr
INST-07	P2	Functional	Deactivate data	Deactivate plugin	Pages and does not fa
INST-08	P1	Negative	Missing bundles	Temporarily rename public/frontend/build/assets/frontend.js → open storefront as admin	Admin not comment ; build; no w death
INST-09	P2	Functional	Requirements	Confirm PHP & WP versions on About/readme	Matches R WP 6.3+

2. Admin — access, menus, About

ID	Priority	Type	Title	Steps	Expected
ADM-01	P0	Functional	Settings menu	WP Admin → GemFind Ring Builder → Settings	#gemfindrb-admin-root mounts; Settings React UI loads
ADM-02	P0	Functional	CSS Configurator	Open CSS Configurator	Admin CSS page loads (data-page="css")
ADM-03	P1	Functional	About page	Open About	PHP About content; support contact (support@gemfind.com /

					phone) visible
ADM-04	P1	Security	Capability gate	Log in as Editor (no <code>manage_options</code>)	Cannot access Ring Builder admin screens (redirect / denied)
ADM-05	P2	UI	Admin assets	View source on Settings	<code>assets/build/admin.js</code> (+ CSS if present) and <code>admin/css/gemfindrb-admin.css</code> enqueued; <code>gemfindRBAdminConfig</code> localized
ADM-06	P2	Functional	Menu position	Check left admin menu	GemFind Ring Builder present near expected position

3. Admin — General settings

ID	Priority	Type	Title	Steps	Expected
SET-G01	P0	Functional	Save Dealer ID	Enter valid <code>dealerid</code> → Save	Saved; storefront inventory loads via JewelCloud
SET-G02	P0	Negative	Empty Dealer ID	Clear dealer id → Save → open storefront	Config may save; JC/inventory fails with clear dealer-not-configured style error (no fatal)
SET-G03	P0	Functional	Switch to v1	Set <code>tool_version = 1.0</code> → confirm modal if shown → Save → open <code>/ringbuilder/settings/</code>	v1 bundle loads (<code>frontend-v1.js</code> / <code>#ringbuilder-root</code>); UI is classic
SET-G04	P0	Functional	Switch to v2	Set <code>tool_version = 2.0</code> → Save	v2 bundle loads (<code>frontend.js</code> / <code>#gemfindrb-root</code> inside <code>#GemFind</code>)
SET-G05	P1	Functional	Products per page	Set <code>products_pp</code> to 12, 24, 48, 99	Listing page size matches selection
SET-G06	P1	Functional	Default view	Toggle <code>default_view</code> list ↔ grid	Default listing layout matches
SET-G07	P2	Functional	Carat ranges	Set <code>settings_carat_ranges</code> comma list → save	Filter/range UI reflects configured ranges
SET-G08	P2	Functional	Shop title / phone	Set <code>shop_title</code> , <code>phone_number</code>	Values appear where UI/emails/print expect them

SET-G09	P1	Regression	Asset revision bump	Save shop settings	Storefront CSS/JS query string / revision updates (cache bust)
---------	----	------------	---------------------	--------------------	--

4. Admin — Display toggles

For each toggle: ON shows control/feature; OFF hides it on storefront (v2 and spot-check v1).

ID	Priority	Setting	Verify on
SET-D01	P1	enable_hint	Setting / diamond / complete ring — Drop a Hint
SET-D02	P1	enable_email_friend	Email a Friend
SET-D03	P1	enable_schedule_viewing	Schedule a Viewing
SET-D04	P1	enable_more_info	Request More Info
SET-D05	P1	enable_print	Print / PDF actions
SET-D06	P2	enable_admin_notification	Admin receives copy when forms submit
SET-D07	P2	enable_sticky_header	Sticky header behavior on scroll
SET-D08	P2	show_powered_by	Powered-by footer/branding
SET-D09	P2	show_filter_info	Filter info UI
SET-D10	P1	display_tryon	Virtual try-on entry; camera Permissions-Policy when used
SET-D11	P1	buySingleDiamond	Buy single diamond CTA / cart path
SET-D12	P3	show_copyright	Copyright line
SET-D13	P2	price_row_format left/right	Price alignment
SET-D14	P2	font_family / theme_font_family	Typography on storefront
SET-D15	P2	shop_logo	Logo on UI / emails / print where applicable

SET-D16	P2	announcement_text	Announcement on list/browse
SET-D17	P2	announcement_text_rbdetail	Announcement on detail

5. Admin — Email, SEO, Advanced, CSS

ID	Priority	Type	Title	Steps	Expected
SET-E01	P1	Functional	Admin emails	Set admin_email_address (comma-separated) → submit a form with notifications on	Each address receives admin notification
SET-E02	P2	Negative	Invalid admin email	Enter malformed address → save / submit form	Validation or graceful skip; no PHP warning
SET-S01	P2	Functional	Ring SEO fields	Set ring_meta_title, ring_meta_description, ring_meta_keywords	Values available to React / meta consumption
SET-S02	P2	Functional	Diamond SEO fields	Set diamond meta title/description/keywords + diamond_details_textarea	Values applied on diamond surfaces
SET-A01	P1	Functional	reCAPTCHA v2	Set recaptcha_version v2 + site_key / secret_key → submit form	Captcha challenge appears; valid submit succeeds
SET-A02	P1	Functional	reCAPTCHA v3	Switch to v3 keys → submit	Invisible/score flow works; invalid key fails clearly
SET-A03	P2	Negative	Missing secret	Site key only → submit	Form fails safely with message
CSS-01	P0	Functional	Apply theme	CSS Configurator → pick theme (e.g. blue_ocean) → Save → storefront	Colors/theme match selection
CSS-02	P1	Functional	Custom colors v2	Edit link, CTA, hover, slider, background, nav active/inactive colors → Save	Dynamic CSS applied on storefront
CSS-03	P1	Functional	Custom colors v1	With tool_version 1.0, edit link_color, column_header_accent, call_to_action_button	Only v1 fields apply; storefront updates
CSS-04	P2	Functional	Theme list	Cycle themes: default, ruby_red, golden_glow, royal_purple, emerald_green, tealwave, rosepink,	Each saves and renders without breaking layout

				neutral, champagne, sapphire, rosegold, emeraldvelvet, onyxgold, custom	
CSS-05	P1	Regression	CSS save revision	Save CSS config	Asset revision bumps; hard refresh shows new styles

6. Shortcodes & mount

ID	Priority	Type	Title	Steps	Expected
SC-01	P0	Functional	Primary shortcode	Page with [gemfindRB_ring_builder]	App mounts; assets enqueue
SC-02	P1	Functional	Legacy alias	[gemfind_ring_builder]	Same behavior as primary
SC-03	P0	Functional	Force v1 attr	[gemfindRB_ring_builder version="1.0"] (Or version-one) while admin is 2.0	Loads v1 regardless of admin default
SC-04	P0	Functional	Force v2 attr	version="2.0" / version-two while admin is 1.0	Loads v2
SC-05	P1	Functional	Mount nodes v2	Inspect DOM	#GemFind / #gemfindrb-root present
SC-06	P1	Functional	Mount nodes v1	Inspect DOM	#ringbuilder-root (and #root if injected) present
SC-07	P1	Functional	Fallback inject	Visit /ringbuilder/settings/ if content somehow lacks mount	inject_mount_fallback still renders tool

7. Routing, redirects, SEO path handling

ID	Priority	Type	Title	Steps	Expected
RT-01	P0	Functional	Settings URL	Open /ringbuilder/settings/	Settings browse loads
RT-02	P0	Functional	Diamond URL	Open /ringbuilder/diamondlink/	Diamond search loads
RT-03	P1	Functional	Bare redirect	Open /ringbuilder (no trailing path)	302 → /ringbuilder/settings/
RT-04	P1	Functional	Legacy Shopify path	Open /apps/ringbuilder/settings/	301 → /ringbuilder/settings/

RT-05	P1	Functional	Deep SPA path	Navigate setting PDP then refresh	Same route returns 200 (not WP 404)
RT-06	P1	Functional	404 repair	Hit unknown deep path under /ringbuilder/...	Tool page resolves; SPA handles unknown route
RT-07	P2	Functional	Canonical	View source on SPA path	WP canonical does not break SPA URL (preserve behavior)
RT-08	P1	Functional	Cart URL proxy	Hit /ringbuilder/cartaddsetting/{id} (valid setting)	Proxies toward REST cart flow (307 or cart success)
RT-09	P2	Functional	Legacy cart proxy	/apps/ringbuilder/cartadd...	Redirects/proxies correctly
RT-10	P2	Functional	Subdirectory install	If WP in subdir, open basename-prefixed URLs	routerBasename includes home path; routes work

8. Storefront — settings (rings) browse & PDP

Run for **v2** and **v1**.

ID	Priority	Type	Title	Steps	Expected
RB-01	P0	Functional	Settings list loads	Open settings browse with valid dealer	Mountings/setting list from JC via jcProxy
RB-02	P0	Functional	Filters	Apply metal, shape, price, carat, style filters	Results update; empty filter set shows empty state
RB-03	P1	Functional	Sort / pagination	Change sort; page through results	Correct order; pag size matches products_pp
RB-04	P1	UI	List vs grid	Toggle views	Layout switches; images/prices visible
RB-05	P0	Functional	Setting PDP	Open /settings/product/:settingId	Detail loads (GetMountingDetail, images, price, specs
RB-06	P1	Functional	Alternate PDP path	/settings/view/path/:settingId	Same product detail

RB-07	P1	Functional	Select & continue	Choose size/options → continue to diamonds	Diamond search opens with setting context
RB-08	P2	Functional	Lab settings legacy	/settings/islabsettings/:settingSlug	Loads if inventory supports; else graceful empty/error
RB-09	P2	UI	Sticky header	With toggle on, scroll long list	Header stays usable
RB-10	P2	UI	Announcement	With announcement set	Banner text visible
RB-11	P1	Negative	Invalid setting ID	Open PDP with fake ID	Error/empty message; no crash

9. Storefront — diamond search, types, compare, PDP

ID	Priority	Type	Title	Steps	Expected
DL-01	P0	Functional	Diamond list	Open /ringbuilder/diamondlink/ or /diamondtools	Diamonds load via proxy
DL-02	P0	Functional	Natural filters	Shape, carat, color, clarity, cut, price, etc.	Filters apply; results match
DL-03	P1	Functional	Lab-grown nav	/diamondtools/diamondtype/navlabgrown (and diamondlink alias)	Lab inventory / filters
DL-04	P1	Functional	Fancy color nav	.../navfancycolored	Fancy color filters (GetColorDiamond*)
DL-05	P0	Functional	Diamond PDP	/diamondtools/product/:diamondId[:type]	Detail + media + price
DL-06	P1	Functional	Compare	Add 2–3 diamonds → /diamondtools/compare/	Compare table accurate
DL-07	P2	Functional	Compare edge	Compare 0 or 1 item	Sensible empty/lim UX
DL-08	P1	Functional	Certificate	Open certificate PDF action	PDF downloads/opens (/certificatePdf/...
DL-09	P1	Functional	Print diamond	Print with enable_print on	PDF/HTML print (/printDiamond/...)
DL-10	P2	UI	v1 empty specs	On v1 PDP with blank/- specs	Empty rows hidden (DOM patch)

DL-11	P1	Negative	Invalid diamond ID	Fake product URL	Clear error; no fatal
-------	----	----------	--------------------	------------------	-----------------------

10. Complete ring flow

ID	Priority	Type	Title	Steps	Expected
CR-01	P0	Functional	Setting → diamond → complete	Pick setting → pick diamond → complete ring	/completeRing shows both items + total
CR-02	P0	Functional	Complete from both entry points	Via /diamondtools/completeRing/, /settings/completeRing, /diamondlink/completeRing	Same complete UI
CR-03	P1	Functional	Change setting/diamond	From complete ring, change either piece	Updates pairing and price
CR-04	P1	Functional	Print complete ring	Print action	/printCompleteRing/... PDF/HTML correct
CR-05	P1	Functional	Complete ring forms	Drop hint / email friend / schedule / more info on complete	Emails send; toggles respected
CR-06	P0	Integration	Add complete to cart	Add complete ring (WC on)	Cart has complete-ring product; line details show setting + diamond

11. Shopper engagement forms (emails)

Test each surface: **Ring setting, Diamond, Complete ring.**

Endpoints: `dropHintApi` , `reqInfoApi` , `emailFriendApi` , `scheViewApi` (+ `dl*` / `cr*` variants).

ID	Priority	Type	Title	Steps	Expected
EM-01	P0	Functional	Drop a Hint happy path	Fill required fields → submit	Success message; recipient email; HTML template correct
EM-02	P0	Functional	Request More Info	Submit valid form	Success; admin/customer emails per config
EM-03	P0	Functional	Email a Friend	Submit	Friend receives email with product context
EM-04	P0	Functional	Schedule Viewing	Submit future date/time	Success; not past deadline

EM-05	P1	Negative	Required fields empty	Submit blank	Client/server validation; 422 or { success:false }
EM-06	P1	Negative	Invalid email	Bad email format	Rejected with message
EM-07	P1	Negative	Past gift/viewing deadline	Date in the past	422 / error message
EM-08	P1	Functional	Toggle off	Disable feature → reload PDP	CTA hidden; direct API still nonce-protected
EM-09	P2	Functional	Admin notification	Toggle on → submit	Admin mailbox receives copy
EM-10	P2	Integration	SMTP config	If SMTP configured via API	Mail goes through SMTP host
EM-11	P2	UI	Email branding	Check received HTML	Logo, shop title, product image/links present
EM-12	P1	Security	Missing nonce	POST form API without X-WP-Nonce	401/403; no email sent

12. WooCommerce cart & checkout

ID	Priority	Type	Title	Steps	Expected
WC-01	P0	Integration	Add diamond	buySingleDiamond ON → add diamond	Product D-{id} created/updated; in cart; type gemfindRB_diamond
WC-02	P0	Integration	Add setting	Add setting alone	Product R-{id}; type gemfindRB_ring
WC-03	P0	Integration	Add complete ring	Add pair	Type gemfindRB_complete_ring; details include both
WC-04	P1	Integration	Cart line details	Open cart	Shape/carat/color/clarity or metal/size shown
WC-05	P1	Integration	Checkout → order	Complete order	Order item meta has details + _gemfind_product_type
WC-06	P1	Integration	Price sync	Add item with known JC price	WC price matches (cost/price/fltPrice/etc.)
WC-07	P1	Integration	Image sync	Add item with image	Featured image set on product
WC-08	P0	Negative	WC inactive	Deactivate WooCommerce → add to cart	503 / gemfindRB_no_woocommerce; UI message

WC-09	P1	Negative	No price	Item without price fields	Cannot add; no_price (or equivalent)
WC-10	P2	Negative	Invalid SKU / id	Malformed cart request	invalid_sku / validation error
WC-11	P2	Functional	Cart token TTL	Start cart flow; wait > 20 min if feasible	Token expiry handled (gemfindRB_cart_ctx ~1200s)
WC-12	P2	Integration	Coming Soon mode	Enable WC Coming Soon → open /ringbuilder/*	Storefront still allowed (woocommerce_coming_soon_exclude)
WC-13	P2	API	REST cart endpoints	Exercise /addToCart, /addRing, /cartadd/{id}, /cartaddsetting/{id}, /completePurchase/{d}/{s} + /api/ aliases	Success with nonce; fail without
WC-14	P2	Functional	SKU length	Very long diamond/setting id	SKU sanitized, max 60 chars

13. Print & PDF

ID	Priority	Type	Title	Steps	Expected
PDF-01	P0	Functional	Diamond print	Trigger print diamond	Dompdf/HTML; layout from diamond-print-page.php; no-cache headers
PDF-02	P0	Functional	Complete ring print	Print complete	complete-ring-print-page.php content correct
PDF-03	P1	Functional	Certificate PDF	Open certificate	Valid PDF; lab/natural flag respected
PDF-04	P1	Negative	Missing item	Print unknown id	404 WP_Error message
PDF-05	P2	UI	Print CSS	Check print stylesheet	gemfindrb-diamond-print.css applied; readable layout
PDF-06	P2	Functional	Toggle off	enable_print off	Print CTAs hidden

14. Virtual try-on

ID	Priority	Type	Title	Steps	Expected
TO-01	P1	Functional	Try-on visible	display_tryon on + eligible product	Camweara entry loads

TO-02	P1	Functional	Camera permission	Allow camera	Try-on works; Permissions-Policy allows camera
TO-03	P2	Negative	Deny camera	Block camera	Graceful message
TO-04	P2	Functional	Toggle off	display_tryon Off	No try-on UI

15. REST API & JewelCloud proxy

ID	Priority	Type	Title	Steps	Expected
API-01	P0	API	reactconfig	GET /wp-json/gemfind-ring-builder/v1/reactconfig with nonce	Config JSON for storefront
API-02	P1	API	CSS style	GET .../reactconfig/getcssStyle	CSS vars/styles
API-03	P1	API	Diamond detail	GetDiamondDetail?DID=&IsLabGrown=	Detail payload
API-04	P1	API	Mounting detail	GetMountingDetail?SID=	Detail payload
API-05	P1	API	Plan check	GET .../billing/check-active-plan	active: true on WP
API-06	P0	API	jcProxy allowlist	Call allowlisted endpoint e.g. GetFilters	Proxied success with dealer
API-07	P0	Security	jcProxy deny	Call non-allowlisted endpoint name	Rejected
API-08	P1	API	jcVideoProxy	Request video proxy URL	Streams/returns without CORS error in app
API-09	P1	Security	Admin POST shop	POST /shop/configuration as subscriber	Denied
API-10	P1	Security	Admin POST as admin	Save shop/CSS/SMTP as admin	Succeeds
API-11	P2	API	Customer register	POST /customer/register with name/email/phone	Creates/updates ringbuilder_customer when used
API-12	P2	API	Check registration	GET /customer/check-registration	Accurate registered flag
API-13	P1	Functional	Browser rewrite	In Network tab while browsing	Browser does not call api.jewelcloud.com

					directly; uses jcProxy + nonce
API-14	P2	API	/api/ aliases	Hit v1-style /api/addToCart etc.	Same as primary routes

16. Assets, CSS isolation, performance

ID	Priority	Type	Title	Steps	Expected
AS-01	P0	Functional	Assets only on tool pages	Visit homepage without shortcode	Ring Builder frontend JS/CSS not loaded
AS-02	P0	Functional	Assets on tool page	Visit /ringbuilder/settings/	Overrides + frontend bundle + dynamic CSS present
AS-03	P1	Functional	v1 extras	tool_version 1.0	nouislider + v1 patches present
AS-04	P1	UI	Theme conflict smoke	Aggressive theme typography on tool page	Tool layout intact; theme header/footer still themed
AS-05	P2	Perf	List load	Load settings/diamonds with network throttle	No endless spinner; errors if timeout
AS-06	P2	Functional	Cache bust	Save CSS → hard reload without hard purge	New styles apply via revision

17. Templates & full-width layout

ID	Priority	Type	Title	Steps	Expected
TPL-01	P1	Functional	Full-width template	Ring Builder page uses GemFind Ring Builder (full width)	Body class gemfind-full-width-layout; content full bleed
TPL-02	P2	Functional	Template without assignment	Assign default theme template to a shortcode page	Tool still works; may be constrained by theme
TPL-03	P2	UI	Theme chrome	Full-width page	Header/footer per template design; tool usable

18. Error, empty, and gate states

ID	Priority	Type	Title	Steps	Expected
----	----------	------	-------	-------	----------

ERR-01	P0	Negative	No dealer ID	Clear dealer → browse	Clear inventory/clear error
ERR-02	P1	Negative	JC API down	Simulate JC failure (bad URL / block host)	User-facing error; no W
ERR-03	P1	Negative	Empty inventory	Filters that return zero	Empty state message
ERR-04	P2	UI	Activation modal	If plan inactive (mock if possible)	Activation Required m
ERR-05	P2	Functional	Merchant registration gate	Enable gemfindRB_admin_require_merchant_registration	Admin bloc until registe
ERR-06	P1	Negative	SSL verify	Default gemfindRB_http_sslverify true	Outbound HTTPS valid (filter documented local only)

19. Security & permissions

ID	Priority	Type	Title	Steps	Expected
SEC-01	P0	Security	REST without nonce	Mutating storefront POST without nonce	Rejected
SEC-02	P0	Security	Privilege escalation	Non-admin cannot POST shop/CSS/SMTP	401/403
SEC-03	P1	Security	XSS in forms	Submit <script> in name/message fields	Escaped in emails/HTML; not executed
SEC-04	P1	Security	XSS in announcement	Admin announcement with HTML/script	Safely rendered or stripped per design
SEC-05	P2	Security	Open redirect	Email links / return URLs	Only trusted/site URLs
SEC-06	P2	Security	Sensitive SMTP	GET SMTP config as non-admin	Denied; password not exposed to storefront

20. Compatibility & environment

ID	Priority	Type	Title	Steps	Expected
CMP-01	P1	Regression	With Diamond	Both GemFind plugins active	No shortcode/REST/menu clash; both tools work

			Link plugin		
CMP-02	P1	Regression	Caching plugin	Enable common page cache	SPA routes and REST still work (nonce/cookies)
CMP-03	P2	Compatibility	Multisite	Activate on one site (if available)	Shop key = that site host; isolated config
CMP-04	P2	Compatibility	HTTP vs HTTPS	Site on HTTPS	Mixed-content free; JC/Camweara OK
CMP-05	P1	UI	Mobile	iPhone/Android widths	Filters, PDP, cart CTAs usable
CMP-06	P2	UI	Browser matrix	Chrome, Firefox, Safari, Edge	Core flows pass
CMP-07	P3	Compatibility	PHP 8.1 vs 8.x	Run on 8.1 and current 8.x	No deprecations fatals

21. Localization & content

ID	Priority	Type	Title	Steps	Expected
I18N-01	P3	Functional	Text domain	Spot-check admin strings	Domain <code>gemfind-ring-builder</code>
I18N-02	P2	Functional	Special chars	Product titles with &, quotes, unicode	Display/email/cart correct
I18N-03	P2	Functional	Currency/price format	Various price magnitudes	Formatted consistently

22. Build & developer smoke (optional for QA)

ID	Priority	Type	Title	Steps	Expected
BLD-01	P2	Functional	Full build	<code>npm run build</code> from plugin root	admin + v2 + v1 outputs exist at enqueue paths
BLD-02	P3	Functional	Package ZIP	<code>npm run package</code>	ZIP produced; installs cleanly

23. End-to-end smoke suites (run every release)

Smoke A — Happy path v2 + WooCommerce (P0)

1. Activate plugin; confirm pages.
2. Set Dealer ID; `tool_version 2.0`; save.
3. Open `/ringbuilder/settings/` → filter → open setting PDP.
4. Continue to diamonds → select diamond → complete ring.
5. Add complete ring to cart → checkout → place order → verify order meta.

6. Submit one engagement form (e.g. Request More Info).
7. Print diamond PDF once.

Smoke B — v1 parity (P0)

1. Switch tool_version **1.0** (or shortcode `version="1.0"`).
2. Settings list + diamond list + one PDP.
3. Complete ring + add to cart.
4. Confirm nouislider filters work.

Smoke C — Negatives (P1)

1. Empty dealer ID.
2. WooCommerce off + add to cart.
3. Form validation failures.
4. Legacy `/apps/ringbuilder/` redirect.
5. Feature toggles hide CTAs.

24. Traceability — features → case IDs

Feature area	Case ID prefixes
Install / DB / pages	INST-*
Admin UI	ADM-*
Settings General/Display/Email/SEO/Advanced	SET-*
CSS themes	CSS-*
Shortcodes	SC-*
Routing / redirects	RT-*
Settings browse/PDP	RB-*
Diamonds / compare	DL-*
Complete ring	CR-*
Emails / forms	EM-*
WooCommerce	WC-*
Print / PDF	PDF-*
Try-on	TO-*
REST / JC proxy	API-*
Assets / CSS load	AS-*
Templates	TPL-*
Errors / gates	ERR-*
Security	SEC-*

Compatibility	CMP-*
i18n	I18N-*
Build	BLD-*

25. Suggested test data checklist

- ☐ Valid JewelCloud Dealer ID with settings + natural + lab + fancy inventory
- ☐ At least one setting with multiple metals/sizes and images
- ☐ At least one diamond with certificate
- ☐ WooCommerce payments in test mode
- ☐ Mail catcher (Mailhog / Mailpit / WP Mail Logging)
- ☐ Admin + shopper (+ optional Editor) users
- ☐ reCAPTCHA test keys (optional)
- ☐ Camwears-capable browser for try-on

Generated for GemFind Ring Builder QA. Update this file when settings, routes, or REST contracts change.