

Lead Intake API (v1)

Submits a contact-form lead from a lead-gen site into the USA Peptide Depot CRM. Plain JSON over HTTPS. Posted directly from the visitor's browser; no backend required on the client site.

Status: live. Ask us for an API token before you test; a request without a valid token is refused.

Endpoint

POST <https://www.usapeptidedepot.com/api/leads/intake>

Method	POST (plus OPTIONS for CORS preflight, handled)
Content-Type	application/json
Auth	Authorization: Bearer <token>, required
CORS	Open; any domain holding a valid token may post
Rate limit	5 requests / IP / 10 min · 20 requests / sending domain / 10 min

Use the `www.` host exactly as written. The bare `usapeptidedepot.com` answers with a 308 redirect, and browsers do not follow redirects on a CORS preflight, so a form posting to it will fail.

Authentication

Authorization: Bearer `usapd_XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX`

Header	Required	Value
Authorization	yes	Bearer <token>
X-Site-Key	alternative	The same token, for hosts that will not let you set Authorization

One token covers every site. There is no per-domain registration: a new site works the moment its form goes up. A revoked token stops every site using it at once.

Where to put the token. If the site has a backend, keep the token there and post server-side: then it is a real secret. On a static site it has to go in the page, where anyone viewing source can read it, so treat it as public. That is accepted, and the endpoint is built for it: the token identifies which network of sites a lead came from and can be revoked instantly, while the honeypot, the fill-time check and the rate limits are what actually bound abuse. Nothing about the CRM is readable through this endpoint, in either case.

Optional restriction. A token can be tied to a list of domains, or have one domain blocked, from the dashboard. Ask if you want a token locked to a single site, for example a staging site.

Request body

Field	Type	Required	Max	Notes
full_name	string	yes	200	
phone	string	yes	50	Any format. (405) 555-0134 accepted
email	string	yes	254	Must be a valid address
interest	enum	yes	n/a	See Enums
goal	enum	yes	n/a	See Enums
message	string	no	5000	Truncated, not rejected, if longer
lead_source	string	no	120	The submitting domain. Normally omit it: the server records the domain the request actually came from. Send it on a server-to-server post, which has no Origin
tracking_phone	string	no	50	The phone number displayed on that site
page_url	string	no	500	location.href
referrer	string	no	500	document.referrer
utm_source	string	no	120	From the query string
utm_medium	string	no	120	From the query string
utm_campaign	string	no	120	From the query string
utm_term	string	no	120	From the query string
utm_content	string	no	120	From the query string
company	string	n/a	n/a	Honeypot. Must be submitted empty
ts	integer	no	n/a	Epoch ms captured at page load

Spam fields

Both are required for the form to pass spam filtering in practice:

- `company`: a hidden input. Any non-empty value causes the submission to be discarded. Position it off-screen with CSS; do not use `display:none`, do not autofocus it, do not label it.
- `ts`: `Date.now()` recorded when the page loads. Submissions sent less than 3000 ms after page load, or carrying a future timestamp, are discarded.

Discarded submissions return 201, identical to a success.

Enums

Submit the value. Display the label.

interest

Value	Label
weight_management	Weight management
hair_scalp	Hair & scalp
skin_cosmetic	Skin / cosmetic
collagen	Collagen
copper_peptides	Copper peptides
general_info	General peptide information
availability	Product availability
pricing	Pricing
other	Other

goal

Value	Label
weight_management	Weight management
body_composition	Body composition
recovery	Recovery
healthy_aging	Healthy aging
skin_appearance	Skin appearance
hair	Hair
general_wellness	General wellness
learning_options	Learning about peptide options
other	Other

Unrecognised values are stored as other with the submitted text retained. Labels are also accepted in place of values.

Example request

```
curl -X POST https://www.usapeptidedepot.com/api/leads/intake \
-H 'Content-Type: application/json' \
-H 'Authorization: Bearer usapd_XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX' \
-d '{
  "full_name": "Jane Doe",
  "phone": "(405) 555-0134",
  "email": "jane@example.com",
  "interest": "weight_management",
  "goal": "body_composition",
  "message": "Do you ship to Oklahoma?",
  "lead_source": "peptidesoklahomacity.com",
  "tracking_phone": "405-555-0100",
}
```

```
"page_url": "https://peptidesoklahomacity.com/contact",
"referrer": "https://www.google.com/",
"utm_source": "google",
"utm_medium": "cpc",
"utm_campaign": "okc-weight",
"company": "",
"ts": 1758585600000
}'
```

Responses

201: accepted

```
{ "data": { "received": true, "id": "3f2c8a14-9b6d-4e21-8a77-0c5f1e2b9d44" } }
```

Also returned for discarded spam submissions. Reset the form and show a confirmation.

400: validation failed

```
{
  "error": "bad_request",
  "message": "Lead rejected.",
  "fields": {
    "email": "A valid email address is required.",
    "phone": "A phone number is required."
  }
}
```

fields keys match the request field names. Render each message against its input. Only present for validation errors.

401: unauthorised

```
{ "error": "unauthorized", "message": "Missing, unknown or revoked API token." }
```

Causes: no token, an unknown token, a revoked token, or a token that has been deliberately restricted away from this domain. Not retryable.

429: rate limited

```
{ "error": "rate_limited", "message": "Too many submissions. Please wait a few minutes and try again." }
```

503: intake unavailable

```
{ "error": "feature_unavailable", "message": "..." }
```

Server-side configuration incomplete. Not retryable; report it.

500: server error

```
{ "error": "server_error", "message": "..." }
```

Client handling

Status	Action
201	Reset form, show confirmation
400	Show fields messages inline, keep input
429	Show retry message, keep input
401, 500, 503	Show fallback with the site's phone number, keep input

Behaviour

- **Deduplication.** A submission matching an existing lead by email or phone within 30 days updates that lead and appends the new submission to its timeline rather than creating a second record. The response is 201 either way; id is the existing lead's id.
- **First touch wins.** A returning person's record keeps what was captured the first time: the domain, the tracking number, both dropdown answers and the campaign. Later submissions, with their own answers, are added to that person's timeline rather than replacing what is on the record.
- **Source tracking.** Every lead records the domain it was submitted from, taken from the request's Origin, so each of a hundred sites is reported separately without a per-site key or a per-site edit. A lead_source in the body is only used when there is no Origin (a server-to-server post).
- **Storage.** The lead is written to the CRM with both enum answers, the message, the sending domain, tracking_phone, page URL, referrer, UTM values and user agent.
- **Notification.** Sent on receipt.
- **Idempotency.** No idempotency key. A duplicate submission within the dedupe window is absorbed as above.

Reference implementation

The same code goes on every site. Per site, only the tracking phone number and the call-us fallback text change; the key and the endpoint stay identical, and lead_source can be left out entirely. Only the name attributes are contractual; markup and styling are free.

```
<form id="lead-form">
  <label>Full name
    <input name="full_name" required autocomplete="name"></label>

  <label>Phone number
    <input name="phone" type="tel" required autocomplete="tel"></label>

  <label>Email address
    <input name="email" type="email" required autocomplete="email"></label>

  <label>What are you interested in?
    <select name="interest" required>
      <option value="">Please choose</option>
      <option value="weight_management">Weight management</option>
      <option value="hair_scalp">Hair & scalp</option>
      <option value="skin_cosmetic">Skin / cosmetic</option>
      <option value="collagen">Collagen</option>
      <option value="copper_peptides">Copper peptides</option>
      <option value="general_info">General peptide information</option>
      <option value="availability">Product availability</option>
      <option value="pricing">Pricing</option>
    </select>
  </label>
</form>
```

```

        <option value="other">Other</option>
    </select></label>

<label>Primary goal
    <select name="goal" required>
        <option value="">Please choose</option>
        <option value="weight_management">Weight management</option>
        <option value="body_composition">Body composition</option>
        <option value="recovery">Recovery</option>
        <option value="healthy_aging">Healthy aging</option>
        <option value="skin_appearance">Skin appearance</option>
        <option value="hair">Hair</option>
        <option value="general_wellness">General wellness</option>
        <option value="learning_options">Learning about peptide options</option>
        <option value="other">Other</option>
    </select></label>

<label>Questions or comments
    <textarea name="message" rows="4"></textarea></label>

<!-- Optional. The server records the real domain either way. -->
<input type="hidden" name="lead_source" value="peptidesoklahomacity.com">
<!-- The number printed on this site, so you can see which number pulls. -->
<input type="hidden" name="tracking_phone" value="405-555-0100">

<input name="company" tabindex="-1" autocomplete="off" aria-hidden="true"
    style="position:absolute;left:-9999px;opacity:0;height:0">

<button type="submit">Send</button>
<p id="lead-status" role="status"></p>
</form>

<script>
(function () {
    var ENDPOINT = 'https://www.usapeptidedepot.com/api/leads/intake';
    var TOKEN     = 'usapd_TOKEN_HERE'; // the same on every site
    var CALL_US   = 'please call us on 405-555-0100'; // per site

    var form = document.getElementById('lead-form');
    var status = document.getElementById('lead-status');
    var button = form.querySelector('button[type=submit]');
    var loadedAt = Date.now();

    form.addEventListener('submit', function (e) {
        e.preventDefault();
        button.disabled = true;
        status.textContent = 'Sending...';

        var payload = {};
        new FormData(form).forEach(function (value, key) { payload[key] = value; });

        var params = new URLSearchParams(location.search);
        ['utm_source', 'utm_medium', 'utm_campaign', 'utm_term', 'utm_content']
            .forEach(function (k) { if (params.get(k)) payload[k] = params.get(k); });

        payload.page_url = location.href;
        payload.referrer = document.referrer;
        payload.ts = loadedAt;

        fetch(ENDPOINT, {
            method: 'POST',
            headers: { 'Content-Type': 'application/json', Authorization: `Bearer ${TOKEN}` },
            body: JSON.stringify(payload)
        }).then(function (res) {
            return res.json().catch(function () { return {}; }).then(function (body) {
                if (res.status === 201) {
                    form.reset();
                    status.textContent = 'Thank you, we will be in touch shortly.';
                    return;
                }
            });
        });
    });
});

```

```

    }
    if (res.status === 400 && body.fields) {
      status.textContent = Object.keys(body.fields)
        .map(function (k) { return body.fields[k]; }).join(' ');
      return;
    }
    status.textContent = 'Sorry, something went wrong, ' + CALL_US + '.';
  });
}).catch(function () {
  status.textContent = 'Sorry, something went wrong, ' + CALL_US + '.';
}).then(function () { button.disabled = false; });
});
})();
</script>

```

Integration checklist

1. Ask us for an API token. One token serves every site; no domain list, no per-site registration.
2. Post to the `www.` host exactly as documented.
3. Keep the token server-side if the site has a backend; otherwise it goes in the page and is treated as public.
4. Ask for a separate token for staging. Submissions made with the live token are written to the live CRM.
5. Set `tracking_phone` to the number displayed on that site. Leave `lead_source` out, or set it to the site's domain.
6. Verify a 201, a 400 with field errors, and the fallback path.
7. Render the tracking number as text, not only inside an image.

Do not collect payment details, government identifiers or medical history through this form. Nothing beyond the documented fields is stored.