

Genome Assembly

Lecture 21
Oct 21, 2016

Announcements

ASSEMBLY – DE BRUIJN

<https://youtu.be/9O3hAXp8gdM?list=PLQ-85IQIPqFNGdaeGpV8dPEeSm3AChb6L>

ASSEMBLY – DE BRUIJN

Hamiltonian Path Problem

Eulerian Path Problem

ASSEMBLY – DE BRUIJN

Hamiltonian Path Problem


$Composition_3(TAATGCCATGGATGTT) =$



Can we construct this **genome path** without knowing the genome **TAATGCCATGGATGTT**, only from its composition?


ASSEMBLY – DE BRUIJN

Hamiltonian Path Problem



ASSEMBLY – DE BRUIJN


Eulerian Path Problem



3-mers as **edges** and 2-mers as **nodes**

ASSEMBLY – DE BRUIJN

Eulerian Path Problem



ASSEMBLY – DE BRUIJN

ASSEMBLY – DE BRUIJN

AAABBBBA


take all 3-mers: AAA, AAB, ABB, BBB, BBA

form L/R 2-mers: AA, AA, AA, AB, AB, BB, BB, BB, BB, BA
L R L R L R L R L R

ASSEMBLY – DE BRUIJN

form L/R 2-mers: **AA, AA, AA, AB, AB, BB, BB, BB, BB, BA**
 L R L R L R L R L R

Let 2-mers be nodes in a new graph. Draw a directed edge from each left 2-mer to corresponding right 2-mer:



Each *edge* in this graph corresponds to a length-3 input string

ASSEMBLY – DE BRUIJN

GATTACAGTTCA

ASSEMBLY – DE BRUIJN

GATTACAGTTCA
GATTAC
ACAGTTCA

ASSEMBLY – DE BRUIJN

GATTAC

ACAGTTCA


ASSEMBLY – DE BRUIJN

GATTAC
GAT
ATT
TTA
TAC

ACAGTTCA
ACA
CAG
AGT
GTT
TTC
TCA


ASSEMBLY – DE BRUIJN

GAT ATT TTA TAC ACA CAG AGT GTT TTC TCA



ASSEMBLY – DE BRUIJN

GAT ATT TTA TAC ACA CAG AGT GTT TTC TCA




ASSEMBLY – DE BRUIJN

GAT ATT TTA TAC ACA CAG AGT GTT TTC TCA




ASSEMBLY – DE BRUIJN

GAT ATT TTA TAC ACA CAG AGT GTT TTC TCA



ASSEMBLY – DE BRUIJN

GAT ATT TTA TAC ACA CAG AGT GTT TTC TCA



ASSEMBLY – DE BRUIJN

GAT ATT TTA TAC ACA CAG AGT GTT TTC TCA

