Mapping

Lecture 13 Sept 30, 2016

Learning to code can get you a \$70,000 job

by Selena Larson @CNNTech

(L) September 27, 2016: 5:36 PM ET



Coding bootcamp: A college alternative

It's no secret that coding is a lucrative skill, but it turns out learning this skill can actually double your salary.

Coding Dojo, a coding bootcamp founded in 2012, released a report Tuesday, which found that 56.5% of its graduates earned less than \$35,000 before enrolling. After completing the 14-week course, graduates make an average of \$72,221.

















U.S.: Wells Fargo illegally repossessed 413 service members' cars



Child care now costs more than in-state college tuition



Mark Cuban: My players can join national anthem protest



These NATO countries are not spending their fair share on defense



Starbucks is raising prices next week




Theranos founder banned for two years

Janet Browne, Harvard University: "Rethinking the Darwinian Revolution"

Janet Browne is the world's leading expert on the life and work of Charles Darwin. She is the author of the acclaimed two-volume biography: Charles Darwin: Voyaging (1995) and Charles Darwin: The Power of Place (2002). Her work has been recognized by the award of the James Tait Black Prize, the Heinemann Prize, and the Pfizer Prize. She currently serves as President of the History of Science Society.

In this lecture, Professor Browne will reflect on recent scholarship that has reassessed the place of Darwin's ideas in nineteenth-century scientific and social thought.





Event Details

Event Details:

Monday, October 17, 2016 -4:00pm to 5:30pm

Price: Free and open to the public.

Location:

MUB 334

Directions and Parking

Contact

Jan Golinski


Acting Department Chair Professor of History and Humanities jan.golinski@unh.edu

Phone: (603) 862-3789 Fax: (603) 862-1502


403 Horton Social Science Center

20 Academic Way

BRIEF INTRO TO KMERS



Read Error Correction



ÁCTGTCATTCGGACTÁ ACTGTCATTCGGACTA ACTGTCATTCGGCCTA ACTGTCATTCGGACTA ACTGTCATTCGGACTA ACTGTCATTCGGACTA ACTGTCATTCGGACTA ACTGACATTCGGACTA ACTGTCATTCGGACTA ACTGTCATTCGGACTA

Consensus = ACTGTCATTCGGACTA

ÁCTGTCATTCGGACTÁ ACTGTCATTCGGACTA ACTGTCATTCGGCCTA ACTGTCATTCGGACTA ACTGTCATTCGGACTA ACTGTCATTCGGACTA ACTGTCATTCGGACTA ACTGACATTCGGACTA ACTGACATTCGGACTA ACTGTCATTCGGACTA

Consensus= ACTG{A,T}CATTCGGACTA

ÁCTGTCATTCGGACTÁ ACTGTCATTCGGACTA **ACTGTCATTCGGCCTA** ACTGTCATTCGGACTA ACTGTCATTCGGACTA ACTGTCATTCGGACTA ACTGTCATTCGGACTA **GCTGATAAC**CGGACTA ACTGACATTCGGACTA ACTGTCATTCGGACTA

Consensus = ACTGTCATTCGGACTA

TATACAATTTCGTTTTTATGAAAACTCCTAAAAGCAAACATATTTACCAACAATCCTTGCATACGAAATAACCGATTCTATTTAAGCATTGCTCCTATTTTATGAAAATTCCTTTTTTATGAAAACTCCTAAAAGCAAACATATTTACCAAACAACATATCTTGCATACGAAATAACCGATTCTATTTAAGCATTGC

Hamming Distance: http://en.wikipedia.org/wiki/Hamming_distance

3 different strategies

Kmer-spectra based

MSA based

Evaluation of Correction