

REQUEST FOR PROPOSAL

VOLUME I: PROJECT REQUIREMENT

Tender Document No.: M.11012/1/2015-MMPC

APPOINTMENT OF A HELPDESK SERVICE PROVIDER FOR AUGMENTATION OF MOTHER AND CHILD TRACKING FACILITATION CENTRE ON TURNKEY BASIS FOR MoHFW

17th June 2015

**Ministry of Health & Family Welfare,
Government of India
Nirman Bhawan, Maulana Azad Road
New Delhi - 110011**

Glossary

A&M	Approach & Methodology
AHT	Average Call Handling Time
ANM	Auxiliary Nurse Midwife
ASHA	Accredited Social Health Activist
ATS	Annual Technical Support
AMC	Annual Maintenance Contract
BCA	Bachelor of Computer Applications
CCN	Change Control Notes
CD	Compact Disc
COTS	Commercially Off The Shelf
CS	Computer Science
CV	Curriculum Vitae
CVC	Central Vigilance Commission
DBT	Direct Benefit Transfer
DD	Demand Draft
DeitY	Department of Electronics and Information Technology
DR	Disaster Recovery
EMD	Earnest Money Deposit
EMS	Enterprise Management System
EOI	Expression of Interest
ESH	Extended Service Hours
FIC	Functional cum Implementation Committee
GFR	General Financial Rules
GIS	Geographical Information System
GoI	Government of India
HA	Helpdesk Agent
HSP	Helpdesk Service Provider
ICT	Information and Communication Technology
IEC	Information, Education and Communication
IEEE	Institute of Electronic & Electrical Engineers
INR	Indian Rupee
IP	Implementation Partner
IT	Information Technology
JSY	Janani Suraksha Yojna
KPI	Key Performance Indicator
LD	Liquidated Damages
LoA	Letter of Award
LoI	Letter of Intent
MCA	Master of Computer Applications
MCTS	Mother and Child Tracking System
MCTFC	Mother and Child Tracking Facilitation Centre
MMP	Mission Mode Project
MoHFW	Ministry of Health and Family Welfare, Government of India

MSA	Master Services Agreement
NeGP	National e-Governance Plan
NIHFW	National Institute of Health and Family Welfare
NHM	National Health Mission
NRHM	National Rural Health Mission
O&M	Operations and Maintenance
OEM	Original Equipment Manufacturer
PAN	Permanent Account Number
PBG	Performance Bank Guarantee
PHC	Primary Health Centre
PoA	Power of Attorney
PoC	Proof of Concept
QCBS	Quality Cum Cost Based Selection
RCH	Reproductive and Child Health
RFE	Request for Empanelment
RFP	Request for Proposal
RoC	Registrar of Companies
SI	System Integrator
SLA	Service Level Agreement
SOW	Scope of Work
T&M	Time and Material
ToR	Terms of Reference
UAT	User Acceptance Test

Table of Contents

Important Dates for RFP	7
Definition of key terms	8
1. RFP Document for Helpdesk Service Provider	10
1.1 Fact Sheet	10
1.2 Structure of the RFP	11
2 Background Information	12
2.1 About Ministry of Health and Family Welfare	12
2.2 Mother and Child Tracking initiative	12
2.2.1 Mother and Child Tracking System (MCTS)	13
2.2.2 Reproductive Child Health (RCH)	14
2.2.3 Mother and Child Tracking Facilitation Centre (MCTFC)	15
3 Scope of Work	19
3.1 Calling Requirements	21
3.1.1 Voice calling through Helpdesk Agents	21
3.1.2 Voice call through IVRS	25
3.1.3 SMS Integration	25
3.1.4 Setting up of MCTFC infrastructure	28
3.1.5 Reporting Requirement	28
3.2 Maintenance of IT and non - IT Infrastructure at MCTFC	28
3.3 Future requirement of the MCTFC project	29
3.4 Phases of MCTFC project.....	29
3.4.1 Phase I – Establishment & Go-Live/ Operationalization of MCTFC Project.....	29
3.4.2 Phase II – Operation, Maintenance and On-Going Support for MCTFC Project.....	35
3.5 Key personnel required for MCTFC project.....	36
3.5.1 Phase I-establishment and go-live / operationalization of MCTFC project.....	36
3.5.2 Phase II: Operation, maintenance & on-going support for MCTFC project.....	36
3.5.3 Mobilization of the MCTFC Team:	37
3.5.4 Initial Composition and Retention of personnel.....	37
3.5.5 Evaluations.....	38
3.5.6 Replacement.....	38
3.5.7 Attrition of personnel	38
3.5.8 Adherence to Applicable Laws.....	39
3.6 Knowledge Management	39
3.7 Capacity Building	39
3.8 On-Going Support for Implementation of Additional Requirements of MoHFW	40
3.9 Exit Management	40
3.10 Other Key Operational Requirements.....	41
3.10.1 Information Security Requirements	41
3.10.2 Monitoring and Performance Management	41
3.10.3 Scalability Requirement	42
3.10.4 Audit Requirement	42
3.10.5 Support Services	43
3.11 Roles and Responsibilities	43
3.11.1 Helpdesk Service Provider	43
3.11.2 Ministry of Health and Family Welfare, Government of India	45

3.11.3	National Informatics Centre (NIC/NICSI)	46
3.11.4	National Institute of Health and Family Welfare	46
3.11.5	Knowledge Partner/ Functional Implementation Committee (FIC).....	46
3.12	Deliverables and Timelines.....	46
4	Instructions to the Bidders (ITB).....	50
4.1	General	50
4.2	Compliant bids / Completeness of Response.....	51
4.3	Pre-Bid Meeting and Clarifications.....	51
4.3.1	Pre-bid Meeting	51
4.3.2	Responses to Pre-Bid Queries and Issue of Corrigendum	52
4.4	Key Requirements of the Bid.....	52
4.4.1	RFP Document Fees	52
4.4.2	Right to Terminate the Process	52
4.5	Preparation of Bids.....	52
4.5.1	Language of Bid.....	52
4.5.2	Documents Constituting the Bid.....	52
4.5.3	Prequalification Criteria	52
4.5.4	Consortium	53
4.5.5	Sub-Contracting	53
4.5.6	Prequalification-cum-Technical Bid	53
4.5.7	Financial Bid	54
4.5.8	Contract Value	54
4.5.9	Undertaking	54
4.5.10	Bid Price	54
4.5.11	Earnest Money Deposit (EMD)	55
4.5.12	Rejection of Bid.....	55
4.5.13	Period of Validity of Bids.....	55
4.5.14	Fraud and Corrupt Practices	62
4.6	Appointment of Helpdesk Service Provider	63
4.6.1	Award Criteria	63
4.6.2	Right to accept any bid and to reject any or all bid(s)	63
4.6.3	Notification of Award.....	63
4.7	SLA Measurement and Penalties.....	63
4.8	Terms of Payment	65
5	ANNEXURES.....	67
5.1	Annexure I: Forms for Bid Submission	67
5.1.1	Cover Letter	67
5.1.2	Checklist and Forms of Prequalification Criteria	69
5.1.3	Formats for technical bid	77
5.1.4	Content and Format of Financial Bid	88
5.2	Annexure 2: Manpower requirement for MCTFC project.....	93
5.2.1	Eligibility criteria and Roles & responsibilities	93
5.3	Annexure 3: Criteria and Methodology for Evaluation of Technical Bid.....	97
5.3.1	Criteria for Evaluation	97
5.4	Annexure 4: Methodology for calculation of Absolute Financial Quote (F _T)	102
5.5	Annexure 5: Methodology for Selection of HSP.....	103
5.6	Annexure 6: Specification of Existing Infrastructure at Project site	104
5.7	Annexure 7: Bank Guarantee Formats (PBG and Bank Guarantee against Advance).....	113

5.7.1	Performance Bank Guarantee	113
5.7.2	Bank Guarantee for advance	113
5.8	Annexure 8: SLA Definition and Measurement.....	114
5.8.1	SLA Monitoring	115
5.8.2	Quality Analysis Form	123
5.9	Annexure 9: Layout of Project Site.....	125
5.10	Annexure 10: Tentative feature of the Hardware and Software for MCTFC Project.....	126
5.10.1	KEY FEATURES / SPECIFICATIONS OF MCTFC SOLUTION	126
5.10.2	Specification of Hardware	135
5.11	Annexure 11: SLA requirement for the existing HSP.....	155
5.12	Annexure 12: Scope of Work and SLAs of Telecom Service Provider	156

Important Dates for RFP

S. No.	Particular	Date
1.	Start date of issuance / sale of RFP document	17 th June, 2015
2.	Last date for submission of request for visit to Project site	25 th June, 2015 till 3:00 PM
3.	Last date for submission of pre-bid queries	25 th June, 2015 till 3:00 PM
4.	Pre-bid meeting	30 th June, 2015 at 11:00 AM in Room No. 249, A-Wing, Nirman Bhawan, Maulana Azad Road, New Delhi – 110011
5.	Last date for issuance / sale of RFP document	9 th July, 2015 till 4:00 PM
6.	Last date and time for bid submission	10 th July, 2015 till 3:00 PM
7.	Date and time of opening of pre-qualification cum technical bids	10 th July, 2015 at 4:00 PM in Room No. 249, A-Wing, Nirman Bhawan, Maulana Azad Road, New Delhi – 110011
8.	Date and time for opening of financial bids	To be announced later
9.	Presentation by the bidders on the proposed MCTFC solution	To be intimated separately to the bidders

Definition of key terms

S. No.	Term	Definition
1.	Mother and Child Tracking System (MCTS)	A system that registers the pregnant woman and child (0-5 years) to track them and assist in providing timely and full range of services to them.
2.	Reproductive and Child Health (RCH) application	A web application being developed to track eligible couples and beneficiaries and to provide better service to them with major emphasis on: i. Maternal health services ii. Child health services iii. Tracking the usage of family planning methods iv. Adolescent health services.
3.	Mother and Child Tracking Facilitation Centre (MCTFC)	A facilitation centre / call centre that fetches the data related to pregnant women and child registered under MCTS/RCH and makes phone calls to them to get the feedback on healthcare services and central government schemes and programmes at field level.
4.	Bidder	A firm / entity who will participate in the bidding process for appointment of Helpdesk Service Provider (HSP) for augmentation of MCTFC project on turnkey basis.
5.	Successful Bidder	A firm / entity who will obtain the maximum score in the bidding process
6.	Helpdesk Service Provider (HSP)	A firm / entity who signs a contract with MoHFW to augment the MCTFC project on turnkey basis.
7.	Telecom Service Provider (TSP)	A firm / entity who has been selected by MoHFW to provide the telecom connectivity (PRI lines) and related infrastructure for MCTFC project. An HSP selected through this bidding process will sign a contract with the TSP for the telecom services for MCTFC project. HSP will pay the telecom charges for MCTFC project to the TSP and get the amount reimbursed from MoHFW on production of invoice raised by TSP and payment acknowledgement from TSP.
8.	Helpdesk Agent (HA)	The call centre agent communicating with the beneficiaries and health workers to get their feedback on healthcare services and central government schemes and programmes at field level.
9.	Beneficiaries	i. Pregnant women registered in MCTS / RCH ii. Parents of children registered in MCTS / RCH iii. Girls and women in the reproductive age of 15-49 years registered in MCTS / RCH.
10.	Health workers	Auxiliary Nurse Midwife (ANM), Accredited Social Health Activist (ASHA) etc. who assist and provide healthcare services to the beneficiaries.
11.	Stakeholders	i. Beneficiaries ii. Eligible couple iii. Health workers iv. MoHFW / Technical Coordination Committee / Functional Implementation Committee/ Programme Divisions v. NIC

S. No.	Term	Definition
		vi. Members of MCTS / RCH project vii. State / UT health department.
12.	Caller	A person who will call on MCTFC number and whose call will be registered as a missed call and thereby will receive an outbound call from MCTFC.
13.	Medical Consultant (MC)	A certified doctor who will provide non clinical advice to the beneficiaries / health workers, if required. Non-clinical advice means information on nutritional requirement of pregnant women and child, precautionary measures to be taken during pregnancy etc. Also she will maintain and update the Frequently Asked Question (FAQ) for the MCTFC calling operation.
14.	Project site	MCTFC Call Centre, Ground Floor, Academic Block, National Institute of Health and Family Welfare, Baba Gang Nath Marg, Munirka, New Delhi-110066

1. RFP Document for Helpdesk Service Provider

Sealed bids are invited from eligible, reputed, qualified entities with sound technical and financial capabilities for design, development, implementation and maintenance of an end to end call centre solution as detailed out in the Scope of Work under Section 3 of this RFP document. This invitation to bid is open to all bidders meeting the minimum eligibility criteria as mentioned in Annexure 3 of this RFP document.

1.1 Fact Sheet

Clause Reference	Topic
Evaluation Method	The method of selection is: CQCCBS (Details provided in Section 5.5)
Nodal Contact Person	Mr. Sanjay Kumar, Deputy Director (MMPC) Room No. 526 C, Ministry of Health & Family Welfare Nirman Bhawan, Maulana Azad Road New Delhi – 110011 Phone No: 011-23062677, Email: ddmmpc-mohfw@nic.in
Method for obtaining RFP	RFP can be collected from the Nodal Contact Person mentioned above on or before the date and time mentioned in Important Dates for RFP table by paying the tender fee of Rs 10,000/- (Rs Ten Thousand only) by Demand Draft in favour of “Pay & Accounts Officer, Ministry of Health & Family Welfare, New Delhi” payable at Delhi from any of the commercial bank OR Downloaded from nhm.gov.in or eprocure.gov.in . However, in this case, the bidders are required to submit the tender fee in the form of a Demand Draft, as per details mentioned above, along with the bid.
EMD	The bidder shall furnish, as part of its bid, EMD only in the form of Bank Guarantee or Fixed Deposit Receipt drawn in favour of “Pay & Accounts Officer, Ministry of Health & Family Welfare, New Delhi” for an amount of Rs 80,00,000/- (Rs Eighty Lakhs Only) payable at Delhi. EMD should be valid for a period of 225 days from the last date of submission of the bid. The EMD submitted in the form of Demand Draft or Banker’s Cheque will not be considered, considering their 90 days validity and the same will lead to rejection of the bid. EMD having a validity of less than 225 days will not be considered.
Scope of work	The detailed scope of work is provided in Section 3.
Pre-bid meeting	A pre-bid meeting will be held on date, time and venue mentioned in Important Dates for RFP table. All the queries should be sent to Nodal Contact Person mentioned above on or before date and time mentioned in Important Dates for RFP table either through post or e-mail.
Language of bid	Bid should be submitted in the English language only.
Bid validity	Bid must remain valid for 180 days from the last date of submission of the bid.
Bid documents	Bidders must submit i. An original and one additional copy of each bid along with one copy of non-editable CD / DVD for Pre-qualification and Technical bid ii. One original copy of the Financial bid iii. In case of any variation between soft copy and hard copy, signed hard copy will prevail.

Bid submission	The bid should be submitted to the Nodal Contact Person mentioned above.
Date of bid submission	Bid must be submitted no later than the date and time mentioned in Important Dates for RFP table.

1.2 Structure of the RFP

This Request for Proposal (RFP) document comprise of the following:

VOLUME I: PROJECT REQUIREMENT

VOLUME II: CONDITIONS OF CONTRACT

The bidder is expected to respond to the requirements as completely and in as much relevant detail as possible and focus on demonstrating bidder's suitability to become the HSP of Ministry of Health and Family Welfare.

The bidders are expected to examine all instructions, forms, terms, project requirements and other information in the RFP document. Failure to furnish all information required as mentioned in the RFP document or submission of a bid not substantially responsive to the RFP document in every respect will be at the bidder's risk and may result in rejection of the bid.

2 Background Information

2.1 About Ministry of Health and Family Welfare

The Ministry of Health and Family Welfare (MoHFW) is the apex governmental body responsible for implementation of national health programmes running in India in the areas of family welfare, public health, prevention and control of major communicable diseases, promotion of traditional and indigenous systems of medicines etc.

MoHFW looks after the overall health situation in the country and is responsible for areas that have a wide impact on the aspects of public health and medical services in the country, e.g. population control, medical education, prevention of food adulteration, quality control in manufacture and sale of drugs etc.

The key functions / services performed by the MoHFW include:

- i. Visioning, policy making on health related aspects in the country
- ii. Designing and planning (centre and State / UT level) of national health programmes
- iii. Performance monitoring of programmes being implemented by the States / UTs
- iv. Financial disbursements to States / UTs and management (for the programmes)
- v. Providing inputs on medical education and curative care
- vi. Health research, setting food and drug standards and infrastructure
- vii. Providing health care services to central government employees and pensioners
- viii. Health manpower development and setting norms
- ix. International health regulations and treaties
- x. Supervising sub-ordinate offices.

2.2 Mother and Child Tracking initiative

MoHFW is responsible for various health schemes and programmes for family welfare, public health, prevention and control of major communicable diseases. Under NRHM / NHM, MoHFW is implementing several interventions for improving the physical and financial monitoring of its programmes and improving the accountability structures.

In this regard, MoHFW introduced several web-based applications such as Health Management Information System (HMIS), TB tracking system, Maternal Death Review (MDR) system and Mother and Child Tracking System (MCTS). These applications provide a comprehensive approach that encompasses individual health care, public health and help in transforming public health care into an accountable, accessible and affordable system of quality services.

MCTS is one of the excellent examples of initiatives of MoHFW to leverage Information Technology for ensuring delivery of full spectrum of healthcare and immunization services to pregnant women and children up to 5 years of age. It is an innovative, web-based application to facilitate and monitor service delivery as well as to establish a two way communication between the service provider and the beneficiary. The system will go a long way in ensuring quality service delivery, micro birth planning and ensuring universal immunization and will have positive impact on important health indicators like Infant Mortality Rate (IMR) and Maternal Mortality Ratio (MMR).

2.2.1 Mother and Child Tracking System (MCTS)

MoHFW in order to address the above mentioned needs, MoHFW has put in place a comprehensive solution called the **Mother and Child Tracking System (MCTS)**.

MCTS is a centralized web-based application which captures the name based data of pregnant women and children and hence provides the necessary foundation for tracking of pregnant women and children with immunization requirement.

MCTS has been rolled out across the country and is functioning successfully. The application is rolled out using a hybrid (i.e. centralized & decentralized) approach for deployment.

MCTS is intended to capture the data of approximately 3 crore pregnant women (between 15-49 years age group) and approximately 2.7 crore children (between 0-5 years age group) every year.

The reference date for capturing information under the mother and child tracking initiative is:

- i. All new pregnancies detected / being registered from 1st April, 2009 at the first point of contact of the pregnant woman with the health facility / health provider
- ii. All births occurring from 1st December, 2009 also being captured

MCTS aspires to capture all pregnancies and births (including at government or private facilities) in the country. The services such as ANC check-ups and delivery details for pregnant women and immunization details for the children are being captured under MCTS. Thus details of all deliveries taking place either at home, public or private institution are being captured through this initiative. Eventually, it facilitates in ensuring timely and full range of service delivery to the beneficiaries i.e. pregnant women and children.

The information on pregnancies, birth and childcare in the current scenario is being collected manually by health workers on paper-based forms. These are then aggregated at the block / sub-centre / PHC and entered into the MCTS application. States / UTs are entering all the relevant fields in Mother and Child Tracking System.

MoHFW has developed a central data repository through MCTS. MCTS intends to provide a validated and quick reference of data related to pregnancies and births in India. This centralized repository with aggregated and validated mother and child data from each State / UT aids in the following:

- i. Generation of standard programme management reports of data quality and validation status
- ii. Provision of weekly generation of work plan for health workers for better micro-planning at the field level
- iii. Timely delivery of services to the beneficiaries (pregnant women and children)
- iv. Provision of continuous monitoring of State, District and block level performance related to registration and service delivery to the beneficiaries through MCTS
- v. Provision of validation of details of all health workers
- vi. Transformation and utilization of information to assist or support the functioning of health workers
- vii. Roll-out of targeted health programmes and schemes
- viii. Efficient need-based planning of allocation and management of health resources at ground-level
- ix. Efficient implementation of payments to the JSY beneficiary through MCTS portal.

Recently many new features has been added to MCTS such as SMS, IVRS, UID integration, enhanced reporting mechanism etc. to facilitate the stakeholders for better performance.

Further, MCTS is integrated with the Aadhaar based payment system for its Janani Suraksha Yojna (JSY) programme under Direct Benefits Transfer (DBT) scheme of GoI.

MCTS has incorporated many new initiatives that will facilitate in better healthcare services at the field level. Considering the large and varied objectives of MCTS, a need to enhance MCTS was felt. It was envisioned to enhance the existing MCT System with a system that will incorporate all the existing and future requirements of Reproductive and Child Health (RCH) initiatives of MoHFW. Eventually, an enhanced system by the name of RCH system is being developed to meet the needs of MoHFW. There will be a time period when both the systems i.e. MCTS and RCH will co-exist until there is a smooth transition from MCTS to RCH system for the entire country.

2.2.2 Reproductive Child Health (RCH)

A new web application called Reproductive Child Health (RCH) is being developed to track eligible couples and beneficiaries and to provide better service to them. It also intends to provide better support to health workers. In RCH Programme, the contour has broadened with major emphasis on:

- i. Maternal health services
- ii. Child health services
- iii. Tracking the usage of family planning methods
- iv. Adolescent health services

RCH has marked a shift in the approach towards monitoring health and family welfare programme as it is aimed at ensuring delivery of maternal and child health services to all pregnant women and new born in an effort to reduce maternal, infant and child mortality in the country.

This system is being developed based on the new Reproductive and Child Health (RCH) register that is being implemented at the field level.

2.2.2.1 The Reproductive & Child Health (RCH) Register

An Integrated Reproductive and Child Health (RCH) Register has been designed to be used by the health workers for 'real-time' data entry at grass-root level.

The primary data is to be collected in registers to:

- i. Record services delivered
- ii. Follow up (tracking) of beneficiary
- iii. Compute monthly reports
- iv. Analyze the data.

It is expected that health workers will enter the near real time data in the field which will improve coverage and quality of services and they will use this information for early identification and management of basic complications during pregnancy, childbirth and post-partum period at field level.

2.2.2.2 Objectives of Reproductive & Child Health (RCH)

- i. To ensure that all pregnant women receive their:
 - Full Ante Natal Care (ANCs) services at due time
 - Full Post Natal Care (PNCs) services at due time
- ii. Encouraging institutional delivery particularly of high risk mothers
- iii. To ensure that all children receive their full immunisation at due time
- iv. Tracking of eligible couples for family planning measures.

This will help to reduce IMR, MMR, TFR and morbidity in women and children.

2.2.3 Mother and Child Tracking Facilitation Centre (MCTFC)

MoHFW under the MCTS has felt the need for a multi-lingual call centre, i.e. MCTFC, to provide support service to MCTS. MCTFC is currently operational with basic functionality of 80 seats outbound calling in Hindi and English language from project site. Currently MCTFC is operational every day in a year, except 3 national holidays, between 9:00 AM to 7:00 PM. Existing MCTFC is an outbound call centre from where calls are made to the beneficiaries and health workers registered under MCTS to assess the data quality, effectiveness of healthcare service delivery and government schemes and programmes at the field level. It also resolves the RCH related queries of beneficiaries and health workers.

The layout of project site is specified in Annexure 8 and the seat capacity of project site for manpower deployment is mentioned below:

- i. Helpdesk Agent: 86 seats
- ii. Raised floor: 10 seats (these seats may be used by Medical Consultants, Supervisor, IT Support and IT Developer & DBA)
- iii. Program Manager: 1 cabin

Currently, MCTFC is operational with following number of manpower/resources:

- i. Program Manager – 1
- ii. Medical Consultants – 2
- iii. Supervisors – 4
- iv. Calling agent seats – 80

Also, currently Project site has infrastructure already placed to make the call centre functional. The IT and non-IT infrastructure currently placed at Project site is mentioned at Annexure 6. Lay out of the Project site is provided in Annexure 9.

Current MCTFC operation is all outgoing calls through Helpdesk Agents and IVRS calling. Currently four (4) PRI lines have been deployed for MCTFC calling operation.

2.2.3.1 MCTFC Call Handling

The call handling function of current MCTFC operation can be classified under the following categories:

- i. Validation of records of health worker, beneficiaries registered under MCTS
- ii. Resolution of queries as posed by health functionaries and beneficiaries
- iii. Promotion of government programmes and schemes and IEC activities through MCTFC.

The functionalities of existing MCTFC calling operation are detailed as follows:

[A]: Data Validation

Validation of data received from MCTS database. The validation exercise is being carried out by making outbound calls to the respective health beneficiaries and the health workers. Errors / deviations that are generated in the validation exercise are being reported back to MCTS, so that corrections can be made accordingly.

[B]: Query Resolution

MCTFC has the following call resolution model for the queries of called health beneficiary / worker.

a) Call Resolution

1. The Helpdesk Agents at the first-level enable the following functionalities:
 - i. Validation of data present in the MCTS application
 - ii. Resolution of queries posed by health workers and beneficiaries based on the standard question bank. Information dissemination about local health facilities and local health workers for providing Ante-Natal Care (ANCs), Post-Natal Care Check-ups (PNCs) and immunization for beneficiaries
 - iii. Information dissemination about the government health intervention programs being run for the benefit of mother and child
 - iv. Dissemination of standardized awareness messages tailored to the region as well as the current health condition of the beneficiary.
2. The Helpdesk Agents / Medical Consultants at the call centre enable the following functionalities:
 - i. Resolve medical / health queries related to pregnancy, delivery and child immunization
 - ii. Provide medical guidance to health workers like ASHA, ANM, Anganwadi worker etc
 - iii. Validation of data present in the MCTS, if required
 - iv. Recording service delivery feedback and assessment of effectiveness of government schemes and programmes at field level.
3. A call is escalated to the Medical Consultant if the information required by the called beneficiary / health worker requires medical / health expertise to ensure the quality of medical advice. All queries asked by the called beneficiary / health worker not already present in the standard question bank and answered with the aid of Medical Consultant is transcribed and stored in a temporary question bank for future reference and evaluation. Such queries after validation and approval from the panel of experts (as appointed by MoHFW) are added to the standard question bank.

[C]: IEC Activity

One of the calling operations for the project is to promote the government schemes and programmes among the beneficiaries at the appropriate stage. Helpdesk Agent / IVRS calls are increasing awareness among beneficiaries and health workers directly by educating them about the benefits they can avail through government schemes and programmes.

2.2.3.2 MCTFC Application:

In the existing MCTFC solution, following users are interacting with the system:

- a) **Helpdesk Agent** – Takes the calls and validates the records. These users can view the records, edit the records, save the records and if required refer the call to Medical consultants on call conference.
- b) **Medical Consultants** - A call will be referred to the Medical Consultant if the information required by the called beneficiary / health worker requires medical / health expertise to ensure the quality of medical advice.

There are eight (8) modules in current MCTFC application. Current MCTFC have two modules dedicated for interaction with each stakeholder i.e. pregnant women, parents of child (0-1 year), ANMs and ASHAs.

The description of MCTFC application modules for calling interactions are as follows:

- a. **Pregnant Woman Interaction** – It has two modules as follows:

- i. 3-6 months or 2nd ANC
- ii. 8-9 months or 4th ANC

The modules detail out information of pregnant women, Ante Natal Care (ANC), Post Natal Care (PNC), immunization details and the information dissemination about the government health intervention programmes being run for the pregnant women / children and the standardized awareness messages tailored to the region as well as the current health condition of the beneficiary.

- b. **Child Interaction** – It has two modules as follows:
 - i. After delivery till 1.5 months
 - ii. 6-9 months after delivery

The modules deal with the child verification information like location details, health worker details, immunization details and other child related information and dissemination of the standardized child health awareness up to the age of 1 year.

- c. **ASHA Interaction** – It has two modules as follows:
 - i. ASHA module 1
 - ii. ASHA module 2

The modules detail out basic ASHA verification and updating details like name, location, related bank details. The modules also validate the services that are rendered by ASHA like ANC visits, immunization, family planning, adolescent health etc.

- d. **ANM Verification Module** – It has two modules as follows:
 - i. ANM module 1
 - ii. ANM module 2

The modules detail out basic ANM verification and updating like name, location and related bank details. It also validates the services that are rendered by ANM like ANC visits, immunization, family planning, adolescent health etc.

MCTFC solution fetches its working data set from MCTS which is developed by the NIC on .NET platform with back-end as MS SQL 2008. The current MCTFC solution is integrated with the MCTS to fetch the working set of the data of MCTS and push back the validated data into MCTS through web service.

2.2.3.3 Telecom Service Provider for MCTFC

MoHFW has selected the Telecom Service Provider (TSP) to provide the PRI lines for MCTFC operation. TSP is currently providing 4 PRI lines with Optical Fibre channel as Primary and Radio Frequency (RF) channel as backup line.

2.2.3.4 Critical Success Factors

Some of the critical success factors for MCTFC as provided below:

A. Quality of Health Advice

- i. Accuracy and adequacy of health advice
- ii. Creation of comprehensive knowledge database to address queries in standard manner
- iii. Correct information on health programmes (national / state level) of MoHFW

B. Improvisation

- i. Ability to quickly adapt internal helpdesk processes to incorporate dynamically changing requirements of MoHFW and stakeholders

C. Scalability

- i. Flexibility in operational framework to incorporate new services / programmes as the scope of MCTFC expands to include other MoHFW programmes

- ii. Recruitment of resources for multiple roles (including management, subject matter experts or operational roles) as per scalability requirement
- iii. Multi-tier architecture to ensure faster and efficient scalability of ICT infrastructure

D. Service Standards

- i. Delivery of services to meet the expectations of health beneficiary and health functionary
- ii. Efficient validation of MCTS / RCH records as per MoHFW requirement
- iii. Courteous and responsive (i.e. time bound) query resolution
- iv. Compliance with Service Levels defined by MoHFW and improvisation on the same for better service quality

3 Scope of Work

MoHFW is now planning the augmentation of the MCTFC with enhanced features. The envisaged call centre would add various functionalities to the existing MCTFC operation. The envisaged call centre will operate every day in a year except gazetted holidays between 9:30 AM to 6:30 PM for service delivery through agents.

The MCTFC has a capacity of 86 seats. The entire project would be executed on turnkey basis. This project on turnkey basis would be understood to mean that the HSP shall have the complete responsibility to design, establish, operate and maintain the complete setup of MCTFC project. HSP shall have the complete responsibility of operationalization, maintenance, support and up-gradation of all components of the MCTFC project.

In this context, MoHFW through this RFP seeks to appoint a HSP for “Augmentation of Mother and Child Tracking Facilitation Centre (MCTFC) on turnkey basis” which would provide the necessary information exchange platform both for validation of MCTS data and resolution of mother and childcare queries for both health workers and beneficiaries. The HSP will be responsible for the augmentation, operation and maintenance of Mother and Child Tracking Facilitation Centre (MCTFC) project.

Through this RFP document MoHFW invites interested parties who have expertise in the area to submit their bid. In order to implement the augmented MCTFC, HSP needs to be selected that will implement and operationalize the augmented MCTFC operation.

HSP will execute the project in following phases. The detailed activities that will be carried out in these phases are mentioned in Section 3.5.

1. **PHASE I: ESTABLISHMENT & GO-LIVE / OPERATIONALIZATION OF MCTFC PROJECT (including operationalization of initial setup)**

Key activities that will be carried out in this phase are as follows:

a. **Takeover and transition of existing MCTFC operation:**

HSP will take over the project site and carry out the existing MCTFC operation. HSP needs to get the technology and knowledge transferred from existing implementing agency and deploy the requisite manpower to carry out the existing MCTFC operation. HSP will have to carry out the existing MCTFC operation till Go-Live of the augmented MCTFC project. Bidders need to quote their financial expenses for this activity in the financial bid mentioned in Section 5.1.4, Annexure 1. The activities and deliverables that need to be completed during this period by the HSP are mentioned in Section 3.13.

b. **Augmentation of MCTFC infrastructure**

HSP will have to procure, install and commission the ICT and non-IT infrastructure at Project site. The augmented MCTFC operation would include the functionalities such as IVRS calling and SMS integration. The details of the functionalities of the envisaged MCTFC are mentioned in Section 3.2.

c. **Languages covered**

The envisaged MCTFC will initially start with inbound and outbound calling operation with following languages:

1. Hindi
2. English

3. Gujarati
4. Telugu
5. Bengali
6. Odiya
7. Assamese

HSP will have to add other regional languages if required by the MoHFW at the same cost quoted in their financial bid. The final decision on the selection of languages that would be supported by the MCTFC project beyond these will be taken by the TCC

d. Design, Development, Testing and Implementation of MCTFC Solution

HSP will have to design, develop, test and implement the MCTFC solution as per the requirements mentioned in Section 3.2.

Following communication channels will be used for MCTFC operation:

Service Delivery Channel	Inbound	Outbound
Voice (Helpdesk Agents)	*	✓
Voice (IVRS calls)	*	✓
SMS**	✓	✓

* Inbound calling will be received as missed call and outbound call will be made to the caller within 90 sec of receiving the call.

**Bidder should also make the provision of inbound SMS solution for the project. This solution should be able to handle the inbound and out bound SMSes to the scale of the project. The inbound SMSes need to be reported in a prescribed format to the MoHFW for further assessment.

e. Go-Live / Operationalization of MCTFC (Tg)

Go-Live of the augmented MCTFC application will take place after the successful deployment of MCTFC infrastructure, UAT sign off and due approval of TCC / MoHFW on MCTFC solution.

2. PHASE II: OPERATION, MAINTENANCE & ON-GOING SUPPORT FOR MCTFC PROJECT

a. Operation & maintenance of MCTFC project for a period of 5 years from the date of Go-Live of MCTFC

- i. The manpower required for the envisaged MCTFC is mentioned in Annexure 2.
- ii. HSP needs to carry out the calling operation and other activities as mentioned in this document as per the requirement of MoHFW.
- iii. HSP will be responsible to operate, maintain, upgrade and support the entire existing and new infrastructure procured by them during the entire project duration.
- iv. HSP will be provided with the MCTFC infrastructure in working condition as detailed out in Annexure 6. HSP may visit Project site to make assessment of the condition of the current infrastructure deployed at the site. HSP should maintain the existing infrastructure present at the Project site. In case of damage HSP should replace existing items with similar or better specification as mentioned in the Annexure 6 for the entire project duration.
- v. HSP needs to propose their new ICT and non-IT infrastructure considering their usage for 5 years and propose annual maintenance for the entire project duration. Any change in / of any item during the 5 year period will be responsibility of the bidder.
- vi. Insurance of all the IT and non-IT infrastructure will be the responsibility of the HSP.

- vii. MCTFC will be operational with minimum 6 hours of calling (outbound and inbound together) per day i.e. from 9:30 AM to 6:30 PM. every day per Helpdesk Agent except on Central Government gazetted holidays.

b. On-going support for implementation of additional requirements of MoHFW during the period of 5 years from the date of Go-Live of MCTFC project

3.1 Calling Requirements

The envisaged MCTFC operation will have following major service requirements:

3.1.1 Voice calling through Helpdesk Agents

3.1.1.1 Inbound call

A. Functional requirement

Beneficiaries and health workers would be able to make calls to the MCTFC for information related to government schemes and programmes. The envisaged inbound solution would have missed call functionality. Inbound calls from beneficiaries and health workers would be terminated after 2-3 rings and dialer will call back to those numbers within 90 seconds to connect them through IVRS menu. IVRS menu will provide them the option to directly talk with the Helpdesk Agents if they desire. The services and information which will be provided are as follows:

- i. Query resolution of the beneficiaries related to reproductive and child health: Resolution of queries asked by beneficiary in the areas of reproductive and child health
- ii. Query resolution of the health workers related to reproductive and child health: Resolution of queries asked by health workers in the areas of reproductive and child health
- iii. Promotion of Government programmes and schemes among beneficiaries and health workers.
- iv. Healthcare consultation for beneficiary and health workers.


B. Process flow

HSP will design the inbound call flow according to the requirements of MoHFW. However, an indicative call flow for inbound calling is mentioned below:

C. Process description

- i. Beneficiaries / health workers can make call to the short code which will be recorded as missed call with contact details of the caller and system will automatically make outbound call to the recorded number which will be routed to IVRS system. IVRS based user validation system for registered users (beneficiaries / health workers) initially enquires about the name, husband's / parents' name, address and phone number. The IVRS feature provides information to callers and collects information from callers before they speak with an HA. This feature gives customers a self-service option to get information related to government schemes and programmes.
- ii. If the contact number is already registered in MCTS / RCH, the screen would display details of caller to the HA.
- iii. In case caller has additional queries, the IVRS based system should be able to route the call to specific HA for assistance. HA will assist in the resolution of the additional queries. In case of the queries where medical help is required, the call will be forwarded to the Medical Consultant and the caller will be asked to contact the nearest healthcare facility.
- iv. Registered beneficiaries can call to get information related to the next due date of vaccination, immunization schedule as per the records available in the MCTS / RCH.

Process Flow for Inbound Calling by Beneficiaries and Health Workers



3.1.1.2 Outbound call

A. Functional requirement

Calls would be made to beneficiary / health workers at various levels:

- a. Beneficiaries: Outbound calls would be made to beneficiaries to validate the services provided by the health worker
 - i. Pregnant women: Validation of the services received during the pregnancy and awareness messages
 - ii. Parents of children (0 – 5 yrs): Validation of the immunization services received by children and awareness messages
 - iii. Others
- b. Health workers: Outbound calls will be made to health workers at the field level to assess the following:
 - i. Skills and training needs of health workers
 - ii. Awareness about government schemes and programmes
 - iii. Others
- c. Outbound call will be made to beneficiaries and health workers for the following information and services:
 - i. Validation of the beneficiaries' data in the MCTS and awareness message about the various government schemes and programmes
 - ii. Feedback on the healthcare services received by beneficiaries
 - iii. Validation of the health workers details registered in the MCTS / RCH database
 - iv. Validation of the services delivered by health workers and awareness messages about the various government schemes and programmes
 - v. Specific message for the service delivery. ANC due date and details (date, time, venue of the health camps), immunization due date and details (date, time, venue of the health camps)
 - vi. Campaign may be planned for follow up of high risk cases. Criteria for the high risk cases would be defined by TCC / FIC
 - vii. Outbound call to gather information about the deliveries that are not reported in MCTS / RCH after the due date
 - viii. Call to health workers for cases in which services have not been delivered


B. Process flow

HSP will design the outbound call flow according to the requirements of MoHFW. However, a representative call flow for outbound calling is mentioned below:

C. Process Description

Outbound call would be made from the MCTFC to beneficiaries / health workers registered in MCTS / RCH for validation of the data and awareness generation. MCTFC system will import data of ASHAs, ANMs, pregnant women and children from MCTS / RCH. The plan for campaign for various States / UTs and other critical cases would be made by Program Manager based on the input from the MoHFW. HAs would make calls to beneficiaries, health workers for validation of MCTS / RCH data and awareness of various government schemes and programmes. In case the queries need to be resolved by the Medical Consultant, the same would be transferred to the Medical Consultant.

Process flow for Outbound Calling by Helpdesk Agent



3.1.2 Voice call through IVRS

3.1.2.1 IVRS Outbound Calls

A. Functional requirement

Following key activities will be carried out through IVRS calling functionalities for MCTFC:

- a. Creation of standard messages in consultation with FIC
- b. Preparation of the audio messages for IVRS menu approved by FIC
- c. Validation of the beneficiary / health worker records using Text to Speech (TTS)
- d. Delivery of information related to the government schemes and programmes

B. Process flow

HSP will design the outbound IVRS call flow according to the requirements of MoHFW. However, a representative call flow for outbound calling is mentioned below:

C. Process Description

Health awareness messages would be sent to the beneficiaries / health workers through IVRS. The caller will be able to choose the appropriate option from the menu and seek clarification and get healthcare related information. In case the queries need to be resolved by the Medical Consultant, the same would be transferred to the Medical Consultant. Medical Consultant will resolve the queries related to the health issues and update the FAQs in case of new queries and get them approved from MoHFW.

3.1.3 SMS Integration

HSP will implement the SMS solution for MCTFC and integrate it with the SMS gateway. HSP should integrate SMS gateway with a unique number for sending and receiving SMSes for entire project duration.

3.1.3.1 SMS Functionalities

The functionality of SMS will be as follows:


1. **Inbound SMS:** Feedback on the MCTFC calls can be collected from the beneficiary / health worker to whom the calls have been made.
2. **Outbound SMS:** SMS solution should be integrated with MCTFC application. The solution should be integrated with MCTFC application such that if required, Helpdesk Agents may send SMS from the application page to the called beneficiary / health worker or the linked phone numbers in the database. Services planned to be covered using SMS are as follows:
 - i. Awareness about government schemes and programmes
 - ii. Contact number of beneficiary may be sent to the ANM for further follow-up in case of high risk pregnancy, low weight birth etc.
 - iii. Health worker details (name, contact number, etc.) may be sent to beneficiaries belonging to their location for availing healthcare services
 - iv. SMS from MoHFW for services due can be sent to the beneficiaries and health workers
 - v. SMS response for requested information like address of nearest health facility
 - vi. Mechanism for feedback on calls made to beneficiaries / health workers through SMS service
 - vii. SMS alerts depending on the current medical / health status of the caller
 - viii. Generic follow-up messages to create health awareness under the initiative to provide maternal and child care.

3.1.3.2 SMS Features

The SMS solution should have the following features:

- i. The HSP should integrate SMPP over SSL connectivity or HTTPs-based connectivity for sending the SMS
- ii. SMS connectivity should support text and Unicode so that SMS in local languages may be sent
- iii. SMS connectivity should support multi part messages
- iv. The HSP should deliver messages to both GSM and CDMA subscribers
 - v. HSP needs to ensure delivery report with appropriate cause code
- vi. The HSP should ensure alphanumeric, short code and long code sender IDs
- vii. SMS solution should be integrated with proposed MCTFC application.

Process for Outbound IVRS calling



3.1.4 Setting up of MCTFC infrastructure

- a. Server requirement
 - i. Database server
 - ii. Application server
 - iii. Dialer application and voice recording
 - iv. Any other server as per the solution proposed by the bidder for successful implementation of the MCTFC project
- a. Software (operating system, antivirus, active directory etc.)
- b. Database licenses
- c. SAN and sizing of the storage requirement based on the volume of data transaction, call records etc. HSP should archive all the call records and other document submitted as part of the invoice or any call records asked by MoHFW for the entire project duration

Details of the key specifications of tentative MCTFC infrastructure are mentioned in the section 5.10.2

3.1.5 Reporting Requirement

The indicative reporting requirement is mentioned below:

3.1.5.1 SLA report

- a. System performance report
 - i. Application availability
 - ii. Dialer availability
 - iii. Network availability
 - iv. Power availability
- b. Manpower performance report
 - i. Availability of Helpdesk Agents
 - ii. Helpdesk Agents Attendance report
 - iii. Number of hours of call handling. The HSP should be able to segregate the duration of call handled by Helpdesk Agents and IVRS
 - iv. Number of calls handled

3.1.5.2 MCTFC performance report

- i. Performance reports generated based on the feedback of beneficiary and health workers
- ii. Beneficiary satisfaction report

3.1.5.3 Call status report

Call status report should contain the details such as number of calls and duration of calls.

3.2 Maintenance of IT and non - IT Infrastructure at MCTFC

HSP will be responsible for maintenance of all IT and non-IT infrastructure at Project site including the following:

- i. Operation and maintenance of the existing and new IT (hardware, software) and non- IT infrastructure (civil, electrical and other infrastructure) will be the responsibility of the HSP.
- ii. AMC of the DG set will be responsibility of the HSP. Fuel for the DG set will be provided by MoHFW / NIHFW. Fuel consumption should be maintained in a log book by the HSP. The log book may be inspected by NIHFW officials at any time.
- iii. HSP should maintain the UPS and battery bank for entire project duration including replacement of batteries, if any, so as to comply with the SLAs.

- iv. HSP should maintain the Air Conditioners and adequate cooling including deployment of additional AC for entire project duration including replacement, if any, including preventive and corrective maintenance so as to comply with the SLAs.
- v. HSP should manage and maintain the earthing / grounding for entire project duration to comply with the SLAs.
- vi. Infrastructure, including furniture and fixtures, that would be provided to the HSP has to be maintained by the HSP including cost of routine consumables. Replacement of infrastructure, if any, should be of reputed brand and the quality and specifications should not be inferior to that of existing infrastructure.

3.3 Future requirement of the MCTFC project

HSP shall also be responsible to cater to future requirements of MCTFC project for which MoHFW will bear the full cost for incorporating any such future requirements.

HSP will be paid for future requirements as mentioned in Section 5.1.4. Some of the possible future requirements for the project may be as follows:

- a. Additional human resource required in future to scale up
- b. For any change control note that may be asked by the MoHFW, the man-month effort will be evaluated and finalized on mutual agreement for carry out the activity.

3.4 Phases of MCTFC project

The overall scope of work for the augmentation, operation and maintenance of MCTFC project has been divided into two phases:

- a. Phase I – Establishment & go-live / operationalization of MCTFC project
- b. Phase II – Operation, maintenance & on-going support for MCTFC project

Bidder is also requested to verify the same by visiting Project site. Further, if any additional IT infrastructure, non-IT infrastructure, hardware, software, licenses etc., are required for the specified scope of work and to meet the SLA requirements, HSP would be responsible for the procurement, installation, up-gradation, support, operation and maintenance of the same for entire project duration at no extra cost to MoHFW.

The details of scope of work in each phase are provided below:

3.4.1 Phase I – Establishment & Go-Live/ Operationalization of MCTFC Project

The Phase I of the MCTFC project shall include the following activities:

- a. Takeover and transition of existing MCTFC operation
- b. Augmentation of MCTFC infrastructure
- c. Design, development, testing and implementation of MCTFC application
- d. Go-Live / operationalization of MCTFC.

3.4.1.1 Takeover and transition of existing MCTFC operation

Current MCTFC operation would continue during Phase-I of the project. There will be an overlapping period when HSP will develop the augmented MCTFC solution while the existing MCTFC will be operational.

Further, HSP will take over the Project site along with complete infrastructure (as mentioned in Annexure 6) from MoHFW / NIHFW / existing implementing agency in working condition. HSP needs to operate, maintain and replace the complete MCTFC infrastructure (IT and non-IT) as per the conditions mentioned in Section 3.3. HSP will have to carry out the existing MCTFC operation during this transition period as per Section 3.13.

3.4.1.2 Augmentation of MCTFC Infrastructure

For the establishment of the MCTFC the necessary infrastructure needs to be put in place which can be broadly categorized into:

- [A]: Network Infrastructure
- [B]: Hardware Infrastructure and Software Infrastructure
- [C]: Telecommunications Infrastructure
- [D]: Non-IT Infrastructure

The details of each of these are discussed subsequently.

[A]: Network Infrastructure

The Network Infrastructure for the MCTFC can be further subdivided into:

a) MCTFC LAN Infrastructure

- i. The Project site would be provided to the HSP with the laid out LAN cables, nodes, patch chords etc. for each seat of the MCTFC. However, the responsibility of management and maintenance of this infrastructure lies with the HSP. Further, additional network equipment such as routers, switches, network racks and other equipment, if required, will be procured, deployed and managed by the HSP at the Project site. All such installed additional equipment will be owned by MoHFW.
- ii. HSP will be responsible to operate and manage the complete LAN infrastructure including replacement of faulty patch chord, cables etc. of the MCTFC project for the entire project duration.

b) MCTFC and Server Room Network

All the application and database for MCTFC solution shall reside at project site and will be connected to the MCTS / RCH data centre at NDC Shastri Park, New Delhi or any other available data centre of NIC. HSP shall ensure network connectivity for connecting to NIC data centre to support the data transfer between MCTFC and MCTS / RCH database. A forward and backward linkage mechanism needs to be created by the HSP between MCTFC application and MCTS / RCH solution for the exchange of data.

[B]: Hardware & Software Infrastructure

Based on the site visit, the HSP shall undertake IT Infrastructure sizing and prepare a document based on its own estimations and judgments drawn after undertaking a thorough study of the functional, non-functional and technical requirements of the project over and above to minimum Bill of Material (BoM).

HSP shall procure, install, operate, upgrade and maintain the necessary (existing and new) hardware [servers, SAN storage (minimum 15 TB of usable space to start with), PCs, network equipments, non-IT equipments etc.]) and the software (operating system, EMS, CRM, CTI, TTS, ACD, Dialler, recording solution, IVRS solution, active directory etc.) for the same. The procurement of any other IT and non-IT infrastructure including software licenses (application servers, web servers, database servers etc.) for the same needs to be done by the HSP. The HSP also needs to commission the necessary hardware, installing software / operating system and deploy the MCTFC solution at project site.

- a. All licenses offered should be procured in the name and under the ownership of MoHFW. All licenses offered:
 - i. Should be of full use, enterprise licenses, unrestricted and irreversible. This includes licenses for the COTS products, database, application server and any of their components or any other software required to run the application successfully.

- ii. Should in no way restrict the users in terms of view / write / modify rights. All licenses quoted should provide the complete rights to all the users of the MoHFW.
- iii. For any system, sub-system or product as part of MCTFC solution shall be perpetual in nature without any recurring / renewal license fee.
- b. 86 (80 + 6) PCs and 1 laptop are available for MCTFC operation with specification mentioned in Annexure 6.

Further, HSP should support, maintain, upgrade the hardware and software procured and provided by the MoHFW and required by the HSP for smooth MCTFC operation for entire period of the project without any financial implication to MoHFW.

HSP will procure, install and maintain the requisite infrastructure like servers, SAN, Switches, load balancer, PCs etc. to ensure that SLA will be achieved even after 5 years of usage considering back up and archiving policy of MCTFC project.

HSP will also submit complete plan for updating hardware and software and other equipment from the date of operationalization to ensure manageability of the MCTFC application.

[C]: Telecommunications Infrastructure

HSP will be required to procure and set-up necessary telecom equipment etc. necessary for operationalization of MCTFC in order to meet the SLAs mentioned in this document.

MoHFW has already been allotted a 5 digit Short code 10588, which shall be operationalized by the HSP. The short code will be owned by and made available by the MoHFW. The required coordination and technical integration with concerned entities for landing the call to MCTFC would be done by the HSP with no cost implication to MoHFW.

HSP should develop the infrastructure such that it can handle minimum 10 PRI line termination for MCTFC operation.

HSP will record and manage the availability of voice recording of calls for the last 3 months at any point of time. Infrastructure, if any, required will be procured and managed by the HSP.

[D]: Non-IT Infrastructure

The non-IT infrastructure for MCTFC shall consist of:

- i. Access Control System (existing infrastructure details may be referred at Annexure 6)
 - a. All the security access controls have already been procured for MCTFC and will be made available to HSP
 - b. Smart cards have also been procured for the MCTFC and will be made available to HSP
 - c. Smart card with unique access (RF read facility) will be provided to around 150 members including select officials of MoHFW, NIHFW etc.
 - d. Maintenance of all the access control system components including already procured items shall be done by the HSP for the entire project duration.
 - e. CCTV cameras have been placed in the MCTFC premises (details may be referred at Annexure 6) including entries and exit points. HSP shall maintain the video recordings and may deploy additional CCTV cameras as per requirement and should maintain comprehensively the complete setup for entire project duration. HSP will record and

- manage the availability of CCTV recording for the last 3 months at any point of time. Infrastructure, if any, required will be procured and managed by the HSP.
- ii. HSP will also ensure the periodic and preventive maintenance (including spares) of infrastructure including air conditioning units, generator set, electrical grounding, carpet, fixtures, cubicles, chairs, lighting, other standard civil infrastructure etc. for entire project duration. Testing of the grounding / earthing should also be managed by HSP.
 - iii. HSP would be provided with UPS and generator set (detail is attached in Annexure 6) for alternate power at MCTFC facility. Replacement and maintenance of UPS and generator set would be the responsibility of HSP. Infrastructure, if any, required for managing the additional power requirements will be the responsibility of HSP.
 - iv. Headsets for soft phones with USB are available and installed. Maintenance of existing and new headsets will be done by the HSP for entire project duration.
 - v. Infrastructure is to be designed and established by the HSP for 86 seats. Also there will be no licensing limits on the number of users of license for using the existing infrastructure deployed by the HSP for MCTFC project. Further, any other existing and new non-IT infrastructure component, if required, for the MCTFC project execution as per the defined SLA, shall be procured, installed, upgraded, supported and maintained by the HSP for entire project duration.

Note:

- i. HSP will ensure adequate security and safety of the deployed staff.
- ii. All expenses incurred by HSP for conducting the above activities need to be provided in the financial bid format given in Section 5.1.4 of Annexure 1. It is hereby clarified that no extra payment above and beyond the cost mentioned by the bidder in the financial bid format given in Section 5.1.4 of Annexure 1 shall be made on this account.
- iii. Prospective bidder requesting for a site visit at NIHFWS site may notify the MoHFW in writing or by e-mail to the Nodal Contact Person mentioned in the Fact Sheet. Not more than three members shall be nominated by the bidder for site visit. The details of the nominated members along with the request for site-visit shall be sent to the MoHFW not later than date and time mentioned in important dates for RFP. The MoHFW will facilitate the site visit and communicate the date and time for the same to the bidders who have placed their request for the site visit, through an e-mail.

3.4.1.3 Design, Development, Testing and Implementation of MCTFC Application

HSP needs to design, develop and maintain an integrated web based customized MCTFC solution with respect to the scope of work specified in this section and as per the requirement of the MoHFW for the entire project duration. MCTFC solution would mainly consist of a CRM solution, IVRS solution, CTI solution, TTS, Voice Loggers and any other software application that needs to be developed / required for the project as per scope of work and SLA.

The HSP needs to procure the appropriate licenses for the MCTFC solution components (if required) and customize them after understanding the requirements of MoHFW by interacting with key officials of MoHFW.

It is envisaged that the future MCTFC solution will fetch its working data set from MCTS / RCH which is developed by the NIC on .NET platform with back-end as MS SQL 2008. The HSP needs to integrate MCTFC with the MCTS / RCH to fetch the sample or the lead set or the working set of the data and push back the validated data. The logic for the sample or drawing of the lead set data would be provided to the HSP by the TCC of MoHFW during the requirement and development phase.

In case of change in platform of MCTS / RCH or related programmes, HSP shall be able to conform to these changing platforms and suitably integrate with MCTFC solution.

HSP should also obtain the license for the call centre operation for the project.

The following indicative set of activities would need to be undertaken as part of development and implementation of MCTFC solution:

- a. Prepare the Functional Requirement Specifications (FRS) for the MCTFC solution: The HSP shall interact with the key officials in the MoHFW, NIC and / or any other unit as identified by MoHFW for understanding the requirements for the development of MCTFC solution. The HSP shall document the comprehensive functional requirements and get it signed off from the TCC.
- b. Prepare the SRS for the MCTFC solution in IEEE standard template and get it signed off from the TCC.
- c. Design the GUI (Graphical User Interface) for the MCTFC solution and get it signed off from the TCC.
- d. Prepare a prototype of the MCTFC solution after the approval on GUI design has been provided by the TCC. Prototype should also demonstrate the mechanism of exchange of data with MCTS / RCH.
- e. Based on the approval on the prototype by the TCC, the HSP would develop the MCTFC solution which would provide a single interface to all the solution components of MCTFC including integration with SMS gateway.
- f. Prepare UAT document and get UAT sign-off from TCC.
- g. HSP needs to host the MCTFC solution at project site.
- h. Go-Live of MCTFC Solution. Following activities when completed will be considered for Go-Live:
 - 1) Preparation of FRS and get it signed off from TCC
 - 2) Preparation of SRS and get it signed off from TCC
 - 3) Final sign-off on IT infrastructure setup and deployed at Project site
 - 4) GUI design and development
 - 5) UAT sign-off from TCC.
- i. HSP also needs to prepare the instruction and user manual for MCTFC solution.
- j. HSP will be responsible for:
 - 1) Developing the standard protocols for handling incoming and outgoing calls, dissemination of mandatory information, data capturing for incoming / outgoing calls etc. If required, the HSP may also collaborate with domain experts of MoHFW
 - 2) Developing content like opening / closing script, SMS content, targeted campaigns etc.
 - 3) Developing a Standard Operating Procedure manual for handling commonly received requests
- k. Standard Operating Procedures and Protocol for MCTFC prepared by the HSP may be reviewed by FIC.

Note:

- i. All the equipment and solutions provided for MCTFC should be IPv6 compliant, wherever applicable.
- ii. The entire infrastructure for MCTFC is to be dedicatedly used only for the MCTFC project and cannot be accessed and managed from outside facility.
- iii. All application should conform to the standards defined by the GoI, MoHFW, DeitY, NIC and other Government agencies.

- iv. All expenses incurred by HSP for conducting the above activities need to be provided by the bidder in the financial bid format given in Section 5.1.4 of Annexure 1. It is hereby clarified that no extra payment above and beyond the cost mentioned by the bidder in the financial bid format given in Section 5.1.4 of Annexure 1 shall be made on this account.

3.4.1.4 Go-Live / Operationalization of MCTFC

[A]: Key Considerations for Earmarking of the Team:

a) Basic Operation Requirement

- i. Helpdesk shall be operational with 86 Helpdesk Agents (HAs). All the Helpdesk Agents and Medical Consultants deployed for the project should be females.
- ii. All required manpower should be present onsite as per roster proposed by the HSP for compliance to the SLAs on all working days. However, Program Manager may avail leave on Sundays.

b) Call Handling Requirement

- i. HAs will handle outbound calls for validating the data in MCTS / RCH
- ii. Outbound validation calls (including call back) needs to be made to the respective health beneficiary or health worker as the case may be depending on the availability of contact information
- iii. Number of Helpdesk Agents for inbound and outbound calls and the desired agents for regional language will be decided based on the volume of inbound calls received and HSP has to proactively ensure that all the calls will be effectively answered including deployment of IVRS based solution for general query and programme related information. HSP has to ensure that all the related SLA requirements are met at any point of time. TCC will review and recommend the appropriate distribution of Helpdesk Agents by the HSP from time to time
- iv. Helpdesk Agents should be able to resolve queries for both inbound / outbound calls in adherence to standard protocol as defined by HSP and approved by TCC
- v. While handling calls, Helpdesk Agents should simultaneously provide promotional health messages approved by MoHFW and create awareness of current programmes run by the MoHFW which could be beneficial for pregnant woman / mother / child
- vi. Helpdesk Agents will handle requests via voice calls only. The proposed MCTFC application should be integrated with SMS gateway.

c) Validity & Quality of Health Advice

- i. HSP must ensure on floor presence of 2 qualified Medical Consultants at all times. They will impart health advice on the queries which are not present in the general question bank / FAQs. This is to ensure that appropriate advice is provided by suitably qualified personnel. The requirement of number of Medical Consultant may change (increase or decrease) based on the response received from MCTFC operation, queries and volumes of such calls that they are required to handle.
- ii. For the queries raised by beneficiary / health worker which are not a part of the FAQs and need medical advice the Helpdesk Agent will transfer the call to Medical Consultant who in turn would provide appropriate non-clinical advice and may direct beneficiaries to the nearest health facility if required.
- iii. HSP, in order to ensure quality of interaction for providing health advice should record all such calls. MoHFW may select any random set of recorded calls and may get it verified for 'Quality of Call' by the FIC or any other entity appointed by them. The quality of health advice services will

be checked on parameters like sensitivity of handling call, accuracy of information provided, effectiveness of health advice imparted etc.

d) IVRS Call Handling Requirements

- i. Scope of IVRS services should cover the following key functionalities:
 - a. IVRS should have an easy navigable voice assistance for the caller to select the desired option
 - b. IVRS should promote and educate beneficiaries regarding government schemes and programmes
 - c. It should provide the required details to beneficiaries. The framework for the same would be designed and developed after due discussion and approval of MoHFW
 - d. It should have a smooth handover facility to the Helpdesk Agent for personalized assistance
 - e. IVRS should also have the facility to call beneficiaries / health workers for verification of beneficiary / health worker's records, promotion of government health schemes and programmes and intimating beneficiaries / health workers regarding their due / overdue services
 - f. IVRS shall be an automated system of filtering the records and sending relevant information to the concerned phone numbers.

3.4.2 Phase II – Operation, Maintenance and On-Going Support for MCTFC Project

The Phase II of the MCTFC project shall include the following activities:

- a. Operation and maintenance of MCTFC project for a period of 5 years from the date of Go-Live of MCTFC
- b. On-going support for implementation of additional requirements of MoHFW during the period of 5 years from the date of Go-Live of MCTFC project
- c. Exit management.

3.4.2.1 Operation and Maintenance of MCTFC Project

- a. HSP shall carry out MCTFC operations for a period of five (5) years from the date of successful completion of Phase I. HSP will be responsible for Phase II i.e. Operation and maintenance of the MCTFC Project for a period of 5 years from the date of Go-Live. It may be clarified that the date of Go-Live as approved by MoHFW, shall be treated as the first day of Phase II of the contract of 5 years.
- b. HSP will be responsible for maintaining all the components of MCTFC including existing infrastructure. The bidder should prepare a cost effective solution based on their creativity and expertise so that it meets the SLA requirement for the entire project duration. The HSP will be responsible for maintaining all the components of MCTFC including existing infrastructure.
- c. In case HSP decides to replace any existing IT / non-IT infrastructure components (eg. Batteries, Chairs, computers, etc), with a new IT / non-IT infrastructure component, the HSP would have to ensure that the supplied component have equivalent / better specification as per prevailing/ current specifications of available infrastructure. The HSP would also ensure that the new IT / non-IT infrastructure components are not end of sale products.
- d. In addition to this HSP will have to critically review the complete system periodically (including all hardware and software items), fine-tune the system, carry out necessary modifications and additions in the solutions during the contract period and maintain them. In the event of release of updates and upgrade by the OEMs, the HSP shall update and upgrade the system from time to time to ensure smooth operation.

Note:

All expenses incurred by HSP for conducting the above activities need to be provided in the Financial Bid Format given in Section 5.1.4 of Annexure 1. It is hereby clarified that no extra payment above and beyond the cost mentioned by the bidder in the financial bid format given in Section 5.1.4 of Annexure 1 shall be made on this account.

3.5 Key personnel required for MCTFC project

3.5.1 Phase I-establishment and go-live / operationalization of MCTFC project

a) Takeover and transition of existing MCTFC operation

HSP will take over the existing MCTFC operation and the following resources will be deployed:

S No	Onsite resources	Number of resources
1)	Program Manager	1
2)	Medical Consultants	2
3)	Supervisors	2
4)	Calling agent seats	80

b) Augmentation of MCTFC

The minimum resources required onsite for developing the augmented MCTFC application are as follows:

S No	Onsite resources	Number of resources
1)	Program Manager	1
2)	IT Developers	2
3)	Quality Expert	1
4)	Business Analyst	1

The eligibility criteria and roles and responsibilities of onsite resources have been given in Section 5.2 in Annexure 2.

3.5.2 Phase II: Operation, maintenance & on-going support for MCTFC project

One of the most important aspects of the entire MCTFC project is the skill set / manpower that is operating and managing the entire MCTFC project. The HSP shall provide a judicious mix of skill sets for smooth and effective establishment, operation and maintenance of MCTFC project. Based on the roles to be played, the entire manpower to be provided by HSP (i.e. MCTFC team) shall broadly consist of the 'Core Team' and the 'Operational Team'.

a) Core Team

HSP shall provide the details of Core Team for MCTFC which would consist of the key personnel supported by the other team members. Further, at least Program Manager of the Core Team should be present in all TCC meetings to assist the TCC on the matters related to MCTFC operations and quality. Minimum resource requirement for core team is mentioned in below table and bidder should propose resources for the successful operationalisation of the MCTFC. HSP will deploy the following minimum resources onsite:

S. No.	Core Team	No. of resources	Working Days
1)	Program Manager	1	Monday to Saturday
2)	Supervisor	2	Everyday
3)	IT Support	1	Everyday
4)	IT Developer & DBA	1	Monday to Saturday
5)	Quality Analyst	2	Everyday

The eligibility criteria and roles and responsibilities of the Core Team have been given in Section 5.2 of Annexure 2. The Core Team will remain available at the site during the operational hours of the MCTFC.

b) Operational Team

Minimum onsite resource requirement for Operation Team is mentioned in below table and bidder should propose resources for the successful operationalisation of the MCTFC.

S. No.	Operational Team	Minimum number of resources	Working time
1)	Helpdesk Agents	86	Everyday
2)	Medical Consultants	2	Everyday
3)	Receptionist	1	Monday to Saturday

The eligibility criteria and roles and responsibilities of the Operational Team have been given in Section 5.2 in Annexure 2.

Note:

- i. The HSP would be required to provide CVs of the Core Team and CVs of the Medical Consultants of the Operational Team as per the format given in Annexure 1
- ii. MoHFW has the right to evaluate any member of MCTFC team appointed by the HSP at any stage and can reject them in case they are not found suitable. Under such circumstances, the HSP shall replace the resource within 2 weeks from the date of written intimation from MoHFW
- iii. In case, a resource is replaced, HSP will ensure that the replacement resource should be equally or more qualified as per the qualification / experience criteria mentioned above with written approval from MoHFW

3.5.3 Mobilization of the MCTFC Team:

- a. Mobilization of the Core Team and Operational Team should be done immediately after takeover of the Project site or signing the contract, whichever is earlier as per section 3.13, Deliverables and Timelines.
- b. As a parallel activity to the MCTFC solution development and implementation, the HSP will ensure that the Core Team and Operational Team are trained on the MCTFC solution in live environment and provided a briefing of the MCTFC operations. This will ensure that project continuity is maintained as a trained functional team is available from Day 1 takeover of project site.

3.5.4 Initial Composition and Retention of personnel

- a. HSP should submit the CV of all HAs at the time of deployment. HSP should ensure that HAs deployed for MCTFC operation should be properly trained and should have satisfactorily performed MCTFC operation for one week
- b. HSP shall ensure that each member of the Key Personnel is full time deployed to perform the services to which that person has been assigned as per the bid
- c. HSP shall use commercially reasonable efforts to ensure it retains the services of its Key Personnel, including provisioning of competitive compensation, benefits and other conditions to its Key Personnel so as to incentivize them to remain in HSP's employment
- d. HSP shall not make any changes to the composition of the Key Personnel and not require or request any member of the Key Personnel to cease or reduce his or her involvement in the provision of the services during the term of HSP's contract with MoHFW (or agree to any request other than from MoHFW that would have the same effect):

- i. Unless that person resigns, is terminated, dies, is long-term disabled, is on permitted mandatory leave under applicable law or retires; or
- ii. Without MoHFW's prior written consent.

3.5.5 Evaluations

- a. HSP shall carry out an evaluation of the performance of each member of the Key Personnel in connection with the job performed at least once in a month. If any major deviation is found, appropriate measures should be taken by HSP.

3.5.6 Replacement

- a. All members of the HSP's personnel shall be appropriately qualified, experienced and in a suitable physical condition so as to ensure that the HSP complies with all the HSP's obligations under this project.
- b. In case of absenteeism of one or more resources for more than 15 days continuously, it should be reported and MoHFW will evaluate and reserves the right to ask for the replacement of these resources that would be binding on HSP.
- c. If MoHFW considers any member of the HSP's personnel unsuitable, the HSP shall substitute such member as quickly as reasonably possible but not later than 2 week from the date of written intimation by the MoHFW, without direct or indirect charge to the MoHFW, with a replacement acceptable to the MoHFW.
- d. In case the resource has resigned then the HSP has to inform MoHFW within 1 week of such resignation.
- e. HSP shall promptly initiate a search for a replacement and use commercially reasonable efforts (such as to engage the services of a recruiting firm including the expenditure of reasonable sums) to ensure that any member of the Core Team is not missing for MCTFC operation failing which the penalties would be levied upon HSP as per SLAs.
- f. Before assigning any replacement member of the Core Team to the provision of the job, HSP shall provide MoHFW with:
 - I. A resume, curriculum vitae and any other information about the candidate that is requested by MoHFW; and
 - II. An opportunity to interview the candidate, if desired by MoHFW.
- g. The HSP has to provide replacement resource that scores at least the same marks as the resource proposed originally on the same evaluation parameters defined in this RFP document. Once this is confirmed, the MoHFW may conduct an interview of the candidate and notify HSP within 10 days after its interview. If MoHFW does not request an interview within 10 working days after HSP has provided the information, then it would be deemed as accepted.
- h. If MoHFW does object to the appointment, HSP shall not assign the individual to that position and shall seek an alternative candidate in accordance with this Section.
- i. The HSP has to ensure at least 2 weeks of overlap period in such replacements.

3.5.7 Attrition of personnel

If in the first 6 months period from the date of signing of the contract with MoHFW or in any rolling 12 months period during the contract, 15 percent or more of the members of the Core Team cease or reduce their involvement in the project for any reason other than with MoHFW's prior written consent, HSP shall:

- I. Provide to MoHFW a reasonably detailed explanation as to the reasons for such change, including, where applicable and permitted, notes from any exit interviews conducted by HSP with any departing member of the Key Personnel; and

- II. HSP should carry out policies and procedures complying with Industry Practices to ensure minimum attrition rate.

3.5.8 Adherence to Applicable Laws

HSP shall ensure that it adheres to all the applicable laws / regulations / rules relevant for employment of personnel. MoHFW / NIHFW shall not be responsible for any non-compliance of HSP with relevant laws / regulations / rules. It must be clearly understood that neither HSP nor any person employed by HSP for the project is employee of MoHFW / NIHFW.

3.6 Knowledge Management

- i. HSP will be responsible for creation, management and updating knowledge repository for the MCTFC content. It will be the responsibility of the HSP to develop the initial standard question bank. The question bank developed by the HSP will only be validated by FIC appointed by MoHFW for this purpose
- ii. HSP would be responsible for identifying the knowledge gaps for domain specific areas and is expected to collaborate with the domain experts appointed by MoHFW to develop appropriate content
- iii. Maintaining the database of Frequently Asked Questions (FAQs) by callers. HSP will ensure that validated and updated information is available within the system for answering the FAQs. Updating FAQs question bank on fortnightly-basis. The response to new question should be validated and approved by FIC appointed by MoHFW

Note:

All expenses incurred by HSP for conducting the above activities need to be provided in the financial bid format given in Section 5.1.4 of Annexure 1. It is hereby clarified that no extra payment above and beyond the cost mentioned by the bidder in the financial bid format given in Section 5.1.4 of Annexure 1 shall be made on this account.

3.7 Capacity Building

The MCTFC team would be required to be trained and made aware of the MCTFC before the start of the operations and refresher courses on monthly / quarterly basis. The training requirements for the same are provided below:

a) Training on MCTFC Solution

HSP needs to train / retrain its team on MCTFC solution afresh or for any changes made later on.

The training manuals and related material for the same would be prepared by the HSP.

HSP shall provide training to Helpdesk Agents, other members of team and selected personnel of MoHFW and / or nominated by MoHFW.

The training would be conducted in two batches with each batch to be trained for at least a week at Project site or as decided by the TCC and all the arrangements shall be made by HSP at their cost.

b) Soft-skill Training:

HSP should provide regular soft-skill training to the HAs for handling calls in an appropriate manner. The training schedule shall also include coverage of soft skills training on a periodic basis to maintain quality of service.

c) Domain Training:

HSP will appoint domain experts / institutions for providing domain-specific knowledge training to the HAs. The appointed domain experts / institutions of HSP will develop intensive domain-

specific training modules. It will be the responsibility of the HSP to ensure that all HAs receive appropriate domain training. HSP shall bear all expenses incurred for this activity.

Note:

All expenses incurred by HSP for conducting the above activities need to be provided in the financial bid format given in Section 5.1.4 of Annexure 1. It is hereby clarified that no extra payment above and beyond the cost mentioned by the bidder in the financial bid format given in Section 5.1.4 of Annexure 1 shall be made on this account.

3.8 On-Going Support for Implementation of Additional Requirements of MoHFW

- i. The HSP shall implement and rollout any additional requirements specified by MoHFW during the post-implementation period of the project.
- ii. These additional requirements may include addition of other programmes of MoHFW to the MCTFC or inclusion of the currently outsourced helpdesks. This may include changes / additions in the existing MCTFC solution or development of new component in MCTFC solution for the respective programme.
- iii. For this component the HSP needs to carry out all the activities such as requirement analysis, FRS preparation, SRS preparation, SDD design, preparation of ICT requirements, software development, implementation, rollout, training, preparation of instruction / operational / user manuals etc. as per the requirement of MoHFW. As and when the need arises, the TCC in discussion with the HSP shall freeze the scope of work and finalize the skill sets (team composition) and man-month efforts required for completion of the envisaged task. HSP needs to deploy all the resources that are required on-site for the implementation of MCTFC project during implementation phase. The details of resources that would be on-site for implementation phase have been given in Section 5.2 of Annexure 2.
- iv. HSP will submit the requirement of additional man effort required for any ongoing support for implementation of additional requirements of MoHFW. TCC will assess the efforts proposed by the HSP and the decision of TCC in this regard would be final and binding on the HSP.

3.9 Exit Management

- i. The HSP shall submit an exit management plan (including up-to-date list of the assets, technology, architecture, specifications of asset, etc) in writing to MoHFW within 14 weeks from the date of signing of contract and get approval from TCC.
- ii. The HSP shall ensure that the exit management plan provides for a handover and exit strategy for MCTFC project. Such an exit strategy shall include:
 - a. A detailed plan of the transfer process
 - b. Review of options to ensure service continuity
 - c. Assessment of operations and maintenance needs, asset / service quality
 - d. Asset and knowledge transfer to the satisfaction of MoHFW
 - e. Testing and valuation of assets
 - f. Implementation plan for handing over MCTFC project to MoHFW or nominated agency;
 - g. Plans for communication with various stakeholders including MoHFW and any related third party
 - h. Plans for provision of contingent support to MCTFC project and new HSP for a reasonable period after transfer of knowledge and its assets in case of termination
 - i. Resource allocation for implementing the exit strategy and
 - j. Obligation of the parties in relation to the exit strategy.
- iii. The HSP shall revise the exit management plan on yearly basis to keep it relevant and up-to-date and will be overall responsible for the implementation of exit strategy at the end of contract term or as notified by MoHFW.

- iv. The HSP shall be paid upto the sum equivalent to the operational expenses if the transfer of technology takes more time than the time estimated by the HSP in the project plan and shall be made in accordance with the terms of payment schedule.
- v. The HSP shall handover all confidential information and all other related materials in its possession to MoHFW or its nominated agency.
- vi. The HSP shall be entitled to use the assets during the exit management period. The “asset” in this regard would be considered as the complete infrastructure that is quoted and provided by the HSP at site to operationalize the MCTFC project.
- vii. In the event of termination or expiry of the contract to be signed between MoHFW and HSP, each party shall comply with the exit management plan.

3.10 Other Key Operational Requirements

3.10.1 Information Security Requirements

- a. The systems shall be designed in a way that guarantees that information is collected directly from the caller and shall only be used for the specific purpose for which it was collected
- b. HSP will create privacy manuals with the approval of the TCC and ensure their strict adherence by the Helpdesk Agents and other personnel of HSP
- c. The HSP shall provide the requisite network security infrastructure comprising of Firewalls, Intrusion Detection System (IDS), Intrusions Prevention System (IPS) and an Anti-Virus System, Degaussers, etc at project site
- d. Anti-virus system and personal firewall, CAL license, updating etc. shall be managed by the HSP on all workstations in MCTFC
- e. Access to all physical locations such as server rooms and agent floor shall be restricted to authorized personnel using suitable physical and logical security measures
- f. There shall be complete and comprehensive security from unauthorized access and misuse
- g. Access to data shall be based strictly on user access rights and HSP will be responsible for any breach
- h. The system shall support encryption of data during exchange internally and with external systems. Data stored on Helpdesk Agents’ systems shall also be encrypted
- i. All data and information collected and accessed by the HSP is owned by the MoHFW and shall not be used for any purpose other than for delivering helpdesk services
- j. The MoHFW reserves the right to appoint third parties to audit information security procedures, processes, systems put in place by the HSP at any time without giving prior notice.

3.10.2 Monitoring and Performance Management

- a. All the inbound and outbound calls at the MCTFC should be automatically recorded and provided a docket number for each call for future reference and monitoring purposes. This database shall be accessible to users (including MoHFW key officials), based on role and will help in performing day-to-day operations of the MCTFC. It will also be used for generating MIS reports
- b. MCTFC solution should provide MIS reports like pending calls, abandoned calls, average time in queue for each type of service, trends, call utilization, classification wise problems etc. MIS report formats will be finalized in consultation with the MoHFW
- c. The solution should also generate reports on various performance parameters to review the effectiveness and efficiency of MCTFC such as:
 - i. Time frames
 - ii. First Call Resolution

- iii. MTTR (Mean Time to Resolution) etc.
- d. HSP should provide all the system generated reports to ensure monitoring the SLAs for the project
- e. Based on the performance reports submitted by the HSP on a weekly / fortnightly / monthly basis, the Technical Coordination Committee (TCC) will assess the performance of the HSP and revise the MCTFC operational requirements in terms of number of records to be validated / seats / languages etc.
- f. Comment facility on completed calls should also be there and sequential log should be depicted during the call for referring of the timing / contents / consultation in past conversation.

3.10.3 Scalability Requirement

- a. The MCTFC solution should be scalable in terms of language and other features for upsizing as per the requirement of MoHFW
- b. HSP should scale up and customize the MCTFC solution as per the requirements of MoHFW for the entire project duration
- c. The number of languages could be periodically reviewed for augmentation / enhancement as per the requirement of the MoHFW.

Note:

- i. TCC appointed by MoHFW will assess the language requirement on a periodic basis based on the workload, SLAs (such as HA utilization, call abandonment rates etc.), HSP performance etc. Based on this assessment, the TCC will define the language requirement/ AHT etc. for the subsequent month / quarter / year. The decision of TCC in this regard will be final and binding on HSP.
- ii. All expenses incurred by HSP for conducting the above activities need to be provided in the financial bid format given in Section 5.1.4 of Annexure 1. It is hereby clarified that no extra payment above and beyond the cost mentioned by the bidder in the financial bid format given in Section 5.1.4 of Annexure 1 shall be made on this account.

3.10.4 Audit Requirement

- i. HSP should get the MCTFC application audited by a CERT-IN empanelled agency having experience of successfully completing security audit of applications deployed / hosted in NIC data centre for complete infrastructure, network and application software at Go-Live and in case of any major change or biennially whichever is earlier. HSP should also get the audit done for the web services codes and procedure from security and vulnerability prospect required for integration with MCTS / RCH application. The HSP should submit first audit and compliance report by a CERT-IN empanelled agency for consideration of the MoHFW within three months from the date of Go-Live.
- ii. There shall be a comprehensive audit trail tracking for every call, call history recorded in MCTFC solution
- iii. System shall have a special interface for the MoHFW where access to all data shall be allowed without any modification or change permission
- iv. The MoHFW also reserves the right to conduct un-scheduled quality audits as and when required. Quality audits shall focus on following broad areas (but not limited to):
 - a. Quality of infrastructure deployed by the HSP for MCTFC
 - b. Quality of HA equipments like headsets, workstations etc.
 - c. IT infrastructure, network, servers, IVRS, ACD, TTS, CTI etc.
 - d. Physical and logical security etc.

- e. Application and Data security.

3.10.5 Support Services

HSP will be responsible for providing support services required for MCTFC operations such as:

- a. Pantry Services – HSP will provide the necessary support staff for pantry along with the day-to-day consumables required for these activities at the space provided at the Project site
- b. Physical Security – HSP will ensure the security of the Project site for the entire project duration in order to ensure safety and security of the physical location and infrastructure. MoHFW/NIHFW will not be responsible for any damage or loss at the Project site
- c. Other Housekeeping Activities - Other housekeeping activities related to MCTFC physical location like displaying awareness messages and other MCTFC related updates on LED panel, LED TVs at Project site, cleanliness of the entire Project site (which includes the porch area, the windows / doors), pest control which includes using ultrasonic machines etc. along with the day-to-day consumables required for these activities.

Note:

All expenses incurred by HSP for conducting the above activities need to be provided in the financial bid format given in Section 5.1.4 of Annexure 1. It is hereby clarified that no extra payment above and beyond the cost mentioned by the bidder in the financial bid format given in Section 5.1.4 of Annexure 1 shall be made on this account.

Any other activity required to complete the scope of the project will also be the responsibility of the HSP and it shall be performed by HSP at no extra cost to MoHFW.

3.11 Roles and Responsibilities

3.11.1 Helpdesk Service Provider

- a. HSP shall procure, install, operate, maintain, upgrade and provide support for the complete (existing and new) infrastructure (IT, non-IT and others) required for the MCTFC project for the complete duration of the project on turnkey basis
- b. The ownership of the complete infrastructure will remain with MoHFW. However, HSP will maintain the complete infrastructure and hand over the same in operational condition to MoHFW after the completion / termination of the contract
- c. HSP shall undertake full responsibility of any kind of software development or customization required for MCTFC project
- d. HSP shall have the complete responsibility of data security for the MCTFC project
- e. HSP shall also integrate the MCTFC application with the MCTS / RCH solution. Forward and backward linkage mechanism needs to be created by the HSP between MCTFC application and MCTS / RCH solution for the exchange of data
- f. HSP shall manage the overall project as a single point of contact
- g. HSP shall obtain the license of call centre operation for the project
- h. HSP shall prepare and monitor the project plan, periodic status reports, training guidelines and modules, knowledge management protocol, prepare and submit risk and mitigation strategies, exit management plan, Standard Operating Procedures and Practices, attend / organise review meetings etc.
- i. HSP shall understand the business requirements of MoHFW for MCTFC
- j. Periodic revision in the formats and data to be incorporated by the HSP in the monthly / quarterly / yearly reports to be submitted for approval of MoHFW with regards to MCTFC operations & SLAs

- k. HSP shall prepare guidelines and details of the changes, if any, that are required in the CRM, IVRS applications, SLAs, reporting formats and take proper sign-off from MoHFW / TCC / FIC before implementing them into the solution
- l. HSP shall provide training to Helpdesk Agents, other members of team and selected personnel of MoHFW and / or nominated by MoHFW
- m. Procure, install, upgrade and maintain the requisite components of the solution (hardware, software, application, database, network etc.) at project site
- n. The complete responsibility to procure, commission, maintain, upgrade and operate the project site would remain with HSP. Any hardware and software up-gradation required for the MCTFC project would be the responsibility of the HSP
- o. The complete responsibility to commission, operate, upgrade and maintain the non-IT components of MCTFC project (as mentioned in the scope of the project and Annexure 6) including access control system, CCTV cameras, UPS, power etc. would be the responsibility of HSP
- p. Any other IT and non-IT components that would be required for smooth operation of MCTFC project should be procured, commissioned, operated, upgraded and maintained by the HSP during the entire project duration
- q. HSP shall establish and maintain the specified SLAs. HSP should provide all the system generated reports that are applicable to monitor the SLA for the project
- r. HSP shall undertake regular maintenance and up-gradation of the system to ensure its optimum utilization and performance
- s. HSP would not involve in any kind of branding or promotional activities at MCTFC infrastructure. However, communications in the nature of notices / guidelines to employees may be displayed at the notice board and at work-stations
- t. HSP shall have the responsibility to maintain discipline of the office environment and safety of the Helpdesk Agents and other support staff deployed at the Project site
- u. HSP shall have the responsibility to maintain cleanliness, pest control which may include ultrasonic machines and hygiene of entire Project site (including porch area, windows / doors)
- v. HSP shall be responsible for displaying awareness messages and other MCTFC related updates on LED TVs/ panel available at project site
- w. The HSP would ensure strict compliance to all laws, regulations, rules and guidelines governing the operation of call centres like safety of employees, reimbursement for night working hours etc
- x. MoHFW would arrange drinking water at project site from NIHFW but HSP should make its alternate arrangement in case of any contingency
- y. The HSP would ensure that all laws, regulations, rules and guidelines governing the applications and the security guidelines of Ministry of Communications & Information Technology are adhered to
- z. HSP shall handover the Project site along with all infrastructure built for the project to MoHFW at the end of project period or the time mutually agreed to by the MoHFW and HSP or at the termination of the contract with HSP
- aa. HSP shall follow institutional laws for entering and operating in the premise of NIHFW
- bb. HSP shall ensure that all its employee should maintain professional conduct. If MoHFW identifies any deviation in this regard, it reserves the right to take appropriate measures including seeking the replacement of the resources within 2 weeks. The recommendation / measures of MoHFW in this regard will be binding on HSP
- cc. HSP shall be responsible for maintaining order in Project site and will be responsible for any legal, security and medical issues related to personnel deployed by them for MCTFC.

- dd. HSP will make the payment of bills for PRI lines raised by the TSP which in turn will be reimbursed by MoHFW on submission of payment acknowledgement from the TSP along with other supporting documents including deduction of SLA (if any). While availing the services from the Telecom Service Provider (TSP) and providing the same to the MoHFW, the HSP shall comply with all applicable legal provisions including provisions relating to ensuring that these services do not tantamount to re-sale to MoHFW and also MoHFW does not end up paying any additional / double taxes (e.g. Service Tax, etc.) thereon while reimbursing the expenses to the HSP.

3.11.1.1 Telecom Service Provider

- a. TSP will sign a contract with the HSP for providing PRI lines for MCTFC project.
- b. TSP will raise the invoice to the HSP and HSP will make the payment of bills for PRI lines which in turn will be reimbursed by MoHFW on submission of payment acknowledgement from the TSP along with other supporting documents including deduction of SLA (if any).
- c. TSP will ensure the provision of following services to the HSP as per their contract:
 - o PRI line for inbound IVRS calls
 - o PRI line for outbound IVRS calls
 - o PRI line for outbound Helpdesk Agent calls
 - o PRI line for inbound Helpdesk Agent calls

3.11.2 Ministry of Health and Family Welfare, Government of India

- a. MoHFW will provide support to the HSP in smooth coordination with the stakeholders for development of MCTFC application
- b. MoHFW will constitute a TCC that will steer and monitor the MCTFC project implementation, operation and support. Further, TCC will decide on the matters where clarity is required for project execution. In this regard, the decision of TCC would be final and binding on HSP. TCC for MCTFC project will be responsible for following activities:
 - i. Overall responsibility of steering and managing the project
 - ii. Monitoring the deliverables submitted by HSP, as well as coordination of MCTFC operations
 - iii. Addressing all issues pertaining to the project including taking on the responsibility for the final sign off as well as annual performance review of the project
 - iv. Recommending extension of the project based on mutually accepted and agreed terms
 - v. Recommending termination of contract on breach of contract terms and conditions (including those contained in RFP and related documents) by the HSP or otherwise
 - vi. Monitoring the performance of the HSP through SLAs as mentioned in this document
 - vii. Deciding on matters where further clarity is required for project execution. The decision of TCC would be final and binding
 - viii. Recommend on waiving off penalty
 - ix. Approval of replacement of all IT and non-IT infrastructure
 - x. Final approval on man effort proposed by HSP for Change Control Note (CCN)
- c. MoHFW will define the sub-data set / working data set based on national health programmes, M&E requirement etc.
- d. MoHFW will facilitate effective coordination between the HSP and the other authorities (NIC, NIHFW, FIC etc.)
- e. MoHFW reserves the right to terminate the contract on breach of the contract terms and conditions (including those contained in RFP and related documents) by the HSP or otherwise
- f. MoHFW shall reimburse to NIHFW for support provided by them as per mutually agreed terms and conditions
- g. MoHFW reserves the right to waive off the penalties.

3.11.3 National Informatics Centre (NIC/NICSI)

- a. Shall provide the necessary technical support for MCTS to key personnel from HSP
- b. Shall provide adequate details to HSP for integration of MCTFC application with MCTS / RCH applications
- c. Shall provide the necessary technical support for connectivity and smooth access between project site and MCTS / RCH data centre for the MCTFC project
- d. Shall facilitate HSP to ensure smooth data exchange between MCTS / RCH and MCTFC
- e. Shall provide requisite storage space to the HSP for hosting MCTFC data in MCTS / RCH portal.

3.11.4 National Institute of Health and Family Welfare

- a. Shall facilitate HSP in access to the Project site
- b. Shall assist the HSP in takeover of the assets from the present implementing agency
- c. Shall provide electricity for the project site
- d. Shall provide the necessary support pertaining to successful execution of MCTFC project
- e. Shall coordinate for any matter related to MCTFC project with MoHFW
- f. Shall provide fuel for the DG set.

3.11.5 Knowledge Partner/ Functional Implementation Committee (FIC)

- a. Provide the necessary technical input / medical know-how to HSP for the development of appropriate responses for standard question bank
- b. Provide necessary technical inputs for the development of reports which would be generated on the basis of responses of beneficiaries and health workers called through MCTFC
- c. Provide necessary approvals to responses entered in the temporary question bank and answered with the aid of content management team of HSP
- d. Review and feedback on the calling operation which will include listening to live and recorded calls and provide their feedback on the calls
- e. Provide necessary feedback on FRS, SOP, FAQ and other functional documents.

3.12 Deliverables and Timelines

The table below mentions the deliverables and timelines for MCTFC project. HSP needs to strictly adhere to the timelines mentioned in the table below. If the HSP fails to offer the deliverables within the specified timelines as mentioned below, MoHFW shall, without prejudice to its other remedies under the contract, deduct from the performance security or future payments to be made, as liquidated damages. However, if the cumulative delay is more than 45 days, MoHFW has the right to terminate the contract and forfeit the performance security.

PHASE	ACTIVITIES		DELIVERABLES	TIMELINES
PHASE I	ESTABLISHMENT and GO-LIVE / OPERATIONALIZATION OF MCTFC PROJECT (including operationalization of initial setup)			To+18 weeks
	A	Takeover and transition of existing MCTFC operation		To + 14 weeks
	i	Physical takeover of Project site	Submission of takeover report by HSP to MoHFW containing the checklist for complete infrastructure (IT and non-IT) and their working	To +1 week

PHASE	ACTIVITIES		DELIVERABLES	TIMELINES
			condition	
	ii	Mobilisation and deployment of the Program Manager and Implementation Team	Submission of CVs of Implementation Team by HSP to MoHFW that would be deployed for implementation of MCTFC project	To + 1 week
	iii	Takeover of application from existing implementing agency	HSP will submit a takeover report clearly mentioning that they have taken over the technology, knowledge, source code and other related documents, from existing implementing agency, that were required to take over the existing MCTFC application. Also they will submit a certificate clearly mentioning that they have successfully taken over the existing MCTFC application	To + 2 weeks
	iv	Recruitment of the Core Team and operational team (except HAs)	Submission of manpower deployment report clearly mentioning that Operational Team and Core Team to be deployed for MCTFC project has been deployed	To + 2 weeks
	V	Recruitment of Helpdesk Agents	Submission of Helpdesk Agents deployment report	To + 4 weeks
	vi	Training of deployed manpower on existing application	Training completion report clearly mentioning the details of manpower trained on existing application along with the training material	To + 6 weeks
	vii	Operationalisation by the HSP using the existing application (without SLA requirements)	Submission of operationalisation report containing details of system login, dialer report and related information	$T_1 = T_o + 8$ weeks
	viii	Operationalisation by the HSP using the existing application or till new application is deployed whichever is later (with SLA requirements as mentioned in Annexure 11)	Submission of operationalisation report containing additional details of SLA reports	6 weeks from T_1 (i.e. $T_o + 14$ weeks)
	B	Augmentation of MCTFC infrastructure		To + 10 weeks
	i	Deployment of IT and non-IT equipment at Project site	User manual, deployment and configuration document	To + 8 weeks
	ii	Augmentation of ICT infrastructure (hardware, software, network, telecom etc.) and non-IT infrastructure, if any,	Sign-off from MoHFW	To + 8 weeks

PHASE	ACTIVITIES		DELIVERABLES	TIMELINES
		at Project site		
	iii	Installation and commissioning of complete infrastructure at Project site	Submission of completion report on infrastructure deployed at Project site	To + 10 weeks
	C	Design, Development, Testing and Implementation of Mother and Child Tracking Facilitation Centre Solution		To + 16 weeks
	i	Functional requirement gathering by the HSP	Submission of FRS (Functional Requirement Specification) document and get it approved from MoHFW	To + 8 weeks
	ii	Technical solution design	Submission of SRS (System Requirement Specification) document and System Design Document (SDD) and get it approved from MoHFW	To + 8 weeks
	iii	Develop the MCTFC solution	Demonstration of the MCTFC solution	To + 12 weeks
	iv	Get UAT and sign-off of MCTFC solution from MoHFW	Submission of user test cases, test results and UAT sign off report	To + 14 weeks
	v	Submission of Exit Management Plan	Submission of Exit Management Plan document and get approval from TCC	To + 14 weeks
	vi	Training of manpower on the new application	Application deployment report containing details of new application deployed	To + 15 weeks
	vii	Deployment of new application	Submission of deployment report mentioning clearly the new application with all its features has been deployed successfully at Project site and manpower has been successfully trained on it	To + 16 weeks
	viii	Onsite training and handholding of the Helpdesk Agents, Medical Consultants, supervisors etc and stabilization of the MCTFC project including CRM, IVRS, SMS	Submission of system performance report	To + 16 weeks
	D	Go-Live / Operationalization of MCTFC (Tg)	Sign off from MoHFW	To + 18 weeks
PHASE II	OPERATION, MAINTENANCE & ON-GOING SUPPORT FOR MCTFC PROJECT			T_g + 5 years
	A	Operation and maintenance of MCTFC project for a period of 5 years from the date of Go-Live of MCTFC	• System / application login details • Access card details / attendance report • Reports as required for evaluation of SLA	T _g + 5 years

PHASE	ACTIVITIES		DELIVERABLES	TIMELINES
			• Dialer report • EMS reports • Documentary evidence for payment of applicable taxes and duties • Any other document / requirement as per RFP / signed contract	
	B	License for the call centre operation for the project	Call centre license for the from DOT	T _g + 6 months
	C	Security Audit for MCTFC project	• Submission of audit report from empanelled agency by the HSP to MoHFW within three months from the date of Go-Live and submission of its compliance report within three months of submission of security audit report • Subsequent audit of application in case of any major change or biennially whichever is earlier	
	D	On-going support for implementation of additional requirements of MoHFW during the period of 5 years from the date of Go-Live of MCTFC project	Sign off from MoHFW	As and when required during the period of 5 years from the date of Go-Live of MCTFC project
	E	Exit Management Phase	Exit Management plan as mentioned in section 3.10	

Note:

- 'To' refers to the date of signing the contract or written request by the MoHFW regarding takeover of Project site by the HSP / successful bidder, whichever is earlier
- 'T_g' refers to the date of Go-Live / operationalization of Mother and Child Tracking Facilitation Centre (MCTFC) project

4 Instructions to the Bidders (ITB)

4.1 General

- a) The information contained in this Request for Proposal document (RFP) or subsequently provided to bidders, whether verbally or in documentary or any other form by or on behalf of MoHFW or any of their employees or advisers, is provided to bidders on the terms and conditions set out in this RFP and such other terms and conditions subject to which such information is provided.
- b) This RFP is not an agreement and is neither an offer nor invitation by MoHFW to the prospective bidders or any other person. The purpose of this RFP is to provide interested parties with information that may be useful to them in the formulation of their proposals pursuant to this RFP. This RFP includes statements, which reflect various assumptions and assessments arrived at by MoHFW in relation to the project. Such assumptions, assessments and statements do not purport to contain all the information that each bidder may require. This RFP may not be appropriate for all persons, and it is not possible for MoHFW, its employees or advisers to consider the objectives, technical expertise and particular needs of each party who reads or uses this RFP.
- c) The assumptions, assessments, statements and information contained in this RFP, may not be completely, accurate, adequate or correct. Each bidder should, therefore, conduct its own investigations and analysis and should check the accuracy, adequacy, correctness, reliability and completeness of the assumptions, assessments and information contained in this RFP and obtain independent advice from appropriate sources.
- d) Information provided in this RFP to the bidders is on a wide range of matters, some of which depend upon interpretation of law. The information given is not an exhaustive account of statutory requirements and should not be regarded as a complete or authoritative statement of law. MoHFW accepts no responsibility for the accuracy or otherwise for any interpretation or opinion on the law expressed herein.
- e) MoHFW, its employees and advisers make no representation or warranty and shall have no liability to any person including any bidder under any law, statute, rules or regulations or tort, principles of restitution or unjust enrichment or otherwise for any loss, damages, cost or expense which may arise from or be incurred or suffered on account of anything contained in this RFP or otherwise, including the accuracy, adequacy, correctness, reliability or completeness of the RFP and any assessment, assumption, statement or information contained therein or deemed to form part of this RFP or arising in any way in this selection process.
- f) MoHFW also accepts no liability of any nature whether resulting from negligence or otherwise however caused arising from reliance of any bidder upon the statements contained in this RFP.
- g) MoHFW may in its absolute discretion, but without being under any obligation to do so, update, amend or supplement the information, assessment or assumption contained in this RFP.
- h) The issue of this RFP does not imply that MoHFW is bound to select a bidder or to appoint the selected bidder, as the case may be, for the project and MoHFW reserves the right to reject all or any of the proposals without assigning any reasons whatsoever. The bidder shall bear all its costs associated with or relating to the preparation and submission of its proposal including but not limited to preparation, copying, postage, delivery fees, expenses associated with any demonstrations or presentations which may be required by MoHFW or any other costs incurred in connection with or relating to its proposal. All such costs and expenses shall remain with the bidder and MoHFW shall not be liable in any manner whatsoever for the same or for

any other costs or other expenses incurred by a bidder in preparation of submission of the proposal, regardless of the conduct or outcome of the selection process.

- i) While every effort has been made to provide comprehensive and accurate background information and requirements and specifications, bidders must form their own conclusions about the solution needed to meet the requirements. Bidders and recipients of this RFP may wish to consult their own legal advisers in relation to this RFP.
- j) All information supplied by bidders may be treated as contractually binding on the bidders on successful award of the assignment by the MoHFW on the basis of this RFP.
- k) No commitment of any kind, contractual or otherwise on the part of MoHFW shall exist unless and until a formal written contract has been executed by or on behalf of MoHFW. Any notification of preferred bidder status by MoHFW shall not give rise to any enforceable rights by the bidder. MoHFW may cancel this public procurement at any time prior to a formal written contract being executed by or on behalf of MoHFW.
- l) This RFP supersedes and replaces any previous public documentation and communications and bidders should place no reliance on such communications.

4.2 Compliant bids / Completeness of Response

- a) Bidders are advised to study all instructions, forms, terms, requirements and other information in the RFP document carefully. Submission of the bid shall be deemed to have been done after careful study and examination of the RFP document with full understanding of its implications.
- b) Failure to comply with the requirements of this paragraph may render the bid non-compliant and the bid may be rejected. Bidders must:
 - i. Include all documentation specified in this RFP;
 - ii. Follow the format of this RFP and respond to each element in the order as set out in this RFP;
 - iii. Comply with all requirements as set out within this RFP.

4.3 Pre-Bid Meeting and Clarifications

4.3.1 Pre-bid Meeting

- 1. MoHFW shall hold a pre-bid meeting with the prospective bidders on the date, time and venue mentioned in Important Dates for RFP table
- 2. The bidders will have to ensure that their queries for pre-bid meeting should reach Nodal Contact Person mentioned in Fact Sheet by post or e-mail on or before date and time mentioned in Important Dates for RFP table
- 3. The queries should necessarily be submitted in the following format:

S. No.	RFP document reference(s) [Section and page number(s)]	Content of RFP requiring clarification(s)	Points of clarification
1.			
2.			
3.			
4.			
5.			
6.			

- 4. MoHFW shall not be responsible for ensuring that the bidders' queries have been received by MoHFW. Any requests for clarifications received after the indicated date and time may not be entertained by MoHFW.

4.3.2 Responses to Pre-Bid Queries and Issue of Corrigendum

- a. MoHFW will endeavour to provide timely response to all queries. However, MoHFW makes no representation or warranty as to the completeness or accuracy of any response made in good faith, nor does MoHFW undertake to answer all the queries that have been posed by the bidders.
- b. At any time prior to the last date for receipt of bids, MoHFW may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective bidder, modify the RFP document by a corrigendum.
- c. The corrigendum (if any) and clarifications to the queries from all bidders will be posted on the www.nhm.gov.in.
- d. Any such corrigendum shall be deemed to be incorporated into this RFP.
- e. In order to provide prospective bidders reasonable time for taking the corrigendum into account, MoHFW may, at its discretion, extend the last date for the receipt of bids.

4.4 Key Requirements of the Bid

4.4.1 RFP Document Fees

- a. RFP can be purchased at the address and dates and manner mentioned in the fact sheet

4.4.2 Right to Terminate the Process

- a. MoHFW may terminate the RFP process at any time and without assigning any reason. MoHFW makes no commitments, express or implied, that this process will result in a business transaction with anyone.
- b. This RFP does not constitute an offer by MoHFW. The bidder's participation in this process may not result in MoHFW selecting the bidder to engage towards execution of the contract.

4.5 Preparation of Bids

4.5.1 Language of Bid

The bid prepared by the bidder, as well as all correspondence and documents relating to the bid exchanged by the bidder and MoHFW shall be written in English language only.

4.5.2 Documents Constituting the Bid

The bid submitted by the bidder shall comprise the following documents:

- a. Prequalification cum Technical bid (including eligibility criteria in two separate envelopes) in the formats specified in Section 5.1.2 and Section 5.1.3 of Annexure 1 of this RFP
- b. Financial bid in the formats specified in Section 5.1.4 of Annexure 1 of this RFP
- c. Any other information that is to be submitted during the course of bidding process.

4.5.3 Prequalification Criteria

Any bid failing to meet the prequalification criteria mentioned in Section 5.1.2 of Annexure 1 shall be summarily rejected and will not be considered for further evaluation.

Change in Prequalification Criteria

If there is a change in the status of the bidder which may lead to non-compliance to the prequalification criteria mentioned in Section 5.1.2 of Annexure 1, at any stage during the bid process, award of the contract or the entire project duration, the bidder should immediately bring the same to the notice of MoHFW. In this case the MoHFW may take appropriate steps which may also lead to rejection of bid.

4.5.4 Consortium

Consortiums are allowed for the project so that required expertise can be brought upon by the consortium member for the implementation of the project. For the activities of the project that are carried out by the consortium member, the prime bidder shall be responsible for consortium member's act and conduct as well as for the entire activity that is being carried out by the consortium member. In case of consortium, the following additional requirements should be complied with:

- a. The number of members in a consortium shall not be more than three (3), i.e. one prime bidder and two other consortium members
- b. The bid should contain details of all the members of the consortium including their legal status as well as the Memorandum of Agreement / Consortium Agreement.
- c. Prime bidder can participate in only one bid. In case prime bidder participates in other consortium bids, all such bids will be rejected.
- d. Bidder(s) need to sign a consortium agreement clearly defining their roles and responsibilities for execution of this project. One of the consortium members will be nominated as prime bidder which should be supported with a documentary proof in the form of MoA (Memorandum of Agreement) / Consortium Agreement.
- e. Nothing in this MoA / Consortium Agreement shall constitute, create or give effect or recognize a joint venture, partnership or business entity of any kind.
- f. The MoA / Consortium Agreement shall be governed by the laws of India.
- g. Any matter, which is not stipulated in the MoA / Consortium Agreement, shall be settled in good faith by discussion among the parties in the spirit of understanding and cooperation in the favour of the project.
- h. Where the prime bidder / any of the consortium member's ability to survive as an independent corporate entity is threatened or is lost owing to any reason whatsoever, including inter alia the filing of any bankruptcy proceedings against the prime bidder or its consortium members, any failure by the prime bidder or its consortium member to pay any of its dues to its creditors, the institution of any winding up proceedings against the prime bidder / consortium member or the happening of any such events that are adverse to the commercial viability of the prime bidder / consortium member, MoHFW shall reserve the right to take any steps as deemed necessary, to ensure the effective transition of the project to a successor agency and to ensure business continuity.

4.5.5 Sub-Contracting

HSP may sub-contract the following activities to a third party agency:

- a. Housekeeping, cleaning, pest control and sanitation
- b. Pantry services
- c. AMC of MCTFC infrastructure (IT and non-IT).

However, HSP will inform MoHFW regarding any such sub-contracting and would be overall responsible for each activity mentioned above. HSP will also share a list of sub-contractors with MoHFW / NIHFW for accessibility in the Project site. Also, HSP will be solely responsible for operation and maintenance of MCTFC and the conduct of third party agency and its employees to whom HSP has sub-contracted the above mentioned activity(ies).

4.5.6 Prequalification-cum-Technical Bid

Prequalification-cum-technical bid shall comprise of the cover letter, details and documents of the bidder meeting the prequalification and technical criteria, bid and an undertaking (for contents and formats of the prequalification and technical bid kindly refer Section 5.1.2 and Section 5.1.3 of Annexure

1). Further, bidder has to submit prequalification-cum-technical bid in a single envelope containing two envelopes of prequalification bid and technical bid as prescribed in Section 4.5.13.3.1 and Section 4.5.13.4.1.

It may be noted that any reference / mention of the financial quote or price schedule in the prequalification or technical bid shall be at the bidder's risk and may result in rejection of the bid.

4.5.7 Financial Bid

The financial bid should comprise of the price schedule in accordance with Section 4.5.10. Kindly ensure that the financial bid is in the same format as provided in Section 5.1.4 of Annexure 1. Non-adherence to the format of the financial bid as specified in Section 5.1.4 of Annexure 1 of the bid documents shall be at the bidder's risk and may result in rejection of the bid.

4.5.8 Contract Value

Contract value (C.V.) of the project would be calculated based on the following formula:

$$\text{C.V.} = F_1 + F_2 + F_3$$

Where,

F_1 = Total cost of Capital Expenditure as per the Form B of Section 5.1.4

F_2 = Total Operational charges of MCTFC project as per Form C Section 5.1.4

F_3 = Total other operational expense as per the Form D of Section 5.1.4

4.5.9 Undertaking

An undertaking from the bidder stating the compliance with all the conditions of the RFP and criterion of the bidding document is required in accordance with Section 5.1.2.1 of Annexure 1 of this RFP, since no deviation or assumptions will be acceptable to MoHFW.

4.5.10 Bid Price

4.5.10.1 Prices in the Price Schedule

As part of its quote, the bidder shall provide each line item wise break-up of the financial bid, separately stating the taxes and duties payable thereon, as per the format provided in Section 5.1.4 of Annexure 1. In case the break-up is not given separately as per the formats provided, the bidder would run the risk of being disqualified.

The financial bid should strictly conform to the formats to enable evaluation of bids. A special care must be taken to ensure that the bid does not have any hidden costs or conditional costs, as this shall make the bid liable for outright rejection.

4.5.10.2 Separation of Price Components

The price components furnished by the bidder in accordance with Section 4.5.10.1 above will be solely for the purpose of facilitating the comparison of bids by the MoHFW and will not in any way limit MoHFW's right to contract on any of the terms offered.

4.5.10.3 Fixed Price

Prices quoted by the bidder shall be fixed and no variation will be allowed under any circumstances. No open-ended bid shall be entertained and the same is liable to be rejected straightaway.

4.5.10.4 Bid Currencies

Prices shall be quoted in Indian Rupees (INR).

4.5.11 Earnest Money Deposit (EMD)

4.5.11.1 Amount of EMD

The bidder shall furnish, as part of its bid, EMD for the amount and in the manner as mentioned in the Fact Sheet.

4.5.11.2 Currency of Bid Security / EMD

The bid security shall be furnished in Indian Rupees (INR).

4.5.11.3 Requirement of Bid Security / EMD

The bid security / EMD is required to protect MoHFW against the risk of bidder's conduct, which would warrant the security's forfeiture, pursuant to Section 4.5.11.6.

4.5.11.4 Discharge of Bid Security / EMD of Unsuccessful Bidder

Unsuccessful bidder's bid security / EMD will be discharged / returned as promptly as possible on award of the project to successful bidder.

4.5.11.5 Discharge of EMD of Successful Bidder

The successful bidder's bid security / EMD will be returned subsequent to receipt of the Performance Bank Guarantee from the bidder pursuant to Section 4.5.13.15.

4.5.11.6 Forfeiture of EMD

The EMD can be forfeited if a bidder

- a. Withdraws its bid during the period of bid validity or
- b. Does not accept the correction of errors pursuant to Section 4.5.13.11 or
- c. In case of the successful bidder, if the bidder fails
 - o To sign the contract in accordance with Section 4.5.13.14 and 4.5.13.15
 - o To furnish performance bank guarantee in accordance with Section 4.5.13.15

4.5.12 Rejection of Bid

Any bid not secured in accordance with Section 4.5.11 mentioned above, shall be rejected by MoHFW, without any further correspondence, as non-responsive.

4.5.13 Period of Validity of Bids

4.5.13.1 Validity Period

Bids shall remain valid for 180 days from the date of submission of bid. MoHFW holds the rights to reject a bid valid for a period shorter than 180 days as non-responsive, without any correspondence.

4.5.13.2 Extension of Period of Validity

In exceptional circumstances, MoHFW may solicit the bidder's consent to an extension of the period of validity. The request and the response thereto shall be made in writing. Extension of validity period by the bidder should be unconditional. The bid security / EMD provided under Section 4.5.11 shall also be suitably extended. A bidder may refuse the request without forfeiting the bid security. A bidder granting the request will not be permitted to modify its bid.

4.5.13.3 Format and Signing of Bid

4.5.13.3.1 Number of Copies of Bid

The bidder shall submit the bid documents as per the details given below:

- a. **Original copy of the bid:** This would consist of the following:
 - i. Original copy of prequalification-cum-technical bid should consist of following two envelopes:
 - Original copy of prequalification bid in hard copy format, duly stamped and signed by the authorised signatory on every page in ink
 - Original copy of technical bid in hard copy format, duly stamped and signed by the authorised signatory on every page in ink
 - ii. Original copy of financial bid in hard copy format, duly stamped and signed by the authorised signatory on every page in ink

- iii. Original copy of presentation on the methodology with timelines for the execution of the project as per scope of work specified in the RFP. Same presentation would be used for evaluation.
- iv. Soft copy of prequalification, technical bids and presentation in a CD.

b. Duplicate copy of the bid: This would consist of the following:

- i. Duplicate copy of prequalification-cum-technical bid should constitute of following two envelopes:
 - Duplicate copy of prequalification bid in hard copy format, duly signed by the authorised signatory on every page in ink
 - Duplicate copy of technical bid in hard copy format, duly signed by the authorised signatory on every page in ink
 - Duplicate copy of presentation on the methodology with timelines for the execution of the project as per scope of work specified in the RFP. Same presentation would be used for evaluation.
- ii. Soft copy of prequalification, technical bids and presentation in a CD.

Note: The original and duplicate copies should be exactly same. Any deviations / discrepancies found in the content of the two shall lead to rejection of the bid.

The bidder should submit its bid in the prescribed proforma only. If any bidder fails to submit its bid in the prescribed manner, the bid shall be summarily rejected.

4.5.13.3.2 Authentication of Bid

The original / duplicate copies of the bid shall be type written and shall be signed in ink by a person or persons duly authorized to bind the bidder to the bid. The letter of authorization shall be supported by a written power-of-attorney accompanying the bid. Scanned or digitized signatures are not permitted. Non-adherence to this clause would make the bid liable for rejection.

4.5.13.3.3 Validation of interlineations in Bid

Any interlineations, erasures or overwriting shall be valid only if the person or persons signing the bid have authenticated the same with signature.

4.5.13.4 Sealing and Marking of Bids

4.5.13.4.1 Enclosing of Bid

The bids should be enclosed in envelopes as per the following:

- a. **Sealed Envelope A (Original):** This envelope should contain the original copy of bids and should clearly provide the contents of the envelope. The envelope should also be super scribed as "original copy". This would contain the following envelopes:
 - i. **Sealed Envelope A.1.:** Containing original copy (hard and soft) of prequalification-cum-technical bid:
 - **Sealed Envelope A.1a.:** Containing original copy (hard and soft) of prequalification bid along with the EMD, tender fee and bid cover letter. The envelope should clearly provide the contents of the envelope and should be super scribed as "Original copy - Prequalification Bid".
 - **Sealed Envelope A.1b.:** Containing original copy (hard and soft) of technical bid and presentation. The envelope should clearly provide the contents of the envelope and should be super scribed as "Original copy - Technical Bid".

- ii. **Sealed Envelope A.2.:** Containing original copy (hard copy only) of financial bid. The envelope should clearly provide the contents of the envelope and should be super scribed as “Original copy - Do not open with Prequalification-cum-technical Bid”.
- b. **Sealed Envelope B (Duplicate):** This envelope should contain the duplicate copy (hard and soft) of prequalification and technical bids (along with the presentation). The envelopes should clearly provide the contents of the envelope and should be super scribed as “Duplicate copy - Prequalification Bid” and “Duplicate copy - Technical Bid”.

Both these sealed envelopes (i.e. Envelope A and B) should be enclosed in another envelope stating the contents of the envelope. The envelope should also indicate the name and address of the bidder to enable the bid to be returned unopened in case it is declared "late".

4.5.13.4.2 **Mailing Address for Bids**

The inner and outer envelopes shall be addressed to the Nodal Contact Person mentioned in Fact Sheet.

4.5.13.4.3 **Responsibility of MoHFW**

If the outer envelope is not sealed and marked as required by Section 4.5.13.4.1 and 4.5.13.4.2, the MoHFW will assume no responsibility for the bid’s misplacement or premature opening.

4.5.13.4.4 **Rejection of Bid**

The bid has to be submitted in the form of printed document. The bids submitted by Telex, fax or e-mail shall not be entertained.

Any condition put forth by the bidder non-conforming to the bid requirements shall not be entertained at all and such bid shall be rejected.

4.5.13.5 **Deadline for Submission of Bids**

4.5.13.5.1 **Last Date for Submission**

The bids (prequalification, technical and financial) must be received by Nodal Contact Person mentioned in Fact Sheet not later than date and time mentioned in Important Dates for RFP table above. In the event of the specified date for the submission of bids being declared a holiday for MoHFW, the bids will be received up to the appointed time on the next working day.

4.5.13.5.2 **Extension for Last date for Submission**

MoHFW may, at own discretion, extend the deadline for submission of bids by amending the bid document in which case all rights and obligations of MoHFW and bidders previously subject to the deadline, will thereafter be subject to the deadline as extended.

4.5.13.5.3 **Late Bids**

Any bid received by MoHFW after the deadline for submission of bids prescribed by MoHFW will be summarily rejected and returned unopened to the bidder. MoHFW shall not be responsible for any postal delay or non-receipt / non-delivery of the documents. No further correspondence on this subject will be entertained.

4.5.13.6 **Modification and Withdrawal of Bids**

a. **Written Notice**

The bidder may modify or withdraw its bid after the bid’s submission provided that the MoHFW receives written notice of the modification or withdrawal before the expiration of deadline prescribed for submission of bids.

b. **Signing and Marking of Notice**

The bidder’s modification or withdrawal notice shall be prepared, sealed, marked and submitted in accordance with the provisions of Section 4.5.13.3. A duly signed withdrawal notice may also be sent by e-mail or post so as to reach the Nodal Contact Person mentioned in Fact Sheet before the expiration of deadline for submission of bids.

4.5.13.7 Last Date for Notice

No bid may be modified subsequent to the deadline for submission of bids. No bid may be withdrawn in the interval between the deadline for submission of bids and the expiration of period of bid validity specified by the bidder on the bid form. Withdrawal of a bid during this interval may result in the forfeiture of bidder's EMD.

4.5.13.8 Bid Opening and Evaluation of Bids

[A]: Opening of Prequalification-cum-Technical Bids

i. Opening of Bids

MoHFW will open all prequalification-cum-technical bids in the presence of bidders' representatives who choose to attend the prequalification-cum-technical bid opening at the date and time mentioned in Important Dates for RFP table above at a venue that will be communicated by MoHFW. The bidders' representatives who are present shall sign a register evidencing their attendance.

Firstly prequalification bid envelopes will be opened by the Tender Opening Committee (TOC). TOC will check whether the following documents are present in the prequalification bid envelop:

1. Bid cover letter
2. Tender fee
3. EMD
4. Prequalification bid

Any bid falling short of the above mentioned document will not be considered for further evaluation. The technical bid of those bidders who had submitted above mentioned document in their prequalification bid will be opened by the TOC. TOC will only check whether these documents are present in the prequalification bids and refer them for further evaluation. Prequalification and technical bids thus opened will be evaluated in detail by MoHFW in subsequent days. In the event of the specified date of bid opening being declared a holiday for MoHFW, the bids shall be opened at the appointed time and location on the next working day.

ii. Clarification of Bids

During evaluation of bids, MoHFW may, at its discretion, ask the bidder for a clarification of its bid. The request for clarification and the response shall be in writing. If the response to the clarification is not received before the expiration of deadline prescribed in the request, MoHFW reserves the right to make its own reasonable assumptions at the total risk and cost of the bidder which may also lead to rejection of the bid.

[B]: Opening of Financial Bids

i. Opening of Bids

Financial bids will be opened and compared after the prequalification-cum-technical bid evaluation has been completed for those bidders whose technical bids reach the minimum qualifying score / standard as specified in this RFP.

ii. Announcement of Bids

The financial bids will be opened in the presence of bidders' representatives who choose to attend the financial bid opening on date and time to be communicated to all the eligible and qualified bidders. The bidders' representatives who are present shall sign a register evidencing their attendance. The name of bidder, bid prices, discount, etc. will be announced at the meeting. In the event of the specified date of bid opening being declared a holiday for MoHFW, the bids shall be opened at the appointed time and location on the next working day.

4.5.13.9 Preliminary Examination

a. **Completeness of Bids**

MoHFW will examine the bids to determine whether they are complete, whether they meet all the conditions of the RFP and whether any computational errors have been made, whether required security and tender fee have been furnished, whether the documents have been properly signed and whether the bids are generally in order.

b. **Rectification of Errors**

Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected. If there is a discrepancy between words and figures, the amount in words shall prevail. If the bidder does not accept the correction of errors, its bid will be rejected and its bid security may be forfeited.

c. **Rejection of Bid**

If a bid is not responsive and not fulfilling all the conditions it will be rejected by MoHFW and shall not subsequently be accepted even if it is made responsive by the bidder by correction of the non-conformity.

4.5.13.10 Evaluation and Comparison of Bids

a. **Stages of Evaluation**

The evaluation of the bids will be carried out in two stages:

i. **Prequalification-cum-Technical Bid Evaluation:** The first stage of the evaluation will be the assessment of the prequalification-cum-technical bid.

Prequalification Bid Evaluation: Evaluation of prequalification bids by MoHFW shall not be questioned by any of the bidders. MoHFW may ask bidder(s) for additional information, visit to bidder's site and / or arrange discussions with their professional, technical faculties to verify claims made in prequalification bid document by the bidder on the already submitted prequalification bid at any point of time before opening of the financial bid.

Technical Bid Evaluation: Technical bid of the bidders, who will qualify the pre-qualification stage, would be evaluated. Technical bid evaluation would be done based on the criteria mentioned in Section 5.3.1 of Annexure 3. The technical score of the bidder must be equal to or more than 70 to qualify the technical stage and to become eligible for financial bid opening.

ii. **Financial Bid Evaluation:**

The financial bids of only those bidders will be opened who qualify the technical evaluation stage. The bidders whose bids do not qualify on technical evaluation criteria may collect their un-opened financial bids from MoHFW on prior intimation within 15 days from opening of the financial bids.

The financial bid of the eligible and qualified bidder would be evaluated based on the 'Absolute Financial Quote (*F_T)' of the bidder. The methodology for arriving at the 'Absolute Financial Quote (*F_T)' is provided in Annexure 4 of the RFP.

The successful bidder shall be identified based on the CQCCBS criteria as mentioned in Annexure 5. Successful bidder shall be considered for the award of the project.

Normally there would be no post tender negotiations. If at all negotiations are warranted, it would be only under exceptional circumstances and MoHFW reserves the right to negotiate with the bidder whose CQCCBS score (as calculated from the formula mentioned in Annexure 5) has been ranked 1 (highest score) based on the evaluation of the bids. If MoHFW is unable to sign a contract with the bidder ranked 1, MoHFW may proceed to the next ranked bidder and so on until a contract is signed.

Note:

- i. The evaluation of the bids shall be carried out based on the CQCCBS selection criteria mentioned in Annexure 5.
- ii. Information relating to the examination, clarification, evaluation and comparison of bids and recommendations for the signing of a contract shall not be disclosed to bidders or any other persons not officially concerned with such process until the award to the successful bidder has been announced. Any attempt by a bidder to influence the MoHFW's processing of bids or award decisions may result in the rejection of its bid.

4.5.13.11 Bid Evaluation Criteria

The bid will be evaluated using the following criteria.

Sl. No.	Description	Details
1	Stage-I: Prequalification-cum-Technical Bid	Only the bids qualifying the prequalification criteria shall be further considered for technical bid evaluation. Technical bids of only those bidders, who qualify the prequalification criteria as mentioned in Section 5.3.1.1 of Annexure 3 of the RFP, will be evaluated. Bidders qualifying at the pre-qualification cum technical bid stage would be further considered for the financial bid opening.
2	Stage-II: Financial Bid	Financial bid would be opened for only those bidders who qualify at the pre-qualification cum technical bid evaluation stage. The successful bidder will be identified based on the CQCCBS selection criteria mentioned in Annexure 5.

4.5.13.12 Contacting MoHFW

a. Contact by Writing

Subject to Section 4.5.13.8 and 4.5.13.9, no bidder shall contact MoHFW on any matter relating to its bid, from the time of the bid opening to the time the project is awarded. If the bidder wishes to bring additional information to the notice of MoHFW, it should be done in writing and addressed as mentioned earlier in the RFP.

b. Rejection of Bid

Any effort by a bidder to influence the employees of MoHFW / members of evaluation committee in the process of examination, clarification, evaluation and comparison of bids and in decisions concerning award of contract, shall result in the rejection of its bid.

Award of Contract

4.5.13.13 MoHFW's right to accept any bid and to reject any bid or all bids

MoHFW reserves the right to accept or reject any bid and to annul the bidding process and reject all bids at any time before the project is awarded, without thereby incurring any liability to the affected bidder or bidders, with or without assigning any reason.

4.5.13.14 Notification of Award

a. Notification to Bidder

Before the expiry of the period of validity of the bid, MoHFW shall notify the successful bidder in writing by registered letter or by e-mail or by fax, that its bid has been accepted. The bidder shall acknowledge in writing the receipt of the notification of award and will enter into agreement within the time specified in the notification sent by MoHFW.

b. Signing of Contract

The contract shall be signed on all the pages by the person(s) duly authorized to bind the bidder to the contract. The stamp of the organization shall also be affixed on each page of the contract. MoHFW may discuss certain terms with successful bidder before signing of the contract. The bidder with whom the contract is signed will be the Helpdesk Service Provider (HSP).

c. Discharge of EMD

Upon the successful signing of the contract, MoHFW shall promptly request the HSP to provide performance bank guarantee. On receipt of the performance bank guarantee, MoHFW shall discharge / return the EMD to HSP.

d. Expenses for the Contract

The incidental expenses of execution of agreement / contract shall be borne by the HSP.

e. Failure to Abide by the Contract

The conditions stipulated in the contract shall be strictly adhered to and violation of any of these conditions will entail termination of the contract without prejudice to the rights of MoHFW to impose penalties as specified in the bidding document and the contract.

4.5.13.15 Performance Bank Guarantee

a. Furnishing of Performance Bank Guarantee

- i. The successful bidder shall at its own expense deposit with MoHFW, within thirty (30) working days of the date of notice of award of the contract or at the time of signing of the contract, whichever is earlier, an unconditional and irrevocable Performance Bank Guarantee (PBG) from a commercial bank acceptable to MoHFW, payable on demand, for the due performance and fulfilment of the contract by the HSP.
- ii. The PBG shall be denominated in the currency of the RFP and shall be payable by bank guarantee.
- iii. This PBG will be for an amount equivalent to 10% of contract value, and is payable by the successful bidder, before signing the contract. All charges whatsoever such as premium, commission etc. with respect to the PBG shall be borne by the HSP.
- iv. The PBG shall be valid till the end of three months after the completion of Phase II (operation, maintenance and on-going support) of the MCTFC project (i.e. five years plus three months after Go-Live of MCTFC). This additional three months is required for facilitating closure of the project.
- v. The PBG may be discharged / returned by the MoHFW upon being satisfied that there has been due performance of the obligations of the HSP under the contract. However, no interest shall be payable by MoHFW on the PBG.
- vi. In the event of the HSP being unable to service the contract for whatever reason, the MoHFW would evoke the PBG. Notwithstanding and without prejudice to any rights whatsoever of the MoHFW under the contract in the matter, the proceeds of the PBG shall be payable to the MoHFW as compensation for any loss resulting from the HSP's failure to fulfil its obligations under the contract. The MoHFW shall notify the HSP in writing of the exercise of its right to receive such compensation within 14 days of occurrence of default by HSP, indicating the contractual obligation(s) for which the HSP is in default.
- vii. MoHFW shall also be entitled to make recoveries from the HSP's bills, PBG or from any other amount due to HSP, the equivalent value of any payment made to HSP due to inadvertence, error, collusion, misconstruction or misstatement. Any such occurrence should be brought to the notice of MoHFW.

b. Furnishing of Bank Guarantee against Advance

- i. On HSP's written request, one time advance of not more than 10% of the contract value may be paid to the HSP.
- ii. Advance will be released on submission of a bank guarantee for the amount equal to 110% of the advance requested.
- iii. This bank guarantee shall be valid upto <last instalment to be paid against advance + 90 days>.
- iv. In case of delay in the implementation of the project, the HSP will extend the validity of the bank guarantee as decided by the TCC.

c. Annulment of Award

Failure of successful bidder to comply with the requirement shall constitute sufficient ground for the annulment of the award and forfeiture of the EMD in which event MoHFW may make the award to the bidder who has obtained the next rank under the evaluation criteria

4.5.14 Fraud and Corrupt Practices

4.5.14.1 The bidder and their respective officers, employees, agents and advisers shall observe the highest standard of ethics at all times during the selection process. Notwithstanding anything to the contrary contained in this RFP, MoHFW shall reject a bid without being liable in any manner whatsoever to the bidder, if MoHFW determines that the bidder has, directly or indirectly or through an agent, engaged in corrupt practice, fraudulent practice, coercive practice, undesirable practice or restrictive practice (collectively the "prohibited practices") in the selection process. In such an event, MoHFW shall, without prejudice to its any other rights or remedies, forfeit and appropriate the EMD / PBG, as the case may be, as mutually agreed genuine pre-estimated compensation and damages payable to MoHFW for, inter alia, time, cost and effort of MoHFW, in regard to the RFP, including consideration and evaluation of such bidder's bid.

4.5.14.2 Without prejudice to the rights of MoHFW under the above other clauses and the rights and remedies which MoHFW may have under the Lol or the contract, if a bidder Service Provider is found by MoHFW to have directly or indirectly or through an agent, engaged or indulged in any prohibitive practices during the selection process, or after the issue of the Lol or the execution of the contract, such bidders or the Service Provider shall not be eligible to participate in any tender or RFP issued by MoHFW for a minimum period of 2 (two) years from the date such bidder or the Service Provider is found by MoHFW to have directly or through an agent, engaged or indulged in any prohibitive practices, as the case may be.

4.5.14.3 For the purposes of this Section, the following terms shall have the meaning hereinafter respectively assigned to them:

- a) "Corrupt practice" means (i) the offering, giving, receiving or soliciting, directly or indirectly, of anything of value to influence the action of any person connected with the selection process (for avoidance of doubt, offering of employment to or employing or engaging in any manner whatsoever, directly or indirectly, any official of MoHFW who is or has been associated in any manner, directly or indirectly with the selection process before or after the execution thereof, at any time prior to the expiry of one year from the date such official resigns or retires from or otherwise ceases to be in the service of MoHFW, shall be deemed to constitute influencing the actions of a person connected with the selection process); or (ii) save as provided herein, engaging in any manner whatsoever, whether during the selection process or after the execution of the contract, as the case may be, any person in respect of any matter relating to the project or the contract, who at any time has been or is a legal, financial or technical consultant / adviser of MoHFW in relation to any matter concerning the project;
- b) "Fraudulent practice" means a misrepresentation or omission of facts or disclosure of incomplete facts, in order to influence the selection process;

- c) “Coercive practice” means impairing or harming or threatening to impair or harm, directly or indirectly, any persons or property to influence any person’s participation or action in the selection process;
- d) “Undesirable practice” means (i) establishing contact with any person connected with or employed or engaged by MoHFW with the objective of canvassing, lobbying or in any manner influencing or attempting to influence the selection process; or (ii) having a conflict of interest; and

“Restrictive practice” means forming a cartel or arriving at any understanding or arrangement among bidders with the objective of restricting or manipulating a full and fair competition in the selection process.

4.6 Appointment of Helpdesk Service Provider

4.6.1 Award Criteria

MoHFW will award the work to the bidder whose bid has been determined to be substantially responsive and has been determined as the most responsive bid as per the process outlined above.

4.6.2 Right to accept any bid and to reject any or all bid(s)

MoHFW reserves the right to accept or reject any bid and to annul the tendering process / public procurement process and reject all bids at any time prior to award of work, without thereby incurring any liability to the affected bidder or bidders or any obligation to inform the affected bidder or bidders of the grounds for the action of MoHFW.

4.6.3 Notification of Award

Prior to the expiration of the validity of bids, MoHFW will issue a Letter of Intent (LoI) notifying the successful bidder in writing or by e-mail, that its bid has been accepted.

The notification of award will initiate the process of formation of the contract. Upon the HSP's furnishing of Performance Bank Guarantee, MoHFW will notify each unsuccessful bidder and return their EMDs as per terms mentioned in Section 4.4.2.

4.7 SLA Measurement and Penalties

HSP would have the responsibility to escalate issue, if any, which is required to be discussed and resolved for the smooth operation of the project well in time. Any low performance as reflected in the SLA performance of the HSP would be the sole and complete responsibility of the HSP.

- a. The key service level requirements for MCTFC project, which need to be ensured by the HSP during the operations and maintenance period, are given in Annexure 8. These performance requirements shall be strictly imposed by the HSP. The SLA monitoring shall be done / reviewed on a monthly/quarterly basis. During the contract period, it is envisaged that there could be changes to the SLA, in terms of addition, alteration or deletion of certain parameters based on mutual consent of both the parties i.e. MoHFW and HSP.
- b. Penalties: HSP will attract penalties in case of delay in completion of activities. In case the overall penalty exceeds 10% of the contract value, MoHFW reserves the right to terminate the contract. Penalties applicable per week of delay in completion of the following activities will be based on the cost of respective milestone payment:

S. No	Activities	Penalties
1.	HSP will ensure the takeover of the Project site	0.2% of the Capex every week

		after the targeted timeline
2.	HSP will ensure operationalisation of the existing MCTFC operation with SLA	0.2% of the Capex every week after the targeted timeline
3.	Go-Live of MCTFC	0.5% of the Capex every week after the targeted timeline
4.	HSP will ensure average minimum 6 hours of actual calling per Helpdesk Agent during the billing period	150% of {(scheduled number of hour of calling during billing period less actual hours of calling) X per hour rate as per Form C, Section 5.1.4}
5.	HSP will ensure the each video recording of the CCTV and audio recordings of the calls for last 3 months as per RFP	0.5% of the payable quarterly bill in which the non-compliance will be observed
6.	HSP will ensure the license for the call centre operation for the project within one month of the Go-Live of MCTFC	0.5% of the quarterly bill after the targeted timeline
7.	HSP will ensure adequate training of MCTFC team on quarterly basis	0.2% of the quarterly bill after the targeted timeline
8.	HSP will submit a compliance report from empanelled agency to MoHFW within three months from the date of Go-Live and subsequent audits intimated by the MoHFW as per the provision of the contract.	0.005% of the Contract Value every week after the targeted timeline
9.	HSP will keep all call records and other supporting documents submitted as part of invoice and all call records asked by MoHFW	0.01% of the quarterly bill for loss of one day of calls records
10.	HSP will submit updated question bank within 15 days from the date of receipt of the query	0.01% of the quarterly bill for each day of delay
11.	Representative(s) of FIC from MoHFW will evaluate at least 0.1% of the number of calls made in the respective quarter and score them out of 100 as per the quality form provided in this RFP. The average of the evaluated score will be compared with the average evaluated quality score by the quality analysts (80 calls per day). If this average score of MoHFW is less than that of the average score of the quality analysts by 5 or more, than a penalty will be imposed on the basis of per score point beyond permissible limit of 5	0.15% of the quarterly bill payable (i.e. without deduction and penalties) for every score point applicable for penalty consideration. For example: The average evaluated score by the Quality Analysts is 90 and the average evaluated score by the MoHFW representative(s) is 83. Hence, the deviation in the evaluated quality score is 7 (i.e 90 less 83). Further, the score point applicable for penalty consideration = 7 less 5 = 2. So the penalty will be 2 X 0.15% = 0.3% of the quarterly payable bill.

4.8 Terms of Payment

HSP will have to setup and operationalize the MCTFC conforming to the scope mentioned in the RFP. In this regard, HSP may be given the advance (on written request from HSP, as per the terms and conditioned defined in the RFP) as per the formula mentioned in the table below. After the Go-Live of the MCTFC project, HSP shall be paid based on the number of hours of actual calls made by the Helpdesk Agents on quarterly basis. Additional resource cost, if desired by MoHFW and other operational expenses as mentioned in Annexure 1, Section 5.1.4 for implementation of other requirements of MoHFW, shall be paid additionally based on the rates provided by HSP in the signed contract as per Section 5.1.4 of Annexure 1.

Sl. No.	Payment Milestones	Time of Payment	Payment Formula
1.	M ₁ : Advance I	Start of Phase I	Advance = 10% of the contract value in single installment on submission of a Bank Guarantee for an amount equal to 110% of the advance amount requested in a format mentioned in Annexure 7. Advance will be adjusted in 10 equal installments on quarterly opex payments made to the HSP.
2.	M ₂ : Capex Payment-I	Operationalisation by the new HSP (on existing application with SLA) and delivery of hardware / software whichever is later	Payable Amount = 15 % of Capex* amount as proposed by the HSP in their financial bid
3.	M ₃ : Capex Payment-II	After Go-Live	Payable Amount = Remaining 85 % of Capex* amount as proposed by the HSP in their financial bid less general penalties
4.	M ₄ : Payment after the Go-Live period	After Go-Live period till the entire project duration (quarterly payments during the above mentioned period of the project shall be made to the HSP)	Payable Amount = {(Quarterly invoice raised based on the actual number of hours of calling as mentioned in Form C of Section 5.1.4) plus 1/20 of additional capex**(if applicable)} less {1/10 X (total advance paid to the HSP) (for first 10 quarterly payments)}

* The value of Capex paid to the HSP should be 20% of the contract value or the Capex quoted by the bidder whichever is lower as per payment schedule.

Note:

1. ** The additional Capex is the capex amount quoted by the HSP over and above the 20% of the contract value (if applicable), that will be paid to the HSP in twenty equal quarterly instalments separately as per payment schedule along with the Opex bill
2. Applicable SLA deductions and other penalties for the quarter shall be deducted from the quarterly invoice raised by the HSP
3. HSP will be paid additionally for additional resource cost if desired by MoHFW and other operational expenses as per the rate mentioned in the contract

4. HSP will raise the other expense for audits in the same quarter they submit the compliance certificate from the audit agency as per the requirement of RFP
5. HSP will submit the invoice as per the tentative list of enclosure mentioned below:
 - i. Capex Invoice
 - a. Invoice
 - b. Sign-off from MoHFW on the completion report for infrastructure deployed at Project site
 - ii. Opex Invoice
 - a. Invoice
 - b. System/ Application login details
 - c. Access card details/ Attendance report
 - d. Reports as required for evaluation of SLA by EMS
 - e. Dialer report
 - f. Undertaking for maintaining last three months audio call recording and CCTV recording
 - g. Undertaking for conducting refresher training as per approved project plan
 - h. Documentary evidence for payment of service tax
 - i. Any other document as per RFP/ signed contract
 - j. Payment of TSP by the HSP
 - iii. Other expenses (if applicable)
 - a. Compliance certificate from the audit agency
 - b. System report on number of SMSes sent through SMS gateway for MCTFC project
 - c. Bill for internet services

5 ANNEXURES

5.1 Annexure I: Forms for Bid Submission

5.1.1 Cover Letter

[On the letterhead of the organization]

To
Deputy Director (MMPC)
Ministry of Health & Family Welfare
Nirman Bhawan, Maulana Azad Road
New Delhi – 110011

Sub: Prequalification-cum-Technical Bid for Appointment of Helpdesk Service Provider (HSP) for 'Augmentation of Mother and Child Tracking Facilitation Centre (MCTFC) on Turnkey Basis' for MoHFW

Dear Sir,

1. Having examined the RFP, Annexures and addenda numbers _____ thereto, we, the undersigned, in conformity with the said RFP, offer to provide the said services on terms of reference to be signed upon the award of contract for the sum indicated as per financial bid.
2. We acknowledge having received the following addenda / pre-bid clarifications to the RFP:

Addendum No.	Dated

3. We have read the provisions of the RFP and confirm that these are acceptable to us. We further declare that additional conditions, variations, deviations, suggestions if any, found in our bid shall not be given effect to.
4. We undertake, if our bid is accepted, to provide the services comprised in the RFP within time frame specified, starting from the date of receipt of notification of award from MoHFW.
5. We agree to abide by this bid for a period of 180 days from the date of bid submission and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
6. We agree to execute a contract in the form to be communicated by MoHFW, incorporating all terms and conditions with such alterations or additions thereto as may be necessary to adapt such contract to the circumstances of the standard and notice of the award within time prescribed after notification of the acceptance of this bid.
7. We agree that if any day during the entire project duration, our act breaches the contract terms and conditions or we express our inability to execute the project, MoHFW reserves all the rights to terminate the contract and appropriate penalty will be borne on us.
8. We hereby confirm that we do not have any conflict of interest in accordance with Clause 8.3 of RFP Vol. II.
9. Unless and until a formal contract is prepared and executed, this bid together with your written acceptance thereof shall constitute a binding agreement.
10. As security for the due performance of the undertaking and obligation of the bid we submit herewith a Bank guarantee bearing number _____ dated _____ drawn in favour of

“Pay & Accounts Officer, Ministry of Health & Family Welfare, New Delhi” for an amount of Rs 80,00,000/- (Rs Eighty Lakh Only) payable at Delhi

11. We understand that if the details given in support of claims made above are found to be untenable or unverifiable, or both, our bid may be rejected without any reference to us. We also understand that if there is any change in our prequalification criteria status till the date of award of contract to the HSP, it is our responsibility to inform MoHFW of the changed status at the earliest.

We further clearly understand that MoHFW is not obliged to inform us of the reasons of rejection of our bid.

Dated this _____ day of _____ 2015

Signature

(Bidder Seal)

In the capacity of

Duly authorized to sign bids for and on behalf of:

5.1.2 Checklist and Forms of Prequalification Criteria

CHECK LIST FOR COMPLIANCE TO PREQUALIFICATION CRITERIA				
S. No.	Prequalification Criteria	Proof Required	Check List (Yes/No)	Page Reference
1.	The bidder (prime bidder in case of consortium) should have: - An average annual turnover of not less than Rupees 200 Crores for last three financial years (i.e. 2011-2012, 2012-2013 & 2013-2014). - Out of the above turnover, a minimum of Rupees 50 Crores on an average should be from call centre operations, for last three financial years (i.e. 2011-2012, 2012-2013 & 2013-2014) Form - 4 enclosed in Section 5.1.2.3	a. Audited financial statements (reflecting overall turnover) / annual report containing financial statement for the last three financial years b. A certificate duly certified by the statutory auditor of the bidder clearly mentioning the average annual turnover of the bidder in total and from call centre operations	Yes / No	Page No. <<>>
2.	Bidder (prime bidder in case of consortium) should have a capacity of at least 500 personnel on payroll of the firm Form – 5 enclosed in section 5.1.2.4	An undertaking from the HR head of the firm, certifying the stated number of call centre agents on the payroll of the company	Yes / No	Page No. <<>>
3.	- The bidder (prime bidder in case of consortium) should be a 100% owned company and registered in India under Companies Act (1956) for a period of at least 5 years as on 31-3-2015 - All other members in case of consortium, should also be registered in India for a period of at least 5 years as on 31-3-2015 Form – 6 enclosed in Section 5.1.2.5	Copy of Certificate of Incorporation / Registration	Yes / No	Page No. <<>>
4.	Bidder (each member in case of consortium) should have a positive Net Worth (Paid up Share Capital plus Free Reserves) for each of the last three financial years (i.e. 2011-2012,	a. Statutory Auditor's certificate, and copy of Audited Profit and Loss Statement and Balance Sheet or b. Annual report of the bidder's	Yes / No	Page No. <<>>

CHECK LIST FOR COMPLIANCE TO PREQUALIFICATION CRITERIA				
S. No.	Prequalification Criteria	Proof Required	Check List (Yes/No)	Page Reference
	2012-2013 & 2013-2014) Form – 9 enclosed in Section 5.1.2.8	company containing financial statement (Profit and Loss Statement and Balance Sheet)		
5.	Bidder should not have defaulted in payment of statutory dues or liability in India as on date of submission of bid (in case of consortium, none of the members should have defaulted in payment of statutory dues or liability in India as on date of submission of bid)	Certificate from statutory auditor Or No statutory dues certificate signed by authorised signatory	Yes / No	Page No. <<>>
6.	Experience of bidder (prime bidder) in establishing and managing call centre operations of at least 100 seats on turnkey basis within the last 5 years in India or abroad. Form – 4 enclosed in Section 5.1.3.4	a. Relevant client certificate for establishing and managing call centre operations of at least 100 seats on turnkey basis within the last 5 years. Or b. Work order/LOI along with the project completion certificate or equivalent document establishing the said criterion	Yes / No	Page No. <<>>
7.	As on date of submission of the bid, the bidder should not be blacklisted by any Government entity in India (in case of consortium, none of the members should be blacklisted by any Government entity in India)	Certificate duly signed by authorised signatory (Form – 10 enclosed in Section 5.1.2.9)	Yes / No	Page No. <<>>
8.	Bidder should not have withdrawn from similar government projects or should not have any contract termination from similar project with Government entities in the last 3 years (in case of consortium, none of the members should have withdrawn from similar government projects or have any contract termination	Certificate duly signed by authorised signatory (Form – 11 enclosed in Section 5.1.2.10)	Yes / No	Page No. <<>>

CHECK LIST FOR COMPLIANCE TO PREQUALIFICATION CRITERIA				
S. No.	Prequalification Criteria	Proof Required	Check List (Yes/No)	Page Reference
	from similar project with Government entities in the last 3 years)			
9.	The bidder (prime bidder in case of consortium) should have submitted the tender fee (non-refundable) and the EMD as mentioned in the RFP.	a. Tender Document Fee: Demand Draft or proof of payment. b. EMD: Bank Guarantee / Fixed Deposit receipt Form – 3 enclosed in Section 5.1.2.2	Yes / No	
The details for the above along with the documentary proofs as required should be provided in the formats as provided subsequently in this part of the Annexure 1.				

5.1.2.1 Form – 1: Undertaking

Bidder should provide an undertaking in the format given below on the letterhead of the bidder's organization.

[On the letterhead of the organization]

It is certified that the information furnished here in and as per the bid / documents / clarifications submitted is true and correct and nothing has been concealed or tampered with. We have gone through all the conditions of RFP and are liable to any punitive action for furnishing false information / documents.

We have read the provisions of the RFP, Annexure thereto and addenda. We understand that any additional conditions, deviations, suggestions, assumptions, if any, found in our bid shall not be given effect to and shall not be binding on MoHFW in case our bid is accepted.

We understand that MCTFC project is to be executed on turnkey basis and any component or service required for completion of the project will be made available by us without any additional financial implication, except those explicitly mentioned in the RFP, to the MoHFW.

Dated this ____ day of _____ 2015

Signature

(Bidder Seal)

In the capacity of

Duly authorized to sign bids for and on behalf of:

Form – 2: Format of power-of-attorney for signing of bid

POWER OF ATTORNEY

(On Stamp Paper of relevant value)

Know all men by these presents, we _____ (name of the company and address of the registered office) do hereby appoint and authorize Mr / Ms _____ (full name and residential address) who is presently employed with us and holding the position of _____ as our attorney, to do in our name and on our behalf, all such acts, deeds and things necessary in connection with or incidental to our bid document for 'Appointment of a Helpdesk Service Provider (HSP) for "Augmentation of Mother and Child Tracking Facilitation Centre (MCTFC) on Turnkey Basis" for MoHFW', in response to the tenders invited by Ministry of Health and Family Welfare (referred to as MoHFW), including signing and submission of all documents and providing information / responses to MoHFW in all matters in connection with our bid.

We hereby agree to ratify all acts, deeds and things lawfully done by our said attorney pursuant to this Power of Attorney and that all acts, deeds and things done by our aforesaid attorney shall and shall always be deemed to have been done by us.

Dated this _____ day of _____ 2015

For _____

(Signature)

(Name, Designation and Address)

Accepted

(Signature)

(Name, Title and Address of the Attorney)

Date:

Note:

1. The mode of execution of the Power of Attorney should be in accordance with the procedure, if any, laid down by the applicable law and the charter documents of the executants and when it is so required the same should be under common seal affixed in accordance with the required procedure.
2. Also, wherever required, the bidder should submit for verification the extract of the charter documents and documents such as a resolution / power of attorney in favour of the person executing this Power of Attorney for the delegation of power hereunder on behalf of the bidder.
3. In case the bid is signed by an authorized Director / Partner or Proprietor of the bidder, a certified copy of the appropriate resolution / document conveying such authority may be enclosed in lieu of the Power of Attorney.

5.1.2.2 Form – 3: Format for Bank Guarantee for EMD

Whereas _____ (hereinafter called "the bidder") has submitted its bid offer dated _____ 2015 for **"Appointment of a Helpdesk Service Provider (HSP) for "Augmentation of Mother and Child Tracking Facilitation Centre(MCTFC) on Turnkey Basis"** for Request for Proposal (RFP)' (hereinafter called "the bid") KNOW ALL MEN by these presents that WE {Bank name} having head office at { head office Address} (hereinafter called "the Bank") are bound upto {date till bid validity} to Ministry of Health & Family Welfare (hereinafter called "MoHFW" in the sum of Rs 80,00,000/-(Rupees Eighty Lakhs only) for which payment will and truly to be made to the MoHFW the Bank binds itself, its successors and assigns by these presents. Sealed with the common seal of the said Bank this _____ day of _____ 2015.

THE CONDITIONS of this obligation are:

If the bidder withdraws its bid during the period of bid validity specified by the bidder on the bid; or if the bidder, having been notified of the acceptance of its bid by MoHFW during the period of bid validity: fails or refuses to execute the contract if required; or fails or refuses to furnish the Performance Bank Guarantee, in accordance with the instruction given in Request for Proposal; we undertake to pay the MoHFW up to the above amount upon receipt of its first written demand, without the MoHFW having to substantiate its demand, provided that in its demand the MoHFW will note that the amount claimed by it is due it owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions. This guarantee will remain in force up to and including and any demand in respect thereof should reach the Bank not later than the above date.

Date:

Place:

(Signature/ seal of the Bank)

Form – 4: Annual Turnover

We hereby certify that total annual turnover and average turnover of M/s _____
(name of the bidder) for the last three years is as given below:

Annual turnover for the last 3 Financial Years in Indian Rupees (in Crores)			
Year (2011-2012)	Year (2012-2013)	Year (2013-2014)	Average

We also certify that the total annual and average turnover of M/s _____ (name of the bidder) for the last three years from call centre services is as given below:

Annual turnover from call centre operations for the last 3 Financial Years in Indian Rupees (in Crores)			
Year (2011-2012)	Year (2012-2013)	Year (2013-2014)	Average

(Signature of Statutory Auditor)
Name of Statutory Auditor:
Name of Statutory Auditor Firm:
Seal

5.1.2.3 Form – 5: Number of call centre agents

Certificate

We hereby certify that the M/s _____ (name of the bidder), having registered office at _____ (address of the registered office) have _____ <<mention the number of agents>> call centre agents employed and are on payroll of the company in India as on _____ << mention the date >>for providing helpdesk call centre services to its clients.

Yours Sincerely,

(Signature of HR head of the company)
Name of the Signatory:
Seal:

5.1.2.4 Form – 6: Certificate of Incorporation (Each member in case of Consortium)

Bidder Name:	
Incorporated as _____ in year _____ at _____.	
Registration Number	

Supporting Documents: Please provide copy of Certificate of Incorporation.

5.1.2.5 Form – 7: Call Centre Operations

- i. The bidder should present its experience of running call centre operations for at least last three years (i.e. 2011-2012, 2012-2013 & 2013-2014) in India or abroad.
- ii. As proof, the bidder should submit a self-declaration certified by the authorized signatory of the bidder in the format given below:

[On the letterhead of the organization] <u>Certificate</u> We hereby certify that the M/s _____ (name of the bidder), having registered office at _____ (address of the registered office) has experience of running call centre operations in India or abroad for at least last three years (i.e. 2011-2012, 2012-2013 & 2013-2014). Yours Sincerely, (Signature of Authorized Signatory) Name of Authorized Signatory: Seal:
--

5.1.2.6 Form – 8: Call Centre Set-up Experience

Bidders have to provide the experience in establishing and managing call centre operations of at least 100 seats on turnkey basis within the last 5 years in India or abroad in the format mentioned in Section 5.1.3.4 Form 4 Call Centre Set-up Experience

5.1.2.7 Form – 9: Format for Statutory Auditor's Certificate for Furnishing Net worth Details (Each member in case of Consortium)

<<On Statutory Auditor Letter Head>>

We hereby certify that **Positive Net Worth** of M/s _____ (name of the bidder) as on 31st March, 2014 is positive and is as given below: **Net worth as on 31st March, 2014 in Indian Rupees (in Crores)**

	Net worth as on 31 st March, 2014 in Indian Rupees (in Crores)	
Particular		As on 31 st March, 2014
Paid Up Share Capital		
Free Reserve		
Total		

(Signature of Statutory Auditor)
 Name of Statutory Auditor:
 Name of Statutory Auditor Firm:
 Seal

5.1.2.8 Form – 10: No Blacklisting Certificate (Each member in case of Consortium)

[On the letterhead of the organization]

No Blacklisting Certificate

This is to certify that ----- (name of the organization), having registered office at -----
 ----- (address of the registered office), as on date of submission of the bid, the bidder has not been
 blacklisted by any Government entity in India.

Signature:
 Name of the Authorized Signatory:
 Designation:

5.1.2.9 Form – 11: Non Termination Certificate (Each member in case of Consortium)

[On the letterhead of the organization]

Non Termination Certificate

This is to certify that ----- (name of the organization), having registered office at -----
----- (address of the registered office), as on date of submission of the bid, has not withdrawn from similar project or have not had any termination of contract from similar project with Government entities in the last 3 years.

Signature:

Name of the Authorized Signatory:

Designation:

Note: In case information required by MoHFW is not provided by the bidder in the forms / formats provided above, MoHFW shall proceed with evaluation based on information provided and may not request the bidder for further information. Hence, responsibility for providing information as required in the above forms lies solely with the bidder.

5.1.3 **Formats for technical bid**

5.1.3.1 Form – 1: Annual Turnover

Refer the format in the Section 5.1.2.3 for Annual Turnover

5.1.3.2 Form – 2: Number of call centre agents

The bidder should provide details of number of call centre agents employed for providing call centre services in India. The bidder should submit a self-declaration duly signed by the HR head of the company regarding the same in the format mentioned in Section 5.1.2.4 Form – 5: Number of call centre agents

5.1.3.3 Form – 3: Past Experience

Instructions

Bidder should provide details of its experience in various competency areas as required by the project and as mentioned in the technical criteria in Section 5.3.1.2 of **Annexure 3** of this RFP.

Bidder is required to submit separate credentials for each of the following competencies:

- a) Experience of bidder (any consortium member) in establishing and managing call centre operations of at least 100 seats on turnkey basis within the last 5 years.
- b) The experience of bidder (any consortium member) in operating call centre in any language other than Hindi and English mentioned in the RFP within the last 5 years.
- c) The experience of bidder (any consortium member) in the design and implementation of call centre solution (i.e. integrated CRM, IVRS,CTI, Voice Logger etc.) for at least 100 users within the last 5 years.

The bidder should submit credentials that best illustrate ability to provide the services required as per the RFP. Credentials in similar environments in terms of scope coverage, implementing same solution components, magnitude in terms of calls handled or seats would be given preference.

Even if the same credential covers more than one competency, it still needs to be repeated under the specific competency heading.

The bidder needs to strictly adhere to the formats provided below and provide information against each of the line items. Any non-conformance shall constitute a deviation from RFP conditions.

The bidder should provide copy of work order and certificate of completion etc. for each project. If the bidder fails to provide the additional supporting document for any credential then that particular credential will not be considered for evaluation purpose.

Project Title: (Attach separate sheet for each project)	
Project Category: <<Please mention the relevant criteria for which the citation is being submitted>>	
Country:	Duration of assignment (in years):
Name and type (Government / Private) of client:	Approximate value of services provided:
Address:	Referrals (Client side): Name: Designation: Role in the project: Contact number: Email Id:
Start Date (month / year): End Date (month / year):	Status of the assignment (successfully implemented, complemented, ongoing, under support / maintenance phase):
Number of professional staff provided by the bidder	Description of call centre solution set up by the bidder:
Number of seats:	Nature of call centre: (out-bound / in-bound / both)
Number of call centre agents for Hindi and English languages only:	Number of call centre agents for Hindi, English and regional languages as specified in RFP:
Regional languages in which the call centre was operational (If applicable):	
Narrative description of project: (in not more than 500 words)	
Call centre technology used in implementation:	
Call centre technology used in implementation which have also been proposed in MCTFC solution:	

Project Title: <i>(Attach separate sheet for each project)</i>
Description of actual services provided by your staff within the assignment: (in not more than 500 words)
Relevance of assignment to current project: (in not more than 500 words)

5.1.3.4 Form – 4: Call Centre Set-up Experience

The bidder and / or any consortium member should provide their experience in competency area as required by the project and as mentioned in the technical criteria in Section 5.3.1.2 of **Annexure 3** of this RFP.

The bidder and / or any consortium member should have set up call centres with at least 100 call centre agents within the last 5 years in India or abroad.

Bidder and / or any consortium member should provide the number of credentials as per the Technical Bid Evaluation Methodology as mentioned in the Section 5.3.1.2 of Technical Qualification Criteria of this RFP document. Please provide details of the assignments as per below given format.

Note:

As applicable, please provide the following proof:

- Copy of work order and certificate of completion / self-certificate attested by the client OR certificate from the authorized signatory of the bidder in case the call centre was set up by the bidding agency for itself.
- Documentary proof for the stated number of call centre agents, attested by the client or self-certified by the authorised signatory of the bidder.
- This citation would be admissible only for that consortium member who has submitted citation the Section 5.1.3, Formats for technical bid

Project Title:			
<i>(Attach separate sheet for each project)</i>			
Country		Address	
Name of client			
Location of call centre			
Total seats			
Duration of the assignment		Start date (month / year)	
		Date of successful implementation / Go-Live (month / year)	
		End date (month / year)	
Name of senior staff associated with the		Name	
		Designation	

Project Title:			
<i>(Attach separate sheet for each project)</i>			
assignment		Role in the project	
		Contact number	
		Email Id	
Narrative description of project: (in not more than 500 words)			
Description of actual services provided by your staff within the assignment: (in not more than 500 words)			

5.1.3.5 Form – 5: Implementation Experience (CRM)

The bidders and / or any consortium member should provide their experience in competency areas as required by the project and as mentioned in the technical criteria in Section 5.3.1.2 of **Annexure 3** of this RFP.

The bidder and / or any consortium member should provide details of successful implementation of at least 2 Customer Relationship Management (CRM) solutions integrated with IVRS, ACD and CTI within the last 5 years, with the total user base being at least 100.

Bidder and / or any consortium member should provide the number of credentials as per the Technical Bid Evaluation Methodology as mentioned in the Annexure 3 of this RFP document. Please provide details of the assignments as per below given format.

Note:

As applicable, please provide the following proof:

- i. Copy of work order and certificate of completion / self-certificate attested by the client OR certificate from the authorized signatory of the bidder in case the call centre was set up by the bidding agency for itself.
- ii. Documentary proof for the stated number of users of the CRM, attested by the client or self-certified by the authorized signatory of the bidder.
- iii. This citation would be admissible only for that consortium member who has submitted citation the Section 5.1.3, Formats for technical bid

Project Title:			
<i>(Attach separate sheet for each project)</i>			
Country		Address	
Name of client			
Location of call centre		Total number of seats	
Total call centre agents using the call centre solution (Integrated CRM)		Status of the assignment (successfully implemented, complemented, ongoing, under support / maintenance phase)	
Duration of the assignment		Start date (month / year)	
		Date of successful implementation / Go-Live (month / year)	
		End date (month / year)	

Name of senior staff associated with the assignment		Name	
		Designation	
		Role in the project	
		Contact number	
		Email Id	
Narrative description of project: (in not more than 500 words)			
Details of solution implemented: a. Architecture of the implemented solution: b. COTS solution implemented if any (please provide appropriate versions): c. Which of these COTS solutions are being proposed for MCTFC project:			
Description of actual services provided by your staff within the assignment: (in not more than 500 words)			

5.1.3.6 Form – 6: Health Care Call Centre Experience

The bidder or any consortium member should provide their experience in competency area as required by the project and as mentioned in the technical criteria in Section 5.3.1.2 of **Annexure 3** of this RFP.

The bidder or any consortium member should have operated call centres in areas such as public health, healthcare advisory and health counselling. Bidder and / or any consortium member should provide the number of credentials as per the Technical Bid Evaluation Methodology as mentioned in the Section 5.3.1.2 of Technical Qualification Criteria of this RFP document. Please provide details of the assignments as per below given format.

Note:

As applicable, please provide the following proof:

- i. Copy of work order and certificate of completion / self-certificate attested by the client.
- ii. This citation would be admissible only for that consortium member who has submitted citation in form 3

Project Title:			
<i>(Attach separate sheet for each project)</i>			
Country		Address	
Name of client			
Location of call centre			
Total seats			
Duration of the assignment		Start date (month / year)	
		Date of successful implementation / Go-Live (month / year)	
		End date (month / year)	
Name of senior staff associated with the assignment		Name	
		Designation	
		Role in the project	
		Contact number	

Project Title:			
<i>(Attach separate sheet for each project)</i>			
		Email Id	
Narrative description of project highlighting scope of project in health care call centre operation: (in not more than 500 words)			
Description of actual services provided by your staff within the assignment: (in not more than 500 words)			

5.1.3.7 Form 7 A Format for Providing Details of Proposed MCTFC Team

Name of Resource Person	Proposed Role	Qualification	Total Years of Experience	Relevant Experience as per RFP Requirement	Language Proficiency		Certification	Deliverable Responsibilities
					Hindi	English		
A. Core Team								
	Program Manager							
	IT Support							
	IT Developer & DBA							
	Other 1							
	Other 2							
	-							
	Other n							
B. Operational Team								
	Supervisor 1 (1 for every 40 - 43 Helpdesk Agents)							
	Supervisor 2							
	Medical Consultant 1 (1 for every 40 - 43 Helpdesk Agents)							
	Medical Consultant 2							
	Quality Analyst 1							
	Quality Analyst 2							
	Other n							

5.1.3.8 Form – 7B: Key Personnel CVs

- The bidder should submit the CVs of the following key personnel for evaluation of resource persons:
 - Core Team
 - Program Manger
 - IT Support
 - IT Developer & DBA
 - Quality Analysts
 - Supervisors
 - Operational Team
 - Specialist - Medical Consultants (CVs of two Medical Consultants should be submitted)
- The bidder should ensure that the CV details best illustrate the ability of the resource person to undertake the responsibilities envisaged in the project.
- In the marking scheme preference will be given to resource person with experience in similar roles and activities, magnitude of operations handled (based on number of seats), experience in domestic call-centre, experience in multi-lingual call centre operations, experience of operating a call centre for a Government entity / semi-Government entity / PSU will be preferred.
- In the marking scheme preference will be given to Medical Consultants who have experience of working in a Government hospital, health centre etc.
- The bidder needs to strictly adhere to the formats provided below and provide information against each of the line items. Any non-conformance shall constitute a deviation from RFP conditions.
- For all the above resource persons the bidder should use the CV Format –I, except for Medical Consultant. For Medical Consultant please use CV Format – II.

CV Format – I			
1.	Name		
2.	Proposed position		
3.	Date of birth		
4.	Years with bidder's firm (if applicable)		
5.	Nationality		
6.	Education		
	Degree (Specialization)	Institution	Year in which obtained
7.	Professional certifications		
	Certification	Accreditation date	Valid up to date
8.	Languages details (Languages should be graded as <u>basic</u> , <u>average</u> and <u>advanced</u> depending on the reading, writing, speaking skill of the resource person)		
	Language known	Reading	Writing
			Speaking

CV Format – I				
9.	Area of expertise (It will be preferred if the resource person has expertise in area relevant to the role defined for this project. It is expected that the same should be reflected in work experience details required in this format)			
10.	Employment record (starting with present position, list in reversed order every employment held for the last ten years and state the start and end dates of each employment)			
	Employer	From	To	Position held and description of duties
11.	Work experience details (Work undertaken that best illustrates resource person's capability to handle the work proposed in MCTFC project and tasks performed. Preference should be given to those projects in which the 'position held' by the resource person is similar to 'proposed position' for the project.)			
	Project name: (Please mention the details of <u>each</u> project separately)			
	Client name:		Position held:	
	Project duration:		Number of seats:	
	Languages in which the call centre was operational:			
	Technology used in call centre solution:			
	Brief description of the activities carried out by the resource person:			
12.	I understand that my wilful misstatement described herein may lead to my disqualification or dismissal, if engaged.			
	Name and signature (resource person)		Name and signature (authorized representative)	
	Date of signing		Date of signing	

For Medical Consultant please use CV Format – II given below:

CV Format – II			
1.	Name		
2.	Proposed position		Medical Consultant
3.	Date of birth		
4.	Number of years in practice		
5.	Medical registration number		
6.	Education		
	Degree (Specialization)	Institution	Year in which obtained
7.	Professional certifications		
	Certification	Accreditation date	Valid upto date
8.	Area of expertise (It will be preferred if the resource person has expertise in area relevant to the role defined for this project. It is expected that the same should be reflected in work experience details required in this format)		
9.	Employment record (starting with present position, list in reversed order every employment held for the last ten years and state the start and end dates of each employment)		
	Employer	From	To
			Position held and description of duties
10.	Employment details (Work undertaken that best illustrates capability to handle the work proposed in MCTFC project and tasks performed)		
	Employer name: (Please mention the details of <u>each</u> employer separately, starting from the most recent employer)		
	Position held:		
	Project duration (in years):		
	Roles and responsibility:		
11.	I understand that my wilful misstatement described herein may lead to my disqualification or dismissal, if engaged.		

CV Format – II	
Name and signature (resource person)	Name and signature (authorized representative)
Date of signing	Date of signing

Note: In case information required by MoHFW is not provided by the bidder in the forms / formats provided above, MoHFW shall proceed with evaluation based on information provided and may not request the bidder for further information. Hence, responsibility for providing information as required in the above forms lies solely with the bidder.

5.1.3.9 Form 8: Proposed Solution

Technical approach, methodology and work plan are key components of the technical bid. Bidder is required to present approach and methodology divided into the following sections:

- Solution proposed
- Understanding of the project (how the solution proposed is relevant to the understanding)
- Technical approach and methodology

5.1.3.9.1 Form 8A: Solution Proposed

S. No.	Proposed Solution (Provide the product name or write 'Custom Built' in case of a new development)	Version and Year of Release	OEM	Features and Functionalities	O&M Support (Warranty / AMC) as per RFP)	Reference in the Submitted Bid (Please provide page number / section number / volume)

5.1.3.9.2 Form 8B: Bill of Material (Software)

S. No.	Item	Provide the product name or write 'Custom Built' in case of a new development	Unit of Measurement	Number of Licenses	Specification	Compliance to the requirement

5.1.3.9.3 Form 8C: Bill of Material (non IT-Infrastructure)

S. No.	Item	Make and Model	Unit of Measurement	Quantity	Compliance requirement to

5.1.3.9.4 Form 8D: Bill of Material (IT Infrastructure)

S. No.	Item	Make and Model	Unit of Measurement	Quantity	Compliance requirement to

5.1.3.9.5 Form 9: Proposed Work Plan

S. No.	Activities	Timeline											
1													
2													
3													
4													
5													
N													

1. Indicate all main activities of the assignment, including delivery of reports and other benchmarks such as MoHFW approvals required. For phased assignments indicate activities, delivery of reports and benchmarks separately for each phase.
2. Duration of activities shall be indicated in the form of a bar chart.

5.1.4 Content and Format of Financial Bid

5.1.4.1 Form A: Summary Cost

S. No.	Description	Total Amount (INR)
Capital Expenditure		
1	Total Infrastructure cost: IT and non-IT (Form B)	F_1
Operational Expenditure		
2	Operational expenses (Form C)	F_2
3	Other expenses (Form D)	F_3
Total Cost (F_T)		$F_T = F_1 + F_2 + F_3$

5.1.4.2 Form B: Infrastructure Cost: IT and non-IT

Table below provides tentative hardware and software requirement for the MCTFC project. Bidder may propose other /enhance solutions for the successful implementation and operationalization of the project.

Item Type	Original supplier	Item Description	Unit of measurement	Number of units	Price per unit	Total price	Taxes and other duties	Total amount (INR)
I. IT Infrastructure Cost								
Hardware								
Rack-36 U								
Database Servers								
Other Servers- Application, EMS, Call Centre Solution								
SAN								
SAN Switch								
Core Switch								
Network Switch								
UPS								
Firewall UTM								
Any other								
Network /Telecom								
Core Router								
PRI Card/Media Gateway								
Any Other								
Software								
IVRS Solution								
Call centre software								
Application development								
EMS								
Database license								
OS licenses								
Any other								
Other Item 1								
Other Item 2								
.....								
Other Item n								
II. Non-IT Infrastructure Cost								
Item 1								

.....								
Item n								
III. Operationalisation of existing MCTFC solution till Go-Live								
Lump sum amount								
Total cost of Capex (F_1)								

5.1.4.3 Form C: Format for calculating per hour calling rate

Cost for calculating per hour calling rate will be based on the cost quoted for annual manpower cost and annual maintenance cost by the bidder. Cost for manpower and annual maintenance will be incremental in nature @ 5% year to year basis and would be used for calculating per hour calling rate.

Value of Manpower Cost per year (O) and Maintenance and Recurring Cost per year (P) in Form C will be derived from Form C.1, format for cost of operational manpower and Form C.2, format for maintenance and recurring cost (including AMC) by MoHFW.

S. No.	Description	Manpower Cost per year (O)	Maintenance and Recurring Cost per year (P)	Total Amount with Taxes and duties ($A=O+P$)	Cost of per hour calling rate	Total Amount in Words
a.	Year 1	O_1 (Form C.1 of Section 5.1.4.3.1)	P_1 (Form C.2 of Section 5.1.4.3.2)	To be derived by MoHFW	$=A_1 / (86*6*348)$	To be derived by MoHFW
b.	Year 2	$O_1(1.05)$	$P_1(1.05)$		$=A_2 / (86*6*348)$	
c.	Year 3	$O_1(1.05)^2$	$P_1(1.05)^2$		$=A_3 / (86*6*348)$	
d.	Year 4	$O_1(1.05)^3$	$P_1(1.05)^3$		$=A_4 / (86*6*348)$	
e.	Year 5	$O_1(1.05)^4$	$P_1(1.05)^4$		$=A_5 / (86*6*348)$	
Total cost of Operational Expense				$F_2 = A_1 + A_2 + A_3 + A_4 + A_5$		

5.1.4.3.1 Form C.1: Format for Cost of Operational Manpower

Bidder should provide the man hour rate for manpower deployed at the site for the year 1.

S. No.	Description	Man Hour Rate (X)	Total Hours in an Year (Y)	Total (in INR) ($D=X*Y$)	Taxes and Other Duties (T)	Total Amount with Taxes and duties ($O=D+T$)	Total Amount in Words
1.	Program Manager		1 X 2384				
2.	Receptionist		1 X 2384				
3.	Supervisor		2 X 2784				
4.	IT Support		1 X 2784				
5.	IT Developer & DBA		1 X 2384				
6.	Medical Consultant		2 X 2784				
7.	Quality Analyst		2 X 2784				
8.	Helpdesk Agents		86 X 2784				
9.	Any Other						
Total cost of Operational Manpower per annum						O_1	

Note:

- i. 298 working days for Program manager, IT Developer & DBA and receptionist and 348 working days for other resources per annum are taken for evaluation purpose only. However, HSP will be paid on the actual number of working days excluding gazetted holidays for that particular year.
- ii. For any additional application, the changes would affect the effort required and hence the cost and delivery schedule, these would be discussed, agreed mutually and the cost would be based on the IT Developer & DBA price quoted by the HSP as per Section 5.1.4.3.1. The cost of operational manpower should include an additional 20 man months for the MCTFC project for managing the change control note for MCTFC project that may be utilized by MoHFW at any time during the contract. In case of non-utilization of the same will debit from the final payment to the extent of non-utilization.

5.1.4.3.2 Form C.2: Format for Maintenance and Recurring Cost (including AMC)

Bidder should provide the complete maintenance and recurring cost for entire infrastructure inclusive of the existing items at Project site and new items procured for the MCTFC project. This cost will include all expenses to be incurred by HSP during operation and maintenance phase (Phase II) of the project other than cost of operational manpower.

S. No.	Description	Yearly Cost (Z)	AMC	Taxes and Other Duties (T)	Total Amount with Taxes and other duties (P=Z+T)	Total Amount in Words
1	Maintenance Cost (IT Components)					
2	Maintenance Cost (non-IT Components)					
3	Other recurring expenses					
Total cost of AMC and Other Expenses					P ₁	

Note:

- i. An annual increment of 5% will be made available to the HSP for operational manpower and Maintenance and Recurring Cost (including AMC).
- ii. HSP will be paid based on per hour calling rate arrived base on the cost quoted for Manpower cost and Annual Maintenance cost.

5.1.4.4 Form D: Format for other operational expense

S. No.	Description	Unit rate (S)	Units (U)	Total Price (P=S*U)	Taxes and Other Duties (T)	Total Amount with Taxes and other duties (in INR) (R=P+T)	Total Amount in Words
a.	Cost of SMS		1 crore			R ₁	
b.	Internet service provider		4 Mbps				

c.	Audit Charges		3*			R_2	
Cost of other operational expense (F_3)						$F_3 = R_1 + R_2$	

Note:

- i. Audit details as per the conditions mentioned in Section 3.11.5.
- ii. Waiver on the SLA requirement for exiting MCTFC operationalization for one week will be provided to the HSP for deployment of the augmented MCTFC application at Project site during the transition from existing MCTFC application to the augmented MCTFC application at 18th week or a week before Tg, whichever is applicable and same time should be used by the HSP for training of operational team on the augmented application.
- iii. The invoices towards the services rendered by the HSP shall be submitted to MoHFW as per the schedule given above. MoHFW shall release the payments after checking the invoices as per agreement subject to satisfactory performance of the HSP and adherence to SLAs and other conditions of the contract.
- iv. All taxes, duties etc. shall be payable by the HSP. However, in case of change or revision of taxes and duties, the payment will be made as applicable. The documentary evidences for payment of taxes and duties will be submitted by the HSP.
- v. Mandatory taxes / duties etc. as applicable shall be deducted by MoHFW.
- vi. For modification in number of resource persons, the amount would be adequately modified in line with the rates quoted by the HSP in the financial format as provided in Annexure 1 of the RFP. However the modification in number of resource persons would be finalized by the TCC in discussion with the HSP.
- vii. The HSP needs to maintain the appropriate mix of the Core Team and Supervisor (as mentioned below) for the 86 HA seats as specified in the RFP and as necessary to meet the SLAs.
- viii. Unit price quoted in the financial formats for Cost of Operational Manpower shall be used as pro-rata rates for increase / decrease in the requirements of the project.
- ix. Opex rate should include all activities as per the scope mentioned in this RFP including the following:
 - a. Support, maintenance and upgradation of all existing and new hardware, software, network, telecom and other ICT equipments and services that are used for setting up and operationalization of the MCTFC (CRM with complete dialer solution, PCs, network equipment, telecom equipment and services, IVRS solution, MCTFC application development etc., the complete infrastructure as mentioned in the scope of work in this document and others that may be required during entire project duration.
 - b. Up-gradation, support and maintenance of all non-IT equipment such and services as headsets for soft phones and additional requirements of CCTV camera, access cards, etc. along with other civil requirements that may be used for MCTFC project.
 - c. Commissioning, operation, up-gradation, support and maintenance of any additional IT and non-IT requirements that may arise during the entire project duration.
 - d. Capacity building activity for all HAs, Medical Consultants, other resource persons and concerned stakeholders during the entire project duration as mentioned in the scope of work of the project.
 - e. Deployment of Medical Consultants, Program Manager, Quality Analysts, IT Support and IT Developer & DBA, Supervisors and other specialists that will be required during the entire project duration. In case of unavailability of the resources, the payment will be made as per the SLA mentioned in Annexure 8. TCC may impose additional penalties in case of any

- irregularity by the HSP in resource deployment.
- f. Support manpower for project site and PCs and other IT infrastructure operation, support and maintenance activity.
 - g. All recurring costs of the project including physical security, generator set (except fuel), cleaning and maintenance of the Project site etc.
 - h. All charges for Core Team required for operationalizing the MCTFC operations.
 - i. All charges for enabling Go-Live of MCTFC operations like recruitment, training, mobilization of MCTFC Team, creation and updation of FAQ, preparation of Standard Operating Procedures and protocols, preparation of information security guidelines etc.
 - j. Any other activity that may be required to complete the MCTFC solution and any other future requirements for operationalization of MCTFC project during the entire project duration.

Signature of bidder _____

Business address _____

Date: _____

Place: _____

5.2 Annexure 2: Manpower requirement for MCTFC project

5.2.1 Eligibility criteria and Roles & responsibilities

Manpower requirement	Eligibility criteria	Roles and responsibilities
Program Manager	a. MBA / PGDBM or equivalent with minimum 7 years experience b. Should have minimum 3 years of experience in managing complete call centre operations including IT project management c. Should be below 60 years of age	i. Will be the single point of contact for MoHFW for MCTFC ii. Would be responsible for all aspects of MCTFC (i.e. MCTFC operations, recruitment and training, knowledge management etc.) iii. Will work in close coordination with MoHFW, NIC, knowledge partners / FIC or other agencies as nominated by MoHFW etc. in defining requirement for MCTFC solution, based on MoHFW business needs and internal processes required for the MCTFC operations iv. Submission of periodic reports to MoHFW on the progress of the MCTFC v. Evaluation / review meetings with MoHFW on regular basis for MCTFC vi. Will coordinate with stakeholders of other components of MCTS / RCH to understand the requirements for MCTFC operations vii. Will be responsible for project risk mitigation, quality of MCTFC operations, managing delivery timelines, maintaining operational efficiency,

		performance management based on SLAs etc
IT Developers	a. BE / B Tech / MCA b. Minimum 5 years of experience in software development, preferably in development of CRM solution c. Should be below --- years of age	i. Will be responsible for development of MCTFC solution ii. Preparation of prototype for MCTFC solution
Quality Expert	a. BE / B Tech / MCA b. Minimum 5 years of experience as a Quality Assurance(QA) / Quality Control(QC) in software development firm preferably of CRM solution c. Should be below 60 years of age	i. Will ensure application testing and integration testing ii. Will be responsible for User Acceptance Testing iii. Will be responsible for identifying any technical gap in seamless integration of MCTFC with MCTS / RCH components and will bring the same to the attention of MoHFW at the most immediate
Business Analyst	a. BE / B Tech / MBA or equivalent b. Minimum 5 years of experience as a Business Analyst in software development firm c. Should be below 60 years of age	i. Will perform requirement assessment study, capture functional / technical requirement ii. Preparation of FRS, SRS, SDD etc iii. Will be responsible for content preparation, content approval, coordination with stakeholders for MCTFC question bank / knowledge repository iv. For preparation of question bank content, the Business Analyst needs to interact with concerned stakeholders for the project
Supervisor (Onsite)	a. Post Graduate with minimum 5 years of experience b. Should have minimum 2 years of experience in supervising call centre operations c. Should be below 60 years of age	i. Will be responsible for the operational aspects of MCTFC (i.e. day-to-day operations, performance management based on SLAs, recruitment and training etc.) ii. Will identify the gaps in operation based on process / knowledge / technical requirement for smoother operations iii. Will form a part of the Core Team for defining the functional requirement of MCTFC and will also formulate operational guidelines based on these requirements iv. Will be responsible for generation of operational reports on a weekly / fortnightly / monthly / quarterly / yearly basis v. Will be responsible for recruitment and training of Helpdesk Agents as per the guidelines specified

		by MoHFW vi. Will be responsible for improving quality of MCTFC operation on parameters such as AHT, first time resolution, quality of advice provided by HA, courteousness, quality assessment for weekly / fortnightly / monthly / quarterly / yearly basis vii. Will be responsible for content management in order to ensure periodically updated question bank is made available to the Helpdesk Agents viii. Will be responsible for updating the question bank in consultation with Medical Consultant
IT Support (Onsite)	a. BE / B Tech / MCA with minimum 3 years of experience b. Minimum 2 years of experience in call center IT support and maintenance c. Should be below 60 years of age	i. Will be responsible for application uptime and preventive maintenance ii. Will be responsible for assessment of technical requirement and giving technical inputs to MoHFW iii. Will be responsible for resolution, up-gradation and bug fixing of technical issues iv. Will be responsible for solution installation and maintenance of hardware and software v. Will be responsible for installation of MCTFC Server Room
Quality Analyst (Onsite)	a. Post Graduate with minimum 5 years of experience b. Minimum 2 years of experience as a quality analyst/ similar role in a call centre c. Should be below 60 years of age	i. Will hear minimum 40 calls (includes a combination of live and recorded calls) per day on average for assessment of call quality ii. Will assess and audit the quality of calls and provide necessary feedback for call improvement iii. Will prepare the quality form based on the evaluation of calls
IT Developer & DBA (Onsite)	a. BE / B Tech / MCA with minimum 5 years of experience in software development preferably for call center solution	i. Will be responsible for development of MCTFC solution and changes in the application including changes in the form, addition and removal of questions. ii. Preparation of reports for MCTFC iii. Database administration
Medical Consultants	a. MBBS degree with minimum 2 years of work experience b. Should be eligible for practicing in India c. Should be a female d. Should be below 60 years of age	i. Will be present on the floor during the MCTFC operating hours to provide the necessary medical assistance required for addressing queries ii. Will be responsible for providing medical expertise to formulate responses to health queries posed by beneficiaries and health workers iii. Will evaluate the quality of health advice offered to beneficiaries and health workers by Helpdesk Agents iv. Will assist knowledge partners / FIC appointed by

		MoHFW. The knowledge partners / FIC shall provide approval on the standard question bank
Helpdesk Agents (74 HAs)* (Hindi and English)	a. Graduate with minimum 1 year of experience in call centre b. Should have excellent communication skills in Hindi and English c. Should be a female d. Should be below 60 years of age	i. Will be responsible for resolution of inbound calls as mentioned in Section 3.1.1 for all queries present in the question bank ii. Will be responsible for validation of records of health worker , mother pregnant woman and child registered under MCTS / RCH iii. Will be responsible for resolution of queries as posed by health functionaries health worker and beneficiaries iv. Will be responsible for promotion of government programmes and schemes and IEC activities through MCTFC
Helpdesk Agents (12 HAs)* (Hindi, English and proficiency in at least one Indian regional language as mentioned in S. No. 4 of Scope of Work in the RFP)	a. Graduate with minimum 1 year of experience in call centre b. Should have excellent communication skills in Hindi, English and one Indian regional language c. Should be a female d. Should be below 60 years of age	i. Will be responsible for resolution of inbound calls as mentioned in Section 3.1.1 for all queries present in the question bank ii. Will be responsible for validation of records of health worker , mother pregnant woman and child registered under MCTS/RCH iii. Will be responsible for resolution of queries as posed by health functionaries health worker and beneficiaries iv. Will be responsible for promotion of government programmes and schemes and IEC activities through MCTFC
Receptionist	a. Should be a graduate b. Should have excellent communication skills in Hindi and English	i. To greet and properly direct all visitors, including vendors, clients, job candidates, customers, etc ii. To maintain and ensure completion of paperwork, sign-in documents and security procedures iii. To handle administrative work including attendance, visitor, maintenance, AMC log, manage complaints iv. To maintain complete professionalism in communication while dealing with clients, customers, etc

* The allocation of resources in case of Operational Team for language is tentative and may change during the course of the project without any financial implication to MoHFW.

HSP needs to deploy all the resources that are required on-site for the implementation of MCTFC project during Phase I.

5.3 Annexure 3: Criteria and Methodology for Evaluation of Technical Bid

5.3.1 Criteria for Evaluation

5.3.1.1 Pre-Qualification (PQ) Evaluation

Pre-qualification bid of the bidder would be evaluated based on the parameter mentioned in the pre-qualification criteria described in the Section 5.1.2

5.3.1.2 Technical Evaluation

Bidders who meet the pre-qualifications /eligibility requirements would be considered as qualified to move to the next stage of technical and financial evaluations.

TECHNICAL EVALUATION

Bidder has to individually score 60% in each section and 70% aggregated to qualify the technical bid evaluation and become eligible for financial bid opening. This citation would be admissible only for that consortium member who has submitted citation in the Section 5.1.3, Formats for technical bid

S. No.	Evaluation Criteria	Maximum Score	Min. Cut-off	Proof required	Bidder's Score
A	ORGANISATIONAL STRENGTH	10	6		
A.1	Average annual turnover of bidder (prime bidder) from call centre operations for the last three financial years. (Form – 4 enclosed in Section 5.1.2.3)	6		a.Audited financial statements (reflecting overall turnover) / annual report containing financial statement for the last three financial years b.A certificate duly certified by the statutory auditor of the bidder clearly mentioning the average annual turnover of the bidder in total and from call centre operations	
A.2	Number of call centre agents on the payroll of the bidder (prime bidder). (Form – 5 enclosed in Section 5.1.2.4)	4		An undertaking from the HR head of the firm, certifying the stated number of call centre agents on the payroll of the company	
B	PAST EXPERIENCE OF THE FIRM	25	15		
B.1	Experience of bidder (any member of consortium) in establishing and operating call centre of at least 100 seats for at least 1 year on turnkey basis within the last 5 years. (Form – 3 enclosed in Section	i. 8 marks for experience in India ii. 5 marks for experience outside India		a. Relevant client certificate for establishing and managing call centre operations of at least 100 seats on turnkey basis within the last 5	

S. No.	Evaluation Criteria	Maximum Score	Min. Cut-off	Proof required	Bidder's Score
	5.1.3.3) In order to score full marks, the bidder needs to provide at least 4 citations meeting the said criterion.			years Or b. Work order / LOI along with the project completion certificate or equivalent document establishing the said criterion	
B.2	The experience of bidder (any member of consortium) in operating call centre in Hindi, English and any other regional language mentioned in the RFP within the last 5 years. (Form – 3 enclosed in Section 5.1.3.3) In order to score full marks, the bidder needs to provide at least 4 citations meeting the said criterion.	5		a. Relevant client certificate for operating call centre in Hindi, English and any other regional language mentioned in the RFP within the last 5 years Or b. Work order / LOI along with the project completion certificate or equivalent document establishing the said criterion	
B.3	The experience of bidder (any of the consortium member) in the design and implementation of call centre solution (i.e. integrated CRM, IVRS, CTI, Voice Logger etc.), for at least 100 users within the last 5 years. (Form – 5 enclosed in Section 5.1.3.5) In order to score full marks, the bidder needs to provide at least 4 citations meeting the said criterion.	6		a. Relevant client certificate in the design and implementation of call centre solution (i.e. integrated CRM, IVRS, CTI, Voice Logger etc.), for at least 100 users within the last 5 years Or b. Work order / LOI along with the project completion certificate or equivalent document establishing the said criterion	
B.4	Experience of bidder (any of the consortium member) in setting up of call centre infrastructure and solution with at least 100 seats within the last 5 years. (Form – 4 enclosed in Section	4		a. Relevant client certificate in setting up of call centre infrastructure and solution with at least 100 seats within the	

S. No.	Evaluation Criteria	Maximum Score	Min. Cut-off	Proof required	Bidder's Score
	5.1.3.4) In order to score full marks, the bidder needs to provide at least 5 citations meeting the said criterion.			last 5 years Or b. Work order / LOI along with the project completion certificate or equivalent document establishing the said criterion	
B.5	Experience of bidder (any member of consortium) in operating call centre in areas such as public health, healthcare advisory and health counselling. (Form – 6 enclosed in Section 5.1.3.6) In order to score full marks, the bidder needs to provide at least 3 citations meeting the said criterion.	2		a. Relevant client certificate in operating call centre in areas such as public health, healthcare advisory and health counselling Or b. Work order / LOI along with the project completion certificate or equivalent document establishing the said criterion	
C	RESOURCE ASSESMENT (Proposed MCTFC Team)	20	12		
C.1	Proposed approach for governance framework, reporting structure, escalation matrix, capacity building, timelines, etc.	5			
C.2	The capability of the proposed MCTFC Team (Core Team and Operational Team) • Program Manager -1 (full time) (4 Marks) • Specialists (Medical Consultants) – 2 number (full time) (3 + 3 Marks) • Supervisors – 2 number (full time) (1 + 1 Marks) • IT Support -1 (full time) (1 Mark) • IT Developer & DBA – 1 (full time) (1 Mark) • Quality Analyst – 2 (full time) (.5 + .5 Mark)	15			

S. No.	Evaluation Criteria	Maximum Score	Min. Cut-off	Proof required	Bidder's Score
	The eligibility criteria and roles and responsibilities of the above resources have been given in Annexure 2. (Form – 7A & Form 7B enclosed in Section 5.1.3.7 & 5.1.3.8)				
D	SOLUTION ASSESSMENT	35	21		
D. 1.	Proposed technical solution based on the understanding of scope of the project. Some of the parameters to be evaluated would include: - Understanding the requirements of the project and alignment of the requirements with the solution being proposed - The detailed architecture covering overall framework including system and data / information security aspects - Integration of various kinds of hardware, software and network systems / solution components - Complete detailing of the requirement assessment, procurement and integration of hardware, networking for MCTFC. - Key components of the solution / system and COTS solutions being proposed and experience of implementation of the same supported by case studies - Bill of Material, components, reliability of proposed components, technology framework etc - Open standards, performance, ease of customization of the solution being proposed	15		The solution document that would be submitted as a part of technical bid will be evaluated	
D. 2.	Presentation by Program	20		Bidder needs to submit	

S. No.	Evaluation Criteria	Maximum Score	Min. Cut-off	Proof required	Bidder's Score
	Manager proposed by the bidder to MoHFW, highlighting their understanding on the project based on the requirements / scope of work, specifications etc. provided in the RFP. Demonstration / PoC of the proposed solution (with integrated components) displaying the capabilities of the solution and adherence to the requirements as specified in the RFP including: i. Integration of components of the solution ii. Demo of ASR iii. Demo of IVRS flows iv. Demo of TTS in multiple language v. Sample reports / query builder			presentation along with technical bid for further assessment	
E	APPROACH, METHODOLOGY AND WORK PLAN PROPOSED FOR THE PROJECT	10	6		
E. 1.	i. Responsiveness of project plan w.r.t the timelines in the RFP ii. Implementation approach of the project related to the scope and quality iii. Bidder's approach toward facilitating SLA monitoring by MoHFW (e.g. SLA measurement tool, SLA dashboard, access to SLA database, frequency and content of SLA reports etc.) iv. Identification of risks (operational, infrastructure, environmental, governance, technology etc) and proposed mitigation plans, methodology for ensuring deliverables v. Bidder's approach on maintaining security and	10		The approach, methodology and proposed work plan that would be submitted as a part of technical bid will be evaluated	

S. No.	Evaluation Criteria	Maximum Score	Min. Cut-off	Proof required	Bidder's Score
	confidentiality of information and processes at MCTFC vi. Bidder's suggestions for ensuring strategic control of critical information and assets in MCTFC; information, facilities and methodologies suggested (e.g. transfer of assets to MoHFW, etc.) vii. MCTFC operations management methodology				
TOTAL SCORE		100	70		T

Note:-

The presentation to be made by the proposed Program Manager. The copy of the presentation should be submitted along with the technical bid which will be considered as part of technical bid.

Citation would be admissible only for that consortium member who has submitted citation the Section 5.1.3, Formats for technical bid. In case of multiple citation, only the applicable citations in serial order will be considered for evaluation.

Bidders, whose bids are responsive, based on minimum qualification criteria / documents in pre-qualification criteria and score more than or equal to the minimum marks required for qualifying in the given technical evaluation scoring mechanism would be considered technically qualified. Financial bids of only such technically qualified bidders shall be opened.

5.4 Annexure 4: Methodology for calculation of Absolute Financial Quote (F_T)

This annexure presents the methodology for calculation of 'Absolute Financial Quote (F_T)' which would be used for the purpose of evaluation of financial bids of the technically qualified bidders.

The numbers used herein for resource persons, man-months etc. are only for the purpose of evaluation and may not depict the actual requirement of the MoHFW. The contract value of the project will be derived from the same methodology as mentioned below as per the requirements of MoHFW.

The 'Absolute Financial Quote (F_T)' would be calculated as follows:

$$F_T = F_1 + F_2 + F_3$$

Where,

F_1 = Total cost of Capital Expenditure

F_2 = Total Operational cost of Helpdesk Agent calling

F_3 = Total cost of other operational charges for MCTFC project

These would be based on the financial quote provided by the bidder as per the format provided in RFP.

The detailed methodology for arriving at F_1 , F_2 and F_3 is provided below:

[A]: Total cost of Capital Expenditure (F_1)

This would be derived from the Financial Quote provided by the bidder in their financial bids as per the format provided in Form B of Section 5.1.4.2, Annexure 1

[B]: Operational cost of Helpdesk Agents calling (F_2)

This would be derived from the rates provided by the bidder in the financial bid. For the purpose of financial evaluation, the MCTFC operation has been considered for 86 Helpdesk Agents for entire project duration making 6 hours of calling (outbound and inbound by every Helpdesk Agent) per day and for 348 days in a year (except for 17 Gazetted holidays of Central Government). The detailed step to arriving at the value of F_2 is as follows:

Helpdesk Agent Rate	Total Cost (from form C, of Section 5.1.4.3, Annexure 1)
Year 1	A_1
Year 2	A_2
Year 3	A_3
Year 4	A_4
Year 5	A_5
Total (F_2)	$F_2 = A_1 + A_2 + A_3 + A_4 + A_5$

[C]: Total cost of other operational charges for MCTFC Project (F_3)

This would be derived from the Financial Quote provided by the bidder in their financial bids as per the format provided in Form D of Section 5.1.4.4, Annexure 1

5.5 Annexure 5: Methodology for Selection of HSP

The HSP shall be selected based on the Combined Quality Cum Cost Based Selection (CQCCBS) criteria. The weightage in this regard would be 60% for the technical bid score and 40% for the financial bid score. Hence the following formula will be used for arriving at the scores based on which the HSP would be selected:

$$B_n = \{0.6 * T\} + \{(0.4) * (F_{Tmin} / F_T) * 100\}$$

Where

B_n = overall score of bidder under consideration for the selection of HSP. (Calculated up to four decimal points)

T = Technical score of respective bidder

F_T = Absolute Financial quote as submitted by the bidder under consideration (As evaluated based on the methodology mentioned in Annexure 4)

F_{Tmin} = Lowest Absolute Financial quote among the financial bids under consideration

The bidder achieving the highest overall score will be declared as the HSP for awarding the contract. In case of a tie where two or more bidders achieve the same highest overall score, the bidder with the higher technical score will be invited first for negotiations for awarding the contract.

5.6 Annexure 6: Specification of Existing Infrastructure at Project site

Non-IT Infrastructure at Project site

S. No.	Item Name	Specification	Make	Model	Warranty Period
1	Air Conditioner	ODU- (36HP) ODU- (24HP) Wall mounted type Hiwall Type -1.06 TR Hiwall Type - 2.08 TR Ceiling Mounted Cassette Type 4.13 TR Ceiling Mounted Cassette Type 3.31 TR Ceiling Mounted Cassette Type 1.65 TR	DAIKIN	Out Door 36HP(RXYQ12*3) Outdoor Units 24 HP (RXYQ 12*2) FXAQ32MAVE9 FXAQ63MAVE9 FXAQ50PVE9 FXAQ100PAVE9 FXFQ125PVE9	One Year from the date of delivery. Date of installation:- 29-05-2012
2	DG set	Sound proof Diesel Generator set air cooled diesel engine for outdoor installation with rated capacity of required BHP at 1500RPM, direct injection type, 4stroke, with suitable no. cylinders coupled to 180 KVA brushless type 415 volts, 50 HZ, to be tested at 0.85 power factor at rated current, self executing alternator with suitable size of flexible coupling, battery charger of suitable Amp Hr Rating, Sound proof canopy as per requirement of pollution control board and following main components, complete with all accessories conforming to technical specifications and as required. Cooling system: Water cooled Radiator type, Exhaust system pipe, chimney upto terrace, silencer and supports (as approved by pollution control board/Local Authorities), Fuel system: Day tank (990 Liters-1 Nos) and interconnecting piping system, valves, floats etc complete as required. Oil tank to be installed with outlet pipe and valve, covers etc for refilling. Lube Oil System, Air system, Electronic system, starting system, AMF PANEL:-Supply, erection, testing and commissioning of AMF panel complete with required meters, instruments, switchgears, provision for bus bars, mimics etc. as per technical specifications and drawings complete as required with the following swithgears, Breakers:-1No.	Kirloskar-Bhaskar	Model/BEPL/180kva/3PH	One Year from the date of delivery. Date of installation:- 14-06-2012

S. No.	Item Name	Specification	Make	Model	Warranty Period
		300A,415/500v,35 MVA rupturing capacity, fully draw out type (EDO), Motorised, four pole, MCCB with micro processor based protection and release.LT Cable:-Supply and laying of following sizes of 1.1 kv grand multi core aluminium conductor pvc sheathed armoured cable as per IS 1554 in surface/above the false ceiling/ground including excavation sand cushioning protecting covering and refilling the trench etc including end termination of the cable (as per site requirement)			
3	Access Card/ System	Proximity Cards Specification: 125KHz[PSK Modulation] Proximity Card Reader • User format available • Easy to install on Metal Door Frame or Mullion • External LED Control • External Buzzer Control • Outdoor Operation (Solid Epoxy Potted / IP66) • Reverse Polarity Protection • Supervisory Signal (Optional) • Compatible Controller: iCON100, iTDC, Third Party	Spectra	ACT-500	1years
4	CCTV Camera	Indoor High Speed Day/Night Dome Camera with 27XZoom lens with power supply and mounting assembly. Specification: Video System: NTSC / PAL (Optional) * Compression Format: Video: H.264 / * Video Output: 8-CH BNC input /2-CH BNC output * Audio I/O: 1-CH RCA audio input / 1-CH RCA audio output * Display Resolution: D1: 704 x 576(PAL) 704x480(NTSC) * Frame Rate: Single CH PAL: 25fps, NTSC: 30 fps * Recording Frame Rate (Shared): PAL: 200fps @ CIF	Vintron	VIN 4830 H	1 Year
5	Chair	Medium back workstation Chairs with MESH overlay on plastic back, Center tilts mechanism with tilt tension adjustment,	Wipro	Beetle (Wipro) Seat Cover: TE 110 Delta Orange (Wipro)	

S. No.	Item Name	Specification	Make	Model	Warranty Period
		Aesthetic abuse resistant poly propylene armrest, Seat Height adjustment, and Designer, twin finish pedestal. The back hugging profile of the chair back support for better comfort as per architects approval & existing sample. Executive Chairs High back, Bonded leather Chairs with Gas lift, Front Pivot Synchro Mechanism, 5-Position Locking, Moulded Foam, Swivel Mechanism, Twin Wheel Castors as per architects approval & existing sample. WIDTH (W): 770 DEPTH (D): 770 HEIGHT (H): 1325 - 1405 SEAT HEIGHT (SH): 475-555 UNSPECIFIED TOLERANCE: +/-5mm		catalogue) BACK-Black Mesh (WorkStation: UPS, RM Reception Mid Back Beetle chair, with 2 d swivel armrest, nylon base, syncro 1 mechanism. SMART Black (Executive seating) (Conference Room, Manager) High Back smart chair with 1d armrest, nylon base, leatherite finish, Syncro 1 mechanism.	
6	Workstation	Workstation type-1 (size: 1200 x 600 x 1200 , WXDxH)P/F in position work station as per details given in drawing consisting of work station of overall size approx 1200 x 600 x 1200 (WxDxH). Comprising of following details. 60 mm main modular partition with pinup board, magnetic White Board and raceways (Size; WxH, 1200x 1200) as per detail drawing complete in all respect 45 mm side modular partition or divider with pinup board, magnetic White Board and raceways (Size; DxH, 600x 1200) as per detail drawing complete in all respect 25 mm thick both side pre laminated MDF board of approved shade and texture (Make; Green ply or Equivalent, BSL, Grade-II) including edge finished with PVC edge banding tape as per detail drawing complete in all respect (Size; WxD, 1200 x 600) Metal keyboard tray 450 mm wide with 250 mm extension inclusive of mouse tray (Make: EBCO or equivalent) Workstation type-1 (size: 1500 x 600 x 1200 , WXDxH)P/F in position work station as per details given in drawing	Durian	As per Engineer-in-Charge.	

S. No.	Item Name	Specification	Make	Model	Warranty Period
		consisting of work station of overall size approx 1500 x 600 x 1200 (WxDxH). Comprising of following details. 60 mm main modular partition with pinup board, magnetic White Board and raceways (Size; WxH, 1200x 1200) as per detail drawing complete in all respect 25 mm thick both side pre laminated MDF board of approved shade and texture (Make; Green ply or Equivalent, BSL, Grade-II) including edge finished with PVC edge banding tape, complete in all respect (Size; WxD,1500 x 600) Metal keyboard tray 450 mm wide with 250 mm extension inclusive of mouse tray (Make: EBCO or equivalent) Mobile 3 drawer pedestal (Size: 375 x 500 x 700, WDXH)With 18mm thick both side pre laminated partial board of approved shade and texture with PVC edge band completed in all respect (Hardwares and fittings should be from Hettich) Mobile CPU Holder Made of sturdy, epoxy polyester-coated tubular steel, Including four casters for optimum mobility (Make: Knoll or equivalent)			
7	Carpet	Carpet flooring of imported looppile carpet of Divine/unitex/armstrong make of approved shade and colour in meeting room, cabins and open working area complete in all respect including fixing of 5mm thick poly urethane foam rolls below the carpet. Rates quoted should include cost of adhesives, fixing, cutting welding of carpet etc complete in all respects.	Unitex	Unitex-Trump- (Suntan)	
8	UPS	2 x 30kva UPS in parallel, connection (3Phase input / 1Phase output) online UPS system along with 12V/65AH/30 Nos. SMF Batteries Exide/Ameraja, MS Battery rack & interconnection of cable etc to provide 30 minute backup time including earthing etc. complete as per site requirement.	NOVATEU R ELECTRICAL & DIGITAL SYSTEM LTD	Numeric-30KVA UPS System with DC Power back up Sl.No.IV120603123-IV120603124	UPS:- 24 Months from the date of delivery. Date of installation:- 28-09-2012, Battery:- 12 months from the date of installation. 28-09-2012
9	UPS	UPS 10 KVA/ 288 V for Servers	Numeric	Numeric- Digital HP	1 Year from date

S. No.	Item Name	Specification	Make	Model	Warranty Period
				MAX 31 SERIES	of Installation. Maintenance of this UPS will be done by NIHFW.

IT Infrastructure at MCTFC

S.No.	Descriptions / Specification	UoM	Qty	Make	Model Part No.	OEM Warranty	Performance Warranty
1	24 Port Jack panel	Nos	11	D-Link	NPP-C61BLK241	1-Year	3-Years from completion of scope of work i.e. 14 th February 2013
2	50 Port Voice Jack panel Cat 3	Nos	2	Molex	50xRJ45 KATT IDC	1-Year	3-Years from completion of scope of work i.e. 14 th February 2013
3	1 Meter Patch Cord	Nos	120	D-Link	NCB-C6UGRYR1-1	1-Year	3-Years from completion of scope of work i.e. 14 th February 2013
4	2 Meter Patch Cord	Nos	150	D-Link	NCB-C6UGRYR1-2	1-Year	3-Years from completion of scope of work i.e. 14 th February 2013
5	1 U cable manager	Nos	11	Unique	-	1-Year	3-Years from completion of scope of work i.e. 14 th February 2013
6	36U X 800 X 800 networking rack frame having recessed 19" vertical for server, single front glass door and, PDV vertical 5/15 AMP, 10 socket - 2 Nos, 4 Fan set, Rack tray- 1 Nos	Nos	1	Unique	-	1-Year	3-Years from completion of scope of work i.e. 14 th February 2013
7	LIU Rack Mount Box with Pigtailed & Coupler Wall/False Flooring Mounted.	Nos	4	D-Link	NLU-FXXUXXR-6	1-Year	3-Years from completion of scope of work i.e. 14 th February 2013
8	FIBER PATCH CORD	Nos	4	D-Link	NCB-FS09D-LCSC-3	1-Year	3-Years from completion of scope of work i.e. 14 th February 2013
9	MEDIA CONVERTER	Nos	4	D-Link	DFE-855Mi	1-Year	3-Years from completion of scope

S.No.	Descriptions / Specification	UoM	Qty	Make	Model Part No.	OEM Warranty	Performance Warranty
							of work i.e. 14 th February 2013
10	INDUSTRIAL SOCKET of 32 AMP as per site requirement & direction of engineer in-charge.	Nos	10	Yueqing	IECCEE Tested & Approved	1- Year	3-Years
Supply Component							
1	20 10/100/1000BASE-T ports, 2 Combo 10/100/1000BASE-T/SFP ports and 2 Combo 1000 BASE-SX, Multi-mode (500mtrs) fiber ports with embedded Enhanced Image (stacking cable and SD card are not included)	Nos	1	D-Link	DGS-3120-24TC/SI, DEM-311GT	3- Years	3-Years
2	Duplex Multi-mode OFC Patchcord	Nos	2	GIGA Connect	-	1- Year	3-Years

IT Infrastructure at Project site provided by existing Helpdesk Service Provider:

Item Details	Specification	Qty Available at Site	Warranty
Server (Dialer)	HP Proliant ML110 G7 (Intel Xeon E3-1220,2.10Ghz,500GB HDD)	1	2016
Server (Application Database)	IBM Server x3650M4 (E2620 6 Core ,4*8GBMemory,3*300GB SAS HDD)	1	2017
Server	HP Proliant ML110 G7 (Intel Xeon E3-1220,2.10Ghz,1TB HDD)	1	2017
Router	Cyberoam Cr15iNG	1	
Network Switch	HP Procurve 2510-48 Port switch	2	2112
PRI Card	Sangoma 4 Port PRI Card	1	2018
Desktop	HP Pro 3330 Microtower PC	6	2016
Laptop	HP2000-2d41TU Note bookPC Prod No.E6F56PA	1	25-December 2015
DV Writer	Samsung DVD Writer	1	

Item Details	Specification	Qty Available at Site	Warranty
External HDD	Seagate 2 TB External HDD	1	2017
Rack	Netrack- 36 U Server RACK	1	2 yrs from invoice (2016)
Console Monitor	Aten- Console Monitor for all server	1	2016
KVM Switch	Aten	1	
USB Headsets	USB Headsets- Plantronics	86	1 year
Operating System	Window CAL	87	Perpetual License
Antivirus Software	Kaspersky	90	Perpetual License
Dialer Software	ConVox	1	Perpetual License
IVRS	ConVox	1	Perpetual License

Desktop Computer at Project site (80 Nos):

Model No HP 8200 with warranty upto 10th September 2015

Specification:-

a. CPU:	Intel Core i5-2400, 3.1 GHz, 6 MB Cache or higher.
b. Chipset:	Intel Q 67 or better on OEM Motherboard.
c. Bus Architecture:	4 PCI (PCI/ PCI Express)
d. Memory:	2 GB 1066 MHz DDR3 RAM with 8 GB Expandability. (add on 2 GB of RAM)
e. Hard Disk Drive:	500 GB 7200 rpm Serial ATA HDD or higher.
f. Monitor:	47 cm or larger(18.5 inch or larger) TFT/LED Digital Colour Monitor TCO-05 certified.
g. Keyboard:	104 keys .
h. Mouse:	Optical with USB interface.
i. Bays:	3 Nos. or above.
j. Ports:	6 USB Ports (with at least 2 in front), audio ports for microphone and headphone in front.
k. Cabinet:	Mini Tower.
l. DVD ROM Drive:.	8X or better DVD ROM Drive
m. Networking facility:	10/100/1000 on board integrated Network Port with remote booting facility remote system installation, remote wake up, out of band management using any standard management software.
n. Operating System:	Windows 7 Professional / RHEL / SUSE Linux preloaded, as specified, with Media and Documentation and Certificate of Authenticity.
o. OS Certifications:	Windows 7 OS and Linux certification.
p. Power Management:	Screen Blanking, Hard Disk and System Idle Mode in Power On, Set up Password, Power supply SMPS Surge protected.
q. Preloaded Software:	Norton or McAfee or eTrust or e-Scan or Fore front or Trend Micro or PC Tool or Quick heal Antivirus (Latest Version) with 60 days License. (Included in case of Windows 7 only)

Branding equipments:

S.No.	Description	Unit	Qty
1.a.	Digital print duly pasted on 3 mm Sun board of size 1'3" x 6'5" at the entrance pillar	each	1
1.b.	Digital print duly pasted on 3mm Sun board of size 2'6" x 6'5" on the side pillar of entrance gate	each	1
2	LED TV of 42" screen on reception area having specification: screen size 40"/42" HDMI port with cable: 1 ethernet port: 1, USB 2.0 port: 2 audio out mini jack. 1, video display connector/VGA connectivity with connector/VGA cable: 1 inbuilt media driver/player. All ports should have extended cable of 3 meters	each	1
3	Backlit display on side wall of reception having size of 5' x 3'. Aluminium frame, front and back acrylic sheet, inside LED with digital print	each	1
4	LED TV (55" screen) in conference room having specification of screen size 55". HDMI port with cable (5 mtr): 1, Ethernet port: 1, USB 2.0 port: 2, audio out mini jack: 1, video display connectivity/ VGA connectivity with connector/ VGA cable: 1, inbuilt media driver/player. All ports should have extended cable of 5 meters	each	1
5	Posters with aluminium frame having clip inside with changeable digital print backside sun board and front side poly sheet on gypsum based inner pillars of project site of size 1.5' x 3'	each	24
6	Backlit sandwich board backside acrylic sheet with digital print inside LED at the corridor near dry pantry of size 3' x 5'	each	2
7	Soft pin board at corridor near dry pantry of size 5' x 3' aluminium frame with MDF on backside and fabric (aesthetically matching) on front side	each	1
8	LED board on the front wall facia of having size 30' x 3'. MS box, inside LED, front side acrylic sheet with controller (keypad, lead) at reception, day night visibility	each	1
9	Entrance sun-board with digital print (1.6 ft x 7 ft)	each	1
10	One way vision on the entrance door (6ft x 7 ft)	each	1
11	One way vision on back emergency door (4 ft x 7 ft)	each	1

The above equipment are under a warranty of 3 years from the completion of work order i.e. 6th February 2014.

Equipment for Miscellaneous electrical work for MCTFC

S.No.	description	unit	qty
1.	Optical fibre cable 6 core in PVC conduit	RM	300
2.	10 KVA UPS 3 phase IN & 1 phase OUT with battery bank for 30 min backup, rack etc complete. Make- Numeric	Nos	1
3.	Wiring for UPS INPUT and OUTPUT	RM	150
4.	Grounding with copper earth plate 600 mm x 600 mm x 3 mm thick including accessories and providing masonry enclosure with cover plate having locking arrangement with watering pipe of 2.7 m long with charcoal/coke and salt as required. For 10 KVA UPS	Nos	1
5.	Modification to AMF panel/underground cable already existing at site	Nos	1
6.	Wi-Fi router suitable for operation of speed up to 1000 Mbps-covering minimum 10 Nos of laptops/PCs.	Nos	1

The above equipment are under a warranty of 3 years from the date of completion of work order i.e. 9th April 2013.

Procurement by NIFHW

PRI Card	Sangoma 4 Port PRI Card	1
----------	-------------------------	---

5.7 Annexure 7: Bank Guarantee Formats (PBG and Bank Guarantee against Advance)

5.7.1 Performance Bank Guarantee

To:

Pay & Accounts Officer,
Ministry of Health & Family Welfare,
New Delhi

<HSP Company Name> having its registered office at **[address of registered office]** (hereinafter called "the bidder") has undertaken in pursuance of Tender Document No.for appointment of a Helpdesk Service Provider (HSP) for "Augmentation of Mother & Child Tracking Facilitation Centre (MCTFC) on turnkey basis" (hereinafter called "the tender").

AND WHEREAS it has been stipulated by you in the said tender that the bidder shall furnish you with a Bank Guarantee by a Commercial Bank for the sum specified therein as security for compliance with the bidder's performance obligations in accordance with the tender.

AND WHEREAS WE **[name and address of the Bank]** have agreed to give the bidder a guarantee:

THEREFORE WE **[name and address of the Bank]** hereby affirm that we are Guarantors and responsible to you, on behalf of the bidder, up to a total of Rs ____/- (Rupees in words) and we undertake to pay you, upon your first written demand declaring the bidder to be in default under the tender and without cavil or argument, any sum or sums within the limit of Rs ____/- (Rupees in words) as aforesaid, without your needing to prove or to show the grounds or reasons for your demand or the sum specified therein.

This guarantee is valid till the **<Contract duration + 90 days>**.

Notwithstanding anything contained herein,

- (a) Our liability under this Bank Guarantee shall not exceed Rs ____/- (Rupees in words)
- (b) This Bank Guarantee shall be valid upto **<Contract duration + 90 days>**.
- (c) We are liable to pay the guaranteed amount or any part thereof under this Bank Guarantee only and only if you serve upon us a written claim or demand on or before **<Contract duration + 90 days>**.

5.7.2 Bank Guarantee for advance

To:

Pay & Accounts Officer,
Ministry of Health & Family Welfare,
New Delhi

<HSP Company Name> having its registered office at [address of registered office] (hereinafter called “the bidder”) has undertaken in pursuance of Tender Document No. for appointment of a Helpdesk Service Provider (HSP) for “Augmentation of Mother & Child Tracking Helpdesk (MCTFC) on turnkey basis” (hereinafter called “the tender”).

AND WHEREAS it has been stipulated by you in the said tender that the bidder shall furnish you with a Bank Guarantee by a Commercial Bank for the sum specified therein as security for compliance with the bidder’s performance obligations in accordance with the tender.

AND WHEREAS WE [name and address of the Bank] have agreed to give the bidder a guarantee:

THEREFORE WE [name and address of the Bank] hereby affirm that we are Guarantors and responsible to you, on behalf of the tender, up to a total of Rs ____/- (Rupees in words) and we undertake to pay you, upon your first written demand declaring the bidder to be in default under the tender and without cavil or argument, any sum or sums within the limit of Rs ____/- (Rupees in words) as aforesaid, without your needing to prove or to show the grounds or reasons for your demand or the sum specified therein.

This guarantee is valid till the <Last instalment paid against advance + 90 days>.

Notwithstanding anything contained herein,

- (a) Our liability under this Bank Guarantee shall not exceed Rs ____/- (Rupees in words)
- (b) This Bank Guarantee shall be valid upto <Last installment paid against advance + 90 days>.
- (c) We are liable to pay the guaranteed amount or any part thereof under this Bank Guarantee only and only if you serve upon us a written claim or demand on or before <Last installment paid against advance + 90 days>.
- (d) In case of delay the HSP will extend the validity of the Bank Guarantee as decided by the TCC.

5.8 Annexure 8: SLA Definition and Measurement

The SLA specifies the expected levels of service (i.e. baseline service level) to be provided by the HSP to various stakeholders of the MCTFC project. Payment to the HSP is linked to the compliance with the SLA metrics laid down in the tables provided subsequently. The tables also specify the limits and metrics for lower / higher performance and breach levels.

The SLAs consist of specific set of parameters for ensuring the desired performance level of MCTFC and a summarized metrics of the SLA parameters is provided in the table below and detailed out subsequently.

S. No.	Metric	Score for baseline metrics
A.	Data validated	15
B.	Question bank / content creation	5
C.	Availability	30
D.	Performance	30
E.	Key call centre parameters	10
H.	MCTFC environment	10

S. No.	Metric	Score for baseline metrics
TOTAL		100

HSP will get 100% of quarterly payment if the baseline performance metrics are complied with (and if no deductions are imposed as specified in the RFP). The HSP will get lesser payment in case of a lower performance on any parameter.

The SLA score will be calculated based on the following table:

S. No.	SLA score range	Deductions
Slab 1	<98 & >=90	0.2% deduction for every point < 98 & >=90
Slab 2	<90 & >=80	0.4 % deduction for every point < 98 & >=80
Slab 3	<80	0.6 % deduction for every point < 98
Note: The percentage penalty would be calculated on the bill raised by the HSP for the concerned quarter entirely based on the slab on which SLA scores are falling.		
Example: SLA Score of 82 will lead to a deduction of 6.4% (i.e. 16 x 0.4% =6.4%)		

5.8.1 SLA Monitoring

The aforementioned SLA parameters shall be measured on a daily / weekly / monthly / quarterly basis as per the individual SLA parameter requirements; through appropriate SLA measurement tools to be designed by the HSP for the purpose. If the performance of the system / services is degraded significantly at any given point in time during the project duration and if immediate measures are not implemented and issues are not rectified to the complete satisfaction of MoHFW or an agency designated by them, then MoHFW shall have the right to take appropriate corrective actions including termination of the contract. It is to be noted that the maximum penalty at any point of time on a cumulative basis shall not exceed 10% of project cost as per the signed contract. In case the penalty exceeds 10%, or HSP gets an SLA score of less than 60 for three consecutive quarters, MoHFW reserves the right to terminate the contract.

The SLAs shall be reviewed periodically at the option of MoHFW and if required, SLAs will be revised after taking the advice of the HSP, Project Management Unit and other agencies. The revised SLAs shall not have any financial implications on the MoHFW or financial advantage to the bidder / HSP.

Table: SLA Metrics

S. No.	Metric	Baseline Metrics		Measurement Method
		Metric	Score	
A.	DATA VALIDATED		15	
1	Percentage of data validated in a quarter by making outbound calls through HA	>98%	15	% of Data Validated in a quarter = (Data Validated ÷ Expected Data to be validated) X 100. Where: • Expected Data to be validated = (n days X 6hr X 60 min X nHA) / AHT o Here n days = number of days the MCTFC is
		>95% & <=98%	13	
		>90% & <=95%	11	
		>80% & <=90%	9	

S. No.	Metric	Baseline Metrics		Measurement Method
		Metric	Score	
		>75% & <=85%	7	operational as per the norms defined in this RFP o nHA= is the number of Helpdesk Agents deployed for outbound calls in the call centre as per the norms specified in this RFP or any increase thereof directed by MoHFW o AHT= is average handling time which currently as specified in the RFP is 7 minutes. However, any changes by MoHFW thereof shall change this AHT duration too The SLA report for the above shall be generated from the system to be developed by HSP and should be readily available at any point of time for access and review by MoHFW or any other agency nominated by MoHFW.
		>=65% & <=75%	5	
		<65%	0	
B.	QUESTION BANK / CONTENT CREATION		5	
2	Average Number of days (Avc) in a quarter taken for initiating creation of response on queries raised for creating / updating question bank from the date of receipt of the query Initiating includes preparation of response on the query received and forwarding the same to MoHFW for approval. Note : Non-working days of MCTFC as per the norms / details specified in this RFP and contract thereof shall not be included in	within 2 days	5	Avc is calculated using the formula given below: $\text{Avc} = \frac{\sum (N_1 \times d_1, N_2 \times d_2, \dots, N_n \times d_n)}{\sum (N_1, N_2, \dots, N_n)}$ Where: - N is the number of queries received for which response was created and forwarded to MoHFW in d days - All such N & d combinations over a quarter shall be added and then average value shall be arrived at, which is Avc.
		> 2 days & <= 2.5 days	4.5	
		>2.5 days & <= 3 days	3.5	
		>3 days & <=4 days	3	
		>4 days & <=5 days	2	

S. No.	Metric	Baseline Metrics		Measurement Method
		Metric	Score	
	calculation of this SLA.	>5 days	0	The SLA report for the above shall be generated from the system to be developed by HSP and should be readily available at any point of time for access and review by MoHFW or any other agency nominated by MoHFW.
C.	AVAILABILITY		30	
3	MCTFC Application Uptime MCTFC application uptime (% of time for which the MCTFC application was available during the operational hours excluding scheduled maintenance agreed by TCC, if any). It will be total cumulative uptime of application and calculated as 'Total uptime of application in minutes ÷ Total minutes of operations in a day.' For Monthly SLA Monitoring Average of the day wise MCTFC application uptime shall be taken for arriving at the monthly score for the concerned parameter based on report generated by EMS. For Quarterly SLA Monitoring Average of the month-wise scores shall be taken for the quarterly measurement.	>98%	8	Measured from the SLA monitoring tool to be provided by the HSP with integrated information / reports from EMS solution implemented.
		>96% & <=98%	7	
		>95% & <=96%	6	
		>=93% & <=95%	4	
		<93%	0	
4	Availability of ICT and non-IT equipment SLA will be calculated based on the availability of ICT and non-IT infrastructure during the operational hours. For Monthly SLA Monitoring Average of the day wise ICT and non-IT infrastructure availability shall be taken for arriving at the	>98%	8	Measured from the SLA monitoring tool to be provided by the HSP with integrated information / reports from EMS solution implemented.
		>96% & <=98%	7	
		>95% & <=96%	6	

S. No.	Metric	Baseline Metrics		Measurement Method
		Metric	Score	
	monthly score for the concerned parameter based on report generated by EMS. For Quarterly SLA Monitoring Average of the month-wise scores shall be taken for the quarterly measurement.	>=93% & <=95%	4	
		<93%	0	
5	Percentage Availability of Manpower SLA will be calculated based on the number of resource persons present against the number of days of presence required for the resource persons on site, for the quarter.	>98%	14	Percentage Availability of Manpower will be calculated as per the details given below: - Weightage factor for Program Manager: Medical Consultant: Supervisor: Quality Analyst: IT Developer & DBA: IT Support: Helpdesk Agents: other resource persons (if any) =4:3:2:2:2:2:1:1. - Percentage Availability = number of days of actual presence in quarter of [Program Manager X 4 + Medical Consultants X 3 + Supervisors X 2 + Quality Analyst X 2 + IT Developer & DBA X 2 + IT Support X 2 + Helpdesk Agent + other resources (if any)]/number of days of presence required in a quarter of [Program Manager X 4 + Medical Consultants X 3 + Supervisors X 2 + Quality Analysts X 2 + IT Developer & DBA X 2 + IT Support X 2 + Helpdesk Agent available + other resources (if any)] Note: - Number of days of presence required is based on the number of days the MCTFC is operational as per the norms of this RFP for the said period - A report on this SLA needs to
		>95% & <=98%	10	
		>90% & <=95%	8	
		>=80% & <=90%	5	
		<80%	0	

S. No.	Metric	Baseline Metrics		Measurement Method
		Metric	Score	
				be developed in the system with integration to information captured in the attendance system, access system and system login details iii. The presence of a manpower will be considered for the entire duration of the operational hours
D.	PERFORMANCE		30	
6	Feedback on Call Centre Performance SLA will be calculated based on the SMS feedback received from the beneficiaries and health workers For Quarterly SLA Monitoring SLA will be measured on quarterly basis as the percentage number of SMS having satisfactory performance against the number of SMSes received as feedback.	> 90%	6	A report on this SLA needs to be developed in the system with integration to the SMS solution of MCTFC.
		>=85% & <=90%	5	
		>=80% & <85%	4	
		>=75% & <80%	2	
		<75%	0	
7	Calls Heard for Quality Assessment (CQa) The SLA will be monitored based on the number of calls heard by the Quality Analysts every day for quality assessment, wherein 80 is the minimum calls that Quality Analysts should hear (i.e. 40 by each Quality Analyst). However HSP's Quality Analysts may hear more calls to effectively manage SLA 8. For Quarterly SLA Monitoring SLA will be measured on quarterly basis as the average day-wise number of calls heard by the Quality Analysts.	>=80	6	CQ _a is calculated using the formula given below: $= Nq \div Nd$ Where: - Nq is the number of calls heard by all the Quality Analysts in a quarter - Nd is the total number of days for which MCTFC was operational for the concerned quarter as per the norms of this RFP. A report on this SLA needs to be developed in the MCTFC system.
		>=70 & <80	5	
		>=60 & < 70	4	
		>=50 & <60	2	
		<50	0	
8	Call Quality Analysis by Quality Analyst	>=90	10	Average Quality Score = Sum of scores on the quality form

S. No.	Metric	Baseline Metrics		Measurement Method
		Metric	Score	
	SLA will be measured on quarterly basis based on the average quality score provided by Quality Analysts on the live / recorded calls made by Helpdesk Agents.	>=80 & <90	8	(indicated in the RFP) filled by Quality Analyst ÷ Number of calls heard. Note: For every call heard by the Quality Analyst it is mandatory that he / she should fill the form as provided in the RFP.
		>=70 & <80	6	
		>=60 & <70	3	
		<60	0	
9	Adherence to Call Centre Operating Procedure (COP) The SLA will be monitored based on the adherence to the Call Centre Operating Procedure (COP) submitted by the HSP and approved by TCC. For Quarterly SLA Monitoring SLA will be measured on quarterly basis as the average percentage of COP parameters adhered to MCTFC operation.	>=95%	8	COP adherence will be evaluated based on the calls heard by the representative(s) of FIC from MoHFW. COP is calculated as follows: COP = (N ÷ Ns) X 100 Where: - N is number of COP parameters adhered to for the quarter - Ns is total number of parameters mentioned in the COP
		>=85% & <95%	7	
		>=75% & <85%	5	
		>=65% & <75%	2	
		<65%	0	
E.	KEY CALL CENTRE PARAMETERS		10	
10	Average call handling time (including talk time as well as time on which the call was on hold) SLA will be monitored based on the Average Handling Time (AHT) of the MCTFC operation For Quarterly SLA Monitoring Average of the day wise SLA scores will be taken for the quarterly SLA measurement.	Bo (i.e. 7 minutes or as approved by TCC) minutes	5	Measured from the logs maintained by the MCTFC solution (Call Handling System). The reports for the same shall be generated by the MCTFC solution and would be made available in SLA monitoring tool to be developed by the HSP.
		> Bo & <= (Bo+1) minutes	4.5	
		> (Bo+1) minutes & <= (Bo+1.5) minutes	3.5	
		> (Bo+1.5) minutes & <= (Bo+2.0) minutes	2.5	
		> (Bo+2) minutes	0	

S. No.	Metric	Baseline Metrics		Measurement Method
		Metric	Score	
11	Agent occupancy rate The SLA will be monitored based on the time that the Helpdesk Agents spend on actual calling. The unit of measurement for this metric is average time in minutes spent by all Helpdesk Agents per hour speaking on calls. <u>For Quarterly SLA Monitoring</u> Average of the day wise SLA scores shall be taken for the quarterly measurement.	45 minutes per hour 40 minutes per hour $\geq$ & < 45 minutes per hour 35 minutes per hour $\geq$ & < 40 minutes per hour < 35 minutes per hour	5 4 2 0	Measured from the logs maintained by the MCTFC solution (Call Handling System). The reports for the same shall be generated by the MCTFC solution and would be made available in SLA monitoring tool to be developed by the HSP. The HSP should be able to segregate the duration of calls handled by Helpdesk Agents and IVRS.
H.	MCTFC ENVIRONMENT		10	
12	MCTFC environment Index (rating) of MCTFC The SLA will be monitored based on the following aspects on environment index: - Cleanliness record Entire Project site including work-station, floor and conference room should be cleaned every day. Toilet facilities, wash-rooms and pantry rooms will be cleaned by 9.00 am on each scheduled working day. - Safety and security of Project site and manpower. - Maintenance of professional conduct at Project site. - Maintenance of infrastructure at Project Site. For the above a scoring form "MCTFC Environment Index" shall be used by the evaluators i.e. MoHFW to provide the score to the above mentioned indices out of a total of 100 score.	$\geq 98\%$ < 98% & ≥ 95 < 95% & ≥ 90 < 90% & ≥ 85 < 85%	10 8 5 2 0	The report on findings shall be entered in the SLA monitoring tool. HSP shall maintain register for the cleanliness, safety & security and maintenance of infrastructure.

S. No.	Metric	Baseline Metrics		Measurement Method
		Metric	Score	
	<u>For Quarterly SLA Monitoring</u> Average of score obtained during evaluation in random inspections / evaluations done by MoHFW in the concerned quarter.			

Note:

5.8.1.1 The deductions shall be made only for the reasons attributable to the HSP. Any risks / issues foreseen by the HSP shall be brought to the notice of the MoHFW immediately. However, if the HSP falters in one or more of the SLAs resulting in lower performance or breach, then deduction from the quarterly payable amount would be calculated as follows:

- For baseline performance by HSP no deduction shall be made from quarterly payable amount
- For lower performance and breach, deductions in percentages shall be made from the quarterly payable amount.

5.8.1.2 The aforementioned SLA parameters shall be measured on a daily / weekly / monthly /quarterly basis (average) as per the individual SLA parameter requirements. However, if the performance of the solution / services is degraded significantly (operating at levels of breach for any SLA for a period of 24 Hrs or more) at any given point in time during the project duration and if the immediate measures are not implemented and issues are not rectified to the satisfaction of MoHFW, it will have the right to take appropriate disciplinary action including termination of the contract.

5.8.1.3 Following highlights the definition of “Baseline” and “Lower” categories as used for SLAs above.

Note 1	Scheduled maintenance time will be excluded from the computation
Note 2	Scheduled maintenance time shall not exceed 4 hours in a calendar month
Note 3	Planned maintenance shall be scheduled between 10 pm and 2 am IST on the intervening night of second Saturday and Sunday
Note 4	Scheduled maintenance period(s) shall be planned and published for six months at a time and in the event of any changes to this plan, the same shall be notified at least 3 days in advance of the schedule
Note 5	The MCTFC management system developed and deployed by the HSP shall be used for monitoring the issue resolution timelines and HSP shall be responsible for building such functionality into the MCTFC management solution deployed for MCTFC
Note 6	MCTFC system shall be available for entire operations of MCTFC wherein the users of MCTFC both internal and external user can log the calls through SMS / portal / e-mail
Note 7	MCTFC shall operate on the timings as decided by the MoHFW
Note 8	For user management, activities shall be carried out only after the approval from the designated authority in writing or through the online communication mechanism viz. official e-mail, call logging software, etc.

5.8.2 Quality Analysis Form

The HSP will design the quality analysis form for measuring the performance of Helpdesk Agents and their calls in consultation with MoHFW. The quality analysis form will be filled by the Quality Analysts and appropriate score should be provided to analyse the call quality. Sample call quality analysis form is furnished below:

Agent Id		Date of call	
Agent name		Transaction date	
Phone number of beneficiary/ASHA/ANM		Type of call	Live / Recorded
Parameters	Evaluation	Maximum points	Points obtained
Comprehensiveness of calls		25	
Courteous	Yes / No	10	
Rate of speech	Yes / No	5	
Active listening	Yes / No	5	
Voice clarity	Yes / No	5	
Process		60	
Verification: Number of questions answered	All questions	10	
Complete information provided	Yes / No	20	
Appropriate question asked	Yes / No	10	
Correct entry made	Yes / No	20	
Talk time		15	
Duration of call	Crossing expected AHT	15	
Overall call performance	Good / Average / Bad		
Overall score obtained			


MCTFC Environment Index

The table below provides the sample **MCTFC Environment Index** form:

Date of inspection			
Name of the inspector			
Parameters	Evaluation	Maximum points	Points obtained
Cleanliness		40	
Cleanliness of Project site	Clean / Not clean	20	
Spillage	Yes / No	10	
Sanitation	Yes / No	10	

Pest control	Yes / No	10	
Security		20	
Access gates properly closed	Yes / No	10	
Security protocol followed	Yes / No	10	
Maintenance of infrastructure		30	
Entries in maintenance registers	Yes / No	10	
Preventive maintenance undertaken	Yes / No	10	
Timely replacement of components	Yes / No	10	
Overall score obtained			

5.9 Annexure 9: Layout of Project Site



5.10 Annexure 10: Tentative feature of the Hardware and Software for MCTFC Project

The tentative feature of hardware and software required for the implementation of the MCTFC project is mentioned in the below tables. The bidder should propose the bill of material and detailed solution for the successful implementation and operationalization for entire project duration.

5.10.1 KEY FEATURES / SPECIFICATIONS OF MCTFC SOLUTION

Some of the key features / specifications required for the MCTFC components are provided below.

5.10.1.1 Required key features of CRM

Some of the features that the HSP needs to consider for the CRM component of MCTFC are provided below. However these features are only illustrative and not exhaustive and would be finalized at the time of requirement analysis exercise to be carried out by the HSP.

- a. The customised CRM should be a web based solution with seamless integration to the other tools such as IVRS, CTI, SMS gateway etc
- b. It should have integration with MCTS / RCH for fetching data for validation and pushing back the validated data
- c. Provide a single view to the team deployed by the HSP for MCTFC project for all the relevant functions of the MCTFC
- d. Complete management of maternal / child service sets for both incoming and outgoing calls from the MCTFC
- e. For all inbound calls separate caller profile needs to be created in the CRM which can be referenced based on the contact number, unique ID
- f. Customised out-bound call validation interface with all the necessary details available on screen with a clear step-by-step validation steps and necessary pop ups for validation of key columns based on business rules
- g. Call back scheduling to ensure maximum coverage on call-out services
- h. Integration of CRM with voice /call logger tool
- i. Should have customisable HA prompts
- j. Skill based routing based on the following as per business rules:
 - i. Data-driven routing (based on information stored in database systems)
 - ii. HA profile / skills based
 - iii. HA groups with necessary skill-set
 - iv. Last HA / relationship-based (delivers interaction to specific agents, such as the last HA who interacted with health worker)
 - v. Routing to maintain overall service level specified for MCTFC (route interactions based on service level defined for different types of services)
 - vi. Service priority routing (assigned priority, age of interaction)
- k. Build and customize routing strategies through easy-to-use point-and-click GUI workflow designers
- l. Multiple campaign creation depending on different citizen group focus as per MoHFW requirement
- m. Uniform call distribution to various HAs across campaigns and services

- n. CRM integration with IVRS to enable customised screen view to HAs depending on caller response given through IVRS
- o. CRM should be integrated with SMS gateway to generate campaign-based SMS for awareness creation depending on MoHFW requirements
- p. Real-time monitoring and live reporting with remote access availability at the secondary control room at MoHFW
- q. Conferencing and chat facility for MCTFC team deployed by the HSP
- r. Content management / knowledge repository (i.e. both standard and temporary question bank) with a robust search engine to ensure efficient retrieval of information availability for the HA
- s. Collaborative knowledge management module with role-based logins which will act as a collaboration tool for discussion between HSP, FIC and MoHFW. Also, the tool should define the workflow for approval of responses to new queries faced by HA before it is added to standard question bank
- t. Single interface for management of resources
- u. After minimum time-out period automatic role re-assignment of idle inbound call HAs to outbound call HA roles with the necessary access controls
- v. Call quality monitoring
- w. HA scoring (by defining KPIs).

5.10.1.2 Required key features of IVRS

Some of the key features of IVRS would include:

- a. IVRS should be scalable and provide ease of integration with the other components of MCTFC solution
- b. IVRS should provide option to the caller for selection of language and respond to the caller in the requested language
- c. IVRS shall have a GUI based tool to develop call trees / applications, configure customer types, configure messages based on campaigns, caller group identification etc
- d. Caller may skip menu by pressing the necessary response. At any time during the call the caller may be transferred to the Helpdesk Agent by pressing a pre-defined number
- e. IVRS should be integrated with the CRM and profiles of previous callers can be referenced through their contact number, unique ID, ANM / ASHA worker ID etc. based on caller input
- f. IVRS should be able to retrieve HA availability from Automatic Call Distributor (ACD) and announce expected caller's queue waiting time and queue length
- g. Provide automated responses outside of working hours (based on business rules defined by MoHFW)

5.10.1.3 Required Key features of ACD (Automatic Call Distributor)

Some of the key features of ACD would include:

- a. ACD should handle high-volume calls efficiently
- b. ACD should integrate seamlessly with the IVRS and PBX
- c. Automated dialling modes with
 - i. Algorithm based dialling
 - ii. Progressive dialling

- iii. Rule-based dialling
 - iv. Least Cost Routing
- to ensure maximum connects and minimum Helpdesk Agent idle time
- d. ACD tones and announcement requirements:
 - i. Record new announcements from a pre-recorded file
 - ii. Record new announcements by speaking into a microphone
 - iii. Play flash announcements i.e. short messages played to HA at beginning of call to identify call by region or service type
 - iv. Play intelligent delay announcements i.e. provides the caller an estimate of how long before the call will be answered
 - v. Play standard delay announcements
 - vi. Define maximum time (trigger time) before standard delay announcement plays (able to define different times per business unit)
 - vii. Define delayed time (trigger time) before normal announcements
 - viii. Provide music to callers waiting in queue
 - ix. Provide HAs with personal announcements on skill-based routing of calls
 - e. Queue optimization, allowing the caller the option to be called back
 - f. Abandoned call recovery, to determine the contact number of a missed / abandoned call
 - g. ACD should also have necessary monitoring and reporting capabilities for supervision and monitoring.

5.10.1.4 Required Key features of Voice Logger

Some of the key features of Voice Logger would include:

- a. 100% automatic call recording
- b. Optimal Compression Techniques should be used
- c. Logger should support multiple format support (mp3, wav etc.)
- d. Recording should be sharable amongst HSP personnel and MoHFW through email, bulk transfer for supervisory requirements
- e. Ability to search through call details to locate specific calls as well as matching records
- f. Flexible and easy to implement and integrate with other tools of MCTFC.

5.10.1.5 Required Key features for Reporting

- a. HSP should provide all the system generated reports that are applicable to monitor the SLAs for the project. Reports to provide evidence of SLAs on a monthly / quarterly basis to be submitted to MoHFW like:
 - i. Component based reports
 - ii. System based reports
 - iii. Performance based reports
- b. System should be able to generate reports to aid operational efficiency like:
 - i. Most frequent query analysis and create IVRS self-service module, if required for MoHFW
 - ii. Analysis of queries based on region, call resolution time, first / second level resolution, language chosen by citizen for interaction etc

- iii. HA-wise / HA group wise activity reports (both real-time and historical): login, logout time, idle time, average speed of answer, average handling time, number of dropped calls, number of unresolved queries, number of queries escalated to next level, average or total number of free agents in each group, efficiency of each agent or agent group etc
- iv. Multi-Channel Queue Analysis reports: queue analysis for each channel in terms of total queries per channel, query resolution time for each channel, average or total or maximum queuing time per channel etc
- v. Call analysis: Number of calls answered, number of calls abandoned, average and total call duration for different HAs / groups
- c. Capability of exporting reports into various format such as Excel, Word, plain text etc.

5.10.1.6 Required Key features of Multi-Channel Communication

Some of the key features of Multi-Channel Communication would include:

- a. Universal multi-channel communication which will include: voice calls, voice-mail, IVR, SMS
- b. Handle multi-channel communication through single user interface
- c. Standard business processes for handling query regardless of the initiating channel
- d. Integrate queues for incoming queries from multiple channels and ensure optimum response time regardless of originating channel for the query
- e. Enable / disable a specific channel according to set of rules. Solution should have the capability for including web-chat, web-call backs etc. as future requirement
- f. Shift HA groups from one channel to another depending on the queue load from different communication channels
- g. Any query received in the form of e-mail / any other document etc. should be stored in the CRM.

5.10.1.7 Required Key features of CTI

Some of the key features of CTI would include:

- a. The CTI functionality shall support relevant screen pop-ups on the HA's screen on the basis of CLI, ANI (Automatic Number Identification), DNIS (Dialled Number Identification Sequence)
- b. The CTI shall be suitably integrated with the CRM and other applications used by the HSP to send / receive data which needs to be populated on HA's screen and also update the IVRS usage details into the CRM as the beneficiary / health worker traverses through the IVRS and reaches an HA
- c. The CTI shall enable a computer application to take control of the call flow inside the Switch / EPABX and also allow the computer application to decide the most suitable action / HA for an incoming call
- d. The CTI link shall pass events and information of HA states and changes in HA states as well as incoming calls to the computer applications.

5.10.1.8 Required Key features of Automated Speech Recognition

- a. Automated Speech Recognition (ASR) is the translation of spoken words into text. The system should be able to convert the voice over phone into text which can be used to identify the person
- b. The system should be able to integrate with the application software to records the details of the users
- c. The system should be able to recognise the voice command and convert the voice to text for getting information related to schemes and services
- d. The system should be able to detect and comprehend the voice of Indian population in the languages mentioned in this RFP document.

5.10.1.9 Required Key features of Text to Speech (TTS)

- a. Text-to-Speech (TTS) system converts normal language text into speech; other systems render symbolic linguistic representations like phonetic transcriptions into speech
- b. Quality of text to speech should be comprehensible and understandable by the Indian population
- c. The TTS software should be able to integrate with the IVRS system as per the requirement of the workflow.
- d. TTS software should support multiple regional languages as mentioned in the RFP document and other regional language if required for the project.

5.10.1.10 Required key feature of Call Centre Solution

General Requirement

- i. All components of call centre software (ACD, IVR, Dialer, call recording etc) should be able to integrate with each other.

Technical Specifications for call centre software

- i. The system shall be a converged communication system and shall be based on SIP Communication with Server & Gateway architecture for providing modularity and ease of expansion. The system shall be capable of supporting both IP based hard phones as well as PC based Soft phones.
- ii. The call processing and signaling of the offered system shall be based on open standards. No proprietary protocols shall be used for these components.
- iii. Call Handling: SIP based call centre software provides complete call handling, including call routing, queuing, third-party call control, transferring, conferencing, and agent state tracking to improve customer interaction management
- iv. Dial Plan Support: Features dial plan support enterprise-wide communications and collaborations for effective customer service
- v. Supervisory Tools: It include silent monitoring, whisper coaching and supervisor intrusion with presence information of Agents and Supervisor
- vi. Single Point of Control: Allows all call centre software components (ACD, Multichannel routing-mail, chat, social, IVR, Dialer etc) configurations, Management and Monitoring to be delivered

- from a single point of administrative tool. It should be web based administrative application for access from anywhere on the network
- vii. It shall have web-based GUI console for administration, configuration, operation & management of the system. Same interface support real-time report
 - viii. Administrative Tool should have role based access to system for management, configuration and monitoring
 - ix. The call centre software shall allow routing and distribution of calls based on following criteria:
 - x. Most idle agent
 - xi. Skill based routing such as based on language skills of the agent, skill of agent to handle a specific type of service request, most skilled agent
 - xii. The Solution/platform should support Universal Routing for Voice and Multimedia Channels (SMS)
 - xiii. The solution/platform should support Proactive Voice and Web engagement to provide consistency experience to customer from all communication channels including call centre access from mobile application
 - xiv. The solution/platform should support call centre Routing based on Group/Queue, Service Level and customer intent based on Customer data/customer profile
 - xv. System shall have priority handling, queue status indicator and multiple group support features
 - xvi. The customer must be provided announcement / music in case of queue/delay until the call is answered. If an agent is not available to handle a call, the call must queue for the next available agent.
 - xvii. The system shall allow the supervisor to observe and monitor the agents. This facility shall be available in following ways:
 - 1.) Observe and listen only mode
 - 2.) Listen and whisper mode
 - 3.) Conferencing Mode
 - xviii. The system real-time dashboards report on the supervisor's desktop or on big display which includes statistics on Customer satisfaction/experience (view queues and interactions), Agent operations (view agents and agent groups).
 - xix. System shall allow multiple reasons that a staffed agent can enter that describes the reason for entering the break mode. Reason shall give call centre supervisor information on how agents spend their time.
 - xx. Call centre solution should support multiple languages over the user interface (Agent, Administrator, Supervisor)
 - xxi. Call Centre solution should be capable of integrating with various third party CRMs with use of web-services API and standard connectors (based on web-services API).

5.10.1.11 Required Key features of Enterprise Management System (EMS)

- a. The Enterprise Management System should be used to manage all enterprise resources with a solution that encompasses the heterogeneous networks, systems, applications, PRI Lines, desktops and databases present in the system. It should have the capability to consolidate all the information to one console with a support for providing a web interface

- b. The discovery services in the EMS should discover systems, network devices and the topology. This capability allows for a complete inventory of all visible IT resources
- c. It should have a centralized helpdesk system based on ITIL with call logging, notification, resolution and knowledge base facility
- d. Event management
 - i. The EMS should offer a unique solution to the problem of managing exception events. It should correlate and filter events from different types of IT resources and pinpoint the root cause of a problem
 - ii. This event manager should also permit integrating custom applications with the EMS. It should be used to integrate not only management applications, but also general business applications to make them easier to manage. This event manager should also provide a centralized view of alarms coming from networks, servers and application in one console
 - iii. With event filtering and correlation, multi-level managers and HAs, automatic corrective measure, the EMS should provide comprehensive event management capabilities. It should eliminate the clutter of spurious alarms and simplify the management of complex IT infrastructure
 - iv. It should help to notify through cell phone, e-mail of various / selective events occurring in the enterprise
- e. Software distribution
 - i. The software distribution function should provide flexible and scalable delivery, installation, and configuration of software
 - ii. The software distribution should support customizable distribution schedules, alternate methods, heterogeneous network protocols, diverse operating systems including both push and pull distribution modes
 - iii. Compression should be supported while distributing the software across WAN
 - iv. Furthermore, its integration with the event management functions of the EMS should provide complete tracking, logging and automated correction of failures during the delivery and installation process. In addition, its integration with the security functions of the EMS should enable administrators to deliver software with peace of mind
 - v. It should be possible to store images of the servers and desktops and restore images from the image server. It should distribute the image to the desktops / servers by using the booting from images
- f. Network and server management
 - i. The network management function must monitor performance across heterogeneous networks from one end of the enterprise to the other
 - ii. It should proactively analyze problems to improve network performance
 - iii. The network management function should create a graphical display of all discovered resources
 - iv. The network management function should have extensive reporting facility, providing the ability to format and present data in a graphical and tabular display
 - v. The network management function should collect and analyze the data. Once collected, it should automatically store data gathered in a database. This enterprise-wide data should

- be easily accessed from a central location and used to help with capacity planning, reporting and analysis
- vi. Analyzing network traffic pattern is a very critical component to help in troubleshooting issues related to network traffic congestion. Proposed tool should help in identifying type of traffic flowing based on various applications and protocols for capacity analysis and providing breakup of traffic utilization on critical router interfaces. Tool should help in identifying what applications/ users are generating maximum traffic thus consuming most amount of bandwidth
 - vii. The network management function should also provide information on performance of ethernet segments, including capacity utilization and error statistics for the segment and the top-contributing hosts, WAN links and routers
 - viii. Alerts should be shown on the event management map when thresholds are exceeded and should subsequently be able to inform IT Support and IT Developer & DBA and notify concerned authority using different methods such as SMS, e-mails, etc
 - ix. It should be able to automatically generate a notification in the event of a link failure to ensure proper handling of link related issues
 - x. The proposed network fault management consoles must provide web based topology map view from a single central console. The system should provide discovery and inventory of heterogeneous physical SNMP enabled network devices like Layer-2 and Layer-3 switches, Routers and other IP devices and do mapping of LAN & WAN connectivity with granular visibility up to individual ports level
 - xi. The system must deduce the root cause of the problem and in topology it should visually pinpoint single impacting device
 - xii. The system must be able to 'filter-out' symptom alarms and deduce the root cause of failure in the network automatically
 - xiii. The proposed network management system should provide a detailed business service dashboard view
 - xiv. The system should provide an outage summary that gives a high level health indication for each service as well as the details and root cause of any outage
 - xv. SLA violation alarms must be generated to notify whenever service level requirement is violated or is in danger of being violated
- g. The Systems and Distributed Monitoring (Operating Systems) of EMS should be able to monitor:
- i. Processors: Each processor in the system should be monitored for CPU utilization. Current utilization should be compared against user-specified warning and critical thresholds
 - ii. File Systems: Each file system should be monitored for the amount of file system space used, which is compared to user-defined warning and critical thresholds
 - iii. Log Files: Logs should be monitored to detect faults in the operating system, the communication sub-system and applications. The function should also analyze the files residing on the host for specified string patterns
 - iv. System Processes: The system management function should provide real-time collection of data from all system processes. This should identify whether or not an important process

- has stopped unexpectedly. Critical processes should be automatically restarted using the system management function
- v. Memory: The system management function should monitor memory utilization and available swap space
- vi. Event Log: User-defined events in the security, system and application event logs must be monitored
- h. Reporting
 - i. The reporting and analysis tool should provide a ready-to-use view into the data gathered by management system and service management tools. It should consolidate data from all the relevant modules and transform it into easily accessible business-relevant information. This information should be presented in a variety of graphical formats which can be viewed interactively (slice, dice, drill down, drill through)
 - ii. The tool should allow customers to explore the real-time data in a variety of methods and patterns and then produce reports to analyze the associated business and service affecting issues
 - iii. The presentation of reports should be in an easy-to-analyze graphical form, enabling the administrator to put up easily summarized reports to the management for quick action (customizable reports). The software should be capable of supporting the needs to custom make some of the reports as per the needs of MoHFW
 - iv. Provide historical data analysis: The software should be able to provide a time snapshot of the required information as well as the period analysis of the same in order to help in projecting the demand for bandwidth in the future
- i. PRI Lines monitoring
 - i. The system should be able to monitor the performance of telecom services
 - ii. The system should be able to report the various failures in the PRI lines
 - iii. The availability of the number of channels and average availability of channels
 - iv. Should be able to reports on the call drop and reason for the calls drop
 - v. Should be able to report for any flapping issues identified in the PRI lines
- j. SLA Monitoring
 - i. EMS should integrate with the application software component of MCTFC solution that measures performance of system against SLA parameters defined in Annexure 9
 - ii. EMS should compile the performance statistics from all the IT systems involved and compute the average of the parameters over a specified period and compare it with the SLA metrics laid down in the RFP
 - iii. The EMS should compute the weighted average score of the SLA metrics and arrive at the service charges for a specified period payable to the HSP after applying the system of penalties and rewards
 - iv. The SLA monitoring component of the EMS should be under the control of an entity that is nominated with the mutual agreement of the MoHFW and the HSP so as to ensure that it is in a trusted environment
- k. Web application performance monitoring

- i. The proposed solution must determine if the root cause of performance issues is inside the monitored application, in connected back-end systems or at the network layer from a single console view
- ii. The proposed solution must proactively monitor 100% of real user transactions, detect failed transactions, gather evidence necessary for triage and diagnosis of problems that affect user experiences and prevent completion of critical business processes
- iii. The proposed solution must provide deeper end-to-end transaction visibility by monitoring at a transactional level and without deploying any software at end user desktop. The solution must provide a single view that shows entire end-to-end real user transaction and breaks down time spent within the application components, SQL statements, backend systems and external 3rd party systems
- iv. The proposed solution must provide real-time monitoring of resource utilization
- v. The proposed solution must identify any changes to application configuration files (.xml, properties etc), file system or application code and be able to correlate changes to application performance dynamically in production environments
- vi. The proposed solution must proactively identify any thread usage problems within applications and identify stalled or stuck threads. The proposed solution must also monitor web services across multiple processes
- vii. The proposed solution should allow access to performance data both using a Graphical User Interface (GUI) and web based access and provide ability to monitor performance of applications up to the method level of execution 24x7 in production environments with negligible impact on monitored application
- viii. The proposed solution should measure the end users' experiences based on transactions without necessitating installation of client agents / probes on end-user desktops
- ix. The solution must show out of the box application triage maps that allow to instantly grasp the layout of the applications in the environment in a visual manner to help identify and triage current and emerging problems.

5.10.2 Specification of Hardware

5.10.2.1 Server- Database, Application, EMS, Contact Centre Solution

S. No.	Key Feature – Server	Compliance (Yes/No)
	Offered Make and Model	
1	64 Bit RISC/EPIC/X86 Processor Based System	
2	Two nos. of latest generation minimum 2.0 GHz Clock Speed & 8 Core processors	
3	Blade form factor	
4	Server should be configured with minimum 64 GB DDR3 memory scalable up to 256 GB memory along with ECC and memory mirroring capability	
5	Min 2 x 10 Gigabit Ethernet ports on-board or via redundant full bandwidth PCI-E card(s)	
6	Two Nos. of 8 Gbps FC HBA ports to be provided in redundancy	

S. No.	Key Feature – Server	Compliance (Yes/No)
7	Should be configured with minimum 2 x dual ported 300 GB, 10K rpm, latest SAS/SCSI/FC/SSD Hot pluggable hard drives to be configured with RAID with at least 256 MB cache in the raid controller	
8	Server should be supplied with OEM Server Management software	
9	Servers shall be provided with the capability of being partitioned. In case of partitioning, each partition shall have its own operating system instance, host name and IP address	
	If partitioning required, server should be configured with necessary and all virtualization software to create partitions and manage these partitions	
10	64 bit Operating System and Antivirus Software should be offered with the servers	
11	Operating system offered should include the following features:	
	· Workload management	
	· Patch management system	
	· Dynamic multipath I/O for fibre channel and SCSI I/O paths for disk and tape devices	
12	Server should include 8X or better DVD ROM Drive	
13	All the necessary tools, licenses, connectors for Ethernet / Fibre / USB / Power etc. required for making the system operational shall be provided by the SI/IP	

5.10.2.2 Server Load Balancer

S No	Key Feature	Compliance
1.	Architecture	
2.	Able to synchronize configurations, connection-states and persistence to provide stateful-failover of applications	
3.	Able to be deployed in both Active-Standby and Active-Active setups	
4.	Able to detect system failure or shutdown/reboot, and perform failover to ensure high availability, by using network or serial-connection based heartbeat	
5.	Able to perform failover based on hardware failure, system failure, SSL accelerator failure, switch board failure, network failure and gateway failure	
6.	Able to be deployed in a single arm (single subnet) network topology environment	
7.	Supports SOAP/XML messages from third party applications or devices to modify configuration of the load balancer	
8.	Supports both CLI via SSH and web-based GUI configuration and	

S No	Key Feature	Compliance
	administration	
9.	Able to support multiple partitions/segments	
10.	Able to support links aggregation (802.3ad) and LACP (Link Aggregation Control Protocol)	
11.	Able to support spanning-tree – STP, RSTP (Rapid Spanning Tree Protocol), MSTP (multiple spanning tree protocol)	
12.	Delivery	
13.	Able to load balance ANY IP based application	
14.	Able to support both TCP and stateless UDP (User Datagram Protocol) applications	
15.	Able to support static load-balancing algorithms such as round-robin, ratio and priority (with minimum active members)	
16.	Able to support dynamic load-balancing algorithms such as fastest-response, least-connections, combinations of fastest-response and least-connections, and based on specific server resources (such as CPU, memory, network utilization etc)	
17.	Able to support slow ramping of newly available servers to prevent connection bombing.	
18.	Able to support content based application monitoring, such as HTTP/HTTPS, FTP (passive/active), POP3, IMAP, SIP, SMTP, telnet, RADIUS, LDAP (with TLS or over SSL), Oracle, MySQL and SOAP	
19.	Able to support external customized monitors to perform extended health-checks on the servers and other devices	
20.	Able to support persistence based on SIP (Session Initiated Protocol), SSL session ID, source IP and destination IP	
21.	Able to support different cookie persistence methods such as passive, insert, rewrite and hashing	
22.	Able to support persistence based on any variables in the packet header and payload	
23.	Able to support NAT and NAPT based on source and destination address	
24.	Able to read into HTTP header and make traffic-management decision based on HTTP host, URI, method, version, cookie and browser type etc	
25.	Able to control traffic flow based on the content of both outgoing and returning traffic (bi-directional)	
26.	Able to support a mixed combinations of IPv6 and IPv4 virtual addresses and nodes	
27.	Able to support IPv6-IPv4 and IPv4-IPv6 translations	
28.	Optimization	
29.	Able to provide integrated SSL termination/acceleration, and SSL re-encryption to the servers	

S No	Key Feature	Compliance
30.	Able to aggregate multiple connections to a single server side connection	
31.	Able to transform HTTP1.0 to HTTP1.1 for server connection consolidation	
32.	Able to provide built-in HTTP compression to reduce traffic usage	
33.	Able to support content spooling by accepting and buffering large server response and performing data chunking to the client	
34.	Able to support integrated rate shaping to allocate bandwidth and priority to specific applications	
35.	Able to support multi-store caching of static and dynamic web content (RFC2616)	
36.	Security	
37.	Able to support DoS mitigation through connection proxy	
38.	Able to support packet filtering based on layer 3 to layer 7 information	
39.	Supports cookie encryption to prevent cookie session hijacking, cookie tampering and cookie information leak	
40.	Supports AES (Advanced Encryption Standard) encryption	
41.	General	
42.	Shall be rack-mountable into standard 19"- wide rack	
43.	Tenders shall specify the dimension of the switch	
44.	Shall support Fast Ethernet IEEE 802.3u) and/or Gigabit Ethernet ports (IEEE 802.3ab or 802.3z)	
45.	Shall be able to support the following load balancing algorithms that can be simple to set up and configure	
46.	Round Robin	
47.	Weighted Round Robin	
48.	Least Connections	
49.	Weighted Least Connections	
50.	Maximum Connections	
51.	Response Time	
52.	Observed (Least Conn + Fastest Resp)	
53.	Predictive (Observed over time)	
54.	Dynamic Ratio (Based on server utilization)	
55.	Shall be able to support 'sticky' connections to servers based on the following switching mechanisms:	
56.	URL switching policies	
57.	URL hashing	
58.	Cookie-based	
59.	Cookie-based hashing	
60.	SSL ID based	
61.	shall support at least one or more of the following configuration modes on the	

S No	Key Feature	Compliance
	console:	
62.	Command Line Interface	
63.	Text-menu driven	
64.	GUI-based	
65.	HTTP or HTTPS-based	
66.	shall support the following protocols and standards:	
67.	IEEE 802.3x Flow control	
68.	IEEE 802.1D Spanning Tree Protocol (STP)	
69.	IEEE 802.1p Packet Priority, shall include all eight (8) classes of services	
70.	IEEE 802.1q Virtual LAN (VLAN)	
71.	IEEE 802.1ad Link aggregation	
72.	Should be able to manage SIP traffic	
73.	Physical Specification -	
74.	Should have Optimize Throughput of minimum 20 Gbps at Layer 7	
75.	Should support 4 Million concurrent connection	
76.	Should support 115000 cps at L4 layer	
77.	Should support 15000 cps at L7 layer	
78.	Should support SSL Acceleration	
79.	Should have at least 5000 SSL Transaction per second and can be upgrade to 10000 SSL Transactions per second	
80.	Should have at least 8 - 10/100/1000 ethernet ports	
81.	Should have at least 2 - SFP 1 Gbps fiber/copper ports	
82.	Should support maximum compression capacity of 2Gbps	
83.	Disk capacity 160GB minimum	
84.	Should support RIP,OSPF	

5.10.2.3 SAN

S NO	Key Feature	Compliance
i.	Rack Mountable with dual controller architecture	
ii.	15 TB usable with 600 GB 10K RPM SAS drive in RAID5, The Array should be scalable to 60 TB	
iii.	Mountable in standard 36U rack	
iv.	48 ports, 10/ 100/1000 Base auto-sensing with 2 Nos. SFP slots populated with 2 Nos. of SFP	
v.	The storage array should support industry-leading Operating System platforms including: Windows Server 2008, Windows 2012, VMware, Sun Solaris, HP-UX, IBM-AIX, OpenVMS and Linux	

5.10.2.4 SAN Switch

S No	Key Feature	Compliance
1	Switch should have non - blocking architecture	
2	All 24 ports should be concurrently active	
3	Throughput of each port in the SAN switch should be 4 Gbit/sec full duplex with no over-subscription	
4	All the ports should operate at min 4 Gbps in a non blocking plane	
5	Setting of the port speed to 4 Gbps or 8 Gbps from the lower speed should not impact the other ports in the same port blade	
6	All the SAN switch components should be hot swappable	
7	The SAN switch should provide for redundant hot swappable cooling subsystems	
8	Power supply and fan assembly should have different FRU	
9	The SAN switch should support Virtual Fabrics feature	
10	The SAN switch should provide advanced zoning capabilities	
11	The SAN switch should allow health monitoring capabilities	
12	The SAN switch should allow performance monitoring capabilities	
13	The SAN switch should have support for Web based management	
14	The SAN switch should support CLI	
15	The SAN switch should have proactive fault detection to avoid any hotspots in the fabric	
16	The SAN switch should have alerting capability to avoid any hotspots in the fabric	

5.10.2.5 Core Switch

<u>Sr. No</u>	<u>Key Feature</u>	<u>Compliance</u> <u>(Yes / No)</u>
<u>1</u>	<u>Architecture</u>	
1.1	Shall be modular chassis based switch, 19" Rack Mountable	
1.2	Shall have minimum six slots each of which is available for hot-swappable network port modules	
1.3	The switch shall be based on Programmable-ASIC	
1.4	The switch shall have Dual redundant Management moduler, Power Supply	
1.5	The switch shall support minimum 144 autosensing 10/100/1000 ports or 144 SFPs or 48 10-GbE ports, or a combination	
1.6	The switch shall support SFP+ (Fiber) and Copper (10G-Base T, UTP) 10G capability to allow customer to choose based on the backbone cabling design	
1.7	The switch shall support Non-PoE, PoE and PoE+ Gigabit Line cards	
1.8	The Switch shall have 1 RJ-45 Ethernet out-of-band management and 1 RJ-45 (serial RS-232C) or Micro USB console port	

<u>Sr. No</u>	<u>Key Feature</u>	<u>Compliance (Yes / No)</u>
1.9	The switch shall have minimum 1Gb SDRAM and flash memory supporting storage of multiple configuration files	
2.0	Packet buffer size of minimum 10 MB per module to support video/streaming traffic	
2.1	Shall have minimum routing/switching capacity of 528 Gbps	
2.2	Shall have minimum 392.8 Mpps switching throughput	
2.3	Shall provide Gigabit (1000 Mb) Latency of < 3 μ s and 10 Gbps Latency of < 2.5 μ s	
2.4	The switch shall support service modules to port network applications like Wireless LAN controller module	
2.4	The Switch should have minimum 24 x 10/100/1000 BaseT Port , 24 x 1G SFP Port populated with required Transceivers modules, 8 Port SFP+ Port supporting both 1 and 10Gbps and populated with required Transceivers modules, 8 x 10G BaseT Port	
<u>2</u>	<u>Resiliency</u>	
2.1	Shall have dual, hot-swappable power supplies for redundancy and extended operating lifetime	
2.1	Shall support hot-swappable interface modules, SFP optics, power supplies etc	
2.3	IEEE 802.1D Spanning Tree Protocol, IEEE 802.1w Rapid Spanning Tree Protocol and IEEE 802.1s Multiple Spanning Tree Protocol	
2.4	IEEE 802.3ad Link Aggregation Control Protocol (LACP) up to eight links (ports) per group	
2.5	Shall support distributed trunking or equivalent feature allowing multiple links connected to two switches form a single link aggregation group and act as one logical trunk	
2.6	Shall support VRRP (Virtual Router Redundancy Protocol) to create highly available routed environments	
<u>3</u>	<u>Layer 2 Features</u>	
3.1	MAC address table size of minimum 62000 entries	
3.2	Shall support up to IEEE 802.1Q (4,094 VLAN IDs) and 2000 VLANs simultaneously	
3.3	Shall support GARP VLAN Registration Protocol or equivalent feature to allow automatic learning and dynamic assignment of VLANs	
3.4	Shall have the capability to monitor link connectivity and shut down ports at both ends if uni-directional traffic is detected, preventing loops	
3.5	Shall support Jumbo frames to improve the performance of large data transfers	
3.6	Internet Group Management Protocol (IGMP)	
3.7	Multicast Listener Discovery (MLD) snooping	

<u>Sr. No</u>	<u>Key Feature</u>	<u>Compliance (Yes / No)</u>
3.8	IEEE 802.1AB Link Layer Discovery Protocol (LLDP) and LLDP-MED (Media Endpoint Discovery)	
3.9	IPv6 host and Dual stack (IPv4/IPv6) support to provide transition mechanism from IPv4 to IPv6	
<u>5</u>	<u>Layer 3 Features (any additional licenses required shall be included)</u>	
5.1	Static Routing for IPv4	
5.2	Static Routing for IPv6	
5.3	RIPv1 and RIPv2 routing	
5.4	OSPF (IPv4) and OSPFv3 (IPv6)	
5.5	Border Gateway Protocol (BGP)	
5.6	Policy-based routing	
5.7	Shall include Equal-cost Multipath (ECMP) capability	
5.8	Multicast routing - PIM Sparse and PIM Dense modes	
<u>6</u>	<u>QoS and Security Features</u>	
6.1	Access Control Lists for traffic filtering	
6.2	Source-port filtering or equivalent feature to allow only specified ports to communicate with each other	
6.3	Traffic prioritization based on IP address, IP Type of Service (ToS), Layer 3 protocol, TCP/UDP port number, source port, DiffServ etc	
6.4	Shall support traffic classification into eight priority levels mapped to eight queues	
6.5	Shall support traffic rate-limiting per port	
6.6	Shall support selecting the number of queues and associated memory buffering to meet the requirements of the network applications	
6.7	IEEE 802.1x to provide port-based user authentication with multiple 802.1x authentication sessions per port	
6.8	Media access control (MAC) authentication to provide simple authentication based on a user's MAC address	
6.9	Web-based authentication to provide a browser-based environment to authenticate clients that do not support the IEEE 802.1X supplicant	
6.10	Dynamic Host Configuration Protocol (DHCP) protection to block DHCP packets from unauthorized DHCP servers	
6.11	Port security to allow access only to specified MAC addresses	
6.12	STP BPDU port protection to prevent forged BPDU attacks	
6.14	STP Root Guard to protect the root bridge from malicious attacks or configuration mistakes	
6.15	Dynamic ARP protection blocking ARP broadcasts from unauthorized hosts	
<u>7</u>	<u>Management Features</u>	
7.1	Configuration through the CLI, console, Telnet, SSH and browser-based	

<u>Sr. No</u>	Key Feature	<u>Compliance</u> <u>(Yes / No)</u>
	management GUI (SSL)	
7.2	SNMPv1, v2, and v3 and Remote monitoring (RMON) support	
7.3	sFlow (RFC 3176) or equivalent for traffic analysis	
7.4	TFTP and Secure FTP support	
7.5	Shall have USB support to copy switch files to/from an USB flash drive	
7.6	Dual flash images to provide independent primary and secondary operating system files	
7.7	Multiple configuration files to allow multiple configuration files to be stored to a flash image	
7.8	RADIUS/TACACS+ for switch security access administration	
7.9	Simple Network Time Protocol (SNTP) or equivalent support	
8	<u>Software Defined Networking (SDN) Capability</u>	
8.1	OpenFlow 1.3 protocol capability to enable software-defined networking	
8.2	Allows the separation of data (packet forwarding) and control (routing decision) paths, to be controlled by an external SDN Controller, utilizing Openflow protocol	
9	<u>Environmental Features</u>	
9.1	Shall support IEEE 802.3az Energy-efficient Ethernet (EEE) to reduce power consumption	
9.2	Operating temperature of 0°C to 45°C	
9.3	Safety and Emission standards including EN 60950; IEC 60950; CSA 22.2 No. 60950; EN 55022/CISPR 22 Class A, FCC part 15 Class A	
10	<u>Warranty and Support</u>	
	The below Warranty shall be offered directly from the switch OEM.	
10.1	Five Year warranty with advance replacement and next-business-day delivery	
10.2	Software upgrades/updates shall be included as part of the warranty	

5.10.2.6 Core Router

<u>Sr. No</u>	Key Feature	<u>Compliance</u> <u>Yes / No</u>
1	Hardware Details	
1.1	Router shall have advanced Multi-Service Architecture delivering enhanced, integrated data and security services	
1.2	The router shall have 4 Ports of 100/1000 BaseT Mbps Ethernet ports (RJ-45) with 2 Shared 1G SFP Port supporting WAN & LAN	
1.3	The router shall have minimum 4 free slots to support LAN/WAN interface cards like 1Gbps Ethernet, Serial V.35, E1, STM-1, PRI for future upgrade purpose	
1.4	The router shall have minimum 2GB DRAM and 256MB Flash Memory	
1.5	The router shall be 19" Rack Mountable (any hardware required shall be offered)	

<u>Sr. No</u>	Key Feature	<u>Compliance</u> <u>Yes / No</u>
1.6	The router shall have internal redundant power supply	
<u>2</u>	Performance	
2.1	Router shall support forwarding performance minimum 2.5 Mpps	
2.2	Router shall support minimum 500k active IPv4 and IPv6 routes	
2.3	Router shall support minimum 1.5 Gbps IPSec encryption in hardware	
2.4	Router shall have internal Redundant Power Supply (RPS).	
C	Features (Any licenses required shall be included)	
1	The router shall support WAN Protocols - PPP, HDLC, PPPoE, ISDN etc	
2	The router shall support IP Routing Protocols (IPv4) - Static Routing, RIP, OSPF, BGP, and IS-IS	
3	The router shall support IP Routing Protocols (IPv6) - Static Routing, RIPng, OSPFv3, BGP+, and IS-ISv6	
4	The router shall support Multicast routing protocols for IPv4 and IPv6 - PIM-DM, PIM-SM etc	
5	The router shall support Policy-based routing	
6	The router shall have QoS features including Traffic policing, shaping, Congestion management, congestion avoidance	
7	The router shall have embedded security capabilities like Firewall, IPSec for IPv4 and IPv6 and ACL Filtering for IPv4 and IPv6	
8	The router shall have IPv6 transition mechanisms like NAT-PT, Tunneling	
9	The router should have support for Data, Voice & Video services.	
D	Management	
1	SNMP V1/V2c/V3, RMON/sFlow	
2	RAD;IUS/TACACS+ for management security	
3	Integrated console port (CLI) provided with console cable	
E	Warranty & Support	
1	Bidders should quote comprehensive warranty directly from OEM for period of 5 years from date of supply	
2	A confirmation from OEM on back to back support will be required before final AT sign off	

5.10.2.7 Network Switch

<u>Sr. No</u>	Key Feature	<u>Compliance</u>
<u>1</u>	<u>Architecture</u>	
1.1	Shall be 1RU, 19" Rack Mountable	

<u>Sr. No</u>	<u>Key Feature</u>	<u>Compliance</u>
1.2	24 RJ-45 autosensing 10/100/1000 ports with 4 dual-personality ports, auto-sensing 10/100/1000Base-T or SFP	
1.3	The switch shall support up to four 10-Gigabit ports and stacking module/ports in addition to the above ports	
1.4	The switch shall support SFP+ (Fibre) and Copper (10G-Base T, UTP) 10G capability to allow customer to choose based on the backbone cabling design	
1.5	1 RJ-45 (serial RS-232C) or USB micro-B console port	
1.6	1 RJ-45 Ethernet out-of-band management port	
1.7	512 MB SDRAM and 1 GB flash memory	
1.8	Packet buffer size of minimum 10 MB to support video/streaming traffic	
1.9	Shall have switching capacity of 128 Gbps for providing non-blocking performance on 24 x Gigabit and four 10-Gigabit ports	
2.0	Shall have up to 95 million pps switching throughput to achieve wire-speed forwarding on 24 x Gigabit and four 10-Gigabit ports	
2.1	Shall provide Gigabit (1000 Mb) Latency of < 4 μ s and 10 Gbps Latency of < 3.5 μ s	
<u>2</u>	<u>Resiliency</u>	
2.1	Shall have the capability to make multiple switch units into a single virtual device using stacking technology	
2.2	The modules/cables to create stack shall be included along with the switches	
2.3	Shall support up to 80 Gbps (bi-directional) stacking bandwidth in a resilient stacking configuration	
2.4	Shall have modular, removable power Supply	
2.5	Shall support internal or external redundant power supply	
2.6	IEEE 802.1D Spanning Tree Protocol, IEEE 802.1w Rapid Spanning Tree Protocol and IEEE 802.1s Multiple Spanning Tree Protocol	
2.7	IEEE 802.3ad Link Aggregation Control Protocol (LACP) up to eight links (ports) per group	
<u>3</u>	<u>Layer 2 Features</u>	
3.1	MAC address table size of 16000 entries	
3.2	Shall support up to IEEE 802.1Q (4,094 VLAN IDs) and 256 VLANs simultaneously	
3.3	Shall support GARP VLAN Registration Protocol or equivalent feature to allow automatic learning and dynamic assignment of VLANs	
3.4	Shall have the capability to monitor link connectivity and shut down ports at both ends if uni-directional traffic is detected, preventing loops	
3.5	Shall support Jumbo frames to improve the performance of large data transfers	

<u>Sr. No</u>	<u>Key Feature</u>	<u>Compliance</u>
3.6	Internet Group Management Protocol (IGMP)	
3.7	Multicast Listener Discovery (MLD) snooping	
3.8	IEEE 802.1AB Link Layer Discovery Protocol (LLDP) and LLDP-MED (Media Endpoint Discovery)	
3.9	IPv6 host and Dual stack (IPv4/IPv6) support to provide transition mechanism from IPv4 to IPv6	
<u>5</u>	<u>Layer 3 Features (any additional licenses required shall be included)</u>	
5.1	Static Routing for IPv4	
5.2	Static Routing for IPv6	
5.3	Shall include Equal-cost Multipath (ECMP) capability	
5.4	RIPv1 and RIPv2 routing	
5.5	DHCP, DHCPv6 (client and relay)	
<u>6</u>	<u>QoS and Security Features</u>	
6.1	Access Control Lists for traffic filtering	
6.2	Source-port filtering or equivalent feature to allow only specified ports to communicate with each other	
6.3	Traffic prioritization based on IP address, IP Type of Service (ToS), Layer 3 protocol, TCP/UDP port number, source port, DiffServ etc	
6.4	Shall support traffic classification into eight priority levels mapped to eight queues	
6.5	Shall support traffic rate-limiting per port	
6.6	Shall support selecting the number of queues and associated memory buffering to meet the requirements of the network applications	
6.7	IEEE 802.1x to provide port-based user authentication with multiple 802.1x authentication sessions per port	
6.8	Media access control (MAC) authentication to provide simple authentication based on a user's MAC address	
6.9	Web-based authentication to provide a browser-based environment to authenticate clients that do not support the IEEE 802.1X supplicant	
6.10	Dynamic Host Configuration Protocol (DHCP) protection to block DHCP packets from unauthorized DHCP servers	
6.11	Port security to allow access only to specified MAC addresses	
6.12	STP BPDU port protection to prevent forged BPDU attacks	
6.14	STP Root Guard to protect the root bridge from malicious attacks or configuration mistakes	
6.15	Dynamic ARP protection blocking ARP broadcasts from unauthorized hosts	
<u>7</u>	<u>Management Features</u>	

<u>Sr. No</u>	<u>Key Feature</u>	<u>Compliance</u>
7.1	Configuration through the CLI, console, Telnet, SSH and browser-based management GUI (SSL)	
7.2	SNMPv1, v2, and v3 and Remote monitoring (RMON) support	
7.3	sFlow (RFC 3176) or equivalent for traffic analysis	
7.4	TFTP and Secure FTP support	
7.5	Dual flash images to provide independent primary and secondary operating system files	
7.6	Multiple configuration files to allow multiple configuration files to be stored to a flash image	
7.7	RADIUS/TACACS+ for switch security access administration	
7.8	Simple Network Time Protocol (SNTP) or equivalent support	
7.9	Shall have Digital optical monitoring of transceivers to allow detailed monitoring of the transceiver settings and parameters	
8	<u>Software Defined Networking (SDN) Capability</u>	
8.1	OpenFlow 1.3 protocol capability to enable software-defined networking	
8.2	Allows the separation of data (packet forwarding) and control (routing decision) paths, to be controlled by an external SDN Controller, utilizing Openflow protocol	
9	<u>Environmental Features</u>	
9.1	Shall be RoHS Compliant	
9.2	Shall support IEEE 802.3az Energy-efficient Ethernet (EEE) to reduce power consumption	
9.3	Maximum power consumption of 70 Watts	
9.4	Operating temperature of 0°C to 50°C	
9.5	Safety and Emission standards including EN 60950; IEC 60950; VCCI Class A; FCC part 15 Class A	
10	<u>Warranty and Support</u>	
	The below Warranty shall be offered directly from the switch OEM	
10.1	Five Year warranty with advance replacement and next-business-day delivery	
10.2	Software upgrades/updates shall be included as part of the warranty	

5.10.2.8 Media gateway

<u>S.No</u>	<u>Key Feature</u>	<u>Compliance (Yes / No)</u>
1	<u>General Specifications</u>	
1.1	Media gateway should have a blade architecture	
1.2	Media gateway should be 1U high, 19-inch wide rack mountable	

S.No	Key Feature	Compliance (Yes / No)
1.3	Media gateway should have DSP based architecture with no performance degradation when converting TDM to SIP trunks with enabled voice compression coders	
1.4	Media gateway should work standalone and process calls without any external call server	
1.5	Media gateway should have inbuilt dial plan execution capabilities	
1.6	Media gateway should have inbuilt voice routing capabilities to various SIP and TDM trunks	
1.7	Media gateway should have capability to support different voice codec for different trunk / channels or same codec for all trunks	
1.8	Media gateway should have capability to work in heterogenous environments	
1.9	Media gateway should have home grown DSPs and SIP Stack	
1.10	Media gateway should have flexible and inbuilt number manipulation capabilities before and after routing the call	
1.11	Media gateway should be future ready and able to utilize DSPs (Digital Signal Processor) for IP-IP transcoding of voice calls to perform voice compression	
1.12	Media gateway should have highly interoperable SIP stack. The equipment manufacturer should have in house SIP stack and DSPs development to support future extensions in SIP (Session Initiation Protocol) protocol and related technology on same hardware	
1.13	Media gateway should support local Survivability feature	
1.14	Media gateway should have capability to register IP phones in survivability mode	
1.15	Media gateway should have inbuilt capability to route calls to PSTN (Public Switched Telephone Network) or fallback to other private TDM telephony network in case of IP connectivity failure or branch network isolation	
1.16	Media gateway should have support of IPv4, IETF RFC 3550, RFC 3551 RTP/IP Transport, TCP, UDP, RFC3267, RFC 3558 RTP/UDP/IP	
2	Hardware and interface requirements	
2.1	Media gateway should have dual redundant 10/100 LAN ports to connect to IP network	
2.2	Media gateway should have 8 E1/T1 ports to terminate voice digital trunks and should be scalable to 16 E1/T1 ports on the same chassis without any additional hardware	

S.No	Key Feature	Compliance (Yes / No)
2.3	Media gateway should have support of Euro ISDN, PRI, CCS, QSIG and CAS as TDM protocol variants	
2.4	Media gateway should have capability to support different TDM protocol variants for different trunks connected on gateway	
2.5	Media gateway should have capability to upload flexible script to support various CAS variants	
2.6	Media gateway should support SS7 to SIGTRAN (Signaling transport over IP). Media gateway should have inbuilt signaling gateway support	
2.7	Media gateway should support MTP2, MTP3 terminations on TDM side and SIGTRAN, M2UA, M3UA on IP side	
2.8	Media gateway should support ISDN call transfer scenarios like ECT , TBCT	
2.9	Media gateway should support ISDN QSIG supplementary services	
2.10	Media gateway should support SIP, H.248, MGCP as a control protocols	
2.11	Media gateway should have clock generation and synchronization on TDM interfaces	
2.12	Media gateway should have internal redundant AC power supply	
3	Voice over IP features	
3.1	Media gateway should provide following voice coders enabled on all channels without any capacity reduction	
3.2	a) G.711	
3.3	b) G.723	
3.4	c) G.726/7	
3.5	d) G.729A	
3.6	e) G.729B	
3.7	f) GSM	
3.8	Media gateway should have capability of Independent dynamic voice coder selection per channel	
3.9	Media gateway should have configurable packetization time up to 120ms for each voice coders	
3.10	Media gateway should have capability to perform automatic echo cancellation. G.165 and G.168-2002, with 32, 64 or 128 tail length	
3.11	Media gateway should have capability to support echo cancellation on PSTN side	
3.12	Media gateway should have QoS (quality of service) with 802.1p/Q VLAN tagging and DiffServ	
3.13	Media gateway should provide voice quality enhancement. e.g. packet	

S.No	Key Feature	Compliance (Yes / No)
	loss concealment	
3.14	Media gateway should support voice call quality monitoring of calls passing through the device with RTCP-XR. External report collection server may be added in future	
3.15	Media gateway should have capability to support echo cancellation on IP side	
3.16	Media gateway should have dynamic programmable jitter buffer	
3.17	Media gateway should have CNG (Comfort Noise Generation) feature	
3.18	Media gateway should have VAD (Voice activity detection) feature	
3.19	Media gateway should have Silence Suppression feature to save bandwidth	
3.20	Media gateway should have DTMF/MF detection and generation capability towards IP-side and PSTN-side	
3.21	Media gateway should comply with RF2833 and RFC 4733 compliant DTMF relay over IP network	
3.22	Media gateway should have SIP INFO support for out of band DTMF delivery	
3.23	Media gateway should support answering machine detection	
3.24	Device should support call progress tones detection and generation	
3.25	Media gateway should support automatic Fax/Modem detection and reliable transport T.38 (IP) compliant Group 3 fax and modem bypass (with automatic fallback to G.711) support	
3.26	Media gateway should have MLPP support over E1 trunk to PBX	
3.27	Media gateway should have TLS and SRTP support for signaling and media security	
3.28	Media gateway should have IPsec support for control and management protocols/interfaces	

5.10.2.9 Firewall UTM

S. No.	Key Feature	Compliance (Yes/No)
A.	General Requirements:	
1	The Firewall must be appliance based and should facilitate multi-application environment	
2	The Firewall should be ICSA Labs certified for ICSA 4.0 and EAL 4 certified, if not the same model	
3	The platform should be based on real-time, secure embedded operating system	
4	Should support minimum 8 virtual firewall or more	

S. No.	Key Feature	Compliance (Yes/No)
5	The proposed system shall support unlimited IP/User license for Firewall / VPN (IPSec & SSL)/ IPS/WCF/AV	
6	Should provide a Http, Https, SSH, Telnet, SNMP based management console for managing and configuring various components of the appliance	
7	The device should belong to a family of products that attains NSS Approved Certification	
8	The device should belong to a family of products that attains IPv6 Ready Phase 2 & IPv6 Certification	
9	The Firewall Appliance should be rack mountable	
B.	Networking & System Performance Requirements:	
1	The Firewall should support a minimum of 2x10GbE SFP+ interface, 8 x 10/100/1000 interfaces with auto sensing capacity and 4x 1GbE SFP Ports	
2	The platform should support the standards based Link aggregation technology (IEEE 802.3ad) to achieve higher bandwidth	
3	The Firewall should support IEEE 802.1q VLAN Tagging with about 512 VLANs supported (in NAT/Route mode)	
4	Should support automatic ISP failover as well as ISP load sharing for outbound traffic	
5	The Firewall should support Dynamic Routing Protocol for RIP1 & 2, OSPF, OSPFv3, BGP4, RIPng	
6	The Firewall should support Static, Policy Based, and Multicast routing	
7	The Firewall should support throughputs of 18 Gbps or better	
8	The firewall should support throughput of at least 6.0 Gbps of AES - IPSEC VPN	
9	should support at least 7 Million concurrent session	
10	Should support new session per second at least 180,000	
11	Should support and IPS throughput of 5.0 GBPS or better	
12	Should support and GAV throughput of upto 2.5 Gbps	
13	Should support Site to Site VPN Tunnels up to 1,000 and 200 SSL VPN license must be provided, separate appliance can be quoted for SSL VPN if required	
C.	Operating System & Management Requirements:	
1	Be proprietary to prevent inheriting common OS vulnerabilities	
2	Allow multiple OS firmware image for booting options	
3	Upgradeable via Web UI or TFTP	
4	Be easily backup or restored via GUI and CLI to/from local PC, remote centralized management or USB disk	
5	The system shall support profile base login account administration, offering gradual access control such as only to Policy Configuration & Log Data Access	
6	The proposed system shall be able to limit remote management access from	

S. No.	Key Feature	Compliance (Yes/No)
	certain trusted network or host with corresponding administrator account	
7	The proposed system should be able to facilitate administration audits by logging detailed activities to event log for management & configuration updates	
8	The administrator authentication shall be facilitated by local database, PKI & remote services such as Radius, LDAP and TACAS+	
9	The Firewall must be capable of clustering multiple firewalls together into a redundant and highly available stateful configuration without any extra license cost for creating HA	
D.	Firewall Requirements:	
1	The Firewall should support deployment modes as; "Stealth Mode" or "Route Mode" or "Transparent Mode" or "Proxy Mode"	
2	The proposed system should have integrated Traffic Shaping / QoS functionality	
4	Should support DHCP server & DHCP Agent functionality	
5	The Firewall should support Stateful inspection with Mandatory Policy based NAT (Static OR Dynamic)	
6	The Firewall should support Inbound Port Forwarding with Mandatory inbound Load Balancing	
7	Should support IPv6 ACL to implement security Policy for IPv6 traffic	
8	All internet based applications should be supported for filtering like Telnet, FTP,SMTP, HTTP, DNS, ICMP, DHCP, RPC,SNMP, BGP, IMAP, NFS etc	
9	Should be able to inspect HTTP and FTP traffic when these are deployed using non standard port(i.e when HTTP is not using standard port TCP/80)	
E.	High Availability Requirements:	
1	The firewall must support Active-Active as well as Active-Passive redundancy	
2	The Firewall must support stateful clustering of multiple active firewalls and the firewalls must load balance the traffic between them to share the load	
3	The cluster should support simple and minimal downtime during upgrade	
F.	IPSEC VPN Requirements:	
1	The IPSEC VPN and SSL VPN capability shall minimally attain Internet Computer Security Association (ICSA) Certification or equivalent	
2	The proposed system shall comply/support industry standards, L2TP, PPTP, IPSEC, and SSL VPN without additional external solution, hardware or modules:	
3	The device shall utilize inbuilt VPN supported for:	
3.1	IPSEC (DES, 3DES, AES) encryption/decryption	
3.2	SSL encryption/decryption	
4	The system shall support the following IPSEC VPN capabilities:	
4.1	Multi-zone VPN supports	
4.2	IPSec, ESP security	
4.3	Supports Aggressive and Dynamic mode	

S. No.	Key Feature	Compliance (Yes/No)
4.5	Support perfect forward secrecy group 1 and group 2 configuration	
4.6	MD5 or SHA1 authentication and data integrity	
4.7	Automatic IKE (Internet Key Exchange) and Manual key exchange	
4.8	Supports NAT traversal	
4.9	Supports Extended Authentication	
4.10	Supports Hub and Spoke architecture	
4.11	Supports Redundant gateway architecture	
4.12	DDNS support	
G.	SSL VPN Requirements:	
1	The Firewall should be integrated solution for SSL VPN	
2	The Firewall should support for TWO modes of SSL VPN:	
2.1	Web-only mode: for thin remote clients equipped with a web browser only and support web application such as: HTTP/HTTPS PROXY, FTP, SMB/CIFS, SSH, VNC, RDP	
2.2	Tunnel mode, for remote computers that run a variety of client and server applications	
3	The system shall provide SSL VPN tunnel mode that supports 32 and 64-bit Windows operating systems	
4	The proposed solution shall allow administrators to create multiple bookmarks to add to a group and make these bookmarks available for SSL-VPN users	
H.	Network Intrusion Detection & Prevention System Requirements:	
1	The IPS capability shall minimally attain Internet Computer Security Association (ICSA) NIPS or NSS or equivalent Certification	
2	Should have a built-in Signature and Anomaly based IPS engine on the same unit	
3	Able to prevent denial of service and Distributed Denial of Service attacks	
4	Signature based detection using real time updated database	
5	Anomaly based detection that is based on thresholds	
6	Administrator shall be able to configure DoS policies that are used to associate DoS settings with traffic that reaches an interface based on defined services, source and destinations IP/Range	
7	The device shall allow administrators to create Custom IPS signatures	
8	IPS Signatures can be updated via pull technology or push technology. Administrator can schedule to check for new updates or if the device has a public IP address, updates can be pushed to the device each time an update is available	
9	Configurable IPS filters to selectively implement signatures based on severity, target (client/server), protocol, OS and Application types	
10	Supports automatic security updates directly over the internet. (i.e. no dependency of any intermediate device)	

S. No.	Key Feature	Compliance (Yes/No)
11	Security check updates do not require reboot of the unit	
12	Supports attack recognition inside IPv6 encapsulated packets	
13	Supports user-defined signatures with Regular Expressions	
14	Supports several prevention techniques including drop-packet, tcp-rst (Client, Server & both) etc. List all prevention options	
I.	Antivirus System Requirements:	
1	The Antivirus capability shall minimally attain Internet Computer Security Association (ICSA) or equivalent AV Certification	
2	The proposed system should be able to block, allow or monitor only using AV signatures and file blocking based on per firewall policy	
3	The System should be able to scan following Protocols:	
3.1	HTTP and HTTPS	
3.2	SMTP	
3.3	POP3	
3.4	IMAP	
3.5	Instant Messenger (AIM, YAHOO!, MSN, ICQ, SIMPLE)	
3.6	NNTP	
4	The proposed system shall provide ability to allow, block and intercept (allow but quarantine) attachments or downloads according to file extensions and/or file types	
5	AV Signatures can be updated via pull technology or push technology. Administrator can schedule to check for new updates or if the device has a public IP address, updates can be pushed to the device each time an update is available	
6	The proposed system should be able to block or allow oversize file based on configurable thresholds for each protocol types and per firewall policy	
7	The solution should be capable scanning Encrypted VPN tunnel traffic originating from the unit for virus	
J.	Web & Application Content Filtering System Requirements:	
1	The proposed system should have integrated Web Content Filtering solution without external solution, devices or hardware modules	
2	URL database should have atleast 40 million + sites and 75 + categories	
3	The proposed solution should be able to enable or disable Web Filtering per firewall policy or based on firewall authenticated user groups for both HTTP and HTTPS traffic	
4	Should blocks web plug-ins such as ActiveX, Java Applet and Cookies	
5	Shall include Web URL block	
6	Shall include Web Exempt List	
7	The proposed solution should be able to replace the web page when the web	

S. No.	Key Feature	Compliance (Yes/No)
	page matches the Web Filtering blocking criteria	
8	The proposed solution shall be able to identify, retrieve and rate the actual URL of the cache content commonly available in search engines such as Yahoo and Google	
9	The solution shall allow administrators to create multiple new local URL filtering categories besides dynamic categories	
10	Many web sites use HTTP redirects legitimately; however, in some cases, redirects may be designed specifically to circumvent web filtering, as the initial web page could have a different rating than the destination web page of the redirect. The solution shall be able to rate redirected sites	
11	The solution shall be capable of rating URLs by domain and IP address which sends both the URL and the IP address of the requested site for checking, providing additional security against attempts to bypass the rating system	
12	Should have application control feature	
13	Should have the intelligence to identify & control of popular IM & P2P applications like KaZaa, BitTorrent etc	
14	Should have minimum database of 1500 types of application awareness	
K.	Data Leak Prevention Requirements:	
1	Should have the ability to prevent data loss through SMTP, FTP, HTTP, HTTPS & IM	
2	Should have built in pattern database	

5.10.2.10 Intrusion Prevention System (IPS)

S No	Key Feature	Compliance
1.	IPS should be available as a plug-n-play appliance.	
2.	IPS should support open source as the underlying operating system	
3.	Monitoring interfaces operate at layer 2, thus requiring no IP address or network reconfiguration	
4.	The appliance have inspected throughput of 2 Gbps for all kinds of ecommerce and web traffic	
5.	The appliance monitors upto 4 inline segment and has 8 10/100/1000 interfaces for the same	

5.11 Annexure 11: SLA requirement for the existing HSP

I. The SLA score will be calculated based on the following table:

Serial No.	SLA parameter	High level	Medium Level	Low Level
1	Availability of the Helpdesk Agents	100% Full payment	Between 99% and 95% 10% deduction from the monthly OPEX bill	Less than 95% 20% deduction from the monthly

				OPEX bill
2	Availability of the MCTFC solution as per the scope of work	100% Full payment	Between 99% and 95% 10% deduction from the monthly OPEX bill	Less than 95% 20% deduction from the monthly OPEX bill

5.12 Annexure 12: Scope of Work and SLAs of Telecom Service Provider

PART-I: Requirements of PRI Lines:

- The MCTFC would start with 86 (eighty-six) seat capacity. The TSP will provide integration for mapping with single number short code. For redundant and inbound PRI lines integration will also be the responsibility of subsequent service provider.
- Hence, there is a requirement to set-up (3+1) outbound initially and expandable for PRI Lines of 30 channels each to manage the call volumes. Therefore, 3 outbound PRI line would be procured from the successful (L-1) bidder on fibre. For Inbound calls, initial requirement is to set-up (1) PRI Lines and PRI lines will expandable for additional PRI lines of 30 channels each to manage the call volumes. However, one backup PRI would be procured from the successful bidder as backup on RF (wireless) for both inbound and outbound calls.
- Each PRI line should have 50 DID numbers.
- MCTFC shall work seven days a week having single shift timings. These timings and number of shifts may vary as per the requirement of the Ministry of Health and Family Welfare. MCTFC would be operational for at least 9 hours a day. Hence the SLA related to network availability (as mentioned in SLA) would be considered with respect to the working hours of MCTFC and subsequently as per the working hours of the HSP.
- PBX and other related necessary hardware like PRI Cards will be provided by HSP.
- The PRI line maintenance and support shall be with the service provider and associated cost in this regard would be borne by them.
- The one-time cost for telecom infrastructure like Fibre Cabling, MUX, RF Tower, Antenna, Modem, cabling till Project site PBX etc for PRI lines both on wired and on RF including all statutory cost made towards obtaining PRI lines shall be borne by Telecom Service Provider.
- The selected TSP will ensure simultaneous inbound / outbound calls from all the channels of the PRI lines.

PART-II: SERVICE LEVEL AGREEMENT (SLA)

- The service provider will provide operational flexibility.
- The service provider will ensure uptime of 99.5% for working hours of MCTFC. Following SLA penalty criteria would be followed with respect to the network availability:

S. No.	Network availability during the period (month)	Penalty
1.	Network availability during working hours $\geq 99.2\%$	0% of the monthly bill amount
2.	$95.2\% \leq$ network availability during working hours $\leq 99.19\%$	15% of the monthly bill amount
3.	Network availability during working hours $\leq$	25% of the monthly bill amount & also

Request for Proposal (RFP)

	95.19%	liable for termination of the contract if network availability remains $\leq$ 95.19% for two or more consecutive months.
--	--------	--

- c. The service provider will provide last mile connectivity on fibre and backup on RF (wireless)
- d. The service provider will provide continuous monitoring of E1 links.
- e. There will not be any dependence for addition of further lines.
- f. The service provider will provide mention and reduced points of failure with fibre upto EPABX.
- g. The service provider will provide customized bill analytical tool to help analyze call type and bill usage.
- h. The service provider will provide neater interconnection.
- i. The service provider will provide 24 X 7 dedicated support by service relationship manager.
- j. The service provider will provide congestion free network.
- k. The service provider will provide regular traffic reports.

End of Volume I of the RFP