



Grid – Introduction

ATLAS-D Physics Meeting Göttingen 2021

Dr. Gen Kawamura

II.Physikalisches Institut, Universität Göttingen


Overview (30mins)

- Introduction to ATLAS Grid computing
 - Concepts
 - Certificate Authorities and VOMS
 - ATLAS Grid computing & WLCG Resources
 - Grid job
 - Grid user interface (CLI) and CVMFS
- PanDA (ATLAS job management system)
- Rucio (ATLAS data management system)
 - Rucio basic concept
 - RSE expressions
 - ATLAS Resources (in Germany)
- ATLAS Metadata Interface (AMI)
- Links ad references
- Bakckup
 - Job allocation (a tip)

Introduction to ATLAS Grid Computing



Introduction to Grid computing - 1




Introduction to Grid computing - 2

- Classification of Grid
 - Based on Globus toolkit
 - Globus toolkit
 - gLite (developed for LCG – LHC Computing Grid)
 - NorduGrid
 - TeraGrid
 - UNICORE
 - Cloud computing
 - Amazon
 - Google
 - Yahoo
 - Microsoft
 - Etc...
- Workload balancing system
 - Sun Grid Engine (SGE)
 - LSF
 - OpenPBS
 - HT-Condor
- Community Grid (using idle resources, cycle stealing)
 - BOINC
 - SETI@HOME
 - [LHC@HOME](#)
- Application
 - Computational Grids, Data Grids

Introduction to Grid computing - 3

Job Workflow in gLite-WMS



GSI - 1


- GSI: Grid Security Infrastructure
 - Key concepts
 - PKI
 - Digital signature
 - Certificates
 - Authentication/Authorization
 - Delegation and single sign-on
 - Extra
 - Virtual Organization (VO)

GSI - 2

- GSI: Grid Security Infrastructure
 - Proxy certificate
 - Local *voms-proxy-init* command generate a PKI key pair, and Grid user certificate can sign on it

Proxy certificate - 1

- Generating a new certificate = proxy certificate



Proxy certificate - 2

- Virtual Organization (VO), VOMS
 - VOMS extends a certificate with a VO

Certificate Authority



VOMS server

VOs



Certificate Authorities and VOMS


- Germany (FZK)

- <https://gridka-ca.kit.edu/>



- CERN

- <https://ca.cern.ch/ca/user/Request.aspx?template=EE2User>



Certificate Authorities and VOMS


- VOMS top page
 - <https://voms2.cern.ch:8443/>
- VOMS ATLAS (request your ATLAS VO)
 - <https://voms2.cern.ch:8443/voms/atlas>
- VOMS ATLAS users in Germany
 - <https://voms2.cern.ch:8443/voms/atlas/services/VOMSCompatibility?method=getGridmapUsers&container=/atlas/de>



ATLAS Grid computing and WLCG resources - 1

- LHC multi-tier structure

- WLCG = Worldwide LHC Computing Grid



Tier-0: Raw data, Data store (in tape), Pre-processing, Reconstruction


Tier-1: National LCG-Centre, faster network connections and larger storage spaces (e.g. Tape), MC production, user analysis, etc.

Tier-2: University or Facility level computing sites. MC production, user analysis, etc.

ATLAS Grid computing and WLCG resources - 1

- LHC multi-tier structure

- WLCG = Worldwide LHC Computing Grid



Tier-0: Raw data, Data store (in tape), Pre-processing, Reconstruction

Tier-1: National LCG-Centre, faster network connections and larger storage spaces (e.g. Tape), MC production, user analysis, etc.

Tier-2: University or Facility level computing sites. MC production, user analysis, etc.

ATLAS Grid computing and WLCG resources - 2

- FZK Tier-1




Forschungszentrum Karlsruhe
in der Helmholtz-Gemeinschaft



- BNL Tier-1




21




15

ATLAS Grid computing and WLCG resources - 2

- FZK Tier-1



Forschungszentrum Karlsruhe
in der Helmholtz-Gemeinschaft



FZK Computing centre



ATLAS Grid job - 1

- Some technical terms you may often need (however not in Physics)
 - User certificate, proxy certificate, CA, Virtual Organization (VO), VOMS, authentication, authorization, Computing Element, Storage Element, Worker nodes, Workload Management System, data management system, Job, data replica, information provider, site




ATLAS Grid job - 2



WLCG
Worldwide LHC Computing Grid

Job
Status

- How do they work?




ATLAS Grid job - 3



WLCG
Worldwide LHC Computing Grid

Job
Status

- How do they work?





ATLAS Grid job - 4



WLCG
Worldwide LHC Computing Grid

- How do they work?




ATLAS Grid job - 5



WLCG
Worldwide LHC Computing Grid

- How do they work?




ATLAS Grid job - 6



WLCG
Worldwide LHC Computing Grid

- How do they work?




ATLAS Grid job - 7



WLCG
Worldwide LHC Computing Grid

- How do they work?



ATLAS Grid job - 8



WLCG
Worldwide LHC Computing Grid

- How do they work?




Grid User Interface and CVMFS


- Grid client software originally supported by *European Middleware Initiative* (EMI)
- CVMFS is a remote repository using FUSE file system
 - e.g. /cvmfs/atlas.cern.ch → A repository of all client software we need
 - Internally using HTTP → Need of network access
- Panda client using ATLAS PanDA server is a tool to manage jobs
 - BigPanda monitoring system provides a Web interface
- Rucio client is a tool to interact with data



Just try it out!




PanDA (ATLAS Job Management System)




WLCG
Worldwide LHC Computing Grid

Build job & Run job



Event level processing

- Task (calculation) can be split by evenl level handler
 - Event Level Handler can generate basic pilot jobs according to events in given file(s)



Monitoring PanDA jobs (1/5)

Go to: <http://bigpanda.cern.ch> and enter your jediTTaskID

here →

The dashboard displays three stacked bar charts showing the number of slots of running jobs. The left chart covers 24 hours from 2014-10-06 09:00 to 2014-10-07 09:11 UTC. The middle chart covers 7 days from 2014-09-30 to 2014-10-07. The right chart covers 29 days from 2014-09-07 to 2014-10-07. The charts are color-coded by location: CERN (blue), NL (orange), EG (green), EU (red), and T0 (yellow). A legend at the bottom of each chart shows these colors.

Search

PanDA job ID or name Submit

Batch ID Submit

Task ID Submit

Task name Submit

News

- 20140923: Job pages directly link to object store based log tarballs
- 20140913: Link DEFT request page from task list and detail pages
- 20140912: On task page highlight input containers, hide datasets by default
- 20140911: Task name search supports wildcarding
- 20140911: Show wait time, duration for jobs not yet running, completed
- 20140818: Job attempt# off for user page, JEDI jobs. Not meaningful in JEDI.
- 20140818: Task attribute summary added to user page
- 20140817: Output container list added to task detail page
- 20140817: Support clarified. Use DAST list, as ever, for dist analysis support

Monitoring PanDA jobs (2/5)

Task is running

bigpanda.cern.ch/task/?jeditaskid=4212437&display_limit=200

ATLAS PanDA monitor Dashboards Tasks Jobs Errors Users Sites Incidents Search Prodsys Services VO Help Generated 2014-10-07 09:34 UTC

Task 4212437: user.nozturk.pruntest/

Task ID	Jobset	Type	WorkingGroup	User	Task status	Ninputfiles	finished	failed	Created	Modified	Cores	Priority	Parent
4212437	15168	anal		Nurcan Ozturk	running	1	0 (0%)	0 (0%)	2014-10-07 09:33	10-07 09:33	1	1000	

States of jobs in this task [Show jobs](#)

defined	waiting	pending	assigned	throttled	activated	sent	starting	running	holding	transferring	finished	failed	cancelled	merging
1								1						

Jump to [job parameters](#), [task parameters](#)

View: [job list \(access to job details and logs\)](#) [child tasks](#) [prodsys task page](#) [brokerage logger](#) [JEDI action logger](#) [error summary](#)

Output containers

[user.nozturk.pruntest.log/](#)

4 datasets, show/hide by type: [all](#) [lib\(1\)](#) [log\(1\)](#) [pseudo_input\(1\)](#) [tmp_log\(1\)](#)

Dataset, container name	Type	Stream	State	Status	Nfiles	Created	Modified

Job parameters

"

Monitoring PanDA jobs (3/5)

Task is done

Screenshot of the ATLAS PanDA monitor interface showing a completed task.

Task ID: 4212437 | **User:** Nurcan Ozturk | **Status:** done | **Ninputfiles:** 1 | **finished:** 1 (100%) | **failed:** 0 (0%)

States of jobs in this task: defined, waiting, pending, assigned, throttled, activated, sent, starting, running, holding, transferring, finished, failed, cancelled, merging. (The "finished" state has a value of 2, indicated by a red arrow.)

Jump to job parameters, task parameters

View: job list (access to job details and logs) | child tasks | prodsys task page | brokerage logger | JEDI action logger | error summary

Output containers: user.nozturk.pruntest.log/ (indicated by a red arrow)

4 datasets, show/hide by type: all lib(1) log(1) pseudo_input(1) tmpl_log(1)

Dataset, container name	Type	Stream	State	Status	Nfiles	Created	Modified
-------------------------	------	--------	-------	--------	--------	---------	----------

Monitoring PanDA jobs (4/5)

Task details, list of jobs. Click on “PanDA ID” to go to the job details, job log files

click 

Job list Sort by Pandaid, ascending mod time, descending mod time, priority, attemptnr											
PanDA ID Attempt#	Owner Group	Task ID	Transformation	Status	Created	Time to start d:h:m:s	Duration d:h:m:s	Mod	Cloud Site	Priority	Job info
2280470784 Attempt 1	Nurcan Ozturk	4212437	runGen-00-00-02	finished	2014-10-07 09:33	0:06:28	0:0:01:04	10-07 09:49	ES ANALY_IFAE	1000	
	Job name: user.nozturk.pruntest/ #1 Datasets:										
2280470783 Attempt 0	Nurcan Ozturk	4212437	buildGen-00-00-01	finished	2014-10-07 09:33	0:00:16	0:0:01:04	10-07 09:40	ES ANALY_IFAE	2000	
	Job name: user.nozturk.pruntest/ #0 Datasets: Out: panda.1007093351.25596.lib._4212437										

 run job: runs the job at the grid site

 build job: recreates the athena environment at the grid site

Monitoring PanDA jobs (5/5)

How to find job log files

Screenshot of the ATLAS PanDA monitor interface showing job details for PanDA job 2280470784.

Job details for PanDA job 2280470784 (Generated 2014-10-07 10:52 UTC)

PandaID	Owner	TaskID	Status	Created	Time to start d:h:m:s	Duration d:h:m:s	Modified	Cloud Site	Priority
2280470784	Nurcan Ozturk	4212437	finished	2014-10-07 09:33	0:0:06:28	0:0:01:04	10-07 09:49	ES ANALY_IFAE	1000

Job name: [user.nozturk.pruntest/](#) type: panda-client-0.5.30-jedi-run transformation: runGen-00-00-02

Datasets:

Job information logfiles pilot job stdout, stderr, batch log logger records child jobs

Jobset 15168

check athena_stdout.txt (for pathena)/prun_stdout.txt (for prun) and pilotlog.txt (all commands issued by the pilot) from this link

5 job files						
Filename (Type)	Scope	Size (MB)	Status	Attempt (max)	Dataset	
panda.1007093351.25596.lib._4212437.241508507.lib.tgz (input)	panda	0	ready		panda.1007093351.25596.lib._4212437 (dispatch block: panda.1007093351.25596.lib._4212437)	
user.nozturk.pruntest.log.4212437.000001.log.tgz (log)	user.nozturk	0	finished		user.nozturk.pruntest.log.6779086	
user.nozturk.pruntest.log.4212437.000001.log.tgz (log)	user.nozturk	0	ready		user.nozturk.pruntest.log/ (destination block: sub0186192010)	
pseudo_lfn (pseudo_input)		0	finished		pseudo_dataset	
pseudo_lfn (pseudo_input)		0	unknown		pseudo_dataset	

Rucio (ATLAS data management system)




Rucio basic concepts - 1

- Data Management System for Run-2 in ATLAS distributed computing system
 - Used to download outputs of Grid jobs, moving data and searching for them
- Rucio CLI tools from CVMFS
 - Web interface provides similar functionality


Rucio basic concepts - 2

- Accounts
 - A Rucio Account can represent users, groups (phys-susy) or activities (panda, tzero)
 - Quota and permissions are associated to an account
 - One can connect to a Rucio account using X509 certificates/proxies, Kerberos
 - One credential can be used to map to different accounts.



Rucio basic concepts - 3

- Rucio namespace
 - 3 types of Data Identifiers (DIDs): File, Datasets, Containers.
 - Dataset: Collection of Files
 - Containers: Collection of Datasets or Containers
 - The namespace is divided using scopes. A name is unique within a scope but can be used in other scopes. A DID is identified by a scope and a name



Rucio basic concepts - 4

- Rucio Storage Elements (RSEs)
 - Name for a storage endpoint in Rucio, e.g.: GOEGRID_LOCALGROUPDISK or CERN-PROD_DATADISK
 - Can be grouped using tags (e.g. tier=2, cloud=DE)
- Replication Rules
 - Define how to replicate Data Identifiers to Rucio Storage Elements
 - E.g.: Make one replica of dataset user.gen:my.dataset on DESY-HH_LOCALGROUPDISK
 - Using RSE expression: 2 replicas at cloud=DE&type=LOCALGROUPDISK (any German LOCALGROUPDISK)
 - Will create the minimum number of replicas to optimise storage space and minimise transfers

RSE expressions

- Rules can be created either with an exact RSE name or by using tags that are defined on an RSE, this is then called an RSE expression
 - Examples:
 - RSEs in German cloud: cloud=DE
 - LOCALGROUPDISKs in UK: country=UK&type=LOCALGROUPDISK
 - Any T2 in Italy but not INFN-NAPOLI: cloud=FR&tier=2\INFN-NAPOLI
 - More about this can be found in the Rucio documentation:
 - http://rucio.cern.ch/replication_rules_examples.html
- When using RSE expressions you can define a replication factor, so you can create multiple replicas for one datasets with one rule
- Also you can define the grouping of the data:
 - ALL: Rucio selects an RSE and all files will be copied to this RSE
 - DATASET: If there are multiple datasets Rucio will pick an RSE for each one and will copy all files in the same dataset to the same RSE
 - NONE: Rucio will pick a new RSE for every file, so that they spread over all available RSEs

ATLAS Resources - 1

- AGIS (ATLAS Grid Information System)
 - <http://atlas-agis.cern.ch/agis/>

ATLAS Grid Information System			
RC Site	ATLASSite	DDMEndpoint	PANDA Queue
Service	Central Services	DDM Groups	Docs
<ul style="list-style-type: none">▪ Define RC site▪ Define Experiment site▪ Define DDM endpoint▪ Define OS RSE endpoint (new implementation)▪ Define PANDA site▪ Define PANDA queue▪ RC pledges▪ Find DDM endpoints links▪ Find TransferMatrix links	<ul style="list-style-type: none">▪ Define OS service▪ Define LFC service▪ Define SE service▪ Define CE service▪ Define Redirector service▪ Define PerfSonar service▪ Define Frontier service▪ Define Squid service▪ Define Central service▪ SE protocols (DDM/Panda activities)	<ul style="list-style-type: none">▪ Crons list▪ ADMINs list▪ Changes log▪ Request ADMIN privileges	<ul style="list-style-type: none">▪ Main TWiki▪ TWiki WEBUI instructions▪ API Docs
DOWNTIMES	TOACACHE EXPORT	COMPARISON & VALIDATION TOOLS	
<ul style="list-style-type: none">▪ Downtime calendar▪ DDM Blacklisting data▪ PANDA Blacklisting data	<ul style="list-style-type: none">▪ dynamic ToACache (changes are immediately propagated): http://atlas-agis-api.cern.ch/request/toacache/TiersOfATLASCache.py▪ static ToACache: http://atlas-agis-api.cern.ch/ToACache/TiersOfATLASCache.py▪ previous caches: http://atlas-agis-api.cern.ch/ToACache/cache/▪ View/Modify ToACache ExtraData (RSE integration)<ul style="list-style-type: none">▪ ToACache with Extra data	<ul style="list-style-type: none">▪ Consistency checker▪ ToAComparator▪ AGIS-BDII CE comparison▪ AGIS-Schedconf-PF mon CE comparison▪ AGIS-DIMGOCDB sites+services comparison▪ AGIS-PANDA PandaResource+SWReleases comparison▪ AGIS-Schedconfig (topology) comparison▪ AGIS-Schedconfig JSON comparison▪ AGIS-GSR services comparison	

ATLAS Resources - 2

- PanDA queue end points

ATLAS Grid Information System

RC Site	ATLASSite	DDMEndpoint	PANDA Queue	Service	Central Services	DDM Groups	PandaQueue combined resources						Docs	TWiki	OLD	JSON						
Show 200 entries				First	Previous	1	Next	Last														
give me url of this page hold shift click column for Multi-column ordering															Status	Manual	HC	Switcher	Panda Integration	CLOUD	TIER	
atlas			FZK						ACTIVE													
VO name	▲	ATLAS Site	▲	PanDA Site	▲	Template object	▲	PanDA Resource	▲	PanDA Queue	▲	state	▲	(current) status	▲	type	▲	capability	▲	CLOUD	▲	TIER
atlas		FZK-LCG2		FZK-LCG2		FZK-LCG2_VIRTUAL		ANALY_FZK		Clone ANALY_FZK		ACTIVE		online		analysis		score		DE		T1
atlas		FZK-LCG2		FZK-LCG2		FZK-LCG2_VIRTUAL		ANALY_FZK_HI		Clone ANALY_FZK_HI		ACTIVE		online		analysis		score		DE		T1
atlas		FZK-LCG2		FZK-LCG2		FZK-LCG2_VIRTUAL		ANALY_FZK_SHORT		Clone ANALY_FZK_SHORT		ACTIVE		online		analysis		score		DE		T1
atlas		FZK-LCG2		FZK-LCG2		FZK-LCG2_VIRTUAL		FZK-LCG2		Clone FZK-LCG2-all-prod-CEs		ACTIVE		online		production		score		DE		T1
atlas		FZK-LCG2		FZK-LCG2		FZK-LCG2_VIRTUAL		FZK-LCG2_HIMEM		Clone FZK-LCG2_HIMEM		ACTIVE		online		production		himem		DE		T1
atlas		FZK-LCG2		FZK-LCG2		FZK-LCG2_VIRTUAL		FZK-LCG2_MCORE		Clone FZK-LCG2_MCORE		ACTIVE		online		production		mcose		DE		T1
atlas		FZK-LCG2		FZK-LCG2		FZK-LCG2_VIRTUAL		FZK-LCG2_MCORE_HI		Clone FZK-LCG2_MCORE_HI		ACTIVE		online		production		mcose		DE		T1
atlas		FZK-LCG2		FZK-LCG2		FZK-LCG2_VIRTUAL		FZK-LCG2_MCORE_LO		Clone FZK-LCG2_MCORE_LO		ACTIVE		online		production		mcose		DE		T1

Active PanDA (job) queues
ANALY_ = Analysis queue
ATLAS-D Physics Meeting 2021

ATLAS Resources - 3

- DDM end points

ATLAS Grid Information System

RC Site ATLASTSite **DDMEndpoint** PANDA Queue Service Central Services DDM Groups DDM Endpoints Docs TWiki OLD JSON

Show 200 entries FZK First Previous 1 Next Last

give me url of this page hold shift + click column for Multi-column ordering

DDM Endpoint	State	DDM Site	ATLAS Site	ATLAS TIER	CLOUD	type	Full Endpoint	FTS Master	FTS Test
FZK-LCG2_DATADISK	ACTIVE	FZK-LCG2	FZK-LCG2	T1	DE	DATADISK	token:ATLASDATADISK:srm://atlassrm-fzk.gridka.de:8443/srm/managerv?SFN=/pnfs/gridka.de/atlas/disk-only/atlasdatadisk/	CERNFTS3_REST https://fts3.cern.ch:8446	CERNFTS3PILOT_REST https://fts3-pilot.cern.ch:8446
FZK-LCG2_DATATAPE	ACTIVE	FZK-LCG2	FZK-LCG2	T1	DE	DATATAPE	token:ATLASDATATAPE:srm://atlassrm-fzk.gridka.de:8443/srm/managerv?SFN=/pnfs/gridka.de/atlas/atlasdatatape/	CERNFTS3_REST https://fts3.cern.ch:8446	CERNFTS3PILOT_REST https://fts3-pilot.cern.ch:8446
FZK-LCG2_GROUPTAPE_PERF-EGAMMA	ACTIVE	FZK-LCG2	FZK-LCG2	T1	DE	GROUPTAPE	token:ATLASMCTAPE:srm://atlassrm-fzk.gridka.de:8443/srm/managerv?SFN=/pnfs/gridka.de/atlas/atlasgrouptape/perf-egamma/	CERNFTS3_REST https://fts3.cern.ch:8446	CERNFTS3PILOT_REST https://fts3-pilot.cern.ch:8446
FZK-LCG2_LOCALGROUPDISK	ACTIVE	FZK-LCG2	FZK-LCG2	T1	DE	LOCALGROUPDISK	token:ATLASLOCALGROUPDISK:srm://dgridsrm-fzk.gridka.de:8443/srm/managerv?SFN=/pnfs/gridka.de/datas/atlaslocalgroupdisk/	CERNFTS3_REST https://fts3.cern.ch:8446	CERNFTS3PILOT_REST https://fts3-pilot.cern.ch:8446
FZK-LCG2_LOCALGROUPTAPE	ACTIVE	FZK-LCG2	FZK-LCG2	T1	DE	LOCALGROUPTAPE	token:ATLASLOCALGROUPTAPE:srm://dgridsrm-fzk.gridka.de:8443/srm/managerv?SFN=/pnfs/gridka.de/datas/atlaslocalgrouptape/	CERNFTS3_REST https://fts3.cern.ch:8446	CERNFTS3PILOT_REST https://fts3-pilot.cern.ch:8446
FZK-LCG2_MCTAPE	ACTIVE	FZK-LCG2	FZK-LCG2	T1	DE	MCTAPE	token:ATLASMCTAPE:srm://atlassrm-fzk.gridka.de:8443/srm/managerv?SFN=/pnfs/gridka.de/atlas/atlasmctape/	CERNFTS3_REST https://fts3.cern.ch:8446	CERNFTS3PILOT_REST https://fts3-pilot.cern.ch:8446
FZK-LCG2_PERF-EGAMMA	ACTIVE	FZK-LCG2	FZK-LCG2	T1	DE	GROUPDISK	token:ATLASDATADISK:srm://atlassrm-fzk.gridka.de:8443/srm/managerv?SFN=/pnfs/gridka.de/atlas/disk-only/atlasgroupdisk/perf-egamma/	CERNFTS3_REST https://fts3.cern.ch:8446	CERNFTS3PILOT_REST https://fts3-pilot.cern.ch:8446
FZK-LCG2_PERF-IDTRACKING	ACTIVE	FZK-LCG2	FZK-LCG2	T1	DE	GROUPDISK	token:ATLASDATADISK:srm://atlassrm-fzk.gridka.de:8443/srm/managerv?SFN=/pnfs/gridka.de/atlas/disk-only/atlasgroupdisk/perf-idtracking/	CERNFTS3_REST https://fts3.cern.ch:8446	CERNFTS3PILOT_REST https://fts3-pilot.cern.ch:8446
FZK-LCG2_PERF-TAU	ACTIVE	FZK-LCG2	FZK-LCG2	T1	DE	GROUPDISK	token:ATLASDATADISK:srm://atlassrm-fzk.gridka.de:8443/srm/managerv?SFN=/pnfs/gridka.de/atlas/disk-only/atlasgroupdisk/perf-tau/	CERNFTS3_REST https://fts3.cern.ch:8446	CERNFTS3PILOT_REST https://fts3-pilot.cern.ch:8446
FZK-LCG2_PPSSCRATCHDISK	ACTIVE	FZK-LCG2	FZK-LCG2	T1	DE	SPECIAL	token:ATLASPPSSCRATCHDISK:srm://ppssrm-kit.gridka.de:8443/srm/managerv?SFN=/pnfs/gridka.de/atlas/atlasppsscratchdisk/	CERNFTS3_REST https://fts3.cern.ch:8446	
FZK-LCG2_SCRATCHDISK	ACTIVE	FZK-LCG2	FZK-LCG2	T1	DE	SCRATCHDISK	token:ATLASSCRATCHDISK:srm://atlassrm-fzk.gridka.de:8443/srm/managerv?SFN=/pnfs/gridka.de/atlas/disk-only/atlasscratchdisk/	CERNFTS3_REST https://fts3.cern.ch:8446	CERNFTS3PILOT_REST https://fts3-pilot.cern.ch:8446

Showing 1 to 11 of 11 entries

Active DDM storage end points

ATLAS Resources - 4

- **SCRATCHDISK** (Tier1 + Tier2s in Germany)
 - FZK-LCG2_SCRATCHDISK
 - DESY-HH_SCRATCHDISK
 - DESY-ZN_SCRATCHDISK
 - LRZ-LMU_SCRATCHDISK
 - WUPPERTALPROD_SCRATCHDISK
 - UNI-FREIBURG_SCRATCHDISK
 - GOEGRID_SCRATCHDISK
- **LOCALGROUPDISK** (e.g. DESY-HH and UniGoettingen)
 - DESY-HH_LOCALGROUPDISK (Total 3.5PB)
 - GOEGRID_LOCALGROUPDISK
 - _LOCALGROUPDISK
- **LOCALGROUPTAPE**
 - FZK-LCG2_LOCALGROUPTAPE

ATLAS Resources - 4

- **SCRATCHDISK** (Tier1 + Tier2s in Germany)

- FZK-LCG2_SCRATCHDISK
- DESY-HH_SCRATCHDISK
- DESY-ZN_SCRATCHDISK
- LRZ-LMU_SCRATCHDISK
- WUPPERTALPROD_SCRATCHDISK
- UNI-FREIBURG_SCRATCHDISK
- GOEGRID_SCRATCHDISK



Storages for temporary data of PanDA jobs. Would be automatically *REMOVED!*

- **LOCALGROUPDISK** (e.g. DESY-HH and UniGoettingen)

- DESY-HH_LOCALGROUPDISK (Total 3.5PB)
- GOEGRID_LOCALGROUPDISK
- _LOCALGROUPDISK



Permanently *KEPT*. Generally speaking, in total a few hundred TB in each site

- **LOCALGROUPTAPE**

- FZK-LCG2_LOCALGROUPTAPE


DE LOCALGROUPDISK Monitor

• DE LOCALGORUPDISK Monitor


DESY-HH_LOCALGROUPDISK disc usage overview

[back to LOCALGROUPDISKs overview](#)

user	Usage
total	2.9 PB
amelzer	112 TB
atrofymo	86 TB
xulou	83 TB
giulini	78 TB
jgeisen	75 TB
dsperlic	74 TB
hschulz	74 TB
narayan	72 TB
janetd	71 TB
pavel	70 TB
jwang	69 TB
ahrynevi	68 TB
mstanesc	68 TB
ceckardt	64 TB
shhan	58 TB



ATLAS Metadata Interface (AMI)




AMI (ATLAS Metadata Interface)

- **Metadata = Data of Data (Description of data)**
- Key of ATLAS Data Life Cycle Management
- On each step of data reconstruction in ATLAS, AMI Tags are generated
 - ATLAS data set, metadata link
 - Size and origin of dataset
 - File, number of events
 - Software parameter (AMI Tags)
 - MC parameter (PDF, generator, cross section, etc)
 - Lost files and Lumi blocks
 - Link to other applications (COMA, Rucio)
 - Data period
 - Luminosity, Trigger, Data of RAW data creation etc
 - Special Interface
 - AMI-Tags
 - Software Configuration Parameters
 - AMI-Glance
 - Data + Publication
 - Definition of data periods
 - Definition of physics containers
 - Reprocessing campaigns
 - Event count comparator

ATLAS Dataset - 2

- Tier-0
 - RAW is produced
 - Prompt data reconstruction
- ProdSys2
 - MC + Reprocessing
 - PanDA, JEDI, DEFT
- Distribution of dataset
 - Rucio




ATLAS Dataset - 3

- Data reconstruction → Example : x353 = AMI tag
 - `Reco_tf.py —AMI=x353 --inputBSFile=tier0_RawData.data`
- Reprocessing Campaign
 - After improvement of ATLAS software or framework, often huge reconstruction jobs can run
 - The campaign require many computing resources
 - As a result, many different versions of AOD (Analysis Object Data)
 - Derivation framework: AOD → Derived AOD
 - About 1% size of ogirinal AOD
 - Selection of particular event, parameter etc
 - Different configurations, software and conditions


ATLAS Dataset - 4

- Dataset = Collection of files
 - Collision data (data) and Monte Carlo (mc)

Data:



Simulation:



AMI WebUI - 1

Datasets / Dataset Browser

Search Form 1: data12_001-real_data

1 dataset 1075 records

Query :dataset.amiStatus='VALID' AND (dataset.dataType like 'AOD') AND (dataset.streamName like 'physics_MinBias')

more fields +	logicalDatasetName ▾ Q	nFiles ▾ Q	totalEvents ▾ Q	totalSize ▾ Q	runNumber ▾ Q	period ▾ Q
details	data12_8TeV.00200804.physics_MinBias.merge.AOD.r4644_p1517 DQ2 - Provenance - GANGA export	18 182	585918 11645642	68.699 GB	200804 COMA Report - Periods - Run_Summary - Run_Query - DAQ_Config	A1 more Info - COMA - All Runs
details	data12_8TeV.00200805.physics_MinBias.merge.AOD.r4644_p1517 DQ2 - Provenance - GANGA export	2	54277	1.881 GB	200805 COMA Report - Periods - Run_Summary - Run_Query - DAQ_Config	A2 more Info - COMA - All Runs
details	data12_8TeV.00200841.physics_MinBias.merge.AOD.r4644_p1517 DQ2 - Provenance - GANGA export	4	186265	20.177 GB	200841 COMA Report - Periods - Run_Summary - Run_Query - DAQ_Config	A3 more Info - COMA - All Runs
details	data12_8TeV.00200842.physics_MinBias.merge.AOD.r4644_p1517 DQ2 - Provenance - GANGA export	4	194266	17.213 GB	200842 COMA Report - Periods - Run_Summary - Run_Query - DAQ_Config	A3 more Info - COMA - All Runs
details	data12_8TeV.00200863.physics_MinBias.merge.AOD.r4644_p1517 DQ2 - Provenance - GANGA export	4	99639	15.288 GB	200863 COMA Report - Periods - Run_Summary - Run_Query - DAQ_Config	A3 more Info - COMA - All Runs
details	data12_8TeV.00200913.physics_MinBias.merge.AOD.r4644_p1517 DQ2 - Provenance - GANGA export	4	120898	16.403 GB	200913 COMA Report - Periods - Run_Summary - Run_Query - DAQ_Config	A3 more Info - COMA - All Runs
details	data12_8TeV.00200928.physics_MinBias.merge.AOD.r4644_p1517 DQ2 - Provenance - GANGA export	2	47551	7.145 GB	200928 COMA Report - Periods - Run_Summary - Run_Query - DAQ_Config	A4 more Info - COMA - All Runs
details	data12_8TeV.00200965.physics_MinBias.merge.AOD.r4644_p1517 DQ2 - Provenance - GANGA export	8	290279	36.652 GB	200965 COMA Report - Periods - Run_Summary - Run_Query - DAQ_Config	A4 more Info - COMA - All Runs
details	data12_8TeV.00200982.physics_MinBias.merge.AOD.r4644_p1517 DQ2 - Provenance - GANGA export	2	40071	7.092 GB	200982	A4

1: number of results
2: default order, more recent first

3: query clauses
4: +/- fields
5,6: filter,calculator

7: conversion of units
8: group by, order by tools

AMI WebUI - 2

Element's information		Children elements	
logicalDatasetName	mc14_8TeV.129173.Pythia8_AU2CTEQ6L1_gammajet_DP140.merge.AOD.e1146_s1896_s1912_r5591_r5625 RucioInfo Provenance - Campaigns - GANGA export - Series	dataset_extra	4 Records
physicistResponsible	c.gwenlan1@physics.ox.ac.uk	dataset_keywords	5 Records
nFiles	200	dataset_comment	No records found
totalEvents	999500	files	200 Records
totalSize	672.801 GB	jobOptions	No records found
dataType	AOD	prodsys_task	1 Records
prodsysStatus	ALL EVENTS AVAILABLE	field	approx_crossSection
ECMEnergy	8000	value	5 1.2217E+02
physicsComment		field	approx_GenFitEff
PDF	CTEQ6L1 - LO with LO alpha_s	value	9.6932E-04
version	e1146_s1896_s1912_r5591_r5625 Datasets - Config_Tag	field	autoConfiguration
AtlasRelease	19.0.3	value	['everything']
crossSection	122.170 nb 2 Report an error - Jira issues	field	postInclude
Trans	1: provenance & rucio 2: JIRA link for X section pbs	value	[RecJobTransforms/UseFrontier.py]
data		3: click for list of files 4: detail of prodsys task 5: cross section	

Links and references


- Twiki GridKa Cloud Users
 - <https://twiki.cern.ch/twiki/bin/view/AtlasComputing/GridKaCloudUsers>
- RucioUI
 - <https://rucio-ui.cern.ch/>
- Rucio Documentation
 - <http://rucio.cern.ch/index.html>
- Software twiki tutorial
 - <https://twiki.cern.ch/twiki/bin/viewauth/AtlasComputing/SoftwareTutorialGettingDatasets>
- Athena Docker setup
 - <https://twiki.cern.ch/twiki/bin/viewauth/AtlasComputing/AthenaMacDockerSetup>
- Docker container for CVMFS
 - <https://github.com/sbinet/docker-containers/tree/master/cvmfs-atlas>
- Binet, Sébastien, and Ben Couturier. "docker & HEP: Containerization of applications for development, distribution and preservation." Journal of Physics: Conference Series. Vol. 664. No. 2. IOP Publishing, 2015.
 - <http://iopscience.iop.org/article/10.1088/1742-6596/664/2/022007/meta>
- ATLAS-D meeting 2015 Rucio Tutorial, Thomas Beermann
- Monitoring Your Grid Jobs, Andrew Washbrook University of Edinburgh, ATLAS Software & Computing Tutorials 14th January 2015 PUC, Chile
- ATLAS-D 2020 Berlin
 - <https://indico.cern.ch/event/865390/timetable/>
- Athena Mac Docker
 - <https://twiki.cern.ch/twiki/bin/viewauth/AtlasComputing/AthenaMacDockerSetup>
- Software tutorial using Grid
 - <https://twiki.cern.ch/twiki/bin/viewauth/AtlasComputing/SoftwareTutorialUsingTheGrid>

Enjoy your hands-on exercise!

Backup


Job allocation (a tip) - 1

- A tip: User job allocation policy among sites
 - Rule: Grid jobs (should) go to their data locations




Job allocation (a tip) - 2

- A tip: User job allocation policy among sites
 - Rule: Grid jobs (should) go to their data locations



Job allocation (a tip) - 3

- A tip: User job allocation policy among sites
 - Rule: Grid jobs (should) go to their data locations



Job allocation (a tip) - 4

- A tip: User job allocation policy among sites
 - Rule: Grid jobs (should) go to their data locations

