



1

2

[Dashboard](#)[eCommerce Build](#)[#8](#)[↑ Back to Project](#)[☰ Status](#)[</> Changes](#)[☒ Console Output](#)[📄 View as plain text](#)[⚙ Edit Build Information](#)[🗑 Delete build '#8'](#)[🔗 Git Build Data](#)[🌊 Open Blue Ocean](#)[← Previous Build](#)

Console Output

Started by user [Patrick Gendotti](#)

Running as SYSTEM

Building in workspace /var/jenkins_home/workspace/eCommerce Build

The recommended git tool is: NONE

using credential ed4aa016-7a9b-4317-8007-d8ebf84d0866

```
> git rev-parse --resolve-git-dir /var/jenkins_home/workspace/eCommerce Build/.git #  
timeout=10
```

Fetching changes from the remote Git repository

```
> git config remote.origin.url git@github.com:Gendo90/JDND.git # timeout=10
```

Fetching upstream changes from git@github.com:Gendo90/JDND.git

```
> git --version # timeout=10
```

```
> git --version # 'git version 2.36.2'
using GIT_SSH to set credentials
Verifying host key using known hosts file, will automatically accept unseen keys
> git fetch --tags --force --progress -- git@github.com:Gendo90/JDND.git
+refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse origin/master^{commit} # timeout=10
Checking out Revision 6a807049ba624ab686c131bdce4c5b53e443d0a1 (origin/master)
> git config core.sparsecheckout # timeout=10
> git checkout -f 6a807049ba624ab686c131bdce4c5b53e443d0a1 # timeout=10
Commit message: "feat: Add basic logging to project - as per requirements"
> git rev-list --no-walk 6a807049ba624ab686c131bdce4c5b53e443d0a1 # timeout=10
[eCommerce Build] $ mvn -f "projects/P04-eCommerce Application/starter_code/pom.xml"
package
[INFO] Scanning for projects...
[INFO]
[INFO] -----< com.example:auth-course >-----
[INFO] Building auth-course 0.0.1-SNAPSHOT
[INFO] -----[ jar ]-----
[WARNING] The artifact org.slf4j:slf4j-log4j12:pom:2.0.5 has been relocated to
org.slf4j:slf4j-reload4j:pom:2.0.5
[INFO]
[INFO] --- maven-resources-plugin:3.1.0:resources (default-resources) @ auth-course ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 1 resource
[INFO] Copying 1 resource
[INFO]
[INFO] --- maven-compiler-plugin:3.8.1:compile (default-compile) @ auth-course ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] --- maven-resources-plugin:3.1.0:testResources (default-testResources) @ auth-
course ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory /var/jenkins_home/workspace/eCommerce
Build/projects/P04-eCommerce Application/starter_code/src/test/resources
[INFO]
[INFO] --- maven-compiler-plugin:3.8.1:testCompile (default-testCompile) @ auth-course ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] --- maven-surefire-plugin:2.22.2:test (default-test) @ auth-course ---
[INFO]
[INFO] -----
[INFO] T E S T S
[INFO] -----
[INFO] Running com.example.demo.SareetaApplicationTests
```

```
00:33:56.178 [main] DEBUG org.springframework.test.context.junit4.SpringJUnit4ClassRunner
- SpringJUnit4ClassRunner constructor called with [class
com.example.demo.SareetaApplicationTests]
00:33:56.201 [main] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating
CacheAwareContextLoaderDelegate from class
[org.springframework.test.context.cache.DefaultCacheAwareContextLoaderDelegate]
00:33:56.232 [main] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating
BootstrapContext using constructor [public
org.springframework.test.context.support.DefaultBootstrapContext(java.lang.Class,org.spring
framework.test.context.CacheAwareContextLoaderDelegate)]
00:33:56.288 [main] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating
TestContextBootstrapper for test class [com.example.demo.SareetaApplicationTests] from
class [org.springframework.boot.test.context.SpringBootTestContextBootstrapper]
00:33:56.320 [main] INFO
org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Neither
@ContextConfiguration nor @ContextHierarchy found for test class
[com.example.demo.SareetaApplicationTests], using SpringBootTestContextLoader
00:33:56.332 [main] DEBUG org.springframework.test.context.support.AbstractContextLoader -
Did not detect default resource location for test class
[com.example.demo.SareetaApplicationTests]: class path resource
[com/example/demo/SareetaApplicationTests-context.xml] does not exist
00:33:56.333 [main] DEBUG org.springframework.test.context.support.AbstractContextLoader -
Did not detect default resource location for test class
[com.example.demo.SareetaApplicationTests]: class path resource
[com/example/demo/SareetaApplicationTestsContext.groovy] does not exist
00:33:56.335 [main] INFO org.springframework.test.context.support.AbstractContextLoader -
Could not detect default resource locations for test class
[com.example.demo.SareetaApplicationTests]: no resource found for suffixes {-context.xml,
Context.groovy}.
00:33:56.338 [main] INFO
org.springframework.test.context.support.AnnotationConfigContextLoaderUtils - Could not
detect default configuration classes for test class
[com.example.demo.SareetaApplicationTests]: SareetaApplicationTests does not declare any
static, non-private, non-final, nested classes annotated with @Configuration.
00:33:56.460 [main] DEBUG org.springframework.test.context.support.ActiveProfilesUtils -
Could not find an 'annotation declaring class' for annotation type
[org.springframework.test.context.ActiveProfiles] and class
[com.example.demo.SareetaApplicationTests]
00:33:56.641 [main] DEBUG
org.springframework.context.annotation.ClassPathScanningCandidateComponentProvider -
Identified candidate component class: file [/var/jenkins_home/workspace/eCommerce
Build/projects/P04-eCommerce
Application/starter_code/target/classes/com/example/demo/SareetaApplication.class]
00:33:56.648 [main] INFO
```

```
org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Found
@SpringBootConfiguration com.example.demo.SareetaApplication for test class
com.example.demo.SareetaApplicationTests
00:33:56.850 [main] DEBUG
org.springframework.boot.test.context.SpringBootTestContextBootstrapper -
@TestExecutionListeners is not present for class
[com.example.demo.SareetaApplicationTests]: using defaults.
00:33:56.852 [main] INFO
org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Loaded default
TestExecutionListener class names from location [META-INF/spring.factories]:
[org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener,
org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener,
org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener,
org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExecutionListener,
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExecutionListener,
org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener,
org.springframework.test.context.web.ServletTestExecutionListener,
org.springframework.test.context.support DirtiesContextBeforeModesTestExecutionListener,
org.springframework.test.context.support.DependencyInjectionTestExecutionListener,
org.springframework.test.context.support DirtiesContextTestExecutionListener,
org.springframework.test.context.transaction.TransactionalTestExecutionListener,
org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener]
00:33:56.892 [main] INFO
org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Using
TestExecutionListeners:
[org.springframework.test.context.web.ServletTestExecutionListener@5b3f61ff,
org.springframework.test.context.support DirtiesContextBeforeModesTestExecutionListener@3e2059ae,
org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener@398dada8,
org.springframework.boot.test.autoconfigure.SpringBootDependencyInjectionTestExecutionListener@7cb502c,
org.springframework.test.context.support DirtiesContextTestExecutionListener@275bf9b3,
org.springframework.test.context.transaction.TransactionalTestExecutionListener@1b8a29df,
org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener@4fbe37eb,
org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener@12a94400,
org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener@6a47b187,
org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExecutionListener@2049a9c1,
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExecutionListener@1ef6d34c,
org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener@46271dd6]
```

```
00:33:56.900 [main] DEBUG org.springframework.test.annotation.ProfileValueUtils -
Retrieved @ProfileValueSourceConfiguration [null] for test class
[com.example.demo.SareetaApplicationTests]
00:33:56.901 [main] DEBUG org.springframework.test.annotation.ProfileValueUtils -
Retrieved ProfileValueSource type [class
org.springframework.test.annotation.SystemProfileValueSource] for class
[com.example.demo.SareetaApplicationTests]
00:33:56.902 [main] DEBUG org.springframework.test.annotation.ProfileValueUtils -
Retrieved @ProfileValueSourceConfiguration [null] for test class
[com.example.demo.SareetaApplicationTests]
00:33:56.904 [main] DEBUG org.springframework.test.annotation.ProfileValueUtils -
Retrieved ProfileValueSource type [class
org.springframework.test.annotation.SystemProfileValueSource] for class
[com.example.demo.SareetaApplicationTests]
00:33:56.904 [main] DEBUG org.springframework.test.annotation.ProfileValueUtils -
Retrieved @ProfileValueSourceConfiguration [null] for test class
[com.example.demo.SareetaApplicationTests]
00:33:56.905 [main] DEBUG org.springframework.test.annotation.ProfileValueUtils -
Retrieved ProfileValueSource type [class
org.springframework.test.annotation.SystemProfileValueSource] for class
[com.example.demo.SareetaApplicationTests]
00:33:56.918 [main] DEBUG
org.springframework.test.context.support.AbstractDirtyContextTestExecutionListener -
Before test class: context [DefaultTestContext@19e7a160 testClass =
SareetaApplicationTests, testInstance = [null], testMethod = [null], testException =
[null], mergedContextConfiguration = [WebMergedContextConfiguration@662706a7 testClass =
SareetaApplicationTests, locations = '{}', classes = '{class
com.example.demo.SareetaApplication}', contextInitializerClasses = '[]', activeProfiles =
 '{}', propertySourceLocations = '{}', propertySourceProperties =
 '{org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true}',
contextCustomizers =
set[org.springframework.boot.test.context.filter.ExcludeFilterContextCustomizer@6236eb5f,
org.springframework.boot.test.json.DuplicateJsonObjectContextCustomizerFactory$DuplicateJs
onObjectContextCustomizer@672872e1,
org.springframework.boot.test.mock.mockito.MockitoContextCustomizer@0,
org.springframework.boot.test.web.client.TestRestTemplateContextCustomizer@ba54932,
org.springframework.boot.test.autoconfigure.properties.PropertyMappingContextCustomizer@0,
org.springframework.boot.test.autoconfigure.web.servlet.WebDriverContextCustomizerFactory$
Customizer@2525ff7e], resourceBasePath = 'src/main/webapp', contextLoader =
'org.springframework.boot.test.context.SpringBootTestContextLoader', parent = [null]],
attributes =
map['org.springframework.test.context.web.ServletTestExecutionListener.activateListener' -
> true]], class annotated with @DirtyContext [false] with mode [null].
00:33:56.927 [main] DEBUG org.springframework.test.annotation.ProfileValueUtils -
```

```
Retrieved @ProfileValueSourceConfiguration [null] for test class
[com.example.demo.SareetaApplicationTests]
00:33:56.927 [main] DEBUG org.springframework.test.annotation.ProfileValueUtils -
Retrieved ProfileValueSource type [class
org.springframework.test.annotation.SystemProfileValueSource] for class
[com.example.demo.SareetaApplicationTests]
00:33:56.971 [main] DEBUG org.springframework.test.context.support.TestPropertySourceUtils
- Adding inlined properties to environment: {spring.jmx.enabled=false,
org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true,
server.port=-1}
```

```

      .      _      _      _      _
/\ / _ ' _ _ _ ( ) _ _ _ \ \ \ \
( ( ) \_ | ' _ | ' _ | ' _ \_ | \ \ \ \
\ \ / _ ) | _ | | | | | | ( _ | ) ) ) )
' | _ | . _ | | | _ | _ \_ | / / / /
=====|_|=====|_|_/_/_/_/
:: Spring Boot ::                (v2.1.5.RELEASE)

```

```
2022-12-20 00:33:57.911 INFO 3671 --- [main]
c.example.demo.SareetaApplicationTests : Starting SareetaApplicationTests on
30002a84d58f with PID 3671 (started by root in /var/jenkins_home/workspace/eCommerce
Build/projects/P04-eCommerce Application/starter_code)
2022-12-20 00:33:57.925 INFO 3671 --- [main]
c.example.demo.SareetaApplicationTests : No active profile set, falling back to default
profiles: default
2022-12-20 00:33:59.836 INFO 3671 --- [main]
.s.d.r.c.RepositoryConfigurationDelegate : Bootstrapping Spring Data repositories in
DEFAULT mode.
2022-12-20 00:34:00.141 INFO 3671 --- [main]
.s.d.r.c.RepositoryConfigurationDelegate : Finished Spring Data repository scanning in
263ms. Found 4 repository interfaces.
2022-12-20 00:34:01.819 INFO 3671 --- [main]
trationDelegate$BeanPostProcessorChecker : Bean
'org.springframework.transaction.annotation.ProxyTransactionManagementConfiguration' of
type
[org.springframework.transaction.annotation.ProxyTransactionManagementConfiguration$$Enhan
cerBySpringCGLIB$$86aa6f7d] is not eligible for getting processed by all
BeanPostProcessors (for example: not eligible for auto-proxying)
2022-12-20 00:34:03.031 INFO 3671 --- [main]
com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Starting...
2022-12-20 00:34:03.527 INFO 3671 --- [main]
com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Start completed.
2022-12-20 00:34:03.744 INFO 3671 --- [main]
```

```
o.hibernate.jpa.internal.util.LogHelper : HHH000204: Processing PersistenceUnitInfo [
    name: default
    ...]
```

```
2022-12-20 00:34:03.900 INFO 3671 --- [main] org.hibernate.Version
: HHH000412: Hibernate Core {5.3.10.Final}
```

```
2022-12-20 00:34:03.906 INFO 3671 --- [main] org.hibernate.cfg.Environment
: HHH000206: hibernate.properties not found
```

```
2022-12-20 00:34:04.378 INFO 3671 --- [main]
```

```
o.hibernate.annotations.common.Version : HCANN000001: Hibernate Commons Annotations
{5.0.4.Final}
```

```
2022-12-20 00:34:04.710 INFO 3671 --- [main] org.hibernate.dialect.Dialect
: HHH000400: Using dialect: org.hibernate.dialect.H2Dialect
```

```
2022-12-20 00:34:06.905 INFO 3671 --- [main]
```

```
j.LocalContainerEntityManagerFactoryBean : Initialized JPA EntityManagerFactory for
persistence unit 'default'
```

```
2022-12-20 00:34:08.865 WARN 3671 --- [main]
```

```
aWebConfiguration$JpaWebMvcConfiguration : spring.jpa.open-in-view is enabled by default.
Therefore, database queries may be performed during view rendering. Explicitly configure
spring.jpa.open-in-view to disable this warning
```

```
2022-12-20 00:34:09.176 INFO 3671 --- [main]
```

```
o.s.s.web.DefaultSecurityFilterChain : Creating filter chain: any request,
[org.springframework.security.web.context.request.async.WebAsyncManagerIntegrationFilter@4
cf15477,
```

```
org.springframework.security.web.context.SecurityContextPersistenceFilter@18e76101,
```

```
org.springframework.security.web.header.HeaderWriterFilter@366bf608,
```

```
org.springframework.web.filter.CorsFilter@7fad28ac,
```

```
org.springframework.security.web.authentication.logout.LogoutFilter@467cd4b9,
```

```
com.example.demo.security.JWTAuthenticationFilter@3450bd13,
```

```
com.example.demo.security.JWTAuthenticationVerificationFilter@1bb51492,
```

```
org.springframework.security.web.savedrequest.RequestCacheAwareFilter@1e36baca,
```

```
org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@54033a
65,
```

```
org.springframework.security.web.authentication.AnonymousAuthenticationFilter@5da1a97f,
```

```
org.springframework.security.web.session.SessionManagementFilter@e890591,
```

```
org.springframework.security.web.access.ExceptionTranslationFilter@355b53cc,
```

```
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@18bc1064]
```

```
2022-12-20 00:34:10.243 INFO 3671 --- [main]
```

```
o.s.s.concurrent.ThreadPoolTaskExecutor : Initializing ExecutorService
'applicationTaskExecutor'
```

```
2022-12-20 00:34:10.898 INFO 3671 --- [main]
```

```
c.example.demo.SareetaApplicationTests : Started SareetaApplicationTests in 13.909
seconds (JVM running for 16.427)
```

```
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 15.439 s - in
com.example.demo.SareetaApplicationTests
```

```
[INFO] Running com.example.demo.controllers.UserControllerUnitTest
2022-12-20 00:34:11.763 WARN 3671 --- [          main]
c.e.demo.controllers.UserController      : User creation failed - insufficient password
length
2022-12-20 00:34:11.824 INFO 3671 --- [          main]
c.e.demo.controllers.UserController      : User me with id 0 created!
2022-12-20 00:34:11.836 WARN 3671 --- [          main]
c.e.demo.controllers.UserController      : User creation failed - password mismatch
[INFO] Tests run: 6, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.559 s - in
com.example.demo.controllers.UserControllerUnitTest
[INFO] Running com.example.demo.controllers.OrderControllerUnitTest
2022-12-20 00:34:11.968 INFO 3671 --- [          main]
c.e.demo.controllers.UserController      : Order submitted successfully!
2022-12-20 00:34:11.979 WARN 3671 --- [          main]
c.e.demo.controllers.UserController      : User not found for order history!
2022-12-20 00:34:11.982 INFO 3671 --- [          main]
c.e.demo.controllers.UserController      : Order history retrieved successfully!
2022-12-20 00:34:11.992 WARN 3671 --- [          main]
c.e.demo.controllers.UserController      : User not found for order submission!
[INFO] Tests run: 4, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.122 s - in
com.example.demo.controllers.OrderControllerUnitTest
[INFO] Running com.example.demo.controllers.ItemControllerUnitTest
[INFO] Tests run: 5, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.085 s - in
com.example.demo.controllers.ItemControllerUnitTest
[INFO] Running com.example.demo.controllers.CartControllerUnitTest
[INFO] Tests run: 6, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.041 s - in
com.example.demo.controllers.CartControllerUnitTest
2022-12-20 00:34:12.184 INFO 3671 --- [      Thread-2]
o.s.s.concurrent.ThreadPoolTaskExecutor  : Shutting down ExecutorService
'applicationTaskExecutor'
2022-12-20 00:34:12.186 INFO 3671 --- [      Thread-2]
j.LocalContainerEntityManagerFactoryBean : Closing JPA EntityManagerFactory for
persistence unit 'default'
2022-12-20 00:34:12.198 INFO 3671 --- [      Thread-2]
com.zaxxer.hikari.HikariDataSource       : HikariPool-1 - Shutdown initiated...
2022-12-20 00:34:12.205 INFO 3671 --- [      Thread-2]
com.zaxxer.hikari.HikariDataSource       : HikariPool-1 - Shutdown completed.
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 22, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO]
[INFO] --- maven-jar-plugin:3.1.1:jar (default-jar) @ auth-course ---
```


[INFO] Building jar: /var/jenkins_home/workspace/eCommerce Build/projects/P04-eCommerce Application/starter_code/target/auth-course-0.0.1-SNAPSHOT.jar

[INFO]

[INFO] --- **spring-boot-maven-plugin:2.1.5.RELEASE:repackage** (repackage) @ auth-course ---

[INFO] Replacing main artifact with repackaged archive

[INFO] -----

[INFO] BUILD SUCCESS

[INFO] -----

[INFO] Total time: 25.912 s

[INFO] Finished at: 2022-12-20T00:34:15Z

[INFO] -----

Finished: SUCCESS

Jenkins 2.346.3