

JSON Schema Guide

GenCC Submission Portal

Table of Contents

Authentication Tokens3

Submission Endpoint.....3

Submission Testing.....3

Quick Take.....3

Submission Responses.....4

Submission Schema Example7

Status Responses.....8

Query Responses15

Removal Responses16

Authentication Tokens

Each individual wishing to submit curations via the API must have an active account in the GenCC Submission Portal and be associated with an approved Submitter. All active accounts will be given an API Authentication token. Authentication tokens expire periodically and must be refreshed. Account holders can manage their API Authentication Token within the Portal's User Profile section.

API tokens should be passed to the API as a header named "GEN-API-KEY" as illustrated below. The API token must be present in all requests.

```
'GEN-API-KEY': 'eKtvHtwlWB1y7Q5MxcWyjYF55Lts0ITWlAi8UNAckzZiYUi0v7HvMOr'
```

Submission Endpoint

Curation submission is accomplished by uploading JSON data to the GenCC Submission Endpoint:

```
https://gencc-sub.clingen.info/api/submit
```

Submission Testing

A curation submission may be tested for valid content and schema without importing data simply by appending "/check" at the end of the submission endpoint, or by changing the action within the JSON from "create" to "check".

```
https://gencc-sub.clingen.info/api/submit/check
```

Upon a successful validation, the system will return:

```
{"status_code": 200, "message": "OK"}
```

If an error is encountered, the system will return:

```
{"status_code": ###, "message": "Cause of failure"}
```

Quick Take

Submission check only

<https://gencc-sub.clingen.info/api/submit/check>

Submit a new Job

<https://gencc-sub.clingen.info/api/submit>

Query Current Submission Status

https://gencc-sub.clingen.info/api/status/submission_id

Query Current Job Status

https://gencc-sub.clingen.info/api/status/job/job_id

Show a Submission

https://gencc-sub.clingen.info/api/query/submission_id

Show a Job

https://gencc-sub.clingen.info/api/query/job/job_id

Remove a Submission

https://gencc-sub.clingen.info/api/remove/submission_id

Remove a Job

https://gencc-sub.clingen.info/api/remove/job/job_id

Submission Responses

Invalid Token

The HTTP response for an invalid token is 401 with the following additional information:

```
{
  "success": false,
  "status_code": 9001,
  "message": "Unauthorized"
}
```

Unknown Token

The HTTP response for an unknown token is 401 with the following additional information:

```
{
  "success": false,
  "status_code": 9002,
  "message": "Unauthorized"
}
```

Unassociated Token

The HTTP response for an unassociated token is 401 with the following additional information:

```
{
  "success": false,
  "status_code": 9003,
  "message": "Unauthorized"
}
```

Invalid JSON Schema

The HTTP response for an invalid JSON schema is 501 with the following additional information:

```
{
  "success": false,
  "status_code": 1001,
  "message": "description of schema error"
}
```

Incomplete JSON Schema (missing data)

The HTTP response for an incomplete JSON schema is 501 with the following additional information:

```
{
  "success": false,
  "status_code": 1002,
  "message": "Json schema error"
}
```

Missing or unknown 'action' value

The HTTP response for a missing or unknown value for the action property is 501 with the following additional information:

```
{
  "success": false,
  "status_code": 1003,
  "message": "Unknown action"
}
```

Check Successful

The HTTP response for a successful check run is 200 with the following additional information:

```
{
  "success": true,
  "status_code": 200,
  "message": "OK"
}
```

Submission Successful

The HTTP response for a successful submission is 200 with the following additional information:

```
{
  "date": "ISO 8601 date format",
  "message": "Job accepted",
  "jobs": [
    {
      "id": "job id",
      "message": "Job accepted",
      "status_code": 200
    }
  ]
}
```

Submission Schema Example

```
{
  "action": "create",
  "date": "",
  "submitter": {
    "id": "",
    "name": ""
  },
  "data": [
    {
      "action": "create",
      "type": "Reserved",
      "submission_id": "",
      "submission_label": "A new submission"
      "gene": {
        "id": "HGNC:4764",
        "symbol": "H3-3A"
      },
      "disease": {
        "id": "MONDO:0030606",
        "name": "Bryant-Li-Bhoj neurodevelopmental syndrome 1"
      },
      "moi": {
        "id": "HP:0000006",
        "name": "Autosomal dominant"
      },
      "workflow": {
        "approval_date": "2024-01-21T13:24:21.000Z",
      },
      "report": {
        "display_date": "2024-03-19T16:00:00.000Z",
        "ext_url": "https://search.clinicalgenome.org/kb/gene-
validity/CGGV:assertion_92b54362-8c84-407b-bf92-5f67bee55ed3-2024-03-
19T160000.000Z"
      },
      "classification": {
        "id": "GENCC:100001",
        "name": "Definitive"
      },
      "mechanism": {
        "id": "",
        "name": "",
        "comments": ""
      },
      "criteria": {
        "name": "SOP10",
        "url": "https://clinicalgenome.org/docs/gene-disease-validity-
standard-operating-procedures-version-10"
      },
      "evidence": [
        { "pmid": "31942419" },
        { "pmid": "33268356" }
      ],
      "notes": {
```

```

    "display": "",
    "private": "Imported from ClinGen 2024-04-11"
  },
  "version": {
    "display": "1.1",
    "internal": "1.1.0.0",
    "reasons": [ "NEW_CURATION" ],
    "description": "Periodic bulk submission from clinicalgenome.org"
  },
  "contributors": {
    "primary": {
      "id": "40060",
      "name": "Syndromic Disorders Gene Curation Expert Panel"
    },
  },
  "additional_information": [
    { "curated_by": "J Doe" }
  ]
}]
}

```

Status Responses

Successful Job Response

At any time, a Job can be in one of five states; queued, processing, complete, complete w/ errors, or removed.

Queued indicates a job as been accepted by the system but no work has begun.

Processing indicated that all submissions associated with the job have been entered into the system and all errors flagged. A job will remain in processing until all submissions have either been published or removed.

Completed indicates that all submissions have either been published or removed and there is no more work to do.

Partially Completed with errors indicates that all submissions that could be published have been, and that only submissions with errors remain.

Removed indicates that the job was removed

The HTTP response for a status query is 200 with the following additional information:


```
{
  "date": "ISO 8601 date format",
  "message": "Status Response",
  "jobs": [
    {
      "id": "job id",
      "message": "QUEUED",
      "status_code": 200
    }
  ]
}
```

```
{
  "date": "ISO 8601 date format",
  "message": "Status Response",
  "jobs": [
    {
      "id": "job id",
      "message": "PROCESSING",
      "status_code": 200
    }
  ]
}
```

```
{
  "date": "ISO 8601 date format",
  "message": "Status Response",
  "jobs": [
    {
      "id": "job id",
      "message": "COMPLETED",
      "status_code": 200
    }
  ]
}
```

```
{
  "date": "ISO 8601 date format",
  "message": "Status Response",
  "jobs": [
    {
```

```
        "id": "job id",
        "message": "PARTIAL COMPLETE W ERRORS",
        "status_code": 200
      }
    ]
  }
```

```
{
  "date": "ISO 8601 date format",
  "message": "Status Response",
  "jobs": [
    {
      "id": "job id",
      "message": "REMOVED",
      "status_code": 200
    }
  ]
}
```

Missing Token

The HTTP response for an missing token is 401 with the following additional information:

```
{
  "success": false,
  "status_code": 9000,
  "message": "Unauthorized"
}
```

Unknown, unassociated, or misassociated Token

The HTTP response for an unknown, unassociated, or misassociated token is 401 with the following additional information:

```
{
  "success": false,
  "status_code": 9005,
  "message": "Unauthorized"
}
```

Unknown, unassociated, or misassociated Job ID

The HTTP response for an unknown, unassociated, or misassociated Job ID is 401 with the following additional information:

```
{
  "success": false,
  "status_code": 9006,
  "message": "Unauthorized"
}
```

Unknown, unassociated, or misassociated Submission ID

The HTTP response for an unknown, unassociated, or misassociated Submission ID is 401 with the following additional information:

```
{
  "success": false,
  "status_code": 9007,
  "message": "Unauthorized"
}
```

Successful Submission Response

At any time, a Submission can be in one of five states; queued, processing, processing w/ errors, published, or removed.

Queued indicates a submission as been accepted by the system but no work has begun.

Processing indicated that the submission has been processed and any errors noted. If no errors, the submission will be published on the next posting date

Published indicates that the submission has been posted to the gencc database.

Processing with errors indicates that the submission has errors which will need to be corrected before the submission can be posted.

Removed indicates that the submission was removed

The HTTP response for a status query is 200 with the following additional information:

```
{
  "date": "ISO 8601 date format",
  "message": "Status Response",
  "jobs": [
    {
      "id": "job id",
      "message": "job status string",
      "status_code": 200
    }
  ]
}
```

```
{
  "date": "ISO 8601 date format",
  "message": "Status Response",
  "jobs": [
    {
      "id": "job id",
      "message": "job status string",
      "status_code": 200
    }
  ]
}
```

```
{
  "date": "ISO 8601 date format",
```

```

    "message": "Status Response",
    "jobs": [
      {
        "id": "job id",
        "message": "job status string",
        "status_code": 200
      }
    ]
  }
}

```

```

{
  "date": "ISO 8601 date format",
  "message": "job status string",
  "jobs": [
    {
      "id": "job id",
      "message": "PARTIAL COMPLETE W ERRORS",
      "status_code": 200
    }
  ]
}

```

```

{
  "date": "ISO 8601 date format",
  "message": "Status Response",
  "jobs": [
    {
      "id": "job id",

```

```
    "message": "job status string",
    "status_code": 200
  }
  "data": [
    {
      "sid": "submission id",
      "message": "REMOVED",
      "status_code": 200
    }
  ]
}
```

Missing Token

The HTTP response for an missing token is 401 with the following additional information:

```
{
  "success": false,
  "status_code": 9000,
  "message": "Unauthorized"
}
```

Unknown, unassociated, or misassociated Token

The HTTP response for an unknown, unassociated, or misassociated token is 401 with the following additional information:

```
{
  "success": false,
  "status_code": 9005,
  "message": "Unauthorized"
}
```

Unknown, unassociated, or misassociated Submission ID

The HTTP response for an unknown, unassociated, or misassociated Submission ID is 401 with the following additional information:

```
{
  "success": false,
  "status_code": 9007,
  "message": "Unauthorized"
}
```

Query Responses

Missing Job or Submission ID

The HTTP response for a missing Job or Submission ID is 200 with the following additional information:

```
{
  "success": true,
  "status_code": 200,
  "message": "Nothing to do"
}
```

Missing Token

The HTTP response for an missing token is 401 with the following additional information:

```
{
  "success": false,
  "status_code": 9000,
  "message": "Unauthorized"
}
```

Unknown, unassociated, or misassociated Token

The HTTP response for an unknown, unassociated, or misassociated token is 401 with the following additional information:

```
{
  "success": false,
  "status_code": 9005,
  "message": "Unauthorized"
}
```

```
}
```

Unknown, unassociated, or misassociated Job ID

The HTTP response for an unknown, unassociated, or misassociated Job ID is 401 with the following additional information:

```
{
  "success": false,
  "status_code": 9006,
  "message": "Unauthorized"
}
```

Unknown, unassociated, or misassociated Submission ID

The HTTP response for an unknown, unassociated, or misassociated Submission ID is 401 with the following additional information:

```
{
  "success": false,
  "status_code": 9007,
  "message": "Unauthorized"
}
```

Successful Job or Submissions

Removal Responses

Missing Job or Submission ID

The HTTP response for a missing Job or Submission ID is 200 with the following additional information:

```
{
  "success": true,
  "status_code": 200,
  "message": "Nothing to do"
}
```


Missing Token

The HTTP response for an missing token is 401 with the following additional information:

```
{
  "success": false,
  "status_code": 9000,
  "message": "Unauthorized"
}
```

Unknown, unassociated, or misassociated Token

The HTTP response for an unknown, unassociated, or misassociated token is 401 with the following additional information:

```
{
  "success": false,
  "status_code": 9005,
  "message": "Unauthorized"
}
```

Unknown, unassociated, or misassociated Job ID

The HTTP response for an unknown, unassociated, or misassociated Job ID is 401 with the following additional information:

```
{
  "success": false,
  "status_code": 9006,
  "message": "Unauthorized"
}
```

Unknown, unassociated, or misassociated Submission ID

The HTTP response for an unknown, unassociated, or misassociated Submission ID is 401 with the following additional information:

```
{
  "success": false,
```

```
{
  "status_code": 9007,
  "message": "Unauthorized"
}
```

Job Successfully Removed

The HTTP response for successful job removal is 200 with the following additional information:

```
{
  "success": true,
  "status_code": 200,
  "message": "Job Removed"
}
```

Submission Successfully Removed

The HTTP response for successful submission removal is 200 with the following additional information:

```
{
  "success": true,
  "status_code": 200,
  "message": "Submission Removed"
}
```