

VRDots — MC/N Cueing Parameter Space

Aperture × Translation Duration × Fixation/Exclusion Zone

Aperture (diameter)	Translation duration 44 ms	Translation duration 80 ms
1.65° 43 dots 20 /deg²	Small fix disc 0.40° excl 0.40° E/Ap=0.61 not yet run	SubfieldSwap_CatekExact_v1 N +23.3*** pp MC +11.7* pp Db≡MC 4-cond design
	N/A excl. radius > aperture radius	N/A excl. radius > aperture radius
2.0° 63 dots 20 /deg²	StonerBlanc_Replication_v1 Small fix disc 0.40° excl 0.40° E/Ap=0.46 N +16.8*** pp MC +19.9*** pp	not yet run
	N/A excl. radius > aperture radius	N/A excl. radius > aperture radius
(2.5°) ~98 dots 20 /deg² (not yet built)	Small fix disc 0.40° excl 0.40° E/Ap=0.32 not yet run	not yet run
	Large fix disc 1.80° excl 1.10° E/Ap=0.88 not yet run	not yet run
3.5° 192 dots 20 /deg²	StonerBlanc_Replication_Ap35_v1 Small fix disc 0.40° excl 0.40° E/Ap=0.21 N +15.6*** pp MC +5.1 n.s. pp	StonerBlanc_Ap35_80ms_v1 N +16.4*** pp MC +11.7** pp high session variability
	StonerBlanc_Ap35_LargeFix_v1 Large fix disc 1.80° excl 1.10° E/Ap=0.63 N +24.2*** pp MC +5.1 n.s. pp	DensityCompare_Peak_ColorMotionSwap_v1 N +37.5*** pp MC +10.2* pp density=52/deg² ⚠



Examined



Not yet run



N/A (excl. radius ≥ aperture radius)

Density ~20 dots/deg² throughout except DenseCM (52/deg², flagged) | Ap2.5° not built yet | CatekExact uses Db swap (≡MC in effect)