Michele Bellingeri


michele.bellingeri@unipr.it

Barabási, A.-L. (2016). Network Science. Cambridge University Press. Disponibile gratuitamente: networksciencebook.com — trattazione intuitiva e visuale, orientata alle applicazioni.



Newman, M. (2010). Networks: An Introduction. Oxford University Press. DOI: 10.1093/acprof:oso/9780199206650.001.0001 — trattazione più formale e matematicamente rigorosa.





LINK La nuova scienza delle reti Albert-Laszlo Barabasi Le Scienze Einaudi 2008

casa_dei_libri_2017 (1574) · Venditore professionale
100% di feedback positivi · Altri oggetti del venditore ·
Messaggio

EUR 10,00

incl. la Protezione acquisti

Condizione: **Ottime condizioni**

Compralo Subito

Aggiungi al carrello

♡ Aggiungi agli oggetti che osservi

Goditi i vantaggi. Restituzioni accettate.

[Home]

Download

CRAN

R Project

About R
Logo
Contributors
What's New?
Reporting Bugs
Conferences
Search
Get Involved: Mailing Lists
Get Involved: Contributing
Developer Pages
R Blog

The R Project for Statistical Computing

Getting Started

R is a free software environment for statistical computing and graphics. It compiles and runs on a wide variety of UNIX platforms, Windows and MacOS. To **download R**, please choose your preferred CRAN mirror.

If you have questions about R like how to download and install the software, or what the license terms are, please read our answers to frequently asked questions before you send an email.


News

- Kalibera Family Fund accepts donations until the end of 2026.
- **R version 4.6.1 (Happy Hop)** has been released on 2026-06-24.
- **R version 4.5.3 (Reassured Reassurer)** (wrap-up release) was released on 2026-
- The **useR! 2026** conference took place in Warsaw, Poland, July 7-9.
- You can support the R Foundation with a renewable subscription as a supporting m

Social Media



https://networkrepository.com/



GET NETWORK DATA

COMPARE GRAPH DATA

VISUALIZE NETWORKS

Data & Network Collections. Find and interactively VISUALIZE and EXPLORE hundreds of network data

ANIMAL SOCIAL NETWORKS	816	INTERACTION NETWORKS	29	SCIENTIFIC COMPUTING	11
BIOLOGICAL NETWORKS	37	INFRASTRUCTURE NETWORKS	8	SOCIAL NETWORKS	77
BRAIN NETWORKS	116	LABELED NETWORKS	105	FACEBOOK NETWORKS	114
COLLABORATION NETWORKS	20	MASSIVE NETWORK DATA	21	TECHNOLOGICAL NETWORKS	12
CHEMINFORMATICS	646	MISCELLANEOUS NETWORKS	2669	WEB GRAPHS	36
CITATION NETWORKS	4	POWER NETWORKS	8	DYNAMIC NETWORKS	115
ECOLOGY NETWORKS	6	PROXIMITY NETWORKS	13	TEMPORAL REACHABILITY	38
ECONOMIC NETWORKS	16	GENERATED GRAPHS	221	BHOSLIB	36
EMAIL NETWORKS	6	RECOMMENDATION NETWORKS	36	DIMACS	78
GRAPH 500	8	ROAD NETWORKS	15	DIMACS10	84
HETEROGENEOUS NETWORKS	15	RETWEET NETWORKS	34	NON-RELATIONAL ML DATA	211

https://www.re3data.org/repository/r3d100011340

re3data.org Search Browse

Repository details

Network Repository

General | Institutions | Terms | Standards

Name of repository	**Network Repository**
Additional name(s)	Network Data Repository, Graph Data, Social Networks
Repository URL	https://networkrepository.com/
Subject(s)	Life Sciences; Social and Behavioural Sciences; Biology; Computer Science, Systems and Electrical Engineering; Physics; Mathematics; Humanities and Social Sciences; Engineering Sciences; Natural Sciences
Description	Network Repository is the first interactive data repository for graph and network data. It hosts graph and network datasets, containing hundreds of real-world networks and benchmark datasets. Unlike other data repositories, Network Repository provides interactive analysis and visualization capabilities to allow researchers to explore, compare, and investigate graph data in real-time on the web.
Contact(s)	administrative: info@networkrepository.com administrative: https://networkrepository.com/contact.php?p=contact
Content type(s)	dataset aggregated data image
Keyword(s)	benchmark data sets; exploratory analytics; graph data; interaction; machine learning data; network data; networks; recommendation system data; social network data; statistics; visualization

By *Jure Leskovec*

STANFORD UNIVERSITY



- SNAP for C++
- SNAP for Python
- SNAP Datasets
- BIOSNAP Datasets
- What's new
- People
- Papers
- Projects
- Citing SNAP
- Links
- About
- Contact us

Open positions

Open research positions in **SNAP** group are available at **undergraduate, graduate** and **postdoctoral** levels.

Stanford Large Network Dataset Collection

- Social networks : online social networks, edges represent interactions between people
- Networks with ground-truth communities : ground-truth network communities in social and information networks
- Communication networks : email communication networks with edges representing communication
- Citation networks : nodes represent papers, edges represent citations
- Collaboration networks : nodes represent scientists, edges represent collaborations (co-authoring a paper)
- Web graphs : nodes represent webpages and edges are hyperlinks
- Amazon networks : nodes represent products and edges link commonly co-purchased products
- Internet networks : nodes represent computers and edges communication
- Road networks : nodes represent intersections and edges roads connecting the intersections
- Autonomous systems : graphs of the internet
- Signed networks : networks with positive and negative edges (friend/foe, trust/distrust)
- Location-based online social networks : social networks with geographic check-ins
- Wikipedia networks, articles, and metadata : talk, editing, voting, and article data from Wikipedia
- Temporal networks : networks where edges have timestamps
- Twitter and Memetracker : memetracker phrases, links and 467 million Tweets
- Online communities : data from online communities such as Reddit and Flickr
- Online reviews : data from online review systems such as BeerAdvocate and Amazon
- User actions : actions of users on social platforms.
- Face-to-face communication networks : networks of face-to-face (non-online) interactions
- Graph classification datasets : disjoint graphs from different classes
- Computer communication networks : communications among computers running distributed applications
- Cryptocurrency transactions : transactions covering several cryptocurrencies and exchanges
- Telecom networks : relationships between users, packages, apps, and cells in a telecom network

SNAP networks are also available from SuiteSparse Matrix Collection by Tim Davis.

Social networks

Name	Type	Nodes	Edges	Description
ego-Facebook	Undirected	4,039	88,234	Social circles from Facebook (anonymized)
ego-Gplus	Directed	107,614	13,673,453	Social circles from Google+
ego-Twitter	Directed	81,306	1,768,149	Social circles from Twitter
soc-Epinions1	Directed	75,879	508,837	Who-trusts-whom network of Epinions.com
soc-LiveJournal1	Directed	4,847,571	68,993,773	LiveJournal online social network
soc-Pokec	Directed	1,632,803	30,622,564	Pokec online social network
soc-Slashdot0811	Directed	77,360	905,468	Slashdot social network from November 2008
soc-Slashdot0922	Directed	82,168	948,464	Slashdot social network from February 2009
wiki-Vote	Directed	7,115	103,689	Wikipedia who-votes-on-whom network
wiki-RfA	Directed, Signed	10,835	159,388	Wikipedia Requests for Adminship (with text)
gemsec-Deezer	Undirected	143,884	846,915	Gemsec Deezer dataset
gemsec-Facebook	Undirected	134,833	1,380,293	Gemsec Facebook dataset
soc-RedditHyperlinks	Directed, Signed, Temporal, Attributed	55,863	858,490	Hyperlinks between subreddits on Reddit
soc-sign-bitcoin-otc	Weighted, Signed, Directed, Temporal	5,881	35,592	Bitcoin OTC web of trust network
soc-sign-bitcoin-alpha	Weighted, Signed, Directed, Temporal	3,783	24,186	Bitcoin Alpha web of trust network
comm-f2f-Resistance	Weighted, Directed, Temporal	451	3,126,993	Dynamic face-to-face interaction network between group of people
musae-twitch	Undirected	34,118	429,113	Social networks of Twitch users.
musae-facebook	Undirected	22,470	171,002	Facebook page-page network with page names.



- SNAP for C++
- SNAP for Python
- SNAP Datasets
- BIOSNAP Datasets
- What's new
- People
- Papers
- Projects
- Citing SNAP
- Links
- About
- Contact us

Open positions

Open research positions in **SNAP** group are available at **undergraduate**, **graduate** and **postdoctoral** levels.

Social circles: Facebook

Dataset information

This dataset consists of 'circles' (or 'friends lists') from Facebook. Facebook data was collected from survey participants using this Facebook app. The dataset includes node features (profiles), circles, and ego networks.

Facebook data has been anonymized by replacing the Facebook-internal ids for each user with a new value. Also, while feature vectors from this dataset have been provided, the interpretation of those features has been obscured. For instance, where the original dataset may have contained a feature "political=Democratic Party", the new data would simply contain "political=anonymized feature 1". Thus, using the anonymized data it is possible to determine whether two users have the same political affiliations, but not what their individual political affiliations represent.

Data is also available from Google+ and Twitter.

Dataset statistics	
Nodes	4039
Edges	88234
Nodes in largest WCC	4039 (1.000)
Edges in largest WCC	88234 (1.000)
Nodes in largest SCC	4039 (1.000)
Edges in largest SCC	88234 (1.000)
Average clustering coefficient	0.6055
Number of triangles	1612010
Fraction of closed triangles	0.2647
Diameter (longest shortest path)	8
90-percentile effective diameter	4.7

Note that these statistics were compiled by combining the ego-networks, including the ego nodes themselves (along with an edge to each of their friends).

Source (citation)

- J. McAuley and J. Leskovec. Learning to Discover Social Circles in Ego Networks. NIPS, 2012.

Files

File	Description
facebook.tar.gz	Facebook data (10 networks, anonymized)
facebook_combined.txt.gz	Edges from all egonets combined
readme-Ego.txt	Description of files

https://networks.skewed.de

Google | Networks Unit – Dip... | graph-analytics - Pa... | EIC Pathfinder - Eur... | Welcome to Materia... | Netzschleuder: the... | U-Web | Altum | Proposal Ce... | Libero Mail - login | ChatGPT | Tutti i prefer

Netzschleuder

network catalogue, repository and centrifuge

Networks | Stats | API | Git | Issues | Contribute | Health | About

Tip: click on the table header to sort the list. Hover your mouse over it to obtain a legend.

Multiple regexp terms separated by '&' Search

Name	Title	Nodes	Edges	$\langle k \rangle$	σ_k	λ_h	τ	r	c	$\oslash$	S	Kind	Mode	n	Tags
7th_graders	Vickers 7th Graders (1981)	29	740	25.52	20.34	17.73	1.71	-0.01	0.76	2	1.00	Directed	Unipartite	1	Social Offline Multilayer Unweighted Metadata
academia_edu	Academica.edu (2011)	200,169	1,398,063	6.98	46.24	109.99	78.34	-0.02	0.04	16	1.00	Directed	Unipartite	1	Social Online Unweighted
add_health	Adolescent health (ADD HEALTH) (1994)	2,587	12,969	5.01	5.65	11.92	29.03	0.29	0.17	10	0.98	Directed	Unipartite	84	Social Offline Weighted
adjnoun	Word adjacencies of David Copperfield	112	425	7.59	6.85	11.54	2.27	-0.13	0.16	5	1.00	Undirected	Unipartite	1	Informational Language Unweighted
advogato	Advogato trust network (2009)	6,541	51,127	7.82	34.13	68.61	20.71	-0.05	0.11	9	0.77	Directed	Unipartite	1	Social Online Weighted
amazon_copurchases	Amazon co-purchasing network (2003)	410,236	3,356,824	8.18	16.30	40.36	1805.09	-0.01	0.25	22	1.00	Directed	Unipartite	4	Economic Commerce Unweighted
amazon_ratings	Amazon customer ratings (2010)	3,376,972	5,838,041	3.46	19.33	83.61	610.18	-0.02	0.00	28	0.86	Undirected	Bipartite	1	Economic Preferences Weighted Timestamps
ambassador	Philippines Ambassador bombing (2000)	16	19	2.38	2.23	3.23	3.96	-0.21	0.59	4	0.69	Undirected	Unipartite	15	Social Offline Weighted Temporal
anybeat	Anybeat social network (2013)	12,645	67,053	5.30	89.97	92.23	41.02	-0.12	0.02	10	1.00	Directed	Unipartite	1	Social Online Unweighted
arxiv_authors	Arxiv authors (1993-2003)	133,280	396,160	5.94	27.24	92.56	158.60	0.21	0.32	14	0.13	Undirected	Unipartite	5	Social Collaboration Unweighted Projection

7th_graders — Vickers 7th Graders (1981)

Problems with this dataset? Open an issue.
You may also take a look at the source code.

Description

A small multiplex network of friendships among 29 seventh grade students in Victoria, Australia. Students nominated classmates for three different activities (who do you get on with in the class, who are your best friends, and who would you prefer to work with). Edge direction for each of these three types of edges indicates if node i nominated node j, and the edge weight gives the frequency of this nomination. Students 1-12 are boys and 13-29 are girls. The KONECT version of this network is the collapse of de Domenico's multiplex version.[1]

1. Description obtained from the ICON project. ↩

The network in this dataset can be loaded directly from graph-tool with:

```
import graph_tool.all as gt
g = gt.collection.ns["7th_graders"]
```

Tags

Social | Offline | Multilayer | Unweighted | Metadata

Citation

M. Vickers and S. Chan, "Representing Classroom Social Structure." Melbourne: Victoria Institute of Secondary Education, (1981)., https://scholar.google.com/scholar?hl=de&as_sdt=0%2C5&q=%22Representing+classroom+social+structure%22&btnG=

Upstream URL OK

https://manliodedomenico.com/data.php

Networks

Tip: hover your mouse over a table header to obtain a legend.

Name	Nodes	Edges	$\langle k \rangle$	σ_k	λ_h	τ	r	c	$\oslash$	S	Kind	Mode	NPs	EPs		gt	GraphML	GML	csv
7th_graders	29	740	25.52	20.34	17.73	1.71	-0.01	0.76	2	1.00	Directed	Unipartite	name	weight	layer	1 KiB	4 KiB	3 KiB	3 KiB

Ridiculograms*

