SEPM ASSIGNMENT 2 Done By Harikrishnan V CS6A Roll No: 27 Scanned with CamScanner

PRINCIPLES OF FUNDAMENTAL CODING

The poinciples that guide the coding task age closely aligned with

- · Porogonoming style
- · Pologolamoning languages
- · Pougoiamming methods

Fundamental coding poinciples are the following:

- (i) Posepassation posinciples
- (ii) Coding painciples
- (ii) Validation posinciples

Preparation Principles

Before worlting a line of code, we have to ensure the following:

- · Unclearatand the possbleam.
- · Undevistand basic design pounciples & concepts.
- · Plak a psuggiamming language.
- · Belect a pergenamming envisionment.

Coding Poinciples

As the coding powereds gollowing things are ensured:

- · Check your algorithms.
- · Select data stouetures.
- · Undesistand the softwase asichlitectusie I couate intespaces that asie consistent with it.

- · Keep conditional logic as simple as possible.
- · Coreate mosted loops in a way that makes them easily testable.
- · Beleet meaningful vaniable names & gellow other local coding standands.
- · Woulte code that is self-documenting.
- · Coueste a visual layout (eg., indomtation & blank lines) that aids undesistanding.

Validation Pounciples

After completing the coding, gollowing things are conducted:


- · Conduct a code malkthowingh when appointate.
- · Perform unit tests & connect enouses you've uncoversed.
- · Refactors the code.

UNIT TESTING

- · Unit testing focuses on repullication of the smallest unit of softmane design, the softmane component on module.
- · Impositant control paths agre tested to uncover esisions within the boundary of the module
- · It focuses on the interinal poweresting logic & data stouctures within the boundariles of a component.
- · This type of testing can be conducted in passallel Jose multiple components on modules.

Tests Involved in Unit Testing

- The amodule interface is tested to ensure that information peroposity floris into 2 out of the peroposition unit under test.
- · Local data etometriones and examined to emsuone that data otomed temporabilly maintains its integrity during all steps in an algorithm's execution.
- · All independent paths thousand the contoud staucture are executed to consume that all statements in a module have been executed at least once.
- · Bounday conditions are tested to ensure that the anodule operates proposely at boundances established to limit on restorict processing.
- · And finally, all esision-handling paths are tested.



Common Esisions Found in Unit Testing

- · Incorriect avillemetic priecedence
- · Mixed mode operations
- · Incorrect initialization
- · Inaccuolacy
- · Inconsect symbolic suppresentation of an exponssion

Boundary Testing

- · Boundary testing is one of the most important unit testing tasks.
- · Softwasie often Jalls at its boundavilles.
- · That is, eororous often occur when the nth element of an n-dimensional arrows is processed.

Anti-Bugging


· A good design anticipates escriber conditions & establishes esision-handling paths to eneroute on cleanly teriminate processing when an enerous does

Unit Test Powcedures

- · The design of unit tests can occur after source code has been generated.
- · d ouvier et design information pouvides guidance four establishing tost cases.
- · Each test case is coupled with a set of expected nesults
- · Doniver l'atub anocheles have to be developed for each unit test.

Daives L Stub Modules

- · Douves
- → Doniver is a clumany "omain program" that accepts test-case data, & passes such data to the component to be tested, & prints relevant results.
- · Stube
- A stub on "dummy subpougoum" uses the subpoidinate module's interface, does minimal data manipulation, points verification of entory, I outurns contout to the module undoorgoing testing.



BLACK BOX TESTING WHITE BOX TESTING

Black Box Testing

- · It is a may of softmasse testing in which the interinal structure on the porgonam on the code is hidden & nothing to known about it.
- · It is amostly done by software testers · It is mostly done by software
- · No knowledge of implementation is needed
- · It can be sufcessed as outes on external · It is the inner on the internal softhable testing.
- · It is functional test of the software
- · This testing can be initiated on the basis of requisement specifications do cument.
- · No knowledge of pologolarmoming is suguissed.
- · It is the behaviour testing of the softnasie.
- · It is applicable to the highest levels of testing of softwase
- · It is also called closed testing.
- · It is least time consuming.
- · It is not suitable on preferred good algosithm testing,

White Box Testing

- · It is a way of testing the softwase in which the testes has knowledge about the interinal structure on the code on the pologocam of the softhase.
- developers.
- · Knowledge of implementation is needed
- software testing.
- · It is stouctural test of the software
- · This type of testing of softrance is stanted after detail design document.
- · It is orrandatosy to have knowledge of pologolamoming,
- . It is the logic testing of the Bostnane.
- · It is generally applicable to the lower levels of softwasie testing.
- · It is also called as clean box testing.
- . It is most time consuming.
- · It & suitable Jose agosithm testing
- · Data domains along with inner or

× amosthada	Internal boundancies can be better tested.
· Eg seavel something on goode by using knywoods	· Eg: By input to check I veolity
Color May 1941	gorlish work should
	A part of market for market to the state of
	American American Commission
	to be an acres of printers.
and the state of the state of the	
many to provide in by the property of	
	The Alexander was a love of the of the Add
	with the second of
	water about the many atte
	which dollar dament dame.
and the state of the state of	which is a facility of the same
the agency of	the second secon
y proves have depressionance in the	
house it is it will stay you were to the	which will do the later to the
	- partial hands have been
the second of the second secon	and the second s
with the same and the same of the	
industrial and the second second	