

SALES OF ITALIAN BREAD**The GLM Procedure**

Class Level Information		
Class	Levels	Values
HEIGHT	3	1 2 3
WIDTH	2	1 2
REPLICATE	2	1 2

Number of Observations Read	12
Number of Observations Used	12

SALES OF ITALIAN BREAD

The GLM Procedure


Dependent Variable: SALE


Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	5	1580.000000	316.000000	30.58	0.0003
Error	6	62.000000	10.333333		
Corrected Total	11	1642.000000			

R-Square	Coeff Var	Root MSE	SALE Mean
0.962241	6.303040	3.214550	51.00000

Source	DF	Type I SS	Mean Square	F Value	Pr > F
HEIGHT	2	1544.000000	772.000000	74.71	<.0001
WIDTH	1	12.000000	12.000000	1.16	0.3226
HEIGHT*WIDTH	2	24.000000	12.000000	1.16	0.3747


Source	DF	Type III SS	Mean Square	F Value	Pr > F
HEIGHT	2	1544.000000	772.000000	74.71	<.0001
WIDTH	1	12.000000	12.000000	1.16	0.3226
HEIGHT*WIDTH	2	24.000000	12.000000	1.16	0.3747





SALES OF ITALIAN BREAD

The GLM Procedure




SALES OF ITALIAN BREAD

The GLM Procedure

Tukey's Studentized Range (HSD) Test for SALE


Note: This test controls the Type I experimentwise error rate, but it generally has a higher Type II error rate than REGWQ.

Alpha	0.05
Error Degrees of Freedom	6
Error Mean Square	10.33333
Critical Value of Studentized Range	4.33917
Minimum Significant Difference	6.9742



SALES OF ITALIAN BREAD

The GLM Procedure




SALES OF ITALIAN BREAD

The GLM Procedure

Tukey's Studentized Range (HSD) Test for SALE


Note: This test controls the Type I experimentwise error rate, but it generally has a higher Type II error rate than REGWQ.

Alpha	0.05
Error Degrees of Freedom	6
Error Mean Square	10.33333
Critical Value of Studentized Range	3.46041
Minimum Significant Difference	4.5412



SALES OF ITALIAN BREAD

The GLM Procedure



Level of HEIGHT	Level of WIDTH	N	SALE	
			Mean	Std Dev
1	1	2	45.0000000	2.82842712
1	2	2	43.0000000	4.24264069
2	1	2	65.0000000	4.24264069
2	2	2	69.0000000	2.82842712
3	1	2	40.0000000	1.41421356
3	2	2	44.0000000	2.82842712

SALES OF ITALIAN BREAD

The GLM Procedure

Class Level Information		
Class	Levels	Values
WIDTH	2	1 2
HEIGHT	3	1 2 3
REPLICATE	2	1 2

Number of Observations Read	12
Number of Observations Used	12

SALES OF ITALIAN BREAD

The GLM Procedure


Dependent Variable: SALE

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	5	1580.000000	316.000000	30.58	0.0003
Error	6	62.000000	10.333333		
Corrected Total	11	1642.000000			

R-Square	Coeff Var	Root MSE	SALE Mean
0.962241	6.303040	3.214550	51.00000

Source	DF	Type I SS	Mean Square	F Value	Pr > F
HEIGHT	2	1544.000000	772.000000	74.71	<.0001
WIDTH	1	12.000000	12.000000	1.16	0.3226
WIDTH*HEIGHT	2	24.000000	12.000000	1.16	0.3747

Source	DF	Type III SS	Mean Square	F Value	Pr > F
HEIGHT	2	1544.000000	772.000000	74.71	<.0001
WIDTH	1	12.000000	12.000000	1.16	0.3226
WIDTH*HEIGHT	2	24.000000	12.000000	1.16	0.3747



SALES OF ITALIAN BREAD

The UNIVARIATE Procedure
Variable: RESID

Moments			
N	12	Sum Weights	12
Mean	0	Sum Observations	0
Std Deviation	2.3741027	Variance	5.63636364
Skewness	0	Kurtosis	-1.9401665
Uncorrected SS	62	Corrected SS	62
Coeff Variation	.	Std Error Mean	0.68534442

Basic Statistical Measures			
Location		Variability	
Mean	0.00000	Std Deviation	2.37410
Median	0.00000	Variance	5.63636
Mode	-2.00000	Range	6.00000
		Interquartile Range	4.00000

Note: The mode displayed is the smallest of 2 modes with a count of 2.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	0	Pr > t 	1.0000
Sign	M	0	Pr >= M 	1.0000
Signed Rank	S	-1.5	Pr >= S 	0.9321

Tests for Normality				
Test	Statistic		p Value	
Shapiro-Wilk	W	0.855765	Pr < W	0.0433
Kolmogorov-Smirnov	D	0.216891	Pr > D	0.1189
Cramer-von Mises	W-Sq	0.123447	Pr > W-Sq	0.0471
Anderson-Darling	A-Sq	0.729045	Pr > A-Sq	0.0430

Quantiles (Definition 5)	
Level	Quantile

100% Max	3
99%	3
95%	3
90%	3
75% Q3	2
50% Median	0
25% Q1	-2
10%	-3
5%	-3
1%	-3
0% Min	-3

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
-3	5	2	8
-3	4	2	12
-2	11	2	1
-2	7	3	6
-2	2	3	3