

Manage data

You need to be logged in (see the dedicated account guidelines for instructions on how to register and log in). This walkthrough builds two personal datasets from the public chant list — **Graduals** (genre **Gr**) and **Tracts** (genre **Tc**) — edits a melody, then uploads a CSV copy and deletes that copy.

CantusCorpus v1.0 is the main shared corpus. ChantLab may also list other shared default corpora. Those entries are marked **shared** and cannot be deleted; they are available to every account. Only datasets you create or upload yourself can be removed.

1. Filter the chant list

Open **Filter search**. Leave **Hide incomplete chants** and **Hide chants without Volpiano** checked.

Genre and office labels are short codes. The two genres used in this guide:

Code	Meaning
Gr	Gradual
Tc	Tract

The full lists are on the Cantus Database: [genre abbreviations](#) and [service \(office\) abbreviations](#).

- 1. Under **Genres**, uncheck **All**, then check **Gr**.
- 2. Leave **Offices** and **Fontes** as they are, unless you want to narrow the manuscripts.
- 3. Click **Apply filters and refresh**.

Confirm the **Filters updated** dialog with **OK**.

Filter search

Apply filters and refresh

☒ Hide incomplete chants☒ Hide chants without Volpiano

Genres

☐ All

☐ [?]☐ A☐ Ag☐ Al☐ AIV☐ AV☐ BD☐ Ca☐ Cap☐ CaV☐ Cm☐ CmR☐ CmV☐ Cr

☐ D☐ [G]☐ GI☐ Gp/Ep☒ Gr☐ GrV☐ [GV]☐ H☐ HV☐ I☐ Ig☐ Im☐ In☐ InR

☐ InV☐ IP☐ Ite☐ Ky☐ L☐ Li☐ LIV☐ [M]☐ [MO]☐ Of☐ OfV☐ Pn☐ Pr☐ PRCS

☐ PRCS☐ PRCSV☐ PRCSV☐ PS☐ R☐ Sa☐ Sq☐ SqV☐ Tc☐ TcV☐ Tp☐ V☐ Va

☐ VaHW☐ W

Offices

☒ All

☒ ?☒ C☒ CA☒ D☒ E☒ H☒ L☒ M☒ MI☒ N☒ P☒ R☒ S☒ T☒ V☒ V2

The table now lists graduates only (Genre **Gradual**). You can collapse **Filter search** with the arrow so the table has more room.

[Home](#)
[Chant list](#)
[Manage data](#)
[Manage alignments](#)
[Dashboards](#)
[Settings](#)
[About](#)
docsguide882194
[Logout](#)

Search incipit

Filter search

Apply filters and refresh

Align word-based

Align pitches

Align intervals

☐ Select/deselect all (Selected: 0)
 ☐ Sort by Cantus ID frequency
 ☐ Concatenated alignment
 ☐ Keep liquescentis

☐	Incipit	Cantus ID	Source	Genre	Office	Mode	Dataset name
☐	[Inveni David servum meum oleo	g01272	FIN-Hy F.m.I.26, 019r,	Gradual	Mass	1	CantusCorpus v1.0
☐	Ab occultis meis munda [me	g00760	US-CApC D-0xpcp, 001v, 3	Gradual	Mass	2	CantusCorpus v1.0
☐	Ab occultis meis munda me	g00760	CH-P 18, 113,	Gradual	Mass	2T	CantusCorpus v1.0
☐	Ab occultis meis munda me	g00760	FIN-Hy F.m.I.85, 007r,	Gradual	Mass	2T	CantusCorpus v1.0
☐	Ad dominum dum tribularer clamavi	g01134	CH-P 18, 103,	Gradual	Mass	5	CantusCorpus v1.0
☐	Ad dominum dum tribularer clamavi	g01134	FIN-Hy F.m.I.85, 005v,	Gradual	Mass	5	CantusCorpus v1.0
☐	Adjutor in opportunitatibus in tribulatione	g00632	CH-P 18, 056,	Gradual	Mass	3	CantusCorpus v1.0
☐	Adjutor meus et liberator meus	g00729	CH-P 18, 095,	Gradual	Mass	2	CantusCorpus v1.0
☐	Adjuvabit eam deus vultu suo	g01374	CH-P 18, 288,	Gradual	Mass	5	CantusCorpus v1.0
☐	Angelis suis mandavit de te	g00676	CH-P 18, 074,	Gradual	Mass	2T	CantusCorpus v1.0
☐	Anima nostra sicut passer erecta	g00570	CH-P 18, 042,	Gradual	Mass	5	CantusCorpus v1.0
☐	Audi filia et vide et	g00486	CH-P 18, 320,	Gradual	Mass	7	CantusCorpus v1.0
☐	Audi filia et vide et	g00486	FIN-Hy F.m.I.85, 021v,	Gradual	Mass	7	CantusCorpus v1.0
☐	Beata gens cujus est dominus	g01217	CH-P 18, 130, 2	Gradual	Mass	1	CantusCorpus v1.0
☐	Beatus vir qui timet dominum	g01291	CH-P 18, 290,	Gradual	Mass	5	CantusCorpus v1.0

Data sources

2. Create a dataset from the filtered selection

Use **Select/deselect all** above the table to tick every chant that matches the current filter. The **(Selected: ...)** counter updates as you go.

Export to CSV (under the table) downloads the ticked rows as a `dataset.csv` in the CantusCorpus v1.0 format. You can use that file later to upload. **Create Dataset** copies the same selection into a new personal dataset.

Graduals

1. Click **Select/deselect all**.
2. Click **Create Dataset**.
3. Name it `Graduals`.
4. Click **Confirm**.

Filter search Apply filters and refresh

Align word-based Align pitches Align intervals

☐ Select/deselect all (Selected: 0) ☐ Sort by Cantus ID frequency ☐ Concatenated alignment ☐ Keep liquescents

🏠

Chant list

Manage data

Manage alignments

Dashboard

Settings

About

docsguide882194Logout🔍Search incipit

✓	Ad dominum dum tribularer clamavi	g01134	CH-P 18, 103,	Gradual	Mass	5	CantusCorpus v1.0
✓	Ad dominum dum tribularer clamavi	g01134	FIN-Hy F.m.I.85, 005v,	Gradual	Mass	5	CantusCorpus v1.0
✓	Adjutor in opportunitatibus in tribulatione	g00632	CH-P 18, 056,	Gradual	Mass	3	CantusCorpus v1.0
✓	Adjutor meus et liberator meus	g00729	CH-P 18, 095,	Gradual	Mass	2	CantusCorpus v1.0
✓	Adjuvabit eam deus vultu suo	g01374	CH-P 18, 288,	Gradual	Mass	5	CantusCorpus v1.0
✓	Angelis suis mandavit de te	g00676	CH-P 18, 074,	Gradual	Mass	2T	CantusCorpus v1.0
✓	Anima nostra sicut passer erecta	g00570	CH-P 18, 042,	Gradual	Mass	5	CantusCorpus v1.0
✓	Audi filia et vide et	g00486	CH-P 18, 320,	Gradual	Mass	7	CantusCorpus v1.0
✓	Audi filia et vide et	g00486	FIN-Hy F.m.I.85, 021v,	Gradual	Mass	7	CantusCorpus v1.0
✓	Beata gens cujus est dominus	g01217	CH-P 18, 130, 2	Gradual	Mass	1	CantusCorpus v1.0
✓	Beatus vir qui timet dominum	g01291	CH-P 18, 290,	Gradual	Mass	5	CantusCorpus v1.0
✓	Benedicam dominum in omni tempore	g01189	CH-P 18, 250,	Gradual	Mass	7	CantusCorpus v1.0
✓	Benedicite dominum omnes angeli ejus	g02712	CH-P 18, 337,	Gradual	Mass	3	CantusCorpus v1.0
✓	Benedicta et venerabilis es tu	g03112	NZ-Wt MSR-03, 186r,	Gradual	Mass	4	CantusCorpus v1.0
✓	Benedicta et venerabilis es virgo	g01409	CH-P 18, 329,	Gradual	Mass	4	CantusCorpus v1.0
✓	Benedictus dominus deus Israel qui	g00614	CH-P 18, 049,	Gradual	Mass	7	CantusCorpus v1.0

Items per page: 201 – 20 of 152<>

Export to CSVCreate DatasetAdd to dataset

🏠

Chant list

Manage data

Manage alignments

Dashboard

Settings

About

docsguide882194Logout🔍Search incipit

✓	Constitues eos principes super omnem	g00006	CH-P 18, 314,	Gradual	Mass	5	CantusCorpus v1.0
✓	Convertere domine aliquantulum et deprecare	g00711	CH-P 18, 091, 3	Gradual	Mass	5	CantusCorpus v1.0
✓	Convertere domine aliquantulum et deprecare	g00711	CH-P 18, 245,	Gradual	Mass	5	CantusCorpus v1.0
✓	Custodi me domine ut pupillam	g01179	CH-P 18, 086,	Gradual	Mass	1	CantusCorpus v1.0
✓	Deus exaudi orationem meam auribus	g00810	CH-P 18, 142,	Gradual	Mass	8	CantusCorpus v1.0
✓	Deus vitam meam nuntiavi tibi	g00755	CH-P 18, 111,	Gradual	Mass	8	CantusCorpus v1.0
✓	Deus vitam meam nuntiavi tibi			Gradual	Mass	8	CantusCorpus v1.0
✓	Diffusa est gratia in labiis			Gradual	Mass	5T	CantusCorpus v1.0
✓	Diffusa est gratia in labiis			Gradual	Mass	5T	CantusCorpus v1.0
✓	Diffusa est gratia in labiis			Gradual	Mass	5	CantusCorpus v1.0
✓	Dilexisti justitiam et odisti iniquitatem			Gradual	Mass	8	CantusCorpus v1.0
✓	Dilexisti justitiam et odisti iniquitatem	g01366	FIN-Hy F.m.I.85, 021v,	Gradual	Mass	8	CantusCorpus v1.0
✓	Dirigatur oratio mea sicut incensum	g00713	CH-P 18, 081,	Gradual	Mass	7T	CantusCorpus v1.0
✓	Discerne causam meam domine ab	g00814	CH-P 18, 143,	Gradual	Mass	5	CantusCorpus v1.0
✓	Discerne causam meam domine ab	g00814	FIN-Hy F.m.I.26, 007r,	Gradual	Mass	5	CantusCorpus v1.0
✓	Dispersit dedit pauperibus justitia ejus	g00328	CH-P 18, 325,	Gradual	Mass	2T	CantusCorpus v1.0

Items per page: 501 – 50 of 152<>

Export to CSVCreate DatasetAdd to dataset

When copying finishes, you get **Dataset Graduals created successfully**. Click **OK**.

Chant list Manage data Manage alignments Dashboard Settings About docsguide882194 Logout Search incipit

☒	Constitues eos principes super omnem	g00006	CH-P 18, 314,	Gradual	Mass	5	CantusCorpus v1.0
☒	Convertere domine aliquantulum et deprecare	g00711	CH-P 18, 091, 3	Gradual	Mass	5	CantusCorpus v1.0
☒	Convertere domine aliquantulum et deprecare	g00711	CH-P 18, 245,	Gradual	Mass	5	CantusCorpus v1.0
☒	Custodi me domine ut pupillam	g01179	CH-P 18, 086,	Gradual	Mass	1	CantusCorpus v1.0
☒	Deus exaudi orationem meam auribus	g00810	CH-P 18, 142,	Gradual	Mass	8	CantusCorpus v1.0
☒	Deus vitam meam nuntiavi tibi	g00755	CH-P 18, 111,	Gradual	Mass	8	CantusCorpus v1.0
☒	Deus vitam meam nuntiavi tibi	g00755	FIN-Hy F.m.I.26, 003r,	Gradual	Mass	8	CantusCorpus v1.0
☒	Diffusa est gratia in labiis	g01207	CH-P 18, 280,	Gradual	Mass	5T	CantusCorpus v1.0
☒	Diffusa est gratia in labiis			Gradual	Mass	5T	CantusCorpus v1.0
☒	Diffusa est gratia in labiis			Gradual	Mass	5	CantusCorpus v1.0
☒	Dilexisti justitiam et odisti iniquitatem	g01366	CH-P 18, 271,	Gradual	Mass	8	CantusCorpus v1.0
☒	Dilexisti justitiam et odisti iniquitatem	g01366	FIN-Hy F.m.I.85, 021v,	Gradual	Mass	8	CantusCorpus v1.0
☒	Dirigatur oratio mea sicut incensum	g00713	CH-P 18, 081,	Gradual	Mass	7T	CantusCorpus v1.0
☒	Discerne causam meam domine ab	g00814	CH-P 18, 143,	Gradual	Mass	5	CantusCorpus v1.0
☒	Discerne causam meam domine ab	g00814	FIN-Hy F.m.I.26, 007r,	Gradual	Mass	5	CantusCorpus v1.0
☒	Dispersit dedit pauperibus justitia ejus	g00328	CH-P 18, 325,	Gradual	Mass	2T	CantusCorpus v1.0

Dataset Graduals created successfully

OK

Items per page: 50 1 - 50 of 152 < >

Export to CSV Create Dataset Add to dataset

The name **Graduals** appears under **Data sources** on the right of the chant list.

Tracts

Change the genre filter from **Gr** to **Tc**, then **Apply filters and refresh** again.

Filter search Apply filters and refresh

☒ Hide incomplete chants ☒ Hide chants without Volpiano

Genres

☐ All

☐ [?] ☐ A ☐ Ag ☐ Al ☐ AlV ☐ AV ☐ BD ☐ Ca ☐ Cap ☐ CaV ☐ Cm ☐ CmR ☐ CmV ☐ Cr

☐ D ☐ [G] ☐ Gl ☐ Gp/Ep ☐ Gr ☐ GrV ☐ [GV] ☐ H ☐ HV ☐ I ☐ Ig ☐ Im ☐ In ☐ InR

☐ InV ☐ IP ☐ Ite ☐ Ky ☐ L ☐ Li ☐ LiV ☐ [M] ☐ [MO] ☐ Of ☐ OfV ☐ Pn ☐ Pr ☐ PRCS

☐ PRCS ☐ PRCSV ☐ PRCSV ☐ PS ☐ R ☐ Sa ☐ Sq ☐ SqV ☒ Tc ☐ TcV ☐ Tp ☐ V ☐ Va

☐ VaHW ☐ W

Offices

☒ All

☒ ? ☒ C ☒ CA ☒ D ☒ E ☒ H ☒ L ☒ M ☒ MI ☒ N ☒ P ☒ R ☒ S ☒ T ☒ V ☒ V2

Click **Select/deselect all** again (as for the graduals), then create a second dataset named **Tracts**.

Chant list

Manage data

Manage alignments

Dashboard

Settings

About

docsguide882194

Logout

Search incipit

☒	Ave Maria gratia plena dominus	g00119	CH-P 18, 296,	Tract	Unknown	2	CantusCorpus v1.0
☒	Beatus vir qui timet dominum	g01285	CH-P 18, 295,	Tract	Unknown	8	CantusCorpus v1.0
☒	Cantemus domino gloriose enim honorificatus	g00984	CH-P 18, 193,	Tract	Mass	8	CantusCorpus v1.0
☒	Commovisti domine terram et conturbasti	g00643	CH-P 18, 060,	Tract	Unknown	8	CantusCorpus v1.0
☒	Confitemini domino quoniam bonus quoniam	g00722	CH-P 18, 094,	Tract	Unknown	2	CantusCorpus v1.0
☒	De necessitatibus meis eripe me	g00698	CH-P 18, 083,	Tract	Unknown	2	CantusCorpus v1.0
☒	De profundis clamavi ad te	g00634	CH-P 18, 057,	Tract	Unknown	8	CantusCorpus v1.0
☒	Desiderium animae ejus tribuisti ei	g01275	CH-P 18, 290,	Tract	Unknown	8	CantusCorpus v1.0
☒	Deus deus meus respice in	g00848	CH-P 18, 161,	Tract	Unknown	2	CantusCorpus v1.0
☒	Diffusa est gratia in labiis	g02214	CH-P 18, 286,	Tract	Unknown	2	CantusCorpus v1.0
☒	Domine audivi auditum tuum et	g02429	CDN-Mlr MS Medieval 0025, 071r, 1	Tract	Unknown	2	CantusCorpus v1.0
☒	Domine audivi auditum tuum et	g02429	CH-P 18, 172,	Tract	Unknown	2	CantusCorpus v1.0
☒	Domine exaudi orationem meam et	g00876	CH-P 18, 169,	Tract	Unknown	2	CantusCorpus v1.0
☒	Domine exaudi orationem meam et	g00876	FIN-Hy F.m.I.85, 011r,	Tract	Mass	2	CantusCorpus v1.0
☒	Domine non secundum peccata nostra	g00665	CH-P 18, 068,	Tract	Unknown	2	CantusCorpus v1.0
☒	Domine non secundum peccata nostra	g00665.1	CDN-Mlr MS Medieval 0025, 027r,	Tract	Unknown	2	CantusCorpus v1.0

Items per page: 201 - 20 of 38

Export to CSV

Create Dataset

Add to dataset

Chant list

Manage data

Manage alignments

Dashboard

Settings

About

docsguide882194

Logout

Search incipit

☒	Gaude Maria virgo cunctas haereses	g01413	FIN-Hy F.m.I.85, 017v,	Tract	Unknown	2	CantusCorpus v1.0
☒	Jubilare domino omnis terra servite	g00651	CH-P 18, 063,	Tract	Unknown	8	CantusCorpus v1.0
☒	Laudate dominum omnes gentes et	g00715	CDN-Mlr MS Medieval 0208, 002r,	Tract	Unknown	8	CantusCorpus v1.0
☒	Laudate dominum omnes gentes et	g00715	CH-P 18, 092,	Tract	Unknown	8	CantusCorpus v1.0
☒	Quasi stella matutina in medio	g03053	CDN-Mlr MS Medieval 0073, 051r,	Tract	Unknown	8	CantusCorpus v1.0
☒	Qui confidunt in domino sicut	g00779	CH-P 18, 123,	Tract	Unknown	8	CantusCorpus v1.0
☒	Qui confidunt in domino sicut			Tract	Unknown	8	CantusCorpus v1.0
☒	Qui habitat in adjutorio altissimi			Tract	Unknown	2	CantusCorpus v1.0
☒	Qui regis Israel intende qui			Tract	Unknown	8	CantusCorpus v1.0
☒	Qui seminant in lacrimis in			Tract	Unknown	8	CantusCorpus v1.0
☒	Qui seminant in lacrimis in			Tract	Unknown	8	CantusCorpus v1.0
☒	Saepe expugnaverunt me a juventute	g00803	CH-P 18, 139,	Tract	Unknown	8	CantusCorpus v1.0
☒	Sicut cervus desiderat ad fontes	g02374	CH-P 18, 194,	Tract	Unknown	8	CantusCorpus v1.0
☒	Tu es Petrus et super	g00030	CH-P 18, 292,	Tract	Unknown	2	CantusCorpus v1.0
☒	Veni sponsa [Christi accipe coronam	g01368	US-Stu MSS CODEX 0734 FF, 089v,	Tract	Unknown	r	CantusCorpus v1.0
☒	Vinea facta est dilecto in	g02372	CH-P 18, 194,	Tract	Unknown	8	CantusCorpus v1.0

Items per page: 501 - 38 of 38

Export to CSV

Create Dataset

Add to dataset

Enter data source name

Data source name

Tracts

Confirm

3. Pick the dataset and save

The chant list only shows sources that are checked in **Data sources**.

- 1. Open the **Data sources** panel if it is collapsed.
- 2. Uncheck the shared default corpora.
- 3. Check **Graduals**.
- 4. Click **Save**.

Chant list

Manage data

Manage alignments

Dashboard

Settings

About

docsguide882194

Logout

Search incipit

☒	Ave Maria gratia plena dominus	g00119	CH-P 18, 296,	Tract	Unknown	2	CantusCorp
☒	Beatus vir qui timet dominum	g01285	CH-P 18, 295,	Tract	Unknown	8	CantusCorp
☒	Cantemus domino gloriose enim honorificatus	g00984	CH-P 18, 193,	Tract	Mass	8	CantusCorp
☒	Commovisti domine terram et conturbasti	g00643	CH-P 18, 060,	Tract	Unknown	8	CantusCorp
☒	Confitemini domino quoniam bonus quoniam	g00722	CH-P 18, 094,	Tract	Unknown	2	CantusCorp
☒	De necessitatibus meis eripe me	g00698	CH-P 18, 083,	Tract	Unknown	2	CantusCorp v1.0

☐ CantusCorpus v1.0

☐ netvor-0.3

☒ Graduals

☐ Tracts

Save

Confirm **Source selection saved**. The table now contains only chants from that dataset.

Chant list

Manage data

Manage alignments

Dashboard

Settings

About

docsguide882194

Logout

Search incipit

☐	Ad dominum dum tribularer clamavi	g01134	CH-P 18, 103,	Gradual	Mass	5	Graduals
☐	Ad dominum dum tribularer clamavi	g01134	FIN-Hy F.m.1.85, 005v,	Gradual	Mass	5	Graduals
☐	Adjutor in opportunitatibus in tribulatione	g00632	CH-P 18, 056,	Gradual	Mass	3	Graduals
☐	Adjutor meus et liberator meus	g00729	CH-P 18, 095,	Gradual	Mass	2	Graduals
☐	Adjuvabit eam deus vultu suo	g01374	CH-P 18, 288,	Gradual	Mass	5	Graduals
☐	Angelis suis mandavit de te	g00676	CH-P 18, 074,	Gradual	Mass	2T	Graduals
☐	Anima nostra sicut passer erecta	g00570	CH-P 18, 042,	Gradual	Mass	5	Graduals
☐	Audi filia et vide et	g00486	CH-P 18, 320,	Gradual	Mass	7	Graduals
☐	Audi filia et vide et	g00486	FIN-Hy F.m.1.85, 021v,	Gradual	Mass	7	Graduals
☐	Beata gens cujus est dominus	g01217	CH-P 18, 130, 2	Gradual	Mass	1	Graduals
☐	Beatus vir qui timet dominum	g01291	CH-P 18, 290,	Gradual	Mass	5	Graduals
☐	Benedicam dominum in omni tempore	g01189	CH-P 18, 250,	Gradual	Mass	7	Graduals
☐	Benedicite dominum omnes angeli ejus	g02712	CH-P 18, 337,	Gradual	Mass	3	Graduals
☐	Benedicta et venerabilis es tu	g03112	NZ-Wt MSR-03, 186r,	Gradual	Mass	4	Graduals
☐	Benedicta et venerabilis es virgo	g01409	CH-P 18, 329,	Gradual	Mass	4	Graduals
☐	Benedictus dominus deus Israel qui	g00614	CH-P 18, 049,	Gradual	Mass	7	Graduals

Items per page: 20

1 - 20 of 20

Export to CSV


Create Dataset

Add to dataset

4. Edit Volpiano and save

Click an **Incipit** in your dataset. Because you own these rows, **Raw volpiano** is editable and **Update volpiano** is shown.


CH-P 18, , 113



Raw volpiano
 1---c---c---eF---hf-gh-fd-ge-
 Full text
 Ab occultis meis munda me domine et ab alienis parce servo tuo
 Genre
 Gradual
 Source
 CH-P 18 (1100 - 1199)
 Cantus ID
[g00760](#)
 Details
<https://cantusdatabase.org/chant/638772>
 Update volpiano

Change the string if needed, click **Update volpiano**, then **OK** on **Volpiano updated successfully**.

CH-P 18, , 113



Raw volpiano
 1---c---c---eF---hf-gh-fd-ge-
 Full text
 Ab occultis meis munda me domine et ab alienis parce servo tuo
 Genre
 Gradual
 Source
 CH-P 18 (1100 - 1199)
 Cantus ID
[g00760](#)
 Details
<https://cantusdatabase.org/chant/638772>
 Update volpiano

Volpiano updated successfully

OK

Use the home icon or **Chant list** to return.

5. Upload a CSV, then delete that copy

Open **Manage data**. The left card lists your datasets. Shared defaults are marked **shared** and have no checkbox — they cannot be deleted. **Graduals** and **Tracts** should already be there from section 2.

Manage datasets

CantusCorpus v1.0 *shared*

netvor-0.3 *shared*

☐ Graduals

☐ Tracts

Delete

Upload Data

Data Source Name

Choose File No file chosen

Upload

Help: Data Format

The right card uploads a new dataset from a CSV file. Use the `dataset.csv` you exported from the tracts selection.

1. Type a **Data Source Name**. It must not already exist on your account — for example `Tracts (CSV)` if you already created **Tracts** from the list.
2. Choose the `.csv` file.
3. Click **Upload**.

Open **Help: Data Format** for the expected columns. The first line of the CSV must be the header; do not upload data rows only. The safest template is a file downloaded from **Chant list** with **Export to CSV**. That export uses the CantusCorpus v1.0 column names.

Recommended v1.0 columns: `chantlink`, `incipit`, `cantus_id`, `mode`, `siglum`, `position`, `folio`, `sequence`, `feast`, `feast_code`, `genre`, `office`, `srclink`, `melody_id`, `full_text`, `melody`, `db`, `image`.

None of these are strictly required for a ChantLab upload — missing cells are stored empty, and unknown extra columns are ignored. Older Cantus Corpus / ChantLab names (`id` / `drupal_path`, `source_id`, `notes`, `volpiano`, `feast_id` / `genre_id` / `office_id`) are mapped automatically. `volpiano` is stored as `melody`. `dataset_name` in the file is replaced by the name you type in the form.

The screenshot shows the 'Manage data' interface. On the left, under 'Manage datasets', there are two shared corpora: 'CantusCorpus v1.0' and 'netvor-0.3'. Below them are checkboxes for 'Graduals' and 'Tracts', and a 'Delete' button. On the right, the 'Upload Data' form is visible. It has a 'Data Source Name' field containing 'Tracts (CSV)', a 'Choose File' button next to 'dataset.csv', and a blue 'Upload' button. Below the form is a 'Help: Data Format' dropdown menu. A mouse cursor is pointing at the 'Upload' button.

When the upload finishes, you get **Data uploaded**. Click **OK**.

This screenshot shows the same 'Manage data' interface as before, but with a confirmation dialog box in the foreground. The dialog box is titled 'Data uploaded' and has an 'OK' button. A mouse cursor is clicking the 'OK' button. The background interface is dimmed, showing the 'Upload Data' form and the 'Manage datasets' list.

Go back to **Chant list** and open **Data sources**. The uploaded name is now listed on the right, next to **Graduals**, **Tracts**, and the shared corpora.

[Home](#)
[Chant list](#)
[Manage data](#)
[Manage alignments](#)
[Dashboard](#)
[Settings](#)
[About](#)

docsguide882194

[Logout](#)

Search incipit

Filter search

Apply filters and refresh

Align word-based

Align pitches

Align intervals

Select/deselect all (Selected: 0)

Sort by Cantus ID frequency

Concatenated alignment

Keep liquescents

CantusCorpus v1.0

netvor-0.3

☒ Graduals

Tracts

Tracts (CSV)

Save

	Incipit	Cantus ID	Source	Genre	Office	Mode	Dataset name
☐	[Inveni David servum meum oleo	g01272	FIN-Hy F.m.I.26, 019r,	Gradual	Mass	1	Graduals
☐	Ab occultis meis munda [me	g00760	US-CApc D-0xpcp, 001v, 3	Gradual	Mass	2	Graduals
☐	Ab occultis meis munda me	g00760	CH-P 18, 113,	Gradual	Mass	2T	Graduals
☐	Ab occultis meis munda me	g00760	FIN-Hy F.m.I.85, 007r,	Gradual	Mass	2T	Graduals
☐	Ad dominum dum tribularer clamavi	g01134	CH-P 18, 103,	Gradual	Mass	5	Graduals
☐	Ad dominum dum tribularer clamavi	g01134	FIN-Hy F.m.I.85, 005v,	Gradual	Mass	5	Graduals
☐	Adjutor in opportunitatibus in tribulatione	g00632	CH-P 18, 056,	Gradual	Mass	3	Graduals
☐	Adjutor meus et liberator meus	g00729	CH-P 18, 095,	Gradual	Mass	2	Graduals
☐	Adjuvabit eam deus vultu suo	g01374	CH-P 18, 288,	Gradual	Mass	5	Graduals
☐	Angelis suis mandavit de te	g00676	CH-P 18, 074,	Gradual	Mass	2T	Graduals
☐	Anima nostra sicut passer erecta	g00570	CH-P 18, 042,	Gradual	Mass	5	Graduals
☐	Audi filia et vide et	g00486	CH-P 18, 320,	Gradual	Mass	7	Graduals
☐	Audi filia et vide et	g00486	FIN-Hy F.m.I.85, 021v,	Gradual	Mass	7	Graduals
☐	Beata gens cujus est dominus	g01217	CH-P 18, 130, 2	Gradual	Mass	1	Graduals
☐	Beatus vir qui timet dominum	g01291	CH-P 18, 290,	Gradual	Mass	5	Graduals

Return to **Manage data**. Check **Tracts (CSV)** (or whatever name you used for the upload), then click **Delete**.

[Home](#)
[Chant list](#)
[Manage data](#)
[Manage alignments](#)
[Dashboard](#)
[Settings](#)
[About](#)

docsguide882194

[Logout](#)

Search incipit

Manage datasets

CantusCorpus v1.0 shared

netvor-0.3 shared

☐ Graduals

☐ Tracts

☒ Tracts (CSV)

Delete

Upload Data

Data Source Name

Choose File No file chosen

Upload

Help: Data Format

The uploaded name disappears. **Graduals** and **Tracts** can stay.

[Home](#)
[Chant list](#)
[Manage data](#)
[Manage alignments](#)
[Dashboard](#)
[Settings](#)
[About](#)

docsguide882194

[Logout](#)

Search incipit

Manage datasets

CantusCorpus v1.0 shared

netvor-0.3 shared

☐ Graduals

☐ Tracts

Delete

Upload Data

Data Source Name

Choose File No file chosen

Upload

Help: Data Format

Go back to **Chant list** and open **Data sources**. The uploaded copy is no longer on the right. The datasets you created from the filtered list are still there.

[Home](#) |
 [Chant list](#) |
 [Manage data](#) |
 [Manage alignments](#) |
 [Dashboard](#) |
 [Settings](#) |
 [About](#)

[docsguide882194](#) [Logout](#) Search incipit

☒ Filter search

☐ Select/deselect all (Selected: 0)
 ☐ Sort by Cantus ID frequency
 ☐ Concatenated alignment
 ☐ Keep liquescentis

Incipit	Cantus ID	Source	Genre	Office	Mode	Dataset name
☐ -- mors quam corpori debemus	007091zn	D-KA Aug. LX, 223r, 03	Responsory verse	Matins	?	CantusCorpus v1.0
☐ -- tu mea spes sanctorum	007091zm	D-KA Aug. LX, 222v, 02	Responsory verse	Matins	?	CantusCorpus v1.0
☐ -tus Laurentius dixit mea nox	001641	CH-Fco Ms. 2, 198r, 2.3	Antiphon	Matins	8	CantusCorpus v1.0
☐ ...bus dominum suum quando revertatur	007675	CDN-Hsmu M2149.L4, A33r, 3.4	Responsory	Matins	1	CantusCorpus v1.0
☐ (...) munt caelestis gloriae	a02376	CDN-Mlr MS Medieval 0073, 087r, M	Antiphon	First Vespers	7	CantusCorpus v1.0
☐ (...) o madens ut flumine	a02053	CDN-Mlr MS Medieval 0073, 010r, 3.1	Responsory	Matins	8	CantusCorpus v1.0
☐ [Ad te domine levavi animam]	g00698a	CDN-Mlr MS Medieval 0092, 002, 01	Tract verse	Unknown	2	CantusCorpus v1.0
☐ [Adorna thalamum tuum Sion et	g00068	FIN-Hy F.m.I.85, 017r, ?	Antiphon	Others	6T	CantusCorpus v1.0
☐ [Alleluia Angelus domini descendit de	008415.2	FIN-Hy F.m.I.26, 011r,	Alleluia	Mass	8T	CantusCorpus v1.0
☐ [Alleluia Benedictus es] domine deus	g01113	FIN-Hy F.m.I.85, 013rb,	Alleluia	Mass	5?	CantusCorpus v1.0
☐ [Alleluia Confitemini domino quoniam bonus	507011	FIN-Hy F.m.I.26, 009v,	Alleluia	Mass	?	CantusCorpus v1.0
☐ [Alleluia Domine] refugium factus es	g01197	CDN-Mlr MS Medieval 0007, 060r,	Alleluia	Mass	7	CantusCorpus v1.0
☐ [Alleluia Posuisti] domine	g01302	CDN-LonONpc D-01oko, 075r,	Alleluia	Mass	1	CantusCorpus v1.0
☐ [Alma redemptoris mater quae pervia	001356	CDN-Mlr MS Medieval 0170, 291,	Antiphon	Others	5	CantusCorpus v1.0
☐ [Ave gratia plena dei genetrix	200456	FIN-Hy F.m.I.26, 020v,	Antiphon	Mass	1	CantusCorpus v1.0

☒ CantusCorpus v1.0
☐ netvor-0.3
☐ Graduals
☐ Tracts