Reference availability by query phylum
Labels: queries with an eligible reference / sampled

Reference relationship (color)
Genomes with an eligible reference: n=994
Same genus (or closer): 503 (50.6%)
Same family, different genus: 212 (21.3%)
More distant than family: 279 (28.1%)

Acanthocephala (0/1)
Annelida (61/61)
Apicomplexa (45/45)
Arthropoda (62/62)
Ascomycota (61/61)
Bacillariophyta (25/25)
Basidiomycota (61/61)
Brachiopoda (3/3)
Bryozoa (9/9)
Chaetognatha (2/2)
Chlorophyta (57/57)
Chordata (61/61)
Chytridiomycota (0/1)
Ciliophora (13/13)
Cnidaria (61/61)
Ctenophora (4/4)
Discosea (0/1)
Echinodermata (61/61)
Endomyxa (0/1)
Euglenozoa (44/44)
Evosea (6/6)
Fornicata (3/3)
Glomeromycota (0/1)
Haptophyta (3/3)
Hemichordata (4/4)
Heterolobosea (3/3)
Microsporidia (8/8)
Mollusca (61/61)
Mortierellomycota (2/2)
Mucoromycota (4/4)
Nematoda (62/62)
Nematomorpha (6/6)
Nemertea (7/7)
Oomycota (9/9)
Parabasalia (2/2)
Phoronida (0/1)
Platyhelminthes (39/39)
Porifera (61/61)
Rhodophyta (19/19)
Streptophyta (61/61)
Xenacoelomorpha (4/4)

Mash signal (shape)
Shared hashes; P ≤ 0.01
Shared hashes; P > 0.01
No shared hashes

0.0
0.2
0.4
0.6
0.8
1.0

Nearest reference Mash distance
Native hobrac eligibility + same-species exclusion (zero distances excluded)