





Dash Python > Dash Cytoscape

Plotly Studio: Transform any dataset into an interactive data application in minutes with Al. Sign up for early access

Dash Cytoscape





 $Dash\ Cytoscape\ is\ a\ graph\ visualization\ component\ for\ creating\ easily\ customizable,\ high-performance,\ interactive,\ and\ constraints and\ constra$ web-based networks. It extends and renders Cytoscape.js, and offers deep integration with Dash layouts and callbacks, enabling the creation of powerful networks in conjunction with the rich collection of Dash components , as well as established computational biology and network science libraries such as Biopython and networkX.

Quickstart

```
ð
import dash_cytoscape as cyto
       style={'width': '100%', 'height': '400px'},
            {\dashbox{'id': 'two', 'label': 'Node 2'}, 'position': {'x': 200, 'y': 200}},
   app.run(debug=True)
```





Dash Cytoscape graphs are interactive! Scroll to zoom and drag on the canvas to move the entire graph around. You can move nodes by *dragging* it, or by *clicking, holding, and moving your mouse* to the desired location (and click again to release).

This also work in mobile! Tap-and-hold on a node to move it, or on the canvas to move the entire graph. Pinch your fingers outwards to zoom in, or pinch them together to zoom out.

Dash Cytoscape User Guide

Reference

A comprehensive list of all of the Cytoscape properties.

Basic Usage & Elements

Overview of element declaration and manipulation.

Layouts

Description of built-in layouts, and how to modify their properties. These include:

- o Display Methods
- Fine-tuning the Layouts
- o Physics-based Layouts
- o Loading External Layout

Styling

 $\label{lem:methods} \mbox{Methods to style elements with a CSS-like syntax. These include:} \\$

- The stylesheet parameter
- o Basic selectors and styles
- o Comparing data items using selectors
- Styling edges
- Displaying Images

Callbacks

Methods to combine Dash callbacks to update your Cytoscape object. These include:

- o Changing Layouts
- Interactively update styles
- Adding and removing elements

Events and User Interactions



Overview of user-interaction events that trigger callbacks in Dash, and how to use them to update the Cytoscape component.

- o Simple callback construction
- o Click, tap and hover
- o Selecting multiple elements
- o Advanced usage of callbacks

Biopython Examples

Examples of applications in bioinformatics using Biopython. These include:

- Parsing the Phylo object
- o Defining layout and stylesheet
- o Layout and Callbacks

Exporting Images

This example shows how to export your Cytoscape graphs as images (jpg, png, svg).

Making responsive graphs

This example shows how to build a responsive Cytoscape graph.

Dash Python > Dash Cytoscape

Products	Pricing	About Us	Support	Join our mailing
Dash	Enterprise Pricing	Careers	Community Support	list
Consulting and Training		Resources	Graphing Documentation	
		Blog		Sign up to stay in the loop with all things Plotly — from Dash Club to product updates, webinars, and more!
				SUBSCRIBE
Copyright © 2025 Plotly. All rights reserved.				Terms of Service Privacy Policy