General Applications
DONN® Perimeter Trims

Perimeter trims for standard perimeter solutions with mineral and wood ceilings

Key features
- Comprehensive range including angle trims, shadowline trims, channels and F-upstand trims

Application areas
- All ceilings - Perimeters

Physical data
- Material: steel
- Surface finish: baked polyester paint
- Colour: all products standard in DONN® White
- Other standard colours available on popular items

■ DONN® Perimeter Trims | L-trims

Item reference	Dimensions (mm)		Content/carton		Weight/carton kg	Cartons/ pallet
	Length	Thickness	pcs	lm		
MIE20205W [1]	3000	0.475	40	120	22.1	60
MIE2121W [1] [2]	3000	0.475	25	75	13.5	80
MIE1929W	3000	0.475	40	120	24.4	60
MIE2024W [2]	3000	0.475	40	120	23.5	60
MIE2024KB [A]	3000	0.475	40	120	26.1	60
MI2024W	3000	0.475	40	120	23.5	60
MI2424W	3000	0.475	20	60	10.8	80
MIE2430W	3000	0.475	30	90	26.6	60
MIE3030W [1] [2]	3000	0.475	30	90	25.2	40
M3030X [3]	3000	0.600	20	60	19.5	60
MI31W	3000	1.000	12	36	20.2	80
MI4020W	3000	0.700	20	60	23	98
MI4030W	3000	0.700	20	60	13.0	90
MI5035W	3000	0.700	16	48	25.2	64

Available in [1] Matt Black [2] Metal 06 [3] galvanized. Special colours on request.
[A] Corrosion resistant version.

■ DONN® Perimeter Trims | W-trims

Item reference	Dimensions (mm)		Content/carton		Weight/carton kg	Cartons/ pallet
	Length	Thickness	pcs	lm		
MS10W	3000	0.475	30	90	23.2	90
MS15W [1] [2]	3000	0.475	30	90	23.5	98
MS14W	3000	0.700	15	45	21.3	48
MSG14W [B]	3000	0.700	15	45	20.4	56

Available in [1] Matt Black [2] Metal 06. Special colours on request.
[B] Slotted for air circulation.

■ DONN® Perimeter Trims | C-trims

Item reference	Dimensions (mm)		Content/carton		Weight/carton kg	Cartons/ pallet
	Length	Thickness	pcs	lm		
MUS8W	3000	0.475	50	150	35.5	24
MUS225W [4]	3000	0.475	30	90	27.5	24
MUS225WKB [A]	3000	0.475	30	90	28.0	24

Available in [4] RAL 9010. Special colours on request.
[A] Corrosion resistant version.

■ DONN® Perimeter Trims | F-trims

Item reference	Dimensions (mm)		Content/carton		Weight/carton kg	Cartons/ pallet
	Length	Thickness	pcs	lm		
MF10W	3000	0.475	20	60	22.8	24
MF8W [1]	3000	0.475	20	60	22.8	24

Available in [1] Matt Black. Special colours on request.

■ DONN® Perimeter Trims | Accessories

Item reference	Content/carton pcs	Weight/carton kg	Description
JS16 DX	100	2.0	Perimeter L Inner Corner 20 mm or 21 mm DONN® White
JS14 DX	100	2.0	Perimeter L Outer Corner 20 mm or 21 mm DONN® White
JS20 DX	100	3.1	Perimeter W Inner Corner 20x20x20 DONN® White
JS22 DX	100	3.1	Perimeter W Outer Corner 20x20x20 DONN® White
JS28 DX	100	1.8	Perimeter W Inner Corner 15x8x15 DONN® White
JS24 DX	100	1.8	Perimeter W Outer Corner 15x8x15 DONN® White

Fire reaction	Euroclass **A1** as per EN 13501-1	RUS **KM0 (NG) / KM1 (G1, V1, D1, T1)** as per 123-FZ	
Indoor air quality	A+	ISO 3	
Cleanability			
Sustainability	25%	EPD EN ISO 14025	CERTIFIED cradle to cradle SILVER
Design options			

All measurements in millimetres. All sizes are nominal.

Products may vary from country to country. Please contact your local sales representative.
For further information and legal notice, please visit our website.
knaufceilingsolutions.com