
### The Current Status of Herpetofauna in Bhutan



# An Introduction to the **Biodiversity of Bhutan**

in the Context of Climate Change and Economic Development

Editors: Dhan Bdr. Gurung

Om Katel

Authors: Jambay Photographs: Dhan Bdr. Gurung

Serki Wangmo Om Katel

Cheten Dorji Sherab Jamtsho
Dhan Bdr. Gurung Lobzang Penjor
Jigme T. Wangyal Tulsi Gurung
Ugyen Dorji

Ugyen Dorji
Tshering Gyeltshen
Tulsi Gurung
Sushila Rai
Ugyen Dorji
Jigme Dorji
Ryan Thoni
Stig Dalstrom

Chogyal Wangmo Penjor

Cheten Dorji Karma Jigme

Sangay Tenzin

**ISBN**: 978-99936- 994-0- 8

**BICMA No:** 3040000116

Om Katel

**Copyright**: College of Natural Resources, Royal Unviersity of Bhutan,

Lobesa, 2017

**Fund support**: SUNREM/NORHED Project, CNR/RUB, Bhutan

Publisher: Centre for Rural Development Studies

College of Natural Resources

Lobesa, Punakha

Phone: 00975 2 376249 Fax: 00975 2 376254

www.rub.edu.bt or www.cnr.edu.bt

Design & Printing @ Kuensel Corporation Limited



## Celebrates 25 years of services to the Tsa wa sum

The College of Natural Resources, 2017

#### **Contents**

| Fore  | word   |  | V  |
|-------|--------|--|----|
| Prefa | ace    |  | vi |
| 1.    | Intro  | duction  | 1  |
| 2.    | Linkir | ng Biodiversity and Human Well-being                 | 4  |
|       | 2.1.   | Introduction   | 4  |
|       | 2.2.   | Biodiversity and Human well-being (HWB)              | 6  |
|       | 2.3.   | Concepts on Biodiversity and Human Well-being        | 7  |
|       | 2.4.   | Biodiversity Conservation                            | 9  |
|       | 2.5.   | Biodiversity Policies and Conservation in Bhutan     | 10 |
|       | 2.6.   | Protected Areas of Bhutan                            | 14 |
|       | 2.7.   | Interventions Required                               | 15 |
|       | 2.8.   | Conclusion   | 15 |
| 3.    | Terre  | strial Biodiversity in the Context of Climate Change | 17 |
|       | 3.1.   | Introduction   | 17 |
|       | 3.2.   | Major Groups of Flora                                | 20 |
|       | 3.3.   | Avifauna   | 25 |
|       | 3.4.   | Megafauna  | 26 |
|       | 3.5.   | Invertebrates  | 28 |
|       | 3.6.   | Impact of Climate Change on Flora and Fauna          | 36 |
|       | 3.7.   | Research Gaps and Priorities                         | 37 |
|       | 3.8.   | Conclusion   | 38 |
| 4.    | The C  | Current Status of Herpetofauna in Bhutan             | 39 |
|       | 4.1.   | Introduction   | 39 |
|       | 4.2.   | Reptiles   | 41 |
|       | 4.3.   | Amphibians   | 50 |
|       | 4.4.   | Trends and Way Forward in the Study of               |    |
|       |        | Herpetofauna   | 54 |
|       | 4.5.   | Conclusion   | 55 |
| 5.    | Aqua   | tic Biodiversity of Bhutan                           | 56 |
|       | 5.1.   | Introduction   | 56 |

|    | 5.2.   | Fishes   | 57        |
|----|--------|--|-----------|
|    | 5.3.   | Freshwater Decapods                                  | 60        |
|    | 5.4.   | Freshwater Macroinvertebrates                        | 61        |
|    | 5.5.   | Aquatic Flora  | 64        |
|    | 5.6.   | Planktons  | 67        |
|    | 5.7.   | Freshwater Molluscs                                  | 71        |
|    | 5.8.   | Current Trends and Way Forward                       | 72        |
|    | 5.9.   | Conclusion   | 73        |
| 6. | Livest | cock Diversity for Food Security and Community       |           |
|    | Vitali | ty   | <b>75</b> |
|    | 6.1.   | Introduction   | 75        |
|    | 6.2.   | Livestock Rearing in Bhutan                          | 76        |
|    | 6.3.   | Cattle   | 77        |
|    | 6.4.   | Pig  | 86        |
|    | 6.5.   | Sheep  | 88        |
|    | 6.6.   | Goat   | 89        |
|    | 6.7.   | Equine   | 90        |
|    | 6.8.   | Poultry  | 91        |
|    | 6.9.   | Challenges to Livestock Diversity and Way Forward    | 93        |
|    | 6.10.  | Conclusion   | 97        |
| 7. | Agro-  | biodiversity for Food Security and Adaptation to     |           |
|    | Clima  | te Change  | 99        |
|    | 7.1.   | Introduction   | 99        |
|    | 7.2.   | Cereal Crop Diversity                                | 100       |
|    | 7.3.   | Oil Seed Crops                                       | 105       |
|    | 7.4.   | Legumes  | 106       |
|    | 7.5.   | Horticulture Crop Diversity                          | 107       |
|    | 7.6.   | Challenges to Agro-biodiversity                      | 114       |
|    | 7.7.   | Conclusion   | 117       |
| 8. | Impa   | ct of Environment and Climate Change on Biodiversity | 119       |
|    | 8.1.   | Introduction   | 119       |
|    | 8.2    | Regional Climate Scenarios                           | 123       |

|        | 8.3.    | Impact of Climate Change on Various Levels of Diversi  | ty | 124 |
|--------|---------|--|----|-----|
|        | 8.4.    | Effects of Spatial and Temporal Changes on Biodiversit | У  | 126 |
|        | 8.5.    | Climate Change and Moisture Stress                     | 12 | 7   |
|        | 8.6.    | Climate Change, Invasive Species, Pests and Diseases   | 12 | 8   |
|        | 8.7.    | Climate Change Affecting Behaviour and Phenology       | 13 | 0   |
|        | 8.8.    | Current Gaps and Trends                                | 13 | 2   |
|        | 8.9.    | Conclusion   | 13 | 3   |
| 9.     | Develo  | ppment Activities and Biodiversity                     | 13 | 4   |
|        | 9.1.    | Introduction   | 13 | 4   |
|        | 9.2.    | Conservation Policies                                  | 13 | 5   |
|        | 9.3.    | Mining   | 13 | 5   |
|        | 9.4.    | Road Infrastructure                                    | 13 | 6   |
|        | 9.5.    | Hydropower   | 13 | 8   |
|        | 9.6.    | Information Gaps and the Way Forward                   | 14 | 7   |
|        | 9.7.    | Conclusions  | 14 | 8   |
| 10.    | Geom    | orphology and Climatic Constraints to Local            |    |     |
|        | Livelih | oods   | 14 | 9   |
|        | 10.1.   | Introduction   | 14 | 9   |
|        | 10.2.   | Life Zone Ecology and Geomorphology                    | 14 | 9   |
|        | 10.3.   | Agriculture and its Relation to Slope Stability        | 15 | 4   |
|        | 10.4.   | Climatic, Geomorphological, and Social Constraints     | 15 | 6   |
|        | 10.5.   | Agriculture as a Source of Greenhouse Gas Emissions    | 15 | 8   |
|        | 10.6.   | Subsistence Mountain Agriculture and Challenges        | 15 | 9   |
|        | 10.7.   | Conclusions and Way Forward                            | 16 | 2   |
| Summ   | ary of  | Conclusions and Recommendations                        | 16 | 4   |
| Refere | nces    |  | 16 | 7   |
| Inday  |         |  | 10 | 7   |

#### Foreword

This book on "An Introduction to the Biodiversity of Bhutan in the context of climate change and economic development" is a result of many years of teaching and research experience by its many authors and as a statement of the current state of our knowledge of the region. It also reflects the gaps in understanding of state of the biodiversity conservation and the drivers responsible for biodiversity loss, which also lays the strong foundation for future research in Bhutan. It is a useful reference material as it attempts to integrate biodiversity conservation with economic development in the context of climate change impacts and the prospects for sustainable development. The issues pertaining to climate change, development and loss of biodiversity is complex in nature and hence integrated solutions are crucial as it is not possible to deal with these issues independently.

This volume illustrates need for in-depth research and not just fundamental and seeks for collaborative research to build a broad based network of researchers to adequately describe the Bhutan's complex environment. This book serves as a source of sound information for many practitioners like forestry professionals and educators, and policy-makers, including general public as this book can help formulate recommendations for future policies and management strategies required to conserve rich biodiversity of Bhutan. I would like to congratulate both the editors and the authors of this book and I trust that this book would be an excellent contribution to our society at large.

Dr. Phub Dorji

President

College of Natural Resources

#### Preface


Rich biodiversity legacy of Bhutan is mainly attributed to the visionary leaderships of the Monarchs of Bhutan who have worked tirelessly for the benefits of the Bhutanese people. Because of their visionary leadership, the biodiversity conservation policies are strongly embedded in the Constitution of the Kingdom of Bhutan which mandates to maintain at least 60% of the country under forest cover at all times to come. Despite such efforts made by its leaders, policy makers, and implementers; Bhutan is facing new challenges on biodiversity conservation, mainly due to climate change and its impacts.

Climate change is affecting biodiversity conservation in various ways. Globally, as a result of temperature rise, mountainous regions such as the Himalayas and coastal areas have become highly vulnerable. In Bhutan, glaciers are depleting at an unprecedented rate and precipitations have become unpredictable. Incidences of natural disasters such as the Glacial Lake Outburst Floods, flash floods, landslides, and wind storms have become recurrent.

With climate change, many invasive plants and animals have taken over new habitats by surprise. These species taking over new grounds have come at a

time when trans-boundary and globalised trades have no boundary. While some of the invasive species have been introduced accidentally through trade and movement of people across borders, many have been introduced intentionally. In absence of specific pests and diseases in the new grounds, the introduced species displace or replace native species few of which will be pushed to the brink of local or global extinction. In order to avoid any such tragedy, it is important that proper documentation of biodiversity is done with scientific rigour.

Besides documentation, it is also important to conserve biodiversity – genetic, species, and ecosystem diversity to secure human well-being. In addition to providing basic needs of food, shelter, and clothing, biodiversity is important source of medicine, income, and ecosystem services. However, very often biodiversity is understood and treated in a piecemeal basis. For instance, biodiversity is understood mostly in the perspective of wild species of plants and animals by foresters. Similarly, agriculturalists tend to know only the agro-biodiversity. Therefore, this book attempts to document biodiversity of Bhutan in a holistic manner, mainly in the context of climate change and fast growing socio-economic development which otherwise might jeopardise human well-being by destroying the biodiversity base.



Thuenpa Puen Zhi – the basis for biodiversity existence in harmony

#### 4. The Current Status of Herpetofauna in Bhutan

Jigme Tshelthrim WANGYAL<sup>1</sup> and Dhan Bdr. GURUNG<sup>2</sup>

- 1 Forest Officer, Department of Forest and Park Services
- 2 Professor, Department of Forestry

#### 4.1. Introduction

The study of herpetofauna, which includes reptiles and amphibians, has picked up in recent years as this faunal group has the largest percentage of threatened and data deficient species (Rais *et al.*, 2015). Snakes, lizards, turtles, and crocodiles are the major groups of reptiles; whereas newts, frogs, and toads are major groups of amphibians found in Bhutan (Wangyal and Gurung, 2012). Among the reptiles, two species of crocodilians (*Crocodylus palustris* Lesson and *Gavialis gangeticus* Gmelin in Linnaeus) are now thought to be locally extinct in Bhutan (Bustard, 1979; 1980a; 1980b; de Silva and Lenin, 2010; Wangyal, 2014). Reasons for such local extinction could be attributed to several factors such as poaching, dam construction downstream, and climate and environmental change.

Herpetofauna are sensitive to environmental changes and their population is decreasing worldwide due to land-use change, depredation by introduced species, infection by diseases, release of toxic material in environment, overharvesting, and effect of climate change (Jolley *et al.*, 2010; Colino-Rabanal and Lizana, 2012; Rais *et al.*, 2015). So, the herpetofauna are used as indicators to monitor health of ecosystem. However, in Bhutan, factors affecting population of herpetofauna is not assessed. Information on impact of climate change, developmental activities, and harvesting on the population structure of herpetofauna is altogether missing. This is despite knowing that several species of reptiles and amphibians are collected by people for various purposes such as for self-consumption, pet trade, and medicine.

According to Alves *et al.* (2012), 331 species (284 reptiles and 47 amphibians) are used in traditional folk medicine worldwide. While herpetofaunal research has picked up well in Bhutan recently, the socio-cultural value of herpetofauna is under-documented. Recently, Wangyal (2014) has listed 84 snakes (out of which 69 are confirmed that are in the table), 22 lizards (now 27), 6 chelonians, and 35 anurans (now 56) which are known to occur in Bhutan (Table 1). From among the known species, *Nanorana leibigii* (Günther) – the Himalayan Bull Frog, is used for treating various ailments like piles, fever, and stomach problems in some parts of Bhutan (Wangyal and Gurung, 2012). The Rai community of southern Bhutan also eats several species of *Amolops*. Among reptiles, skin of Python is used for making religious instruments/drums.



Figure 4.1. Keeled box turtle

Efforts to document the herpetofauna of Bhutan have been challenged by absence of institutional support and herpetologists (Das and Palden, 2001; Wangyal 2011; 2014). However, with the new generation picking up herpetology as their interest, the hope for conservation of Bhutanese herpetofauna is positive. Within this context, this chapter therefore makes a review of existing information on herpetofauna of Bhutan and highlights the research needs. It provides an update of species known to occur in Bhutan including assessment of trends and gaps in herpetofaunal research.

#### 4.2. Reptiles

Bhutan is home to 102 species of reptiles represented by 69 snakes, 27 lizards, and 6 turtles and tortoises. The following sections provide overviews of these major groups.

#### **4.2.1.** Snakes

Smith (1943) reported the presence of Vipera russelli siamensis (Smith), now Daboia siamensis (Smith), in Bhutan. In 1976, Biswas recorded Ophiophagus hannah (Cantor) and Amphiesma platyceps (Malnate) from Bhutan. Later, Bauer and Günther (1992) added 11 species of snakes, including Python molurus Linnaeus, which was earlier reported by Harris et al. (1964). The erroneous record of Boiga cyanea (Duméril, Bibron & Duméril) by Bauer and Günther was later corrected as B. ochracea (Günther) by Tillack (2006). In 2000, Das and Palden reported Psammodynastes pulverulentus (Boie), Sibynophis Sagittarius (Cantor), and Bungarus fasciatus (Schneider) and confirmed the presence of Naja naja (Linneaus), which was reported by Mahendra (1984) without locality. Mitra (2009) added 16 species as new record for Bhutan with two repetitions. Later, Wangyal (2011) reported 30 new species of snakes and corrected the list of Mitra (2009). Further, Wangyal (2012) reported 10 species of snakes as new records. In 2013, Wangyal reported another species of colubrid, Dinodon gammiei (Wall), a rare species in the region. Pan et al. (2013) reported the presence of a new viper species, *Protobothrops himalayanus* (Pan, Chettri, Yang, Jiang, Wang, Zhang, & Vogel). Wangyal (2014) reported three new species of snakes, *Oligodon taeniolatus* (Jerdon), *Viridovipera yunnanensis* (Schmidt), and *Himalayophis tibetanus* (Huang).



Figure 4.2. Taiwan Mountain Pit Viper, venomous

The most recent report on the herpetofauna of the country (Das *et al.*, 2015) listed three additional snake species *Boiga gokool* (Gray), *B. siamensis* Nutaphand, and *Popeia popeorum* (Smith). Currently, there are 69 snakes (Table 4.1) represented by 8 families, dominated by members of the family Colubridae (sensu stricto) with 37 species, followed by Viperidae with 10 species.

Table 4.1. List of snakes known from Bhutan

| Species                                     | Common Name                   |  |
|---|-------------------------------|--|
| Python bivittatus Kuhl                      | Burmese Python                |  |
| Ahaetulla nasuta (Lacepede)                 | Green Vine Snake              |  |
| Ahaetulla prasina (Boie)                    | Gunther's Whip Snake          |  |
| Amphiesma parallelum (Boulenger;<br>Kramer) | Yunnan Keelback               |  |
| Amphiesma platyceps (Blyth; Malnate)        | Himalayan Keelback            |  |
| Amphiesma stolatum (Linnaeus)               | Buff Striped Keelback         |  |
| Boiga cyanea (Duméril, Bibron & Duméril)    | Green Cat Snake               |  |
| Boiga gokool (Gray)                         | Arrowhead Tree Snake          |  |
| Boiga multifasciata (Blyth)                 | Many-banded Tree Snake        |  |
| Boiga ochraceus ochraceus (Günther)         | Tawny Cat Snake               |  |
| Boiga ochraceus stoliczkae (Wall)           | Tawny Cat Snake               |  |
| Boiga siamensis Nutaphand                   | Eyed Cat Snake                |  |
| Bungarus bungaroides (Cantor)               | Northeastern Hill Krait       |  |
| Bungarus fasciatus (Schneider)              | Banded Krait                  |  |
| Bungarus niger Wall                         | Greater Black Krait           |  |
| Chrysopelea ornata (Shaw)                   | Golden Flying Snake           |  |
| Coelognathus radiatus (Boie)                | Copper-head Trinket<br>Snake  |  |
| Cryptelytrops albolabris (Gray)             | White-lipped Tree Viper       |  |
| Cryptelytrops erythrurus (Cantor)           | Redtail (bamboo) Pit<br>Viper |  |
| Daboia siamensis (Shaw & Nodder)            | Russel's Viper                |  |
| Dendrelaphis cyanochloris (Wall)            | Wall's Bronze-back            |  |
|   |                               |  |

| Species                                | Common Name                       |
|--|-----------------------------------|
| Dendrelaphis proarchos (Wall)          | Common Bronze-back                |
| Dendrelaphis tristis (Daudin)          | Daoudin's Bronze-back             |
| Dinodon gammiei (Wall)                 | Sikkim False Wolf Snake           |
| Dinodon septentrionalis (Günther)      | Mountain Wolf Snake               |
| Dryocalamus cf. davisonii (Blanford)   | Blandford's Bridal Snake          |
| Enhydris enhydris (Schneider)          | Striped Water Snake               |
| Herpetoreas sieboldii (Günther)        | Sikkim Keelback                   |
| Himalayophis tibetanus (Huang)         | Tibetan Pit Viper                 |
| Indotyphlops braminus (Daudin)         | Brahminy Blindsnake               |
| Lycodon aulicus (Linnaeus)             | Common Wolf Snake                 |
| Lycodon fasciatus (Anderson)           | Banded Wolf Snake                 |
| Lycodon jara (Shaw)                    | Yellow-speckled Wolf<br>Snake     |
| Naja kaouthia Lesson                   | Monocled Cobra                    |
| Naja naja (Linnaeus)                   | Indo-Chinese Spitting<br>Cobra    |
| Oligodon albocinctus (Cantor)          | Light-barred Kukri Snake          |
| Oligodon cinereus (Günther)            | Black Cross-barred Kukri<br>Snake |
| Oligodon cyclurus cyclurus (Cantor)    | Cantor's Kukri Snake              |
| Oligodon dorsalis (Gray and Hardwicke) | Bengalese Kukri Snake             |
| Oligodon juglandifer (Wall)            | Walnut Kukri Snake                |
| Oligodon taeniolatus (Jerdon)          | Streaked Kukri Snake              |
| Ophiophagus hannah (Cantor)            | King Cobra                        |
| Oreocryptophis porphyraceus (Cantor)   | Black-banded Trinket<br>Snake     |

| Species  | Common Name                      |
|--|----------------------------------|
| Orthriophis cantoris (Boulenger)   | Eastern Trinket Snake            |
| Orthriophis taeniurus (Cope)   | Beauty Snake                     |
| Ovophis monticola (Günther)  | Taiwan Mountain Pit<br>Viper     |
| Popeia popeiorum (Smith)   | Pope's Pit Viper                 |
| Protobothrops himalayanus (Pan, Chettri, Yang, Jiang, Wang, Zhang & Vogel) | Himalayan Habu Pit Viper         |
| Protobothrops jerdonii (Günther)   | Jerdon's Pit Viper               |
| Psammodynastes pulverulentus (Boie)  | Common Mock Viper                |
| Pseudoxenodon macrops (Blyth)  | Large-eyed False Cobra           |
| Ptyas korros (Schlegel)  | Indo-Chinese Rat Snake           |
| Ptyas mucosa (Linnaeus)  | Oriental Ratsnake                |
| Ptyas nigromarginata (Blyth)   | Green Rat Snake                  |
| Python molurus (Linnaeus)  | Indian Python                    |
| Rhabdophis himalayanus (Günther)   | Orange-collared Keelback         |
| Rhabdophis subminiatus (Schlegel)  | Red-necked Keelback              |
| Rhadinophis prasina  | Green Trinket Snake              |
| Sibynophis collaris (Gray)   | Collared Black-headed<br>Snake   |
| Sibynophis sagittarius (Cantor)  | Cantor's Black-headed<br>Snake   |
| Sinomicrurus macclellandii (Reinhardt)                                     | McClelland's Coral Snake         |
| Trachischium guentheri Boulenger   | Gunther's Oriental Worm<br>Snake |
| Trachischium laeve Peracca   | Olive Oriental Slender<br>Snake  |
|  |                                  |

| Species                                 | Common Name                      |
|---|----------------------------------|
| Trachischium tenuiceps (Blyth)          | Yellowbelly Worm-eating<br>Snake |
| Typhlops diardii Schlegel               | Indo-Chinese Blindsnake          |
| Typhlops jerdonii (Boulenger)           | Jerdon's Worm Snake              |
| Viridovipera yunnanensis (Schmidt)      | Yunnan Pi Viper                  |
| Xenochrophis piscator (Schneider, 1799) | Checkered Keelback               |

#### **4.2.2.** Lizards

In 1976, Biswas reported three lizard species including a new species -Calotes bhutanensis Biswas, whose identity had been debated. Bauer and Günther (1992) reported 10 species of lizards, three of which had been reported by Biswas (1975). Their report included a description of a new species of scincid lizard, Eutropis quadratilobus (Bauer & Günther) from the 1972 collection of reptiles by Natural History Museum of Basel, Switzerland. Das and Palden (2000) reported the presence of Cyrtodactylus khasiensis (Jerdon) in Sershong, Sarpang and Eutropis macularia (Blyth) from Gelephu. They also reported a sighting of *Hemidactylus garnotii* Duméril & Bibron. Wangyal (2011) reported Calotes jerdonii (Günther), Eutropis carinata (Schneider), Lygosoma punctata (Linnaeus), and Varanus flavescens (Hardwicke & Gray) as new records. Further, Wangyal (2012) confirmed the presence of Sphenomorphus maculatus (Blyth) and Gekko gecko (Linnaeus). Later, Wangyal (2014) also reported Ptyctolaemus gularis (Peters) from Sarpang. The most recent report of Das et al. (2015) is the list of four new species of lizards; Calotes maria Gray, Ptyctolaemus gularis (Peters), Cnemaspis assamensis Das & Sengupta and Varanus salvator (Laurenti).



Figure 4.3. Calotes versicolor, the common garden lizard

Currently, there are 27 species of lizards known to occur in Bhutan (Table 4.2), represented by 5 families, namely Agamidae (7 species), Anguidae (1 species), Gekkonidae (7 species), Scincidae (9 species), and Varanidae (3 species).

Table 4.2. List of lizards known from Bhutan

| Species                                   | Common Name                       |
|---|-----------------------------------|
| Asymblepharus sikimmensis (Blyth)         | Sikkim Ground Skink               |
| Calotes bhutanensis Biswas                | Bhutan Lizard                     |
| Calotes jerdonii (Günther)                | Jerdon's Forest Lizard            |
| Calotes maria Gray                        | Khasi Hills Forest Lizards        |
| Calotes versicolor (Daudin)               | Common Garden Lizard              |
| Cnemaspis assamensis Das & Sengupta       | Assam Day Gecko                   |
| Cyrtodactylus khasiensis (Jerdon)         | Khasi Hills Bent-toed Gecko       |
| Dopasia gracilis (Gray)                   | Asian Glass Lizard                |
| Eutropis carinata (Schneider)             | Keeled Indian Skink               |
| Eutropis dissimilis (Hallowell)           | Striped Grass Skink               |
| Eutropis macularia (Blyth)                | Bronze Skink                      |
| Eutropis quadratilobus (Bauer & Günther)  | Bhutan Skink                      |
| Gekko gecko (Linnaeus)                    | Tokay Gecko                       |
| Hemidactylus brookii Gray                 | Spotted House Gecko               |
| Hemidactylus frenatus Duméril &<br>Bibron | Common House Gecko                |
| Hemidactylus garnotii Duméril & Bibron    | Fox Gecko                         |
| Hemidactylus platyurus (Schneider)        | Flat-tailed House Gecko           |
| Japalura andersoniana Annandale           | Anderson's Mountain Lizard        |
| Japalura variegata Gray                   | East Himalayan Mountain<br>lizard |
| Lygosoma albopunctata (Gray)              | White Spotted Supple Skink        |
|   |                                   |

| Species                               | Common Name                   |
|---------------------------------------|-------------------------------|
| Lygosoma punctata (Linnaeus)          | Common Dotted Garden<br>Skink |
| Ptyctolaemus gularis (Peters)         | Blue-throated Lizard          |
| Sphenomorphus indicus (Gray)          | Himalayan Forest Skink        |
| Sphenomorphus maculatus (Blyth)       | Spotted Forest Skink          |
| Varanus bengalensis (Daudin)          | Common Indian monitor         |
| Varanus flavescens (Hardwicke & Gray) | Yellow Monitor                |
| Varanus salvator (Laurenti)           | Common Water Monitor          |
|                                       |                               |

#### **4.2.3.** Turtles

Following the report of *Indotestudo elongata* (Blyth) by Wangyal in 2011 from Manas, *Cuora amboinensis* (Riche in Daudin), *C. mouhotii* (Gray), *Cyclemys gemeli* Fritz, Guickling, Auer, Sommer, Wink & Hunsdörfer and *Melanochelys tricarinata* (Blyth) were added by Wangyal *et al.* in 2012. Later, Wangyal (2013) reported *Melanochelys trijuga* (Schweigger). Currently, there are six species of tortoises and turtles represented over by two families found in Bhutan (Table 4.3).

Table 4.3. List of turtles known from Bhutan

| Species  | Common Name                 |  |
|--|-----------------------------|--|
| Cuora amboinensis (Riche in Daudin)                                  | South Asian Box Turtle      |  |
| Cuora mouhotii (Gray)  | Keeled Box Turtle           |  |
| Cyclemys gemeli Fritz, Guickling, Auer,<br>Sommer, Wink & Hunsdörfer | Assam Leaf Turtle           |  |
| Indotestudo elongata (Blyth)   | Yellow-headed Tortoise      |  |
| Melanochelys tricarinata (Blyth)                                     | Three-keeled land<br>Turtle |  |
| Melanochelys trijuga (Schweigger)                                    | Indian Black Turtle         |  |

#### 4.3. Amphibians

There were no studies on amphibians of Bhutan until Das and Paden's (2000) herpetofaunal collection during a herpetological workshop conducted in 1999 at the Royal Manas National Park. They reported seven amphibians from three families (one megophryid, one bufonid, and five ranids). The country thus far has 56 species (Table 4) of amphibians, belonging to nine families. Wangyal (2011) reported eight species with at least one identification mistake. Wangyal (2012) studied amphibians of Punakha-Wangdiphodrang Valley and reconfirmed the presence of *Tylototriton* verrucosus Anderson reported by Frost (1985) and Palden (2003) while the presence of Clinotarsus alticola (Boulenger) reported by Ahmed et al. (2009) has to be further verified. Work of Das and Palden (2000) on presence of Duttaphrynus melanostictus (Schneider), Amolops marmoratus (Blyth), Euphlyctis cyanophlyctis (Schneider), Hoplobatrachus tigerinus (Daudin), Fejervarya cf. limnocharis (Gravenhorst) with an exception of a ranid frog "Rana (Sylvirana)" sp. from southern Bhutan are verified. The report of the presence of Nanorana liebigii in Haa District by Deuti (2010), who, based on the 1969 collection of Zoological Survey of India reported the same is also verified. Report of *Duttaphrynus* cf. *stuarti* (Smith), *Amolops monticola* (Anderson), *Megophrys* cf. *nankiangensis* (Liu & Hu), *Polypedates* cf. *himalayensis* (Annandale) and an un-described species of Nanorana genus by Wangyal and Gurung (2012) need verification.

Wangyal (2013) reported 13 new records of anuran amphibians, including six dicroglossids, three megophryids and four ranids for Bhutan, and in the subsequent year (Wangyal, 2014) reported an additional four new records of frog species for the country, including Nanorana annandalii (Boulenger), Feihyla vittata (Boulenger), Polypedates maculatus (Gray) and Rhacophorus maximus Günther. The latest field report (Das et al., 2015) listed three more new records of amphibians namely, Uperodon globulosus (Günther), Ingerana borealis (Annandale), and Rhacophorus bipunctatus Ahl for Bhutan. Delorme and Dubois (2001) described a new species of Bhutan Cat-eyed Toad (Scutiger bhutanensis Delorme & Dubois) without any locality data. Frost (1985) reported the presence of Tylototriton verrucosus in Bhutan, without locality information, which was subsequently confirmed by Palden (2003). Wangyal (2012) noted the presence of the species in Punakha and Wangdiphodrang valley including a small population in Dagana's Tshangkha Lake. With the recent naming (T. himalayanus) of the western population of the T. verrucosus group (Khatiwada et al., 2015) as distinct species, it remains to be seen which species occurs in Bhutan. Bhutan also is known to have a single species of caecilian, *Ichthyophis sikkimensis* Taylor.

A synthesis of all valid records (see Table 4.4), Bhutan is currently home to 56 species of amphibians belonging to nine families, with the Dicroglossidae being the most speciose, with 16 species, followed by the Ranidae, 12 species and Rhacophoridae, 10 species. Additional families represented include the Megophrydae, with seven species, Microhylidae, with four species, Bufonidae, with three species, while Hylidae, Salamandridae, and Ichthyophiidae contain a single species each.

Table 4.4. List of amphibians known from Bhutan

| Species                                | Common name                |  |
|--|----------------------------|--|
| Amolops formosus (Günther)             | Assam Cascade Frog         |  |
| Amolops gerbillus (Annandale)          | Yembung Sucker Frog        |  |
| Amolops himalayanus (Boulenger)        | Himalaya cascade frog      |  |
| Amolops mantzorum (David)              | Mouping Sucker Frog        |  |
| Amolops marmoratus (Blyth)             | Marbled Sucker Frog        |  |
| Amolops monticola (Anderson)           | Mountain Cascade Frog      |  |
| Clinotarsus alticola (Boulenger)       | Point-nosed Frog           |  |
| Duttaphrynus cf. stuarti (Smith)       | Stuart's Toad              |  |
| Duttaphrynus himalayanus (Günther)     | Himalayan Toad             |  |
| Duttaphrynus melanostictus (Schneider) | Asian Common Toad          |  |
| Euphlyctis cyanophlyctis (Schneider)   | Common Skittering Frog     |  |
| Feihyla vittata (Boulenger)            | Striped Asian Tree Frog    |  |
| Fejervarya limnocharis (Gravenhorst)   | Common Pond Frog           |  |
| Fejervarya nepalensis (Dubois)         | Nepal Cricket Frog         |  |
| Fejervarya pierrei (Dubois)            | Pierre's Cricket Frog      |  |
| Fejervarya teraiensis (Dubois)         | Terai Wart Frog            |  |
| Hoplobatrachus crassus (Jerdon)        | Jerdon's Bullfrog          |  |
| Hoplobatrachus tigerinus (Daudin)      | Indian Bullfrog            |  |
| Humerana humeralis (Boulenger)         | Bhamo Frog                 |  |
| Hydrophylax leptoglossa (Cope)         | Cope's Assam Frog          |  |
| Hyla annectans (Jerdon)                | Assam Treefrog             |  |
| Hylarana taipehensis (van Denburgh)    | The two-striped grass frog |  |
| Hylarana tytleri (Theobald)            | Leaf Frog                  |  |
|  |                            |  |

| Species                               | Common name                    |
|---------------------------------------|--------------------------------|
| Ichthyophis sikkimensis Taylor        | Darjeeling Caecilian           |
| Ingerana borealis (Annandale)         | Northern Frog                  |
| Megophrys cf. nankiangensis Liu & Hu  | Nankiang Horned Toad           |
| Megophrys glandulosa Fei, Ye & Huang  |                                |
| Megophrys major Boulenger             | White-lipped Horned Toad       |
| Megophrys minor Stejneger             | White Horned Toad              |
| Megophrys parva (Boulenger)           | Concave-crowned Horned<br>Toad |
| Microhyla cf. butleri Boulenger       | Tubercled Pygmy Frog           |
| Microhyla ornata (Duméril & Bibron)   | Ant Frog                       |
| Micryletta inornata (Boulenger)       | Deli Paddy Frog                |
| Nanorana annandalii (Boulenger)       | Annandale's Paa Frog           |
| Nanorana arnoldi (Dubois)             | Arnold's Paa Frog              |
| Nanorana blanfordii (Boulenger)       | Blandford's Paa Frog           |
| Nanorana conaensis (Fei & Huang)      | Cona Paa Frog                  |
| Nanorana liebigii (Günther)           | Liebig's Mountain Frog         |
| Nanorana parkeri (Stejneger)          | Parker's slow frog             |
| Nanorana pleskei (Günther)            | Pleske's high altitude frog    |
| Nanorana vicina (Stoliczka)           | Himalaya paa frog              |
| Ombrana sikimensis (Jerdon)           | Sikkimese Frog                 |
| Philautus cf. garoensis (Boulenger)   | Boulenger's Garo Hill Frog     |
| Polypedates himalayensis (Annandale)  | Himalayan Tree Frog            |
| Polypedates leucomystax (Gravenhorst) | White-lipped Tree Frog         |
| Polypedates maculatus (Gray)          | Indian Tree Frog               |
| Rhacophorus bipunctatus Ahl           | Himalaya Flying Frog           |

| Species                               | Common name                    |
|---------------------------------------|--------------------------------|
| Rhacophorus maximus Günther           | Giant Tree Frog                |
| Rhacophorus tuberculatus (Anderson)   | Tuberculate Tree Frog          |
| Scutiger bhutanensis Delorme & Dubois | Bhutan Frog                    |
| Scutiger sikimmensis (Blyth)          | Sikkim Alpine Toad             |
| Sylvirana guentheri (Boulenger)       | Gunther's Amoy Frog            |
| Theloderma andersoni (Ahl)            | Anderson's Bubble-nest<br>Frog |
| Theloderma asperum (Boulenger)        | Hill Garden Bug-eyed Frog      |
| Tylototriton verrucosus Anderson      | Himalayan Salamander           |
| Uperodon globulosus (Günther)         | Indian Balloon Frog            |

#### 4.4. Trends and Way Forward in the Study of Herpetofauna

Study of herpetofauna in Bhutan started with the report of five reptile species by Biswas in 1976. Consequently until 2000, report on herpetofauna of Bhutan was limited to that of by Frost in 1985. While the study intensified with the report on herpetofauna by Das and Palden in 2000, a series of publications by Wangyal, starting 2011, has changed the scenario of herpetofaunal diversity records in Bhutan. Recently, herpetologists have started to study herpetofaunal diversity even at local level (Koirala *et al.*, 2016).

Even though the herpetofaunal research in Bhutan has increased in recent years, the focus given is mainly on diversity assessment. Therefore, as mentioned herein, there is a need to expand the herpetofaunal related research in Bhutan to a wider area. For instance, there is a need to confirm the report *Vipera russelli siamensis* in Bhutan hills by Smith in 1943. Since herpetologists have not reported this species thereafter, it is possible that this report is erroneous or misreported. The new scincid lizard, *Eutropis* 

quadratilobus Bauer and Günther, which is endemic to southwest Bhutan, needs its distributional range and ecological information re-examined. For all species reported, information on distributional range and ecology is scanty. Also, there is lack of information on use of herpetofaunal species in medicine, pet trade, and home consumption in Bhutan including information on crocodile habitats and their occurrences (Whitaker, 1987). Likewise, information on the impact of climate change and developmental activities on herpetofauna is unavailable. Study of such impact is important as the rainfall is becoming erratic and the trend of temperature is rising (Rai et al., 2017) and information is missing on as to how species are responding to such climate variable changes. Additionally, records of snake-bite death cases are not easily accessible, perhaps not available. This information is important to improve the quality delivery of health services in Bhutan.

#### 4.5. Conclusion

This review records 102 species of reptiles (69 species of snakes, 27 species of lizards, and 6 species of tortoises) and 56 species of amphibians, which are known to occur in Bhutan. Since the herpetofaunal research in Bhutan picked up recently only, the number of species recorded is commendable. However, the research has focused mostly on diversity assessment, giving less attention to assessment of distributional range and collection of ecological information for each species. While the diversity assessment ascertains the presence of species in a locality, this is not enough for making conservation decision. Species conservation decision requires information on distribution range, population structure, and ecological information. Additionally, contribution of herpetofauna to the wellbeing of Bhutanese people remains underexplored. It is also uncertain on how climate change and development activities are impacting the population structure of herpetofauna in Bhutan. Therefore, herpetofaunal research in future should focus on generating comprehensive information for each species, which will be useful in making conservation decision in the current scenario of climate and land-use changes.

#### References

- Agarwal, S.K. (1996). Biodiversity. In S.K. Agarwal, S. Tiwari, and P.S. Dubey (Eds.), *Biodiversity and Environment*. New Delhi, India: A.P.H. Publishing Corporation.
- Agoramoorthy, G. (2012). India's Dam Dilemma: An Eco-Friendly Remedy. Environmental Science and Technology, (46):591–592.
- Ahmed, M.F., Das, A., and Dutta, S.K. (2009). *Amphibians and Reptiles of Northeast India: A Photographic Guide*. Guwahati: Aaranyak, Society for Biodiversity Conservation.
- Ali, S. (1977). *Field Guide to the Birds of the Eastern Himalayas*. New Delhi: Oxford University Press.
- Allen, D.J., Molur, S., and Daniel, B.A. (2010). *The status and distribution of freshwater biodiversity in the eastern Himalaya*. Cambridge: IUCN.
- Alves, R.R.N., Vieira, W.L.S., Santana, G.G., Vieira, K.S., and Montenegro, P.F.G.P. (2012).
  Herpetofauna Used in Traditional Folk Medicine: Conservation Implications. In Alves, R.R.N., Rosa, I.L. (Eds.), Animals in Traditional Folk Medicine: Implications for conservation, 1:109–133.
- Andy, H., Sari K., Diarmid, C.L., and Carlos, C. (2006). Climate change and human health: impacts, vulnerability and public health. *Public health*, 120(7):585-596.
- Ansara, A., Flyvbjerg, B., Budzier, A., and Lunn, D. (2013). Should we build more large dams? The actual costs of hydropower megaproject development. *Energy Policy*.
- Aptroot, A., and Feiijen, F.J. (2004). Annotated checklist of the lichens and lichenicolous fungi of Bhutan. *Fungal Diversity*, 11:21-48.
- Ashton, P., Love, D., Mahachi, H., and Dirks, P. (2001). An overview of impact of mining and mineral processing operations on water resources and water quality in the Zambeizi, Limpopo and Olifants catchments in Southern Africa.
- Baillie, J.E.M., Hilton-Taylor, C., and Stuart, S.N. (2004). 2004 IUCN Red List of Threatened Species: A Global Species Assessment (Ed). Cambridge: IUCN Publications Services Unit.
- Bajgain, S. (2008). Feasibility of a Biogas Programme in Bhutan. Bangladesh: SNV Netherland Development Organization.

- Baker, B.B., and Moseley, R.K. (2007). Advancing treeline and retreating glaciers: implications for conservation in Yunnan, China. *Arctic, Antarctic, and Alpine Research*, 39:200-209.
- Banerjee, A., and Bandopadhyay, R. (2016). Biodiversity hotspot of Bhutan and its sustainability, *Current science*, 110(4):521–528.
- Barlow, J., Gardner, T., Lees, A., Parry, L., and Peres, C. (2012). How pristine are tropical forests? An ecological perspective on the pre-Columbian human footprint in Amazonia and implications for contemporary conservation, *Biol. Conserv*, 151:45–49.
- Bartlett, A.A. (2016). *Reflections on Sustainability, Population Growth, and the Environment*. Accessed 28 May 2017.
- Bauer, A.M., and Günther, R. (1992). A preliminary report on the reptilian fauna of the Kingdom of Bhutan with description of a new species of scincid lizard (Reptilia: Scincidae). *Asiatic Herpetol Res*, 4:23–36.
- BEA [Bhutan Electricity Authority], (2010), (Druk Green Power Corporation Limited, Tariff Review Report). Thimphu Bhutan.
- BIHS. (2017). Nature guide training. Bhutan Institute of Himalayan Studies.
- Bell, T.R.D., and Scott. F.B. (1937). Fauna of British India including Ceylon and Burma. Moths, Sphingidae. UK: London, Taylor, Francis.
- Bellard, C., Bertelsmeier, C., Leadley, P., Thuiller, W., and Courchamp, F. (2012). Impacts of climate change on the future of biodiversity. *Ecology Letters*, 15:365–377.
- Bharali, S., and Khan, M.L. (2011). Climate change & its impact on biodiversity; some management options for mitigation in Arunachal Pradesh. *Current Science*. 101(7):855-860.
- Bhattarai, S., and Thinley, P. (2005). *Project Report-Survey of Fish fauna along with basic water quality in some rivers of Bumdeling Wildlife Sanctuary: Eastern Bhutan*. Thimphu, Bhutan.
- Bhutan RNR Statistics. (2015). Bhutan Renewable Natural Resource Statistics. Ministry of Agriculture and Forests.
- Bhutiyani, M.R., Vishwas, S.K., and Pawar, N.J. (2007). Long-term trends in maximum, minimum and mean air temperatures across the Northwestern Himalaya during

- the twentieth century. Climate Change, 85(1-2):159-177.
- Bisht, M. (2012). Bhutan–India power cooperation: benefits beyond bilateralism. *Strateg Anal*, 36(5):787–803.
- Bishta, M. (2013). Bhutan and climate change: identifying strategic implications. *Contemporary South Asia*, 21(4):398-412.
- Biswa, R., Sarkar, A., and Khewa, S. (2017). Ethnomedicinal uses of honey of stingless bee by Nepali community of Darjeeling foothills of West Bengal, India. *Indian Journal of Traditional Knowledge*, 16(4), 648-653.
- Biswas, A.K. (2011) Cooperation or conflict in trans-boundary water management: case study of South Asia. *Hydrol Sci J*, 56(4):662–670.
- Biswas, S. (1976). Reptilia from Bhutan with description of a new species of Calotes Rafinesque. *J Bombay Nat Hist Soc*, 72:774–777.
- Blench, R. (2005). Conservation of indigenous livestock: sustaining biodiversity for current and future generations. In Presentation in CGIAR annual general meeting 6th Dec 2005, Marrakech, Morocco.
- Boer, C. (1989). *Effects of the forest fire 1982-83 in East Kalimantan on wildlife*. FR Report No. 7. Samardinda, Indonesia: Deutsche Forstservice GmbH.
- Botanical Survey of India. (1973). *Records of the Botanical Survey of India-Materials for the Flora of Bhutan*. Calcutta, India: Botanical Survey of India.
- Botkin, D.B., Saxe, H., Araujo, M.B., Betts, R., Bradshaw, R.H.W., and Cedhagen, T. (2007). Forecasting the effects of global warming on biodiversity. *Bioscience*. 57(3):227–236.
- Budha, P.B. (2005). Nepalese malacology trails behind. *Himalayan Journal of sciences*, 3(5):9-10.
- Bustard, H.R. (1979). *Bhutan: Crocodile Conservation Commercial Farming*. FAO: DP/BHU/78/003. Rome: Food and Agricultural Organization of the United Nations.
- Bustard, H.R. (1980a). Status of the gharial (Gavialus gangeticus Gmelin) in Bhutan. J *Bombay Nat Hist Soc*, 77:150.
- Bustard, H.R. (1980b). Extinction of the Gharial (Gavialus gangeticus) in Bhutan. *British J Herpetol*, 6:68.
- Byatt, A., Alastair, F., and Martha, H. (2001). The Blue Planet: A Natural History of the

- Oceans. New York: DK Publishers.
- Camarero, J. J., and Gutierrez, E. (2002). Plant species distribution across two contrasting tree line ecotones in the Spanish Pyrenees. *Plant Ecology*, 162:247–257.
- Campbell, A., Kapos, V., Scharlemann, J.P.W., Bubb, P., Chenery, A., Coad, L., Dickson, B., Doswald, N., Khan, M.S.I., Kershaw, F., and Rashid, M. (2009). Review of literature on the links between biodiversity and climate change: Impacts, Adaptation and Mitigation. Secretariat of the Convention on Biological Diversity, Montreal. Technical Series No.42.
- Chaida, L. (2016). *Diversity of Spider's fauna in different habitats (Forests, Agriculture land and Houses) in Western Bhutan*. Rufford Small Grant.
- Chakravarty, S., Ghosh, S.K., Suresh, C.P. Dey, A.N., and Shukla, G. (2012). *Deforestation: Causes, Effects and Control Strategies*. In Global Perspectives on Sustainable Forest Management, ed. C. A. Okia, 1st edn.,1-28. Rijeka, Croatia: University Campus STeP Ri.
- Chand, R. (2017a). Brokpa Yak Herders of Bhutan: A Study in Pastoral Livelihood Patterns, Transhumance and "Drukor". In Societies, Social Inequalities and Marginalization: marginal regions in the 21st century, eds. R. Chand, E. Nel, and S. Pelc,179-197, Springer International Publishing, Cham, Switzerland.
- Chand, R. (2017b). Occupational Diversification and Changing Marginality Conditions of Brokpas of Bhutan in Twenty First Century. In Societies, Social Inequalities and Marginalization: marginal regions in the 21st century, eds. R. Chand, E. Nel, and S. Pelc,199-21. Springer International Publishing, Cham, Switzerland.
- Chauhan, S.S. (2010). Mining, Development and Environment: A Case Study of Bijolia Mining Area in Rajasthan, *India. J Hum Ecol*, 31(1):65-72.
- Chetry, D., Chetry, R., Ghosh, K., and Bhattacharjee, P.C. (2010). *Status and Conservation of Golden Langur in Chakrashila Wildlife Sanctuary, Assam, India.*Primate Conservation, 25.
- Chhogyel, N., Ghimiray, M., and Wangdi, K. (2015). *Enhancing Bhutanese Rice in the Domestic Market through Increased Production and Favourable Pricing Regime.*
- Coffin, A.W. (2007). From roadkill to road ecology: A review of the ecological effects of roads. *Journal of Transport Geography*, 15(5), 396-406.

- Colino-Rabanal, V.J., and Lizana, M. (2012). Herpetofauna and roads: a review. *Basic and Applied Herpetology*, 26(2012):5-31.
- Conte-Grand, C., Britz, R., Dahanukar, N., Raghavan, R., Pethiyagoda, R, Tan, H.H., Hadiaty, R.K., Yaakob, N.S., and Ruber, L. (2017). *Barcoding snakeheads (Teleostei, Channidae) revisited: Discovering greater species diversity and resolving perpetuated taxonomic confusions*. PLOS One,1-24.
- Convention on Biological Diversity, Secretariat (CBD). (2009). Connecting Biodiversity and Climate change mitigation and adaptation; Report of the 2nd Adhoc Technical Expert Group on Biodiversity and Climate Change. Montreal: Technical Series No. 41.
- Corlett, R., and Lafrankie, A. (1998). *Potential impacts of climate change on tropical Asian forests through an influence on phenology, Climate Change*, 39:439–453.
- Das, A., Das, A.K., Sharma, P.K., and Singh A.K. (2011). *An Assessment of Assisted Recovery of Gharial (Gavialis gangeticus) in River Systems of Northeast India*. Final Technical Report. Guwahati: Aaranyak.
- Das, A., Sharma, P., Harikrishnan, S., Ghosh, S., Nath, A., Dhar, D., Mandol, J., and Wangdi, Y. (2014). A Rapid Assessment of Herpetofaunal Diversity in Manas-Bhutan Transboundary Landscape. Report of the Royal Manas National Park, Royal Government of Bhutan. Dehradun: Wildlife Institute of India.
- Das, I., and Palden, J. (2000). A herpetological collection from Bhutan, with new country records. *Herpetol Rev*, 31:256–258.
- Das, I., and Palden, J. (2001). Status of herpetofauna of Bhutan. In Bambaradeniya C.N.B., and Samarasekara, V.N. (Eds.). An Overview of the Threatened Herpetofauna of South Asia. IUCN Sri Lanka and Asia Regional Biodiversity Programme, Colombo.
- Das, N., and Chattopadhyay, K.K. (2013). Change in Climate A threat to Eastern Himalayan biodiversity. *Journal of Today's Biological Sciences: Research & Review*, 2(2):89-107.
- De Kock, K.N., Wolmarans, C.T., and Du Preez, L.H. (2002). Freshwater mollusc diversity in the Kruger National Park: a comparison between a period of prolonged drought and a period of exceptionally high rainfall. *Koedoe*, 45(2):1–11.
- De Silva, A., and Lenin, J. (2010). Mugger crocodile Crocodylus palustris. In Manolis, C., and Stevenson, C. (Eds.), Crocodiles. *Status Survey and Conservation Action*

- Plan. Darwin: Crocodile Specialist Group.
- Delorme, M., and Dubois, A. (2001). Une nouvelle espèce de Scutiger du Bhutan, et quelques remarques sur la classification subgénérique du genre Scutiger (Megophryidae, Leptobrachiinae). *Alytes*, 19:141–153.
- Dendup, T., Tempa, T., and Norbu, N. (2016). *Short communication: Camera trap records of Asiatic golden cat at high altitudes in Bhutan*. CATnews, 64:37-28.
- Department of Forest and Park Services. (2015). *Counting the Tigers in Bhutan:* Report on the National Tiger Survey of Bhutan 2014-2015. Thimphu, Bhutan.
- Department of Forest and Park Services (DoFPS). (2011). Forestry Development in Bhutan, Policies, Programmes and Institutions. Bhutan.
- Department of Forest and Park Services (DoFPS). (2017). Forest and Nature Conservation Rules and Regulations of Bhutan, 2017, Thimphu.
- Department of Forestry Services [DoFS]. (2004). *Bhutan Biological Conservation Complex (B2C2)*. Thimphu, Bhutan.
- Department of Hydro Met Services. (2013). *About DHMS*. National Centre for Hydrology and Meteorology Bhutan.
- Department of Hydropower and Power Systems. (2008). *Bhutan Sustainable Hydropower Development Policy*. Ministry of Economic affairs. Accessed on 1 September 2017.
- Department of Livestock. (2007). Livestock Statistics 2006. Thimphu.
- Department of Livestock. (2009). *Bhutan's Livestock Breeding Policy 2009: Situational Analysis and Policy*. Thimphu, Ministry of Agriculture.
- Department of Livestock. (2017). *Livestock Statistics 2016*. Thimphu Department of Livestock.
- Deuti, K. (2010). Geographical distribution, Nanorana liebigii. Herpetol Rev, 41:104.
- Dhakal, D.N.S., Jenkins, G.P. (2013). Risk sharing in hydropower development: case study of the Chukha Hydel Project, Bhutan.
- Dhendup, T. (2011). Socio-economic importance of buffalo farming under Samtse Dzongkhag. BSc Thesis, Royal University of Bhutan, Lobesa.
- Dingman, S.L. (1994). Physical Hydrology. New Jersey: Prentice-Hall.

- Distant, W.L. (1912). New genera and species of Oriental Homoptera. *The Annals and Magazine of Natural History*, 48:459-471.
- DoFPS. (2015). Protected Areas of Bhutan: National Parks, Wildlife Sanctuaries/ Strict Nature Reserve, and Biological corridors. Thimphu, Bhutan: Department of Forest and Park Services.
- Dorji, C., Loday, P., and Vorst, O. (2017). *Field guide to the common lady beetles of Bhutan*. Thimphu: National Biodiversity Center, Serbithang.
- Dorji, J., Dhendup, and MacLeod, I.M. (2015). Phenotypic and genetic parameters for milk yield in traditional Nublang cattle (Bos indicus) of Bhutan. *Animal Genetic Resources*, 57:25-30.
- Dorji, J., Tamang, S., and Dorji, T.Y. (2017). *Decline of Jakar sheep population in pastoral communities of Bhutan: A consequence of diminishing utility, alternate income opportunities and increasing challenges, Pastoralism*, 7(1):4.
- Dorji, K., and Tenzin. (2007). Bamboo: A golden opportunity for Wamanang. In:

  A series of case studies on Community-based Forest and Natural Resource

  Management in Bhutan. Bhutan: Ministry of Agriculture.
- Dorji, P. (2016). New record of Cicadas (Hemiptera: Cicadidae) from Eastern Bhutan. *Journal of Entomology and Zoology Studies*, 4(4):381-383.
- Dorji, P., Klein, W., and Nidup, T. (2016a). New record of Carpenter bees (Hymenoptera: Apidae: Xylocopinae) from Bhutan. *Journal of New Biological Reports*, 5(3):106-113.
- Dorji, P., Klein, W., and Nidup, T. (2016b). Study of Paper wasps (Hymenoptera: Vespidae: Polistinae) of Bhutan. *Bio Bulletin*, 2(1):128-136.
- Dorji, P., Nidup, T., and Klein, W. (2017). *A Field Guide to the Common Bees and Wasps of Bhutan*. Thimphu: National Biodiversity Centre, Serbithang.
- Dorji, S. (2008). *Field Guide to the Orchids of Bhutan*. Thimphu: Bhutan Orchid Science Society.
- Dorji, T. (2011). Genetic analysis of population structure of Bhutanese cattle reproduced by traditional cattle breeding systems. PhD Thesis. Kobe University, Kobe.
- Dorji, T. (2014). *Macroinvertebrates diversity in response to environmental variables in headwater streams: A Project Report*. Royal University of Bhutan, Thimphu.

- Dorji, T. (2014). New Distribution Records of Epiophlebia laidlawi Tillyard, 1921 (Insecta: Odonata) in Bhutan. *Journal of Threatened Taxa*, 7(10):7668-7675.
- Dorji, T. (2016). DGPC proposes generation tariff of Nu 1.84 a unit. Kuensel.
- Dorji, T. (2017). *Industries earn more than hydropower: Industrialists*. Kuensel.
- Dorji, T., and Tshering, G. (2006). Physical characterization of Bhutanese Yak, Bhutan *Journal of Renewable Natural Resources*, 2(1):29-39.
- Dorji, T., Hanotte, O., Arbenz, M., Rege, J., and Roder, W. (2003). Genetic diversity of indigenous cattle populations in Bhutan: implications for conservation, *Asian Australian Journal of Animal Sciences*, 16(7):946-951.
- Dorji, T., Jianlin, H., Wafula, P., Yamamoto, Y., Sasazaki, S., Oyama, K., and Mannen, H. (2010). Sheep genetic diversity in Bhutan using microsatellite markers, Animal science journal, 81(2):145-151.
- Dorji, T., Tshering, G., Wangchuk, T., Rege, J., and Hannote, O. (2003). Indigenous sheep genetic resources and management in Bhutan. *Animal Genetic Resources/ Resources génétiques animales/Recursos genéticos animales*, 33:81-91.
- Dwivedi, S., Sahrawat, K., Upadhyaya, H., and Ortiz, R. (2013). Food, Nutrition and Agrobiodiversity Under Global Climate Change. In: Sparks, D.L. (Ed.), *Advances in Agronomy, Academic Press, Elsevier Inc.*, 1–128.
- Kuensel. (2017). The story of this road. Kuensel.
- Eguchi, T. (1987). Synoptic and meso-analysis of climatic conditions in Bhutan from September through November in, 1985. In M. Ohsawa (Ed.), *Life zone ecology of the Bhutan Himalaya*. Chiba: Chiba University.
- Eguchi, T. (1997). Regional and temporal variations in precipitation in the Eastern Himalayas. Faculty of Humanities and Economics, Kochi University.
- Eguchi, T. (2002). Regional Differences in Thermal and Moisture Conditions in the Bhutan Himalaya. *In Life Zone ecology of the Bhutan Himalaya Vol. III* (page-1-40). Laboratory of Ecology, Chiba University, Japan.
- Eguchi, T. (2008). Regional difference in thermal and moisture conditions on the slope of Tsang Chu basin, Bhutan Himalaya. *Geographical Reports of Tokyo Metropolitan University*, 43:99–106.
- Eguchi, T., and Wangda, P. (2011). Synoptic and local analysis of relationship between

- climate and forest in the Bhutan Himalaya (Preliminary report). Renewable Natural Resources Research and Development Centre Yusipang, Department of Forest and Park Services, Ministry of Agriculture and Forest.
- Eguchi, T., and Wangda, P. (2012). Difference in temperature between shallow and deep valleys of the Bhutan Himalaya. *Regional Views*, 25:1–7.
- Eyebe, A.J., Simeon, A.E., Angu, K.E., and Endamana, D. (2012). *Integrating Biodiversity Conservation into National Development Policy: A case study of Cameroon*.
- FAO. (2013). Climate Smart Agriculture Source Book, FAO.
- Findlay, C.S.T., and Bourdages, J. (2000). Response Time of Wetland Biodiversity to Road Construction on Adjacent Lands. *Conservation Biology*, 14(1):86-94.
- Fish, Fisheries and Aquatic Biodiversity Worldwide. (n.d.). Fish, Fisheries and Aquatic Biodiversity Worldwide. USA: EBSCO Industries, Inc.
- Food and Agricultural Organization. (1987). Shifting Cultivation in Bhutan: A Gradual Approach to Modifying Land Use Patterns. Rome: Food and Agriculture Organization of the United Nations.
- Francesco B, Roberto R., and Richard S.J.T. (2006) Economy-wide estimates of the implications of climate change: Human health. *Ecol Econ*, 58(3):579-591.
- Fransco, J.L.A. (2013). The concept of biodiversity and the history of conservation biology: wilderness preservation to biodiversity conservation, *História (São Paulo)*, 32(2):21-48
- Frost, D.R. (1985). *Amphibian species of the world*. A taxonomic and geographic reference. Allen Press, Inc., and Associations of Systematic Collections, Lawrence, Kansas, 732.
- Gansser, A. (1983). *Geology of the Bhutan Himalaya*. Birkhauser Verlag. Basel, pp.181.
- Geneletti, D. (2003). Biodiversity Impact Assessment of roads: an approach based on ecosystem rarity. *Environment Impact Assessment Review*, 23(3):343-365.
- Gentle, P., and Maraseni T.N. (2012) Climate change, poverty and livelihoods: adaptation practices by rural mountain communities in Nepal. *Environmental Science & Policy*, 21: 24–34.
- Ghimiray, M. (2005). Plant Genetic Resources in SAARC Countries: Their Conservation

- and Management.
- Ghimiray, M., and Katwal, T.B. (2013). Crop Genetic Resources for Food Security and Adaptation to Climate Change: A Review and Way Forward. *Journal of renewable natural resources Bhutan*, Thimphu.
- Ghimiray, M., Pandey, S., and Velasco, M.L. (2013). Estimating adoption rate of modern rice varieties in Bhutan. Tracking of Improved Varieties in South Asia. *Bhutan Report on Rice*.
- Ghosh, A.K., Basu, R.C., and Raychaudhuri, D.N. (1971). On a collection of Aphids (Homoptera: Aphididae) from Bhutan with descriptions of two new species. *The Entomological Society of Bhutan*, 39(2):120-125.
- Gielis, C., and Wangdi, K. (2017). *A Field Guide to the Common Moths of Bhutan*. Thimphu: National Biodiversity Centre, Serbithang.
- Giles, J. (2006). Methane quashes the green credentials hydropower. *Nature*, 444:524-525.
- Giri. N., and Singh, O.P. (2013). Urban growth and water quality in Thimphu, Bhutan. *Journal of Urban and Environment Engineering*, 7(1):82-95.
- Gitay, H., Suarez, A., Watson, R.T., and Dokken, D.J. (2002). *Intergovernmental Panel on Climate Change*, Technical paper V.
- Gittenberger, E., Leda, P., Sherub, S., Choki, G., and Sangay, D. (2017). A *Field Guide* to the Common Molluscs of Bhutan. Thimphu: National Biodiversity Centre, Serbithang.
- Global Invasive Species Database. (2017). *Global Invasive Species Database Bhutan*. Invasive Species Specialist Group.
- Global Tiger Initiative Secretariat. (2011). *Global Tiger Recovery Program, 2010-2022*. The World Bank, Washington D.C., USA.
- Gosai, M.A., and Sulewski, L. (2014). Urban attraction: Bhutanese internal rural—urban migration, *Asian Geographer*, 31:1, 1-16.
- Gould, James L., and William, K.T. (1996). *Biological Science, 6th ed.* New York: W.W. Norton and Co.
- Government of India. (2017). Electricity Price & Availability Highlights. Vidyutpravah.
- Grant, G. (2001). Dam removal: Panacea or Pandora for rivers? Hydrol.

- Process.15:1531-1532.
- Gratzer, G., Rai, P.B., and Glatzel, G. (1997). *Ecology of the Abies densa forests in IFMP Ura, Bhutan*.
- Grierson, A.J., and Long, D.G. (1983). Flora of Bhutan (Vol. 1 Part 1). London: Royal Botanical Garden, Edinburgh.
- Grierson, A.J.C., and Long, D.G. (1983; 1984; 1987; 1991; 1999; 2001). Flora of Bhutan: Including a Record of Plants from Sikkim: Royal Botanic Garden Edinburgh.
- Gurung, D.B. (2006). *An illustrated Guide to the Orchids of Bhutan*. Thimphu: DBS Publication.
- Gurung, D.B., and Thoni, R.J. (2015). *Fishes of Bhutan: A Preliminary Checklist*. College of Natural Resources: Centre for Rural Development Studies.
- Gurung, D.B., Dorji, S., Tshering, U., and Wangyal, J.T. (2013). An annotated checklist of fishes from Bhutan. *Journal of Threatened Taxa*, 5(14):4880–4886.
- Gurung, P.R. (1991). *Intercropping Potatoes-Bhutan*. Potential benefits and needs. MSc Dissertation. Tropical Agricultural Development. University of Reading, U.K.
- Gurung, T.R. (2012) Agricultural transformation in a remote community of Kengkhar, Mongar, Bhutan. *Journal of Renewable Natural Resources*, 8(1):1-12.
- Gyambo, T. (2006). *Wild kiwi fruit characterization and documentation*. Annual report 2005-2006. RNRRC, Bajo, Wangdue.
- Gyamtsho, P. (1998). *Status of Biodiversity Conservation in Bhutan*. In Ecoregional Cooperation for Biodiversity Conservation in the Himalaya. New York: United Nation Development Programme.
- Gyamtsho, P. (2007). Community-managed yak genetic resources and breeding systems in Laya, Bhutan. *In People and Animals- Traditional Livestock Keepers:*Guardians of Domestic Animal Diversity, eds. Kim-anh Tempelman and Ricardo A. Cardellino, Rome: Food and Agriculture Organisation of the United Nations.
- Gyeltshen, T. (2011). *Understanding village poultry systems and exploring improvement options in Denchhukha and Yoeseltse geogs, Samtse, Bhutan.* MSc Thesis. Wageningen University, Wageningen, The Netherlands.
- Gyeltshen, T., Kalkman, V., and Orr, A. (2017a). Honouring His Royal Highness the Crown Prince of Bhutan: Megalestes gyalsey (Odonata: Synlestidae), 4244(4):

- 588-594.
- Gyeltshen, T., Kalkman, V., and Orr, A. (2017b). *A field guide to common Dragonflies & Damselflies of Bhutan*. Thimphu: National Biodiversity Centre, Serbithang.
- Gyeltshen, T., Udo, H.M.J., Steenstra, F., and Viets, T. (2012). Characteristics of village chicken production- why indigenous chickens? *Bhutan Journal of Renewable Natural Resources*, 8(1):127-138.
- Hampson, G.F. (1892-1896). *Fauna of British India, including Ceylon and Burma*. Moths (Vol. I-IV). UK: London, Taylor and Francis.
- Harris, G.L., Gidens, J.A., Lux, T.E., Muhlenberg, F., Rintz, F.C., and Smith, H.H. (1964). U.S. *Army Handbook for Nepal (with Sikkim and Bhutan)*. Washington, D.C.: U.S. Government Publishing Office.
- Hartmann, D.L., Klein, T. A.M.G., Rusticucci, M., Alexander, L.V., Bronnimann, S., Charabi Y., and Dentener, F.J. (2013). Observations: atmosphere and surface.
  In: T.F. Stocker, D. Qin, G.K. Plattner, M. Tignor, S.K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex, P.M. Midgley (eds.) Climate change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge, UK: Cambridge University Press.
- Hayashi, M. (1972). Ergbnisse der Bhutan-Expedition 1972 des Naturhistorischen Museums basel Homoptera: Fam. Cicadidae. Entomologica Basiliensia, 3.
- Hoy, A., Katel, O.N., Thapa, P., Dendup, N., and Jörg Matschullat, J. (2015). *Climatic changes and their impact on socio-economic sectors in the Bhutan Himalayas: an implementation strategy*. Regional Environmental Change, 15(7).
- Huang, Y., and Liu, Y. (2010). Impact of hydropower development on annual runoff and sediment transport distribution. *Advances in Water Science*.
- Hughes, L., Hobbs, R., Hopkins, A., McDonald, J., Stafford, M.S., Steffen, W., and Willium, S. (2010). National Climate Change Adaptation Research Plan for Terrestrial Biodiversity. Gold Coast: National Climate Change Adaptation Research Facility.
- Hunter, M.L., and Gibbs, J.P. (2007). *Fundamentals of conservation biology (3rd ed.)*. Malden, USA: Blackwell Publishing Inc.
- Inskipp, C., Inskipp, T., and Grimmett, R. (2004). Birds of Bhutan. New Delhi: Timeless

Book.

- International Centre for Integrated Mountain Development [ICIMO]. (2009). *Climate change impacts and vulnerability in the Eastern Himalayas. Kathmandu, Nepal.*
- IPCC (Intergovernmental Panel on Climate Change). (2007a). Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University Press, Cambridge/New York.
- IPCC (Intergovernmental Panel on Climate Change). (2007b). *Climate Change 2007: Impacts, Adaptation and Vulnerability*. Contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University Press, Cambridge/New York.
- Irungbam, J.S. (2016). *Butterflies and Months of Bhutan: Current State of Knowledge*. International Symposium: Future for Butterflies in Europe. Wageningen, Netherland.
- IUCN. (2008). The New IUCN Definition for "Protected Area": Examining Its Effects on MPA Practice, International News and Analysis on Marine Protected Areas, 10(5):1-6.
- Jacobsen, D., Milner, A.M., Brown, L.E., and Dangles, O. (2012) Biodiversity under threat in glacier-fed river systems. *Nature Climate Change*, 2(5):361-364.
- Jigme, K., and Williams, A.C. (2011). Current Status of Asian Elephants in Bhutan. *Gajah*, 35:25-28.
- Jolley, D.B., Ditchkoff, S.S., Sparklin, L.B., Hanson, L.B., Mitchell, M.S., and Grand, J.B. (2010). Estimate of herpetofauna depredation by a population of wild pigs. *Journal of Mammalogy*, 91(2):519–524.
- Karma, Ageta, Y., Naito, N., Iwata, S., and Yabuki, H. (2003). Glacier distribution in the Himalayas and glacier shrinkage from 1963 to 1993 in the Bhutan Himalayas. *Bulletin of Glaciological Research*, 20:29-40.
- Katel, O.N., Pradhan, S., and Schmidt-Vogt, D. (2015). A survey of livestock losses caused by Asiatic wild dogs, leopards and tigers, and of the impact of predation on the livelihood of farmers in Bhutan. *Wildlife research*, 41(4):300-310.
- Katwal, T.B., Dorji, Dorji, R., Tshering, L., Ghimiray, M., Chhetri, G.B., Dorji, T.Y., and Tamang, A.M. (2015). *Community Perspectives on the On-farm diversity of Six*

- Major Cereals and Climate Change in Bhutan. Agriculture, 5:2-16.
- Katwal, T.B., Dorji, L., Wangdi, N. (2009). *Quality Maize Seed Production through Community Based Seed Production Approach*. An Extension Manual RNR RC Wengkhar Extension Material Bo FC/008 / 2009.
- Katwal, T.B., Dorji, W., Dorji, L., Wangdi, N., and Choney, R. (2013). Evaluation of Gray Leaf Spot Tolerant Genotypes from CIMMYT in the Highland Maize Production Eco-systems of Bhutan. *Journal of Life Sciences*, ISSN 1934-7391, USA.
- Kensa, V.M. (2012). Climate change and its impacts on aquatic ecosystem. *Journal of Industrial Pollution Control*, 28(1):63-66.
- Khatiwada, J.R, Wang, B., Ghimire, S., Vasudevan, K., Paudel, S., and Jiang, J. (2015). A new species of the genus Tylototriton (Amphibia: Urodela: Salamandridae) from Eastern Himalaya. *Asian Herpetol Res*, 6:245–256.
- Kim, K.C., and Byrne, L.B. (2006). *Biodiversity loss and the taxonomic bottleneck:* emerging biodiversity science, Global changes in terrestrial ecosystems, 21:794–810.
- Koen, K., and Norbu, W. (2013). The costs of adaptation: changes in water availability and farmers' responses in Punakha district, Bhutan. *Int J of Global Warming*, 5(4):387-399.
- Koh, L.P., Dunn, R.R., Sodhi, N.S., Colwell, R.K., Proctor, H.C., and Smith, V.S. (2004). Species coextinctions and the biodiversity crisis. *Science*, 305(5690):1632–1634.
- Koirala, B.K., Gurung, D.B., Lhendup, P., and Phuntsho, S. (2016). Species diversity and spatial distribution of snakes in Jigme Dorji National Park and adjoining areas, western Bhutan. *Journal of Threatened Taxa*, 8(12), 9461-9466.
- Kotschi, J., and Lossau, A.V. (2011). Agrobiodiversity The Key to Food Security and Adaptation to Climate Change. Discussion Paper. Deutsche Gesellschaft für Internationale Zusammenarbeit for Sustainable Management Resources in Agriculture.
- Kuensel. (2015). Climate Change a Threat to Bhutan's Food Security. Kuensel.
- Kyewalyanga, M. (2016). *Phytoplankton primary production, in Regional State of the Coast Report Western Indian Ocean*. New York: UN.
- Lall, S. V., Selod, H., and Shalizi. Z. (2006). Rural-Urban Migration in Developing Countries: A Survey of Theoretical Predictions and Empirical Findings. World Bank

- Policy Research Working Paper 3915.
- Laurance, W.F., Clements, G.R., Sloan, S., O'Connell, C.S., Mueller, N.D., Goosem, M., Venter, O., Edwards, D.P., Phalan, B., Balmford, A., Van Der Ree, R., and Arrea, I.B. (2014). A global strategy for road building. *Nature*, 513.
- Leisher, C., Samberg, L.H., Buekering, P.V., and Sanjayan, M. (2013). Focal areas for measuring the human well-being impacts of a conservation initiative, Sustainability. 5: 997-1010.
- Lenoir, J., Gegout, J.C., Marquet, P.A., de Ruffray, P., and Brisse, H. (2008). A significant upward shift in plant species optimum elevation during the 20th Century. *Science*, 320: 1768–1771.
- Lhamo, P. (2017). Roadblocks across the country. Kuensel.
- Lhamo, R. (2017). *Production Performance of Karan Fries and Jersey cattle at National Jersey Breeding Centre, Samtse Dzongkhag*. BSc Thesis. Royal University of Bhutan, Lobesa, Bhutan.
- Lhendup, K. (2008). Food crops of Bhutan. In: Rennie F. & Mason R. (Ed.), Bhutan; Ways of Knowing.
- Lieftinck, M.A. (1977). Ergebnisse der Bhutan-expedition 1972 des naturhistorischen museums in Basel: Odonata. *Entomologica Basiliensia*, 2:11-37.
- Lobell, D.B., Burke, M.B., Tebaldi, C., Mastrandrea, M.D., Falcon, W.P., and Naylor, R.L. (2008) Prioritizing climate change adaptation needs for food security in 2030. *Science*, 319:607-610.
- Long, D.G. (1994). Mosses of Bhutan. II. A checklist of the mosses of Bhutan. *Journal of Bryology*, 18:339-364.
- Luo, T.X., Pan, Y.D., Ouyang, H., Shi, P.L., Luo, J., Yu, Z.L., and Lu., Q. (2004). Leaf area index and net primary productivity along subtropical to alpine gradients in the Tibetan Plateau. *Global Ecology and Biogeography*, 13:345–358.
- Macchi, M., Gurung, A.M., Hoermann, B., and Choudhury, D. (2011). *Climate variability and change in the Himalayas community perceptions and responses*. Kathmandu: International Centre for Integrated Mountain Development (ICIMOD).
- Mahendra, B.C. (1984). *Handbook of the snakes of India, Ceylon, Burma, Bangladesh, and Pakistan*. Ann Zool. 22(16):412.

- Malicky, H. (2007). Köcherfliegen aus Bhutan (Insecta, Trichoptera). *Linzer biol*. Beitr., 39(1): 475-517.
- Markings, S. (2017). The Effect of Temperature on the Rate of Photosynthesis.
- Marks, J.C., Haden, G.A., O'Neil, M., and Pace, C. (2010). Effects of Flow Restoration and Exotic Species Removal on Recovery of Native Fish: Lessons from a Dam Decommissioning. *Restoration Ecology*.
- Mata, M., Penjor, D., and Pradhan, S. (2010). *Fungi of Bhutan*. Thimphu: National Mushroom Center, Department of Agriculture.
- McCarthy, J.J., Canziani, O.F., Leary, N.A., Dokken, D.J., and K.S. White. (2001). Climate Change 2001: Impacts, Adaptation, and Vulnerability. IPCC, Cambridge University Press, UK.
- McCarty, J.P. (2001) Ecological consequences of recent climate change. *Conserv Biol*, 15: 320–331.
- McGillivray, M. (2007). *Human well-being: concept and measurement*. Basingstoke, UK: Palgrave Macmillan.
- McNeely, G.A., Miller, K.R., Reid, W.V., Mittermeier, R.A., and Werner, T.R. (1990). Conserving the World's Biological Diversity. Gland, Switzerland: IUCN.
- Meyfroidt, P., and Lambin, E.F. (2010). Forest transition in Vietnam and Bhutan: causes and environmental impacts. 315–339. In Nagendra H., Southworth J. (Eds.), *Reforesting Landscapes: 315*. Linking Pattern and Process, Landscape Series 10. Springer Science+Business Media BV.
- Millennium Ecosystem Assessment (MEA). (2005). *Ecosystems and human wellbeing*. Washington, DC: Island Press.
- Millennium Ecosystem Assessment. (2005). *Ecosystems and Human well-being: Biodiversity Synthesis*.
- Ministry of Agriculture and Forests. (2015). Bhutan RNR Statistics 2015. Thimphu.
- Ministry of Agriculture and Forests. (2016). *Bhutan RNR Statistics 2015*. Thimphu, Policy and Planning Division.
- Ministry of Agriculture. (2009). *Biodiversity Action Plan*. Thimphu: Royal Government of Bhutan.
- Mitra, A. (2006). Current status of Odonata of Bhutan: A check list with four new

- records. A Journal of Renewable Natural Resources Bhutan, 2(1):136-143.
- Mitra, A. (2006). Current Status of the Odonata of Bhutan: Checklist with four new records. *Bhutan Journal of Natural Renewable Resources*. 2(1):136-143.
- Mitra, A. (2009). New records of snakes from District Trashigang. *The Bioscan*, 4:15–20.
- Mitra, A., et al., (2014). Odonata survey in Central and Western Bhutan covering eight Dzongkhags (Districts): An annotated species list with nine new records. Journal of Entomology and Zoology Studies, 2(2):11-15.
- Mohan, D., Elumalai, V., Subbulakshmi, G., Jayalakshmi, S., and Srinivasan, M. (2013). Biodiversity of cultivable molluscan resources from Pulicat Lake, southeast coast of India. *Arthropods*, 2(2):53-65.
- Moktan, M.R., Norbu, L., Durkpa, K., Rai, T.B., Dhendup, K., and Gyeltshen, N. (2004). Bamboo and Cane: Potential for poor man's timber for poverty alleviation and forest conservation: A case study from Bjoka in Zhemgang. RNR-RC Yusipang: Royal Government of Bhutan.
- MoLHR. (2015). *Labour market information bulletin 2015*. Labour Market Information and Research Division, Department of Employment, Ministry of Labour and Human Resources, Bhutan.
- Mondal, M., Baruah, K., and Rajkhowa, C. (2014). *Mithun: An animal of Indian pride*. Livestock Research for Rural Devevelopment, 26.
- Moyle, P.B., and Leidy, R.A. (1992). Loss of Biodiversity in Aquatic Ecosystems: Evidence from fish faunas. Conservation Biology. Routledge: Champman, and Hall Inc.
- Mukhia, P.K. (2008). *Rattan diversity and its resource assessment in Bhutan*. Kasetsart University, Faculty of Forestry: Post Graduate Diploma Thesis.
- Naeem, S., Chazdon, R., Duffy, J.E., Prager, C., and Worm, Boris. (2016). *Biodiversity* and human well-being: an essential link for sustainable development, Proc. R. Soc. B. 283: 1-10.
- Naeem, S., Hakansson, K., Lawton, J.H., Crawley, M.J., and Thompson, L.J. (1996). Biodiversity and plant productivity in a model assemblage of plant species. Oikos, 76:259–264.
- Naeem, S., Thompson, L.J., Lawler, S.P., Lawton, J.H., and Woodfin, R.M. (1994).

- Declining biodiversity can alter the performance of ecosystems. *Nature*, 368:734–737.
- Namgay, K., Millar, J., Black, R., and Samdup, T. (2013). *Transhumant agro-pastoralism in Bhutan: Exploring contemporary practices and socio-cultural traditions, Pastoralism*: 3(1):1-26.
- Namgay, K., Millar, J.E., Black, R.S., and Samdup, T. (2014). Changes in Transhumant Agro-pastoralism in Bhutan: A Disappearing Livelihood? Human Ecology, 42(5):779-792.
- Namgay, K., Thinley, S., and Tenzin, S. (2007). Beyond This, What? Can the Sustainable Harvesting and Marketing of Incense Plants contribute to the Livelihood of the Laya People? In: A series of Case Studies on community-based Forestry and Natural Management in Bhutan. Bhutan: Ministry of Agriculture.
- Namgay, T. (2014). The '10,000MW by 2020' dream Dead in the water? Kuensel.
- National Action Plan Biodiversity Persistence and Climate Change. (2011). National Paper on Biodiversity Persistence and Climate Change.
- National Biodiversity Center (NBC). (2009). Bhutan *Biodiversity Action Plan 2009*. Thimphu, Bhutan: Ministry of Agriculture.
- National Biodiversity Center (NBC). (2011) National Action Plan: Biodiversity Persistence and Climate Change.
- National Biodiversity Centre. (2014). *National Biodiversity Strategies and Action Plan of Bhutan*. Thimphu: Ministry of Agriculture, Royal Government of Bhutan.
- National Biodiversity Centre. (2015). *Plants Endemic to Bhutan Himalaya*. In NBC, Plants Endemic to Bhutan Himalaya. NBC.
- National Biodiversity Centre. (2017). A century of new orchid records in Bhutan. Serbithang, Thimphu: National Biodiversity Centre, Ministry of Agriculture and Forests.
- National Biodiversity Strategies and Action Plan of Bhutan (NBSAP). (2014). National Biodiversity Centre. Thimphu: Ministry of Agriculture and Forests, Royal Government of Bhutan.
- National Environment Commission. (2006). *National Adaptation Programme of Action*. Thimphu: Royal Government of Bhutan.

- National Environment Commission. (2011) Second National Communication to the UNFCCC. Royal Government of Bhutan, Thimphu.
- National Plant Protection Centre. (2016). *Giant African Land Snails (Achatina fulica)*. Ento. Leaflet 16. Semtokha, Thimphu: Department of Agriculture, National Plant Protection.
- National Statistical Bureau. (2009). *Statistical Year Book 2013*. Royal Government of Bhutan, Thimphu.
- National Statistics Bureau. (2016). *Statistical Yearbook of Bhutan 2016*. Accessed December, 2016.
- NBC. (2008). *Status of Plant Genetic Resources of Bhutan*. Volume 1. Field Crops. Serbithang: Bhutan. National Biodiversity Centre.
- Nedup, T. (2016). Butterfly (Lepidoptera-Rhophalocera) Diversity in the Developing Urban Area of Gelephu, Bhutan). Bhutan Journal of Natural Resources and Development, 3(2):42-46.
- Nesemann, H. (2007). Aquatic invertebrates of the Ganga River system: H. Nesemann.
- Nidup, K., Penjor, and Phub, D. (2008). *Poultry Resources in Bhutan*. In Animal Genetic Resources of Bhutan. Thimphu: National Biodiversity Centre, Ministry of Agriculture.
- Nidup, K., Tshering, D., Wangdi, S., Gyeltshen, C., Phuntsho, T., and Moran, C. (2011) Farming and biodiversity of pigs in Bhutan. *Animal Genetic Resources/Resources génétiques animales/Recursos genéticos animales*, 48:47-61.
- Nidup, T., and Dorji, P. (2016). The Honey Bees (Hymenoptera: Apidae) of Bhutan with a key to the Apis species. *Bio Bulletin*, 2(2):01-07.
- Nidup, T., Dorji, T., and Tshering, U. (2014). Taxon diversity of butterflies in different habitat types in Royal Manas National Park, *Journal of Entomology and Zoology Studies*. 2(6): 292-298.
- Nima. (2017). Govt. not worried about power surplus and tariff falls in India. Kuensel.
- Noltie, H.J. (1994). Flora of Bhutan: Including a record of plants from sikkim and Darjeeling. Edinburgh: Royal Botanic Garden Edinburgh.
- Noltie, H.J. (2000). Flora of Bhutan: Including a record of plants from sikkim and Darjeeling. Edinburgh: Royal Botanic Garden Edinburgh.

- Norbu, S. (1995). Current Advances in Buckwheat Research, 55-60.
- NSSC. (1999). *Report on the National Legume Survey*. National report prepared by the Sustainable Soil Fertility and Plant Nutrient Management Project Office Thimphu: National Soil Service Center (NSSC).
- Ohsawa, M. (1987). *Life Zone ecology of the Bhutan Himalaya*. Laboratory of Ecology, Chiba University. Japan.
- Palden, J. (2003). New records of Tylototriton verrucosus Anderson, 1871 from Bhutan. Hamadryad, 27:286–287.
- Palden, T. (2015). Mining industry, a repository of corrupt practices. Kuensel.
- Palden, T. (2016). Abundant snails show Bhutan's environment is healthy. Kuensel.
- Palden, T. (2017). Remedial measures worth Nu 3.7 B to stabilise PHPA-I damsite. Kuensel.
- Pan, H., Chettri, B., Yang, D., Jiang, K., Zhang, L., and Vogel, G. (2013). A new species of the genus Protobothrops (Squamata: Viperidae) from southern Tibet, China and Sikkim, India. *Asian Herpetol Res*, 4:109–115.
- Parent, C.E. (2008). The global decline of mollusks. Actionbioscience.
- Parmesan, C. (2006). *Ecological and evolutionary responses to recent climate change.*Annual Review of Ecology, Evolution and Systematics, 37:637–669.
- Parmesan, C., Duarte, C.M., Poloczanska, E., Richardson, A.J., and Singer, M.C. (2011). Overstretching attribution. *Nature Climate Change*, 1:2–4.
- Pearce, N.R., and Cribb, P.J. (2002). *The Orchids of Bhutan*. Royal Botani Garden, 20A Inverleith Row: Edinburgh & Royal Government of Bhutan.
- Pearce-Smith, S.W.D. 2012). The Impact of Continued Mekong Basin Hydropower Development on Local Livelihoods. Consilience: The Journal of Sustainable Development, 7:62–75.
- Pelden, S. (2011). *Report underlines climate threats*. Bhutan Observer Online, 5 September 2011.
- Petr, T. (1999). *Coldwater fish and fisheries in Bhutan*. FAO Fisheries Technical Paper. No.385: 612. Rome, FAO.
- Petr, T., and Swar, S. B. (2002). *Coldwater fisheries in the trans-Himalayan countries*. FAO Fisheries Technical Paper. No.431. Rome, FAO.

- Phanchung, and Roden, J.A. (1996). Characterisation of the Siri breed and the Mithun cross Siri in Bhutan. Animal Genetic Resources/Resources génétiques animales/Recursos genéticos animales, 20:27-34.
- Poff, N.L., Allan, J.D., Bain, M.B., Karr, J.R., Prestegaard, K.L., Richter, B.D., Sparks, R.E., and Stromberg, J.C. (1997). The natural flow regime: a paradigm for conservation and restoration of river ecosytems. *BioScience*, 47:769–784.
- Population and Housing Census of Bhutan. (2005). *Result of Population and Housing Census of Bhutan*.
- Pradhan, R. (1999). *Wild Rhododendrons of Bhutan*. Thimphu: Quality Printers Pvt. Ltd, Kathmandu.
- Prasher, I.B. (1999). *Fungi of Bhutan*. Dehra Dun: Prashant Gahlot at Valley Offset Printers and Publishers.
- Premkumar, L. (2016). A Study of the India-Bhutan Energy Cooperation Agreements and the implementation of hydropower projects in Bhutan. Vasudha Foundation.
- Rafferty, N.E., and Ives, A.R. (2011). Effects of experimental shifts in flowering phenology on plant–pollinator interactions. *Ecology Letter*, 14: 69–74.
- Rai, S.M., Upreti, B.N., Dhakal, S., Bhattarai, T.N., Adhikari, B.R., Bajracharya, S.R., and Yoshida, M. (2017). Climate Change Impact on Glacier Retreat and Local Community in the Langtang Valley, Central Nepal. *Journal of Development Innovations*, 1(1):45-59.
- Rais, M., Akram, A., Ali, S.M., Asadi, M.A., Jahangir, M., Jilani, M.J., and Anwar, M. (2015). Quantitative Analysis of Factors Influencing the Diversity and Spatial Distribution of Herpetofauna in Chakwal Tehsil (Chakwal District), Punjab, Pakisthan. Herpetological Conservation and Biology, 10(3):801–810.
- Reddy, P. P. (2015). Climate Resilient Agriculture for Ensuring Food Security. Springer India.
- Reid, W.V., Mooney, H. A., Cropper, A., Capistrano, A., Carpenter S. R., Chopra, K., Dasgupta, P., Dietz, T., Duraiappah, A. K., Hassan, R., Kasperson, R., Leemans, R., May, R.M., McMichael, T. A.J., Pingali, P., Samper, C., Scholes, R., Watson, R. T., Zakri, A. H., Shidong, Z., Ash, N.J., Bennett, E., Kumar, P., Lee, M.J., Raudsepp-Hearne, C., Simons, H., Thonell, J., and Zurek, M. B. (2005). *Ecosystem and Human well-being: Synthesis*.10 G Street NE, Suite 800, Washington, DC 20002: World Resources Institute.

- RGoB [Royal Government of Bhutan]. (2011). *National Action Plan: Biodiversity and Persistence & Climate Change, Bhutan, Climate Summit for Living Himalayas*. Royal Government of Bhutan.
- RGoB. (1999). Vision 2020. Thimphu, Bhutan.
- RGoB. (2008). The constitution of the Kingdom of Bhutan. Thimphu, Bhutan.
- Richter, B.D., Baumgartner J.V., Wigington, R., and Braun, D.P. (1997). How much water does a river need? *Freshwater Biology*, 37:231–249.
- Rinzin, C., Vermeulen, W. J.V., Wassen, M.J., and Glasbergen, P. (2009). Nature Conservation and Human well-being in Bhutan: An Assessment of Local Community Perceptions, *The journal of environment and development*, 18:177.
- Roder, W., Dorji, K., and Gratzer, G. (2003). Nutrient flow from the forest source of life for traditional Bhutanese agriculture. *Austrian Journal of Forest Science*, 120:65–72.
- Rogers, D.S., Duraiappah, A.K., Antons, D.C., Munoz, P., Bai, X., Fragkias, M., and Gutscher, H. (2012). A vision for human well-being: transition to social sustainability, Curr. Opin. Environ. *Sustain*, 4: 61–73.
- Root, B.A., Price, J.T., and Hall, K. (2003). Fingerprints of global warming on wild animals and plants. *Nature*, 421:47–60.
- Royal Government of Bhutan. (1995). *Forest and Nature Conservation Act of Bhutan*. Thimphu: Royal Government of Bhutan.
- Royal Government of Bhutan. (2006). *Forest and Nature Conservation Rules*. Thimphu: Ministry of Agriculture, Department of Forestry.
- Royal Government of Bhutan. (2016). *RNR climate change adaptation program*. Thimphu: Ministry of Agriculture and Forests.
- Royal Government of Bhutan. (2017). Forest and Nature Conservation Rules and Regulations of Bhutan. Thimphu.
- Royal Government of Bhutan. (n.d). *Second Five Year Plan*. Gross National Happiness Commission, Thimphu.
- Sachs, J.D. (2012). From Millennium Development Goals to Sustainable Development.
- Sah, R.P. (2002). *Improving food security and livelihood of mountain people through development of agriculture*. Agriculture Research Station: Lumle, Nepal.

- Salick, J., Anderson, D., Woo, J., Sherman, R., Norbu, C., Na, A., and Dorje, S. (2004). *Tibetan ethnobotany and gradient analyses, Menri (Medicine Mountains), eastern Himalayas*. Millennium ecosystem assessment.
- Sarkar, S. (2002). *Defining "Biodiversity", Assessing Biodiversity, The Monist*. 85(1): 131-155.
- Schleich, H.H., and Kästle, W. (Eds). 2002. Amphibians and Reptiles of Nepal. *Biology, Systematics, Field guide*. Koeltz Scientific Books, Koenigstein.
- Schultz, M., Tyrrell, T.D., and Ebenhard, T. (2016). The 2030 Agenda and Ecosystems
   A discussion paper on the links between the Aichi Biodiversity Targets and the Sustainable Development Goals. Stockholm, Sweden: SwedBio at Stockholm Resilience Centre.
- Schulze, E.D., and Mooney H.A. (1993). *Biodiversity and ecosystem function*. New York, NY: Springer.
- Seddon, N., Mace, G.M., Pigot, A.L., Naeem, S., Mouillot, D., Tobias, J.A., Walpole, M., Vause, J. (2016). *Biodiversity in the Anthropocene: prospects and policy*. Pro. R. Soc. B, 282, 20151602.
- Segers, H., and Martens, K. (2005). *Developments in hydrobiology: the diversity of aquatic ecosystems*. The Netherlands: Springer.
- Shah, A. (2014). Climate Change Affects Biodiversity. Global Issues. January 19, 2014.
- Sharma, B.K., and Bhattarai, S. (2005). Hydrobiological analysis of a peat bog with emphasis on its planktonic diversity and population dynamics in Bumdeling Wildlife Sanctuary, eastern Bhutan. *Limnology*, 6(3):183-187.
- Sharma, E., Chettri, N., Tse-ring K., Shrestha, A.B, Jing, F., Mool, P., and Eriksson, M. (2009) *Climate change impact and vulnerability in the Eastern Himalayas*. ICIMOD.
- SHDP [Sustainable Hydropower Development Policy]. (2008). Bhutan Sustainable Hydropower Development Policy. Ministry of Economic Affairs, Thimphu, Bhutan.
- Sherub. (2004). Using Habitat Models to Predict the Distribution of Birds in Bhutan: Implications for Future Research and Conservation. Thimphu.
- Shisode, M., Khanvilkar, A., Kulkarni, M., Samant, S., Yadav, G., and Bawaskar, M. (2009). Mithun: The Pride animal of North-eastern hilly region of India. *Veterinary World*, 2(12):480-481.

- Shrestha, A.B, Wake, C.P, Mayewski, P.A., and Dibb, J.E. (1999). Maximum temperature trends in the Himalaya and its vicinity: an analysis based on temperature records from Nepal for the period 1971–1994. *Journal of Climate*, 12(9):1–12.
- Shrestra, S. (2004). *An Economic Impact Assessment of the Rice Research Program in Bhutan*. Los Banos: Philippines. International Rice Research Institute Food Policy Report.
- Shrestra, S., Katwal, T.B. Ghalley, B.B. (2006). *Adoption and Impact Assessment of Improved Maize Technologies in Bhutan*. Thimphu: Bhutan. Council of RNR Research of Bhutan.
- Siebert, S.F., and Belsky, J.M. (2014). Historic livelihoods and land uses as ecological disturbances and their role in enhancing biodiversity: An example from Bhutan, Biological Conservation, 177:82-89.
- Sigwart, J.D., and Sutton, M.D. (2007). *Deep molluscan phylogeny: synthesis of palaeontological and neontological data*. Proceedings of the Royal Society B, 274(1624):2413-2419.
- Siliwal, M., and Molur, S. (2007). Checklist of spiders (Arachnida: Araneae) of South Asia including the 2006 update of Indian spider checklist. *Zoos' Print Journal*, 22(2):2551-2597.
- Singh, I.J., and Clib, M. (2014). A preliminary checklist of butterflies (Lepidoptera: Rhophalocera) of Mendrelgang, Tshering District, Bhutan. *Journal of Threatened Taxa*, 6(5):5755-5768.
- Singh, M.K., and Gurnani, M. (2004). Performance evaluation of Karan Fries and Karan Swiss cattle under closed breeding system. *Asian Australasian Journal of Animal Sciences*, 17(1):1-6.
- Smith, L.M., Case, J.L., Smith, H.M., Harwell, L.C, Summers, J.K. (2013). Relating ecosystem services to domains of human well-being: foundation for a US. Index. Ecol. Indic, 28:79-90.
- Smith, M.A. (1943). The Fauna of British India, including the whole Indo-Chinese Subregion, Reptilia and Amphibia, Vol. 3, Serpentines. Taylor and Francis Publication, London.
- Social Forestry Division. (2008). *National Strategy for the Development of Non-Wood Forest Products in Bhutan*. Thimphu: Social Forestry Division, Ministry of Agriculture.

- Soule, M. (2013). The "new conservation", Conserv. Biol, 27:895–897.
- Sournia, A., Chrdtiennot-Dinet, M.J., and Ricard, M. (1991). Marine phytoplankton: how many species in the world ocean? *Journal of Plankton Research*, 13(5):1093-1099.
- Stanley, E.H., and Doyle, M.W. (2003). *Trading off: the ecological effects of dam removal*. Frontiers an Ecology and the Environment.
- Stapleton, C. (1994). Bamboos of Bhutan. Kew: The Royal Botanic Gardens.
- Subba, M.B. (2016). Punatsangchhu-II Cost revised. Kuensel.
- Sustainable Development. (2015). Biodiversity and ecosystems.
- Symstad, A.J., and Tilman, D. (2001). Diversity loss, recruitment limitation, and ecosystem functioning: lessons learned from a removal experiment. *Oikos*, 92:224–435.
- Tabarelli, M., Pinto, L.P., Silva, J.M.C., Hirota, M., and Bede, L. (2005). *Challenges and opportunities for biodiversity conservation in the Brazilian Atlantic Forest, Conservation Biology*, 19:695-700.
- Tagliapietra, D., and Sigovini, M. (2010). Biological diversity and habitat diversity: a matter of Science and perception, NEAR Curriculum in Natural Environmental Science. 88: 147–155.
- Tamang, N., and Perkins, J. (2005). Cattle management systems in humid subtropical areas of western Bhutan. *Journal of Bhutan Studies*, 13:105-118.
- Tamang, N., Sherpa, D., Sharma, B., Tshering, G., Thinley, G., and Rai, D. (2009).

  Buffalo farming in Bhutan, vanishing before its full potential is explored. *Bhutan Journal of Renewable Natural Resources*, 5:82-93.
- Tamang, N.B., Rai, D.B., and Timsina, M.P. (2013). Buffalo Farming in Bhutan: Challenges and Opportunities. *Buffalo Bulletin*, 32(Special issue 2):1184-1187.
- Tapio, P., and Willamo, R. (2008). Developing interdisciplinary environmental framework. *AMBIO: A J. Hum. Environ*, 37:125–133.
- Tempa, T., Mark, H., Mills, L.M., Wangchuk, T., Norbu, N., Wangchuk, T., and Dorji, T. (2013). Short Communication: Royal Manas Nation Park, Bhutan: a hot spot for wild felids. *Fauna and Flora International, Oryx*, 47(2):207-210.
- Tenzin, S., Dorji, J., Dorji, T., and Kawamoto, Y. (2016). Assessment of genetic diversity

- of Mithun (Bos frontalis) population in Bhutan using microsatellite DNA markers. *Animal Genetic Resources/Resources génétiques animales/Recursos genéticos animales*, 59:1-6.
- Tenzin, Shrestha, R., and Dhendup, T. (2015). *Population Status and Distribution of Snow leopord (Panthera uncia) in Wangchuck Centennial National Park, Bhutan: A Technical Report*. Bhutan: Wangchuck Centennial National Park.
- Tewari, D. (1994). *Himalayan Ecosystem*. Dehra Dun, India: International Book Distributors.
- Tewari, G., and Bisht, A. (2016). *Aquatic biodiversity: Threats and Conservation*. Aquafind.
- Thakur, M.P., Tilman, D., Purschke, O., Ciobanu, M., Cowles, J., Isbell, F., and Wragg. P.D. (2017). Climate warming promotes species diversity, but with greater taxonomic redundancy, in complex environments. *Science Advances*, 3(7).
- Thakur, N., Loday P., Gurung, T.R. (2009). *Impact Assessment of Horticulture*. RNR RC Wengkhar. Research in Bhutan. RNR RC Wengkhar, Technical Document 42/ Ho/2009, RNR.
- Thinley, P., Dorji, T., Leki, Phuntsho, S., Dorji N., Phuntshok, Dorji, P., Lassoie, J.P., Morreale, S.J., and Curtis, P.D. (2015). Estimating Wild Tiger (Panthera tigris Linnaeus) Abundance and Density using a Spatially-explicit Capture-recapture Model in Jigme Dorji National Park, Bhutan. *Bhutan Journal of Natural Resources and Development*, 2(1):1-10.
- Thuiller, W. (2007). Nature Reports Climate Change. Nature.
- Tillack, F. (2006). A new snake record for Bhutan: Boiga cyanea (Duméril, Bibron and Duméril, 1854). Sauria, Berlin, 28:53–54.
- Tilman, D., Wedin, D., and Knops, J. (1996). Productivity and sustainability influenced by biodiversity in grassland ecosystems. *Nature*, 336:718-720.
- Timsina, M., Tamang, N., Rai, D., and Siddiky, M.A. (2015). Comparative production and reproduction performances of local and Murrah-cross buffaloes managed by smallholder farmers in Bhutan. *SAARC Journal of Agriculture*, 13(1):200-206.
- Tiwary, R.K., and Dhar, B.B. (1994). An unspoiled nature can provide ecological security to people but cannot bring economic prosperity. *Mine water and the environment*, 13:1-10.

- Tshering, K. (2003). Constructing future climate scenario of Bhutan. In Project report on climate change vulnerability and adaptation study for rice production in Bhutan for Project: Climate change studies in Bhutan. Thimphu: Ministry of Agriculture.
- Tshering, C. (2012). International Parthenium News. In S. Asad (ed.), Tropical & Sub-Tropical Weed Research Unit. The University of Queensland, Australia.
- Tshering, D. (2015). Of lofty dreams and ground realities. Kuensel.
- Tshering, D. (2017). Community challenged to rear sheep in Bumthang. Kuensel.
- Tshering, K. (2003). *Bhutan: management effectiveness assessment of four protected areas using WWF's RAPPAM methodology*. Gland, Switzerland: WWF.
- Tshering, K., and Thinley, P. (2017). Assessing livestock herding practices of agropastoralists in western Bhutan: Livestock vulnerability to predation and implications for livestock management policy. *Pastoralism*, 7(1).
- Tshering, L., and Rai, D.B. (2008). *Chapter 1: Nublang, In Animal Genetic Resources of Bhutan, Thimphu: National Biodiversity Centre.*
- Tshering, S. (n.d.). *Non-Wood Forest Product of Bhutan*. FAO Corporate Document Repository.
- Uetz, P. (2016). The Reptile Database.
- Ugyen, J., and Gurung, T. (2015). Assessment of Yam (Dioscorea spp.) Diversity at Community Level in Nangkor Gewog under Zhemgang Dzongkhag. *Journal of Bhutan Studies*, 33.
- Ura, K. (2002). The herdsmen's dilemma, Journal of Bhutan Studies, 7:1–43.
- USAID. (2015). *USAID Biodiversity Policy*. Washington, DC: U.S. Agency for International Development.
- Uyeda, L.T., Iskandar, E., Purbatrapsila, A., Wirsing, J.P.A., and Kyes, R.C. (2014). The role of traditional beliefs in conservation of herpetofauna in Banten, Indonesia. *Oryx*, 1-6.
- Virdi, M., and Theophilus, E. (2014). Some thoughts on a visit to the fish-ladder at Kurichhu hydropower project, Bhutan. South Asia Network on Dams, Rivers and People.
- Wangchuk, J., and Eby, L. (2013). Aquatic Biodiversity Assessment -A pilot study in

- Bumthang, Bhutan. Royal Government of Bhutan, UWICE Press, Bumthang.
- Wangchuk, K. (2013). *Cattle production dynamics, species diversity and relative abundance of understory vegetation in the mixed conifer forests of Bhutan*. PhD Thesis. University of Natural Resources and Life Sciences, Vienna, Austria.
- Wangchuk, P., Namgay, K., Gayleg, K., Dorji, Y. (2016). Medicinal plants of Dagala region in Bhutan: their Diversity, distribution, uses and economic potential. *Journal of Ethnobiology and Ethnomedicine*.
- Wangchuk, P., Ugyen, and Olsen, A. (2010). Vulnerable Medicinal Plants and their Risk Factor. *The journal of Bhutan Studies*, 66-90.
- Wangchuk, S., Norbu, N., and Sherub. (2012). Impacts of Cordyceps Collection on Livelihood and Apline Ecosystems un Bhutan as Ascertained from Questionnaire Survey of Cordyceps Collectors. Bumthang: UWICE Press.
- Wangchuk, T., Thinley, P., Tshering, K., Tshering, C., Yonten, D., and Pema, B. (2004). A Field Guide to the mammals of Bhutan. Thimphu: Department of Forestry, Ministry of Agriculture, Royal Government of Bhutan.
- Wangda, P., and Ohsawa, M. (2006). Forest pattern analysis along the topographical and climatic gradient of the dry west and humid east slopes of Dochula, Western Bhutan. *Journal of Renewable Natural Resources Bhutan*, 2(1):1-17.
- Wangda, P., Norbu, L., Gyaltshen, D., and Chhetri, D.B. (2009). Pine die-back in the plantation forest along the slopes of Wangchu-Pachu dry valley. *Journal of Renewable Natural Resources Bhutan*, 5(1): 68-81.
- Wangdi, J., Bhujel, P., Timsina, M., and Sonam, W. (2014). Performance of buffalo (Bubalus bubalis) under Bhutanese conditions. *Global Journal of dairy farming and milk production*, 2(2):31-40.
- Wangdi, J., Mindu, Bhujel, P., Karma, and Wangchuk, S. (2014). *Productive and reproductive performance of dairy cattle and their crossbreds in Bhutan*. Livestock Research for Rural Development, 26(10).
- Wangdi, K., and Sherub. (2015). *UWICE Nature Guide Series: Butterflies of Bhutan* (*Pierid and Lycaenid*). Bumthang, Bhutan: Ugyen Wangchuck Institute for Conservation and Environment.
- Wangdi, T. (2014). A tribute to His Majesty the Jigme Singye Wangchuck in commemoration of his 60th birth anniversary.

- Wangdi, T. (2017a). Two new birds discovered. Kuenselonline. Accessed October 18 2017.
- Wangdi, T. (2017b). Sighting of Godlewski's bunting takes count to 719 birds. Kuensel.
- Wangyal, J.T. (2011). Snakes and lizards from the Bumdeling Wildlife Sanctuary Region of Bhutan: review of herpetofaunal information and new country records. Herpetol Rev, 42:117–122.
- Wangyal, J.T. (2012). New records of snakes and lizards from Bhutan. *Hamadryad*, 36:25–31.
- Wangyal, J.T. (2013). New records of reptiles and amphibians from Bhutan. *J Threat Taxa*. 5:4774–4783.
- Wangyal, J.T. (2014). The status of herpetofauna of Bhutan. *J Bhutan Ecol Soc*, 1:20–39.
- Wangyal, J.T., and Das, I. (2014). Status, distribution and conservation issues of the amphibians of the Himalayan country of Bhutan. 194–200. In Heatwole H., Das, I. (Eds), Conservation Biology of Amphibians of Asia. Amphibian Biology. Vol. 11(5).
- Wangyal, J.T., and Gurung, D.B. (2012). Amphibians of Punakha-Wangdue Phodrang Valley, Bhutan. *Frog Leg*, 18:31–44.
- Wangyal, J.T., and Gurung, D.B. (2012). The distribution of Himalayan Newts, Tylototriton verrucosus in the Punakha-Wangdue Valley, Bhutan. *J Threat Taxa*, 4:3218–3222.
- Wangyal, J.T., Wangchuk, D., and Das, I. (2012). First report of turtles from the Himalayan Kingdom of Bhutan. *Chelonian Conserv & Biol*, 11:268–272.
- Wani, A.M., Raj, A.J., and Kanwar, M. (2013). Impact of climate change on forests of eastern Himalayas and adaptation strategies for combating it. *Journal of Agriculture and Forestry*, 3(3):98-104.
- Western, D. (2000). *Human-modified ecosystems and future evolution, Wildlife Conservation Society*, 98(10):5458–5465.
- Whitaker, R. (1987). The management of crocodiles in India. 63–72. In Webb G.J.W. Manolis S.C., and Whitehead, P.J. (Eds.). *Wildlife Management: Crocodiles and alligators*. Chipping Norton, NSW: Surrey Beatty & Sons Pty. Ltd.
- White, S., Benson, G., Washburn, S., and Green, J. (2002). Milk production and

- economic measures in confinement or pasture systems using seasonally calved Holstein and Jersey cows. *Journal of dairy science*, 85(1):95-104.
- Wilkie, D., Shaw, E., Rotberg, F., Morelli, G., and Auzel, P. (2000). Roads, Development, and Conservation in the Congo Basin. *Conservation Biology*, 14(6):1614–1622.
- Winter, H., and Tshewang, U. (1989). The Cross Breeding of Yaks in Merak-Sakten (Bhutan). *Reproduction in Domestic Animals*, 24(3):116-122.
- World Commission on Environment and Development (WCED). (1987). *Our common future, report of the World Commission on Environment and Development*. Oxford, UK: Oxford University Press.
- Wu, J. (2008). Changing perspectives on biodiversity conservation: from species protection to regional sustainability, Biodiversity Science, 16(3):205–213.
- Wu, J., and Levin, S.A. (1997). A patch-based spatial modelling approach: conceptual framework and simulation scheme, Ecological modelling, 325-346.
- Wu, J., and Loucks, O.L. (1995). From balance of nature to hierarchical patch dynamics: a paradigm shift in ecology, *Chicago Journals*, 70(4): 439-466.
- Xu, J., Grumine, R.E., Shrestha, A., Eriksson, M., Yang, X., Wang, Y., and Wilkes, A. (2009). The melting Himalayas: Cascading effects of climate change on water, biodiversity & livelihood. *Conservation Biology*, 23(3), 520-530.
- Yang, W., Dietz, T., Kramer, D.B., Ouyang, Z., and Liu, J. (2015). An integrated approach to understanding the linkages between ecosystem services and human well-being, Ecosystem health and sustainability, 1(5):1-12.
- Yazdi, S.K., and Shakouri, B. (2010). *The climate change and marine biodiversity*. 2010 International Conference on Biology, Environment and Chemistry, 1(2011):257-261.
- Ziva, G., Baran, E., Nam, S., Rodríguez-Iturbed, I., and Levina, S.A. (2012). *Trading-off fish biodiversity, food security, and hydropower in the Mekong River Basin*. PNAS.