Publications Citing the University of Michigan Museum of Zoology (2010-2015)

- Ahumada-Carrillo, I. T., River-Perez, N., Reyes-Velasco, J., Grünwald, C. I., and J. M. Jones. 2014. Notable Records of Amphibians and Reptiles from Colima, Nayarit, Jalisco, and Zacatecas, Mexico. Herpetological Review 45:287-291.
- Albrechtova, J, et al. 2012. Sperm-related phenotypes implicated in both maintenance and breakdown of a natural species barrier in the house mouse. Proceedings of the Royal Society B: Biological Sciences 279:4803-4810.
- Aliabadian, M., et al. 2012. Convergent evolution of morphological and ecological traits in the open- habitat chat complex (Aves, Muscicapidae: Saxicolinae). Mol. Phylog. Evol. 65:35-45.
- Allsteadt, J., Savitzky, A. H., Petersen, C. E., and D. N. Naik. 2010. Geographic variation in the morphology of Crotalus horridus (Serpentes: Viperidae).
- Alstrom, P. et al. 2015. Integrative taxonomy of the Russet Bush Warbler *Locustella mandelli* complex reveals a new species from central China. Avian Research 6:1-32.
- Alvarado-Serrano, D. F., L. Luna and L. L. Knowles. 2013. Localized versus generalist phenotypes in a broadly distributed tropical mammal: how is intraspecific variation distributed across disparate environments? BMC Evolutionary Biology 13:160.
- Alvarez-Cataneda. S. T., et al. 2010. Rediscovery of the *Neotoma* population on Datil [Turner] Island, Sonora, Mexico. Western North American Naturalist 70:437-440.
- Andena, S.R., and J.M. Carpenter. 2012. A phylogenetic analysis of the social wasp genus Brachygastra Perty, 1833, and description of a new species (Hymenoptera: Vespidae: Epiponini). Americam Museum Novitates No. 3753, 38 pp.
- Andersen, M. J., A. Naikatini, and R. G. Moyle. 2014. A molecular phylogeny of Pacific honeyeaters (Aves: Meliphagidae) reveals extensive paraphyly and an isolated Polynesian radiation. Mol Phylogen. Evol. 71:308-315.
- Andreone, F., G. M. Rosa, J. Noël, A. Crottini, M. Vences, and C. J. Raxworthy. 2010. Living within fallen palm leaves: the discovery of an unknown *Blommersia* (Mantellidae: Anura) reveals a new reproductive strategy in the amphibians of Madagascar. Naturwissenschaften 97:525-543.
- Anon. 2013. Climate Change Adaptation and Mitigation Management Options. CRC Press.
- Armesto, L. O., E. Quilarque, E., and F. J. Rojas-Runjaic. 2015. New locality records and geographic distribution map of *Dendropsophus meridensis* (Rivero, 1961)(Anura: Hylidae) in the Andes of Venezuela. Check List 11:1527.
- Arredondo, J. C., and S. J. Sánchez -Pacheco. 2010. New Endemic Species of *Riama* (Squamata: Gymnophthalmidae) from Northern Colombia. Journal of Herpetology 44:610-617.
- Arsznov, B. M., and S. T. Sakai. 2012. Pride Diaries: Sex, Brain Size and Sociality in the African Lion (*Panthera leo*) and Cougar (*Puma concolor*). Brain, Behavior, and Evolution 79:275-289.
- Avila-Valle, Z. A., et al. 2012. Geographic variation and molecular evidence of the blackish deer mouse complex (*Peromyscus furvus*, Rodentia: Muridae). Mammalian Biology 77:166-177.
- Backlin, A. R., C. J. Hitchcock, E. A. Gallegos, J. L. Yee, and R. N. Fisher. 2015. The precarious persistence of the Endangered Sierra Madre yellow-legged frog *Rana muscosa* in southern California, USA. Oryx 49:157-164.

- Baker, W.H., R.E. Blanton, and C.E. Johnston. 2013. Diversity within the Redeye Bass, *Micropterus coosae* (Perciformes: Centrarchidae) species group, with descriptions of four new species. Zootaxa 3635:379–401.
- Bakkegard, K.A., and L.J. Davenport. 2012. *Nephila clavipes* (Araneae: Nephilidae): A model species for monitoring climate change in the southeastern United States. Southeastern Naturalist 11:551-566.
- Balčiauskienė, L., and L. Balčiauskas. 2011. Data on morphometry of the Root Vole (Microtus oeconomus) from Lithuania. Acta Zoologica Lituanica 21:24–31.
- Baldwin, Z.H. and J.S. Sparks. 2011. A new species of *Secutor* (Teleostei: Leiognathidae) from the Western Indian Ocean. Zootaxa 2998: 39–47.
- Balete, D. S., P. A. Alviola, M. R. M. Duya, M. V. Duya, L. R. Heaney, and E. A. Rickart. 2011. Chapter 3: The Mammals of the Mingan Mountains, Luzon: Evidence for a New Center of Mammalian Endemism. Fieldiana Life and Earth Sciences 75–87.
- Barata, M., A. Perera, F. MARTÍNEZ-FREIRÍA, and D. J. HARRIS. 2012. Cryptic diversity within the Moroccan endemic day geckos *Quedenfeldtia* (Squamata: Gekkonidae): a multidisciplinary approach using genetic, morphological, and ecological data. Biological Journal of the Linnean Society 106:828-850.
- Barnes, J. K. 2010. Revision of Nearctic *Stichopogon* species (Diptera: Asilidae) with white-banded abdomens, including description of *Stichopogon venturiensis*, new species, from coastal California. Proceedings of the Entomological Society of Washington 112:367-380.
- Barnes, J. K. 2010. Nearctic species related to *Diogmites angustipennis* Loew (Diptera: Asilidae). Zootaxa 2545:1-22.
- Barnes, J. K. 2013. The Genus *Stichopogon* Loew (Diptera: Asilidae) in America North of Mexico. Proceedings of the Entomological Society of Washington 115:9-36.
- Barrientos-Lozano, L., and A. Y. Rocha-Sánchez. 2013. A new species of the genus Pterodichopetala (Orthoptera: Tettigoniidae: Phaneropterinae) from northeastern Mexico. Journal of Orthoptera Research 22:3-13.
- Barrientos-Lozano, L., A. Y. Rocha-Sánchez, and B. R. Méndez-Gómez. 2011. New species of Phaulotettix Scudder (Orthoptera: Acrididae) from northeastern Mexico. Journal of Orthoptera Research 20:1-33.
- Barrientos-Lozano, L., F. M. Buzzetti, A. Y. Rocha-Sánchez, and B. R. Méndez-Gómez. 2010. *Huastecacris alexandri*, a new species of Melanoplinae from Tamaulipas, northeastern Mexico. Journal of Orthoptera Research 19:277-280.
- Barrientos-Lozano, L., Rocha-Sánchez, A. Y., and Buzzetti, F. M. 2012. New Species of Necaxacris Roberts, 1939 (Orthoptera: Acrididae) from Northeastern Mexico. Journal of Orthoptera Research 21:149-168.
- Bart, H. L. Jr., M. D. Clements, R. E. Blanton, K. R. Piller, and D. L. Hurley. 2010. Discordant molecular and morphological evolution in buffalofishes (Actinopterygii: Catostomidae). Molecular Phylogenetics and Evolution 56:808-820.
- Bauer, A. M., T. R. Jackman, R. A. Sadlier, and A. H. Whitaker. 2012. Revision of the giant geckos of New Caledonia (Reptilia: Diplodactylidae: *Rhacodactylus*). Zootaxa 3404:1-52.
- Baxter, N. T., J. J. Wan, A. M. Schubert, M. L. Jenior, P. Myers and P. D. Schloss. 2015. Intraand Interindividual Variations Mask Interspecies Variation in the Microbiota of Sympatric Peromyscus Populations. Applied and Environmental Microbiology 81:396–404.

- Bebej, R. M. 2011. Functional morphology of the vertebral column in Remingtonocetus (Mammalia, Cetacea) and the evolution of aquatic locomotion in early archaeocetes. Ph.D. dissertation, University of Michigan, Ann Arbor.
- Beck, J., I. Ostericher, G. Sollish, and J. De León. 2014. Animal Scavenging and Scattering and the Implications for Documenting the Deaths of Undocumented Border Crossers in the Sonoran Desert. Journal of Forensic Sciences.
- Beck, R. M., R. S. Voss, and S. A. Jansa. 2012. A comprehensive genus-level phylogeny of living and extinct marsupials based on craniodental and molecular data. Journal of Vertebrate Paleontology 32:62–62.
- Bergmann, P. J., and D. J. Irschick. 2012. Vertebral evolution and the diversification of squamate reptiles. Evolution 66:1044-1058.
- Berns, C. M., and D. C. Adams. 2010. Bill shape and sexual shape dimorphism between two species of temperate hummingbirds: Black-chinned Hummingbird (*Archilochus alexandri*) and Ruby-throated Hummingbird (*A. colubris*). Auk 127:626-635.
- Berns, C. M., and D. C. Adams. 2012. Becoming Different but Staying Alike: Patterns of Sexual Size and Shape Dimporhism in Bills of Hummingbirds. Evol. Biol. 40:246-260.
- Bick, C. S., D. O'Foighil, and T. Coote. 2014. Differential survival among Tahitian tree snails during a mass extinction event: persistence of the rare and fecund. Oryx, accepted.
- Bímová, B. V. et al. 2011. Reinforcement selection acting on the European house mouse hybrid zone. Molecular Ecology 20:2403–2424.
- Birkett, K. 2011. An analysis of spatial and temporal changes in fish and benthic macroinvertebrate communities associated with zebra mussel (Dreissena polymorpha) abundance in the Huron River, southeastern Michigan. M.S. thesis, University of Michigan, Ann Arbor.
- Bitton, P. P., and B. A. Graham. 2015. Change in wing morphology of the European starling during and after colonization of North America. J. Zool. 295:254-260.
- Bochkov, A. V., A. V. Abramov, and J.-P. Hugot. 2011. Five new species of fur mites (Acariformes: Sarcoptoidea) from small mammals in Laos. Zootaxa 2980:1-22.
- Bochkov, A. V., and M. Barreto. 2014. New species of the subgenus *Radfordia* (Hesperomyobia)(Acariformes: Myobiidae)–parasites of the subfamily Sigmodontinae (Rodentia: Cricetidae: Sigmodontinae). International Journal of Acarology 40:37-42.
- Bochkov, A. V., and B. M. O'Connor. 2010. External morphology and systematics of the family Lobalgidae (Acari: Astigmata) with resolution of the question of family monophyly. Insect Systematics and Evolution 41:187-229.
- Bochkov, A.V., and B.M. O'Connor. 2010. *Nidocheyletus kennedyae* g. nov., sp. nov. (Prostigmata: Cheyletidae) from nests of passerine birds in Michigan, USA. International Journal of Acarology 36: 59-71.
- Bochkov, A. V., and B. M. O'Connor. 2013. Mites of the Subfamily Harpirhynchinae (Acariformes: Harpirhynchidae) from North American Birds. J. Medical Entomology 50:501-509.
- Böhme, W. 2010. A list of the herpetological type specimens in the Zoologisches Forschungsmuseum Alexander Koenig, Bonn. Bonn Zoological Bulletin 59:79-108.
- Bond, A. L. et al. 2013. Variation in primary molt in the Least Auklet. Condor 115:348-355.
- Borrero, F. J. 2012. A re-examination of the Pleurodontid land snails from the Sierra Nevada de Santa Marta region, Colombia, with the description of a new species of *Isomeria* Albers

- (Gastropoda Pulmonata: Stylommatophora: Pleurodontidae). International Journal of Malacology 141:217-231.
- Borrero, F. J., and R. Araujo. 2012. Clarification of the taxonomic status of Isomeria morula (Hidalgo 1870), from Ecuador (Gastropoda: Pleurodontidae). Journal of Conchology 41:145-152.
- Borrero, F. J., and A. S. Breure. 2011. The Amphibulimidae (Mollusca: Gastropoda: Orthalicoidea) from Colombia and adjacent areas. Zootaxa 3054, 1-59.
- Bostwick, K. S., et al. 2010. Resonating feathers produce courtship song. Proc. R. Soc. B. 277:835-841.
- Bostwick, K. S., M. L. Riccio, and J. M. Humphries. 2012. Massive, solidified bone in the wing of a volant courting bird. Biol. Lett. 8:760-763.
- Boubli, J. P., et al. 2012. *Cebus* phylogenetic relationships: a preliminary reassessment of the diversity of the untufted capuchin monkeys. American Journal of Primatology 74:381-393.
- Bouvier, L. D., and T. J. Morris. 2010. Information in support of a Recovery Potential Assessment of Wavy-rayed Lampmussel (*Lampsilis fasciola*) in Canada. Canadian Science Advisory Secretariat.
- Boyer, D. M., C. S. Scott, and R. C. Fox. 2012. New craniodental material of Pronothodectes gaoi Fox (Mammalia, "Plesiadapiformes") and relationships among members of Plesiadapidae. American journal of physical anthropology, 147:511-550.
- Brandley, M. C., H. OTA, T. Hikida, A. Nieto Montes De Oca, M. Feria-Ortiz, X. Guo, and Y. Wang. 2012. The phylogenetic systematics of blue-tailed skinks (Plestiodon) and the family Scincidae. Zoological Journal of the Linnean Society 165:163-189.
- Braun, J. K., et al. 2010. New species of *Akodon* (Rodentia: Cricetidae: Sigmodontinae) from central Argentina. Journal of Mammalogy 91:387-400.
- Brennan, I. G. 2014. Interspecific and intraspecific relationships, and biogeography of flap-footed geckos, Delma Gray 1831 (Squamata: Pygopodidae). Faculty of the Department of Biology, Villanova University.
- Brinkman, D. B., M. G. Newbrey, and A. G. Neuman. 2014. Diversity and paleoecology of actinopterygian fish from vertebrate microfossil localities of the Maastrichtian Hell Creek Formation of Montana. Geological Society of America Special Papers 503:247-270.
- Brizuela, S., and A. Albino. 2015. First Tupinambinae teiid (Squamata, Teiidae) from the Palaeogene of South America. Historical Biology (ahead-of-print), 1-11.
- Brodie Jr, E. D., M. Acevedo, and J. A. Campbell. 2012. New Salamanders of the Genus *Oedipina* (Caudata: Plethodontidae) from Guatemala. Journal of Herpetology 46:233-240.
- Brown, C. M., C. S. VanBuren, D. W. Larson, K. S. Brink, N. E. Campione, M. J. Vavrek, and D. C. Evans. 2015. Tooth counts through growth in diapsid reptiles: implications for interpreting individual and size-related variation in the fossil record. Journal of Anatomy 226:322-333.
- Brunke, A., A. Newton, J. Klimaszewski, C. Majka, and S. Marshall. 2011. Staphylinidae of eastern Canada and adjacent United States. Key to subfamilies: Staphylininae: tribes and subtribes, and species of Staphylinina. Canadian Journal of Arthropod Identification 12:1-110.
- Brusatte, S. L., M. Vremir, Z. Csiki-Sava, A. H. Turner, A. Watanabe, G. M. Erickson, and M. A. Norell. 2013. The osteology of *Balaur bondoc*, an island-dwelling dromaeosaurid (Dinosauria: Theropoda) from the Late Cretaceous of Romania. Bulletin of the American Museum of Natural History 1-100.

- Brusquetti, F., M. Jansen, C. Barrio-Amorós, M. Segalla, and C. F. Haddad. 2014. Taxonomic review of *Scinax fuscomarginatus* (Lutz, 1925) and related species (Anura; Hylidae). Zoological Journal of the Linnean Society 171:783-821.
- Bryson, R. W., et al. 2014. Multilocus species delimitation in the Crotalus triseriatus species group (Serpentes: Viperidae: Crotalinae), with the description of two new species. Zootaxa 3826:475-496.
- Buckley, L. J., K. de Queiroz, R. E. Etheridge, B. D. Hollingsworth, J. B. Iverson, S. A. Pasachnik, and C. L. Stephen. IGUANAS OF THE WORLD.
- Burns, K. J. et al. 2014. Phylogenetics and diversification of tanagers (Passeriformes: Thraupidae), the largest radiation of Neotropical songbirds. Mol. Phylogen. Evol. 75:41-77.
- Bursey, C. R., S. R. Goldberg, and J. B. Bettaso. 2010. Persistence and Stability of the Component Helminth Community of the Foothill Yellow-Legged Frog, *Rana boylii* (Ranidae), from Humboldt County, California, 1964-1965, Versus 2004-2007. American Midland Naturalist 163:476-482.
- Butler, L. K. 2013. The grass is always greener: do monsoon rains matter for molt of the Vermilion Flycatcher (*Pyrocephalus rubinus*)? Auk 130:297-307.
- Cacciali, P., and N. J. Scott. 2012. REVISIÓN DEL GÉNERO OPHIODES DE PARAGUAY (SQUAMATA: ANGUIDAE). BOLETIN DE LA SOCIEDAD ZOOLOGICA DEL URUGUAY 21:1-8.
- Cadle, J. E. 2012. Cryptic Species Within the *Dendrophidion vinitor* Complex In Middle America (Serpentes: Colubridae). Bulletin of the Museum of Comparative Zoology 160:183-240.
- Cadle, J. E. 2014. NATURAL HISTORY AND TAXONOMIC NOTES ON *LIOPHOLIDOPHIS GRANDIDIERI* MOCQUARD, AN UPLAND RAIN FOREST SNAKE FROM MADAGASCAR (SERPENTES: LAMPROPHIIDAE: PSEUDOXYRHOPHIINAE). Herpetological Conservation and Biology 9:406-416.
- Cadle, J. E., and J. M. Savage. 2014. Systematics of the Neotropical Snake Dendrophidion paucicarinatum (COPE), with a Description of its Hemipenis (Serpentes: Colubridae). Bulletin of the Museum of Comparative Zoology 161:111-138.
- Caicedo-Portilla, J. R. 2014. Rediscovery of *Mabuya berengerae*, *Mabuya pergravis* (Squamata: Scincidae) and *Coniophanes andresensis* (Squamata: Colubridae), and assesment of its threatened status in the San Andres and Providencia Islands, Colombia. Caldasia 36:181-201.
- Cameron, D. S., R. I. Crombie, A. C. Diesmos, and R. M. Brown. 2011. Redescriptions of Two Poorly Known Slender Skinks, *Brachymeles bicolor* and *Brachymeles pathfinderi* (Reptilia: Squamata: Scincidae), from the Philippines. Journal of Herpetology 45:355-369.
- Campbell, J. A., E. N. Smith, J. Streicher, M. Acevedo, and E. Brodie Jr. 2010. New salamanders (Caudata: Plethodontidae) from Guatemala, with miscellaneous notes on known species. Miscellaneous Publications, Museum of Zoology, University of Michigan 200:1-60.
- Campbell, J. A., J. W. Streicher, C. L. Cox, and E. D. Brodie Jr. 2014. A New Salamander of the Genus *Chiropterotriton* (Caudata: Plethodontidae) from the Sierra Madre Oriental of Tamaulipas, Mexico. South American Journal of Herpetology 9:228-234.
- Campbell, J. W., et al. 2010. Distribution and Status of Uncommon Mammals in the Southern Appalachian Mountains. Southeastern Naturalist 9:275-302.
- Campbell, P., et al. 2012. The Contribution of the Y Chromosome to Hybrid Male Sterility in House Mice. Genetics 191:1271-1281.

- Carleton, M. D., C. Smeenk, R. Angermann and S. M. Goodman. 2014. Taxonomy of nesomyine rodents (Muroidea: Nesomyidae: Nesomyinae): Designation of lectotypes and restriction of type localities for species-group taxa in the genus *Nesomys* Peters. Proceedings of the Biological Society of Washington 126:414-455.
- Carling, M. D. and H. A. Thomassen. 2012. The role of environmental heterogeneity in maintaining reproductive isolation between hybridizing Passerina (Aves: Cardinalidae) buntings. Internat. J. Ecol.
- Carosini, A., P. Pérez, M. L. Ortiz, L. Valdez, and J. Torres. 2010. Amphibia, Anura, Cycloramphidae, *Proceratophrys*. Check List 6:332-333.
- Carraway, L. N. 2010. Fossil history of Notiosorex (Soricomorpha: Soricidae) shrews with descriptions of new fossil species. Western North American Naturalist 70:144-163.
- Carstens, B. C., and T. A. Dewey. 2010. Species delimitation using a combined coalescent and information-theoretic approach: an example from North American *Myotis* bats. Systematic Biology 59:400-414.
- Carter, H. R. and S. G. Sealy. 2011. Historical Breeding Records of Four Species of Alcid in British Columbia and Southeastern Alaska, 1858-1910. Northwestern Nat. 92:37-49.
- Lopez-Gonzalez, C., P. Myers, N. de la Sancha, G. D'Elia, and L. Valdez. 2014. Historia de la mastozoologia en Paraguay. Pp. 345–358, *in* Historia de la mastazoologia en Lationoamerica, las Guyana y el Caribe (J. Ortega, J. L. Martinez, and D. G. Tirira, eds.).
- Čerňanský, A., A., Boistel, R., Fernandez, V., Tafforeau, P., Nicolas, L. N., and A. Herrel. 2014. The Atlas-Axis Complex in Chamaeleonids (Squamata: Chamaeleonidae), with Description of a New Anatomical Structure of the Skull. Anatomical Record 297:369-396.
- Chakrabarty, P. et al. 2011. Evolution of the light organ system in ponyfishes (Teleostei:Leiognathidae). Journal of Morphology 272:704-721.
- Chakrabarty, P., J. Chu, N. Luthfun, and J. S. Sparks. 2010. Geometric morphometrics uncovers an undescribed ponyfish (Teleostei: Leiognathidae: *Equulites*) with a note on the taxonomic status of *Equula berbis* Valenciennes. Zootaxa 2427:15-24.
- Chakrabarty, P., J. A. Prejean, and M. L. Niemiller. 2014. The Hoosier cavefish, a new and endangered species (Amblyopsidae, *Amblyopsis*) from the caves of southern Indiana. ZooKeys 412:41.
- Chang, D. 2012. EVOLUTION AND EXPRESSION OF GENE FAMILIES AT THE INTERFACE OF PREDATOR-PREY INTERACTIONS. Ph.D. dissertation, University of Michigan, Ann Arbor.
- Chang, D. and T. F. Duda. 2012. Extensive and Continuous Duplication Facilitates Rapid Evolution and Diversification of Gene Families. Molecular Biology and Evolution 29:2019-2029.
- Chang, D., and T. F. Duda. 2014. Application of community phylogenetic approaches to understand gene expression: differential exploration of venom gene space in predatory marine gastropods. BMC Evolutionary Biology 14:123.
- Chang, D., A. M. Olenzek, and T. F. Duda. 2015. Effects of geographical heterogeneity in species interactions on the evolution of venom genes. Proceedings of the Royal Society of London B: Biological Sciences 282:20141984.
- Chatfield, M. W. H., et al. 2010. Patterns of differential introgression in a salamander hybrid zone: inferences from genetic data and ecological niche modelling. Molecular Ecology 19:4265-4282.

- Churchill, C. K. 2012. Evolutionary History and Global Phylogeography of the Neuston. Ph.D. dissertation, University of Michigan, Ann Arbor.
- Churchill, C. K., A. Alejandrino, A. Valdés, and D. Ó Foighil. 2013. Parallel changes in genital morphology delineate cryptic diversification of planktonic nudibranchs. Proceedings of the Royal Society of London B: Biological Sciences 280:20131224.
- Churchill, C. K. and D. O'Foighil. 2013. Bubble-rafting snails. McGraw-Hill Yearbook of Science and Technology, 56-58.
- Churchill, C. K., D. Ó Foighil, E. E. Strong, and A. Gittenberger. 2011. Females floated first in bubble- rafting snails. Current Biology 21:R802-R803.
- Churchill C. K., E. E. Strong, and D. Ó Foighil. 2011. Hitchhiking juveniles in the rare neustonic gastropod *Recluzia cf. jehennei* (Janthinidae). Journal of Molluscan Studies. 77:441-444.
- Churchill, C. K., A. Alejandrino, A. Valdés, and D. Ó Foighil. 2013. Parallel changes in genital morphology delineate cryptic diversification of planktonic nudibranchs. Proceedings of the Royal Society B. 280:20131224
- Churchill, C. K., A. Valdés, and D. Ó Foighil. 2014. Molecular and morphological systematics of neustonic nudibranchs (Mollusca: Gastropoda: Glaucidae: *Glaucus*), with descriptions of three new cryptic species. Invertebrate Systematics 28:174-195.
- Cline, A. R., and P. E. Skelley. 2013. Discovery of new species and country records for the North American sap beetle fauna (Coleoptera: Nitidulidae). Zootaxa 3683.2:101-116.
- Cognato, A. I., and M. F. O'Brien. 2014. The woodlouse hunter occurs in Michigan (Araneae: Dysderidae: *Dysdera crocata* C.L. Koch 1838). Great Lakes Entomologist. 46:242-243.
- Cohen, A. E., D. A. Hendrickson, and F. D. Martin. 2014. Verification of Identifications of Cyprinid Specimens from the Colorado River Basin, Texas.
- Cohn, T. J., D. R. Swanson, and P. Fontana. 2014. *Dichopetala* and New Related North American Genera: A Study in Genitalic Similarity in Sympatry and Genitalic Differences in Allopatry (Tettigoniidae: Phaneropterinae: Odonturini). Miscellaneous Publications of the Museum of Zoology, University of Michigan 203:1-180.
- Cole, C. J., C. R. Townsend, R. P. Reynolds, R. D. MacCulloch, and A. Lathrop. 2013. Amphibians and reptiles of Guyana, South America: illustrated keys, annotated species accounts, and a biogeographic synopsis. Proceedings of the Biological Society of Washington 125:317-578.
- Cole, J. 2014. The Effect of Urban Sprawl and Suburbanization on Eastern Massasauga Rattlesnake Populations in Northeastern Illinois. Ph.D. dissertation, Carthage University.
- Conradie, W., W. R. Branch, and G. Watson. 2015. Type specimens in the Port Elizabeth Museum, South Africa, including the historically important Albany Museum collection. Part 1: Amphibians. Zootaxa 3936:42-70.
- Conway, K. W., D. E. Dittmer, L. E. Jezisek and H. H. Ng. 2013. On *Psilorhynchus sucatio* and *P. nudithoracicus*, with the description of a new species of *Psilorhynchus* from northeastern India (Ostariophysi: Psilorhynchidae). Zootaxa 3686:201-243.
- Conway, K. W., and M. Kottelat. 2010. Two new species of torrent minnow (Ostariophysi: Psilorhynchidae) from Western Myanmar. The Raffles Bulletin of Zoology 58:259-267.
- Conway, K. W., and R. Mayden. 2010. *Balitora eddsi*, a new species of hillstream loach (Ostariophysi: Balitoridae) from Nepal. Journal of Fish Biology 76:1466-1473.

- Cornu, C., and C. J. Raxworthy. 2010. Discovery of a novel association between baobab trees (*Adansonia*) and the poorly known Standing's day gecko Phesulma standingi in Madagascar. Herpetological Journal 20:281-284.
- Cortes-Ortiz, L., E. Mondragon, and J. Cabotage. 2010. Isolation and characterization of microsatellite loci for the study of Mexican howler monkeys, their natural hybrids, and other Neotropical primates. Conservation Genetics Resources 2:21-26.
- Costa, W. J., and P. F. Amorim. 2014. Integrative taxonomy and conservation of seasonal killifishes, *Xenurolebias* (Teleostei: Rivulidae), and the Brazilian Atlantic Forest. Systematics and Biodiversity 12:350-365.
- Cowie, R. H. 2015. The recent apple snails of Africa and Asia (Mollusca: Gastropoda: Ampullariidae: *Afropomus*, *Forbesopomus*, *Lanistes*, *Pila*, *Saulea*): a nomenclatural and type catalogue. The apple snails of the Americas: addenda and corrigenda. Zootaxa 3940:1-92.
- Cox, C. L., A. R. Davis Rabosky, J. Reyes-Velasco, P. Ponce-Campos, E. N. Smith, O. Flores-Villela, and J. A. Campbell. 2012. Molecular systematics of the genus Sonora (Squamata: Colubridae) in central and western Mexico. Systematics and Biodiversity 10:93-108.
- Coyner, B. S., et al. 2010. Taxonomic Status and Species Limits of *Perognathus* (Rodentia: Heteromyidae) in the Southern Great Plains. Southwestern Naturalist 55:1-10.
- Craves, J. A., and D. S. O'Brien. 2011. *Tramea calverti* (Odonata: Libellulidae): New for Michigan with Notes on Other New Reports for the Great Lakes Region. Great Lakes Entomologist, 44(1-2).
- Craves, J.A. and D. S. O'Brien. 2013. The Odonata of Wayne County, MI: Inspiration for Renewed Monitoring of Urban Areas. Northeastern Naturalist 20:341-362.
- Crespi, E. J., R. A. Browne, and L. J. Rissler. 2010. Taxonomic Revision of *Desmognathus wrighti* (Caudata: Plethodontidae). Herpetologica 66:283-295.
- D'elia, G., and P. Myers. 2014a. On Paraguayan Thrichomys (Hystricognathi: Echimyidae): the distinctiveness of Thrichomys fosteri Thomas, 1903. Therya 5:153-166.
- D'elia, G., and P. Myers. 2014b. Sobre las Thrichomys (Hysticognathi: Echimyidae) paraguayas: la distincion de Thrichomys fosteri Thomas, 1903. Therya 5:153-166.
- D'Emic, M. D. and R. B. J. Benson. 2013. Measurement, variation, and scaling of osteocyte lacunae: a case study in birds. Bone 57:300-310.
- DaCosta, J. M. and M. D. Sorenson. 2015. ddRAD-seq phylogenetics based on nucleotide, indel, and presence/absence polymorphisms: Analyses of two avian genera with contrasting histories. Mol. Phylogenet. Evol., accepted.
- Daza, J. D., V. Abdala, J. S. Arias, D. García-López, and P. Ortiz. 2012. Cladistic Analysis of Iguania and a Fossil Lizard from the Late Pliocene of Northwestern Argentina. Journal of Herpetology 46:104-119.
- de Albuquerque, N. R., P. Passos, and S. W. Gotte. 2012. *Leptophis santamartensis* (Serpentes, Colubridae), a Junior Synonym of Leptophis ahaetulla occidentalis. Journal of Herpetology 46:248-252.
- DE LA CRUZ, F. R. M. 2014. A new species of pine anole from the Sierra Madre del Sur in Oaxaca, Mexico (Reptilia, Squamata, Dactyloidae: Anolis). Zootaxa 3753:453-468.
- de la Sancha, N. U., et al. 2012. Systematics of the subgenus of mouse opossums *Marmosa* (Micoureus) (Didelphimorphia, Didelphidae) with noteworthy records from Paraguay. Mammalian Biology 77:229-236.

- de la Torre Santana, P.E., and B.M. OConnor. 2011. Primer registro de Neosuidasia faini Ranganath and Channa Basavanna, 1983 (Acari: Suidasiidae) en America. Revista Iberica de aracnologia 19:167-168.
- de Sant'Anna, V. B., B. Collette, and S. J. Godfrey. 2013. Belone countermani, a new Miocene needlefish (Belonidae) from the St. Marys Formation of Calvert Cliffs, Maryland. Proceedings of the Biological Society of Washington 126:137-150.
- De Santana, C. D., and R. P. Vari. 2010. New Rheophilic Species of Electric Knifefish from the Rapids and Waterfalls of the Lower Rio Xingu, Brazil (Gymnotiformes: Apteronotidae. Copeia 2010:160-164.
- DE SANTANA, C. D., and R. P. VARI. 2013. Brown ghost electric fishes of the *Apteronotus leptorhynchus species*-group (Ostariophysi, Gymnotiformes); monophyly, major clades, and revision. Zoological Journal of the Linnean Society 168:564-596.
- Dillon, R. T., S. J. Jacquemin, and M. Pyron. 2013. Cryptic phenotypic plasticity in populations of the freshwater prosobranch snail, *Pleurocera canaliculata*. Hydrobiologia 709:117-127.
- Doan, T. M., and W. W. Lamar. 2012. A new montane species of Cercosaura (Squamata: Gymnophthalmidae) from Colombia, with notes on the distribution of the genus. Zootaxa 3565:44-54.
- Dong, L., and B. M. Oconnor. 2015. Ptyctimous mites (Acari, Oribatida) from Colombia, with description of a new species and some remarks on the validity of *Atropacarus* (*Hoplophorella*) *andrei* (Balogh, 1958). Systematic and Applied Acarology 20:61-70.
- Dourson, D. C., et al. 2010. Kentucky's land snails and their ecological communities. Goatslug Publications.
- Dowling, A. G. P., and B. M. O'Connor. 2010. Phylogenetic relationships within the suborder Dermanyssina (Acari: Parasitiformes) and a test of dermanyssoid monophyly. International Journal of Acarology 36:229-312.
- Drovetski, S. V., et al. 2014. Limited Phylogeographic Signal in Sex-Linked and Autosomal Loci Despite Geographically, Ecologically, and Phenotypically Concordant Structure of mtDNA Variation in the Holarctic Avian Genus *Eremophila*. PLOS One e87570.
- Duda, T. F., M. Terbio, G. Chen, S. Phillips, A. M. Olenzek, D. Chang, and D. W. Morris. 2012. Patterns of population structure and historical demography of *Conus* species in the tropical Pacific. American Malacological Bulletin 30:175-187.
- Duellman, W. E. 2014. Information On Amphibians And Reptiles. Brass Knuckles Marketing LLC.
- Duellman, W. E., and G. Chavez. 2010. Reproduction in the marsupial frog *Gastrotheca testudinea* (Anura: Hemiphractidae). Herpetology Notes 3:87-90.
- Duellman, W. E., and Trueb, L. 2015. Marsupial Frogs: Gastrotheca and Allied Genera. JHU Press.
- Dueppen, S. A. 2011. Early evidence for chickens at Iron Age Kirikongo (c. AD 100–1450), Burkina Faso. Antiquity 85:142-157.
- Duplain, R. R., Chapleau, F., and Munroe, T. A. 2012. A New Species of Trinectes (Pleuronectiformes: Achiridae) from the Upper Río San Juan and Río Condoto, Colombia. Copeia, 2012(3), 541-546.
- Edwards, D., S. Keogh, and L. L. Knowles. 2012. Effects of vicariant barriers, habitat stability, population isolation and environmental features on species divergence in the south-western Australian coastal reptile community. Mol. Ecol. 21:3809-3822.

- El Din, S. B. 2011. Distribution and recent range extension of Natrix tessellata in Egypt. The Dice snake, *Natrix tessellata*: Biology, Distribution and Conservation of a Palaearctic species 18:401-403.
- Ellingson, R. A., C. C. Swift, L. T. Findley, and D. K. Jacobs. 2014. Convergent evolution of ecomorphological adaptations in geographically isolated Bay gobies (Teleostei: Gobionellidae) of the temperate North Pacific. Molecular Phylogenetics and Evolution 70:464-477.
- Engbrecht, N. J., and M. J. Lannoo. 2014. A review of the status and distribution of Crawfish Frogs (Lithobates areolatus) in Indiana. Proceedings of the Indiana Academy of Science 119:64-73.
- Engbrecht, N. J., S. J. Lannoo, J. O. Whitaker, and M. J. Lannoo. 2011. Comparative Morphometrics in Ranid Frogs (Subgenus *Nenirana*): Are Apomorphic Elongation and a Blunt Snout Responses to Small-bore Burrow Dwelling in Crawfish Frogs (*Lithobates areolatus*)? Copeia 2011:285-295.
- Engilis, A., Jr., et al. 2012. Small mammal survey of Chiquibul Forest Reserve, Maya Mountains, Belize, 2001. Occasional Papers of the Museum, Texas Tech University 308:1-23.
- Ernst, C. H., A. F. Laemmerzahl, and J. E. Lovich. 2011. Does the "kamaroma"-plastron pattern morph occur in both Philippine subspecies of the turtle *Cuora amboinensis*? Proceedings of the Biological Society of Washington 124:259-269.
- Espinosa-Pérez, H., A. Martínez, A., and D. Sepúlveda. 2014. *Leptophilypnus guatemalensis* Thacker and Pezold, 2006 (Gobiiformes: Eleotridae): First record in México. Check List 10:1535-1537.
- Esselstyn, J. A., and S. M. Goodman. 2010. New species of shrew (Soricidae: Crocidura) from Sibuyan Island, Philippines. Journal of Mammalogy 9:1467-1472.
- Feinberg, J. A., et al. 2014. Cryptic Diversity in Metropolis: Confirmation of a New Leopard Frog Species (Anura: Ranidae) from New York City and Surrounding Atlantic Coast Regions. Plos One e108213.
- Feldman, C. R., and R. F. Hoyer. 2010. A New Species of Snake in the Genus *Contia* (Squamata: Colubridae) from California and Oregon. Copeia 2010:254-267.
- Fernandez, L., and R.P. Vari. 2012. New Species of *Trichomycterus* (Teleostei: Siluriformes) from the Andean Cordillera of Argentina and the Second Record of the Genus in Thermal Waters. Copeia 2012:631-636.
- Fernandez, L., E. A. Sanabria, L. B. Quiroga, and R. P. Vari. 2014. A new species of *Silvinichthys* (Siluriformes, Trichomycteridae) lacking pelvic fins from mid-elevation localities of the southern Andes, with comments on the genus. Journal of Fish Biology 84:372-382.
- Ferrareis, C. J., R. P. Vari, and P. H. Skelton. 2011. A New Genus of African Loach Catfish (Siluriformes: Amphiliidae) from the Congo River Basin, the Sister-Group to All Other Genera of the Doumeinae, with the Description of Two New Species. Copeia 2011:477-489.
- Field, J., M. Ohl, and M. Kennedy. 2011. A molecular phylogeny for digger wasps in the tribe Ammophilini (Hymenoptera, Apoidea, Sphecidae). Systematic Entomology 36:732-740.
- Fink, W. L., and J. H. Humphries. 2010. Morphological Description of the Extinct North American Sucker Moxostoma lacerum (Ostariophysi, Catostomidae), Based on High-Resolution X-Ray Computed Tomography. Copeia 2010:5-13.

- Fong, G., N. Viña Dávila, and G. M. López-Iborra. 2015. Amphibian Hotspots and Conservation Priorities in Eastern Cuba Identified by Species Distribution Modeling. Biotropica 47:119-127.
- Forsyth, R. G., and M. J. Oldham. 2014. Distribution of *Strobilops aeneus* Pilsbry, 1926, in Canada, with two new Ontario records (Mollusca: Gastropoda: Strobilopsidae). Check List, 10:397-401.
- Fuchs, J. and J. M. Pons. 2015. A new classification of the Pied Woodpeckers assemblage (Dendropicini, Picidae) based on a comprehensive multi-locus phylogeny. Mol. Phylogenet. Evol. 88:28-37.
- Fuchs, J., J. A. Johnson, and D. P. Mindell. 2012. Molecular systematics of the caracaras and allies (Falconidae: Polyborinae) inferred from mitochondrial and nuclear sequence data. Ibis 154:520-532.
- Fyfe, J. C., et al. 2013. A thyroid peroxidase (TPO) mutation in dogs reveals a canid-specific gene structure. Mammalian Genome 24:127-133.
- García-Vázquez, U. O., and M. Trujano-Ortega. 2012. Nuevos registros de *Eleutherodactylus nitidus* (Anura: Eleutherodactylidae) en Tlaxcala y centro de Puebla, México. Revista mexicana de biodiversidad 83:856-858.
- Garrison, R. W., and N. Von Ellenrieder. 2010. Redefinition of *Leptobasis Selys* with the synonymy of *Chrysobasis Rácenis* and description of *L. mauffrayi* sp. nov. from Peru (Odonata: Coenagrionidae). Zootaxa 2438:1-36.
- Gates, K. K., et al. 2013. Taxonomic identity of the endangered Snake River physa, *Physa natricina* (Pulmonata: Physidae) combining traditional and molecular techniques. Conservation Genetics 14:159-169.
- Genheimer, R. A., and S. E. Hedeen. 2014. A PRELIMINARY EXAMINATION OF FRESHWATER BIVALVES AT THE LATE PREHISTORIC HAHN SITE, NEAR CINCINNATI, OHIO. Journal of Ohio Archaeology 3:38-52.
- Gerber, J. 2010. Leslie Hubricht (1908-2005), His Publications and New Taxa*. American Malacological Bulletin 28:15-27.
- Ghedotti, M. J., and M. P. Davis. 2013. Phylogeny, Classification, and Evolution of Salinity Tolerance of the North American Topminnows and Killifishes, Family Fundulidae (Teleostei: Cyprinodontiformes). Fieldiana Life and Earth Sciences 7:1-65.
- Giarla, T. C., et al. 2010. Species Limits and Phylogenetic Relationships in the Didelphid Marsupial Genus Thylamys Based on Mitochondrial DNA Sequences and Morphology. Bulletin of the American Museum of Natural History 346:1-67.
- Gibbs, J., S. Dumesh, and T. L. Griswold. 2014. Bees of the genera Dufourea and Dieunomia of Michigan with a key to the Dufourea of eastern North America (Hymenoptera: Apoidea: Halictidae). Journal of Melittology 29:1-15.
- Gilly, W. F. et al. 2011. A diverse family of novel peptide toxins from an unusual cone snail, Conus californicus. Journal of Experimental Biology 214:147-161.
- Goldberg, S. R., and F. Kraus. 2011. Notes on Reproduction of the Gold Dust Day Gecko, Phelsuma laticauda (Gekkonidae) from Hawaii. Current Herpetology 30:79-81.
- Gonzalez-Acosta, A. F., and R. Rodiles-Hernandez. 2013. New species of *Eugerres* from the Usumacinta Province, Mexico and Guatemala with a redescription of *E. mexicanus* (Steindachner, 1863) (Teleostei: Gerreidae). Neotropical Ichthyology 11:307-318.

- González-Acosta, A. F., U. Rubio-Rodriguez, and G. Ruiz-Campos. 2014. El Hueso Urohial de los Peces Gerreidae (Teleostei: Percoidei) de América y su Aplicación Taxonómica. International Journal of Morphology 32:923-929.
- González-Díaz, A. Á., E. Díaz-Pardo, M. Soria-Barreto, and E. Martínez-Ramírez. 2014. Diferencias Osteológicas entre los Subgéneros Profundulus y Tlaloc (Teleostei: Profundulidae). International Journal of Morphology 32:1074-1078.
- Gonzalez-Ittig, R. E., et al. 2010. Phylogenetic relationships among species of the genus *Oligoryzomys* (Rodentia, Cricetidae) from Central and South America. Zoologica Scripta 39:511-526.
- Goodwin, H. T., and K. M. Bullock. 2012. Estimates of body mass for fossil giant ground squirrels, genus *Paenemarmota*. Journal of Mammalogy 93:1169-1177.
- Goswami, A. 2013. Introduction to carnivora. Carnivoran evolution: New views on phylogeny, form, and function 1-24.
- Gower, D. J., D. S. Mauro, V. Giri, G. Bhatta, V. Govindappa, R. Kotharambath, O. V. Oommen, F. A. Fatih, J. A. Mackenzie-Dodds, and R. A. Nussbaum. 2011. Molecular systematics of caeciliid caecilians (Amphibia: Gymnophiona) of the Western Ghats, India. Molecular Phylogenetics and Evolution 59:698-707.
- Graf, D. L., and K. S. Cummings. 2011. Freshwater mussel (Mollusca: Bivalvia: Unionoida) richness and endemism in the ecoregions of Africa and Madagascar based on comprehensive museum sampling. Hydrobiologia 678:17-36.
- Graf, D. L., A. J. Geneva, J. M. Pfeiffer, and A. D. Chilala. 2014. Phylogenetic analysis of Prisodontopsis Tomlin, 1928 and Mweruella Haas, 1936 (Bivalvia: Unionidae) from Lake Mweru (Congo basin) supports a Quaternary radiation in the Zambian Congo. Journal of Molluscan Studies 80:303-314.
- Graf, D. L., H. Jones, A. J. Geneva, J. M. Pfeiffer, and M. W. Klunzinger. 2015. Molecular phylogenetic analysis supports a Gondwanan origin of the Hyriidae (Mollusca: Bivalvia: Unionida) and the paraphyly of Australasian taxa. Molecular Phylogenetics and Evolution 85:1-9.
- Graham, C. H. et al. 2012. Untangling the influence of ecological and evolutionary factors on trait variation across hummingbird assemblages. Ecol. Suppl. 93:S99-S111.
- Green, M. D., N. L. Orlov, and R. W. Murphy. 2010. Toward a phylogeny of the Kukri snakes, genus *Oligodon*. Asian Herpetological Research 1:1-21.
- Grubbs, S. A., R. W. Baumann, R. E. DeWalt, and T. Tweddale. 2014. A review of the Nearctic genus *Prostoia* (Ricker)(Plecoptera, Nemouridae), with the description of a new species and a surprising range extension for *P. hallasi* Kondratieff and Kirchner. ZooKeys 401:11.
- Grubbs, S. A., and R. E. Dewalt. 2012. *Perlesta ephelida*, a new Nearctic stonefly species (Plecoptera, Perlidae). Zookeys 194:1-15.
- Grummer, J. A., and R.W. BRYSON JR. 2014. A new species of bunchgrass lizard (Squamata: Phrynosomatidae) from the southern sky islands of the Sierra Madre Occidental, Mexico. Zootaxa 3790:439-450.
- Grundler, M. C., and D. L. Rabosky. 2014. Trophic divergence despite morphological convergence in a continental radiation of snakes. Proceedings of the Royal Society of London B: Biological Sciences 281:20140413.
- Güizado-Rodríguez, M. A., et al. 2012. The impact of global warming on the range distribution of different climatic groups of *Aspidoscelis costata costata*. Zoological Science 29:834-843.

- Gunnell, G. F., and N. B. Simmons. 2012. Evolutionary history of bats: fossils, molecules, and morphology. Cambridge University Press, Cambridge, United Kingdom.
- Gustafson, K. D., B. J. Kensinger, M. G. Bolek, and B. Luttbeg. 2014. Distinct snail (*Physa*) morphotypes from different habitats converge in shell shape and size under common garden conditions. Evolutionary Ecology Research 16:77-89.
- Hamilton, B. T., R. Hart, and J. W. S. Jr. 2012. Feeding Ecology of the Milksnake (*Lampropeltis triangulum*, Colubridae) in the Western United States. Journal of Herpetology 46:515-522.
- Han, K-L., M. B. Robbins, and M. J. Braun. 2010. A multi-gene estimate of phylogeny in the nightjars and nighthawks (Caprimulgidae). Mol. Phylogenet. Evol. 55:443-453.
- Hanley, D. 2012. The function and evolution of egg colour in birds. Ph.D. Dissertation, University of Windsor, Canada.
- Hanley, D. 2013. Eggshell conspicuousness in ground nesting birds: do conspicuous eggshells signal nest location to conspecifics? Avian Biol. Res. 6:147-156.
- Hanley, D., T. Grim, P. Cassey, and M. E. Hauber. 2015. Not so colourful after all: eggshell pigments constrain avian eggshell colour space. Biology Letters 11:20150087.
- Hanley, D., P. Cassey, and S. M. Doucet. 2013. Parents, predators, parasites, and the evolution of eggshell colour in open nesting birds. Evol. Ecol. 27:593-617.
- Hanley, D., S. M. Doucet, and D. C. Dearborn. 2010. A blackmail hypothesis for the evolution of conspicuous egg coloration in birds. Auk 127:453-459.
- Harasewych, M. G. 2015. Systematics and phylogeography of *Cerion* sensu stricto (Pulmonata: Cerionidae) from Aruba, Curação and Bonaire. Journal of Molluscan Studies 81:66-84.
- Harris, J. B. C., P. C. Rasmussen, D. L. Yong, D. M. Prawiradilaga, D. D. Putra, P. D. Round, and F. E. Rheindt. 2014. A New Species of Muscicapa Flycatcher from Sulawesi, Indonesia. Plos One e112657.
- Harrold, M. N., and P. R. Guralnick. 2010. Freshwater Mollusks of Colorado. Colorado: Colorado Division of Wildlife.
- Havird, J.C., L. M. Page, W. Tangjitjaroen, C.Vidthayanon, C. Grudpan, and S. Udduang. 2010. A new species of *Lepidocephalichthys* (Teleostei: Cobitidae) with distinctive sexual dimorphism and comments on relationships in southern lineages of Cobitidae. Zootaxa 2557:1-18.
- Havird, J. C., and L. M. Page. 2010. A Revision of *Lepidocephalichthys* (Teleostei: Cobitidae) with Descriptions of Two New Species from Thailand, Laos, Vietnam, and Myanmar. Copeia 2010:137-159.
- Hayes, F. E. 2014. BREEDING SEASON AND CLUTCH SIZE OF BIRDS AT SAPUCÃÅI, DEPARTAMENTO PARAGUARÃÇ, PARAGUAY. Bol. Mus. Nac. Hist. Nat. Parag. 18.
- Hayes, G., and G. J. Wiles. 2013. Draft Washington state bat conservation plan. Washington Department of Fish and Wildlife, Olympia Washington 158+vi pp.
- He, Q., D. L. Edwards, and L. L. Knowles. 2013. Integrative testing of how environments from the past to the present shape genetic structure across landscapes. Evolution 67:3386-3402.
- Heaney, L. R. et al. 2011a. Chapter 1: Seven New Species and a New Subgenus of Forest Mice (Rodentia: Muridae: Apomys) from Luzon Island. Fieldiana Life and Earth Sciences 1-60.
- Heaney, L. R., P. J. Piper, and A. S. Mijares. 2011b. The first fossil record of endemic murid rodents from the Philippines: A late Pleistocene cave fauna from northern Luzon. Proceedings of the Biological Society of Washington 124:234-247.

- Heaney, L. R. et al. 2014a. Two new species of Philippine forest mice (*Apomys*, Muridae, Rodentia) from Lubang and Luzon Islands, with a redescription of *Apomys sacobianus* Johnson, 1962. Proceedings of the Biological Society of Washington 126:395-413.
- Heaney, L. R., et al. 2014b. Three New Species of *Musseromys* (Muridae, Rodentia), the Endemic Philippine Tree Mouse from Luzon Island. American Museum Novitates 1-27.
- Hedges, S. B., and C. E. Conn. 2012. A new skink fauna from Caribbean islands (Squamata, Mabuyidae, Mabuyinae). Zootaxa, 3288, 1-244.
- Hellmann, J. J., et al. 2010. Climate change impacts on terrestrial ecosystems in metropolitan Chicago and its surrounding, multi-state region. Journal of Great Lakes Research 36:74-5.
- Hennemann, F. H., and O. V. Conle. 2012. Studies on Neotropical Phasmatodea XIV: Revisions of the Central American Genera Hypocyrtus Redtenbacher, 1908 and Rhynchacris Redtenbacher, 1908 (Phasmatodea: "Anareolatae": Xerosomatinae: Hesperophasmatini). Journal of Orthoptera Research 21:65-89.
- HEOK, H. N., and M. KOTTELAT. 2013. After eighty years of misidentification, a name for the glass catfish (Teleostei: Siluridae). Zootaxa 3630:308-316.
- Hernandes, F. A., and B. M. O'Connor. 2013. A review of the genus Anisodiscus Gaud and Mouchet (Acari, Proctophyllodidae) from Madagascar sunbirds (Passeriformes: Nectariniidae), with observations on male genital morphology. International Journal of Acarology 39:423-434.
- Hershler, R., J. J. Landye, H. P. Liu, M. D. L. Maza-Benignos, P. Ornelas, and E. W. Carson. 2013. New species and records of Chihuahuan Desert springsnails, with a new combination for *Tryonia brunei*. Western North American Naturalist 74:47-65.
- Hershler, R., and H. P. Liu. 2012. Molecular phylogeny of the western North American pebblesnails, genus *Fluminicola* (Rissooidea: Lithoglyphidae), with description of a new species. Journal of Molluscan Studies 78:321-329.
- Hershler, R., H. P. Liu, J. T. Carlton, A. N. Cohen, C. B. Davis, J. Sorensen, and D. Weedman. 2015. New discoveries of introduced and cryptogenic fresh and brackish water gastropods (Caenogastropoda: Cochliopidae) in the western United States. Aquatic Invasions 10:147-156.
- Hieronymus, T. L., and L. M. Witmer. 2010. Homology and evolution of avian compound rhamphothecae. Auk 127:590-604.
- Hill, J. 2014. Biological Notes on Some Species of the *Melanoplus tribulus* Species Group (Orthoptera: Acrididae: Melanoplinae) from the Southeastern United States with a Description of Two New Species. Transactions of the American Entomological Society 140:1-16.
- Hill, K. B. R., and D. C. Marshall. 2013. The Song, Morphology, Habitat, and Distribution of the Elusive North American Cicada *Okanagana viridis* (Auchenorrhyncha: Cicadidae). Annals of the Entomological Society of America 106:598-603.
- Hoffmann, M et al. 2010. The impact of conservation on the status of the world's vertebrates. Science 330:1501-1509.
- Hohner, B. 2010. Distribution of unionid mussels and sea lamprey larvae in relationship to habitat in streams of Lower Michigan and the Paw Paw River. Ph.D. dissertation, University of Michigan, Ann Arbor.
- Hoke, E. 2011. The Freshwater Mussels (Mollusca: Bivalvia: Unionoida) of Nebraska. Ph.D. Dissertation, University of Nebraska, Lincoln.

- Hornsby, A. D., and M. D. Matocq. 2014. Patterns of Evolutionary Divergence and Convergence in the Bushy-Tailed Woodrat (*Neotoma cinerea*) Across Western North America. Journal of Mammalian Evolution 21:243-256.
- Hortelano-Moncada, Y., and F. A. Cervantes. 2011. Diversity of Wild Mammals in a Megalopolis: Mexico City, Mexico. CHANGING DIVERSITY IN CHANGING ENVIRONMENT:323.
- Hossain, M. S., and S. Sarker. 2013. New species of leaf fish *Nandus meni* (Perciformes: Nandidae) from Noakhali, Bangladesh. Zoology and Ecology 23:191-197.
- Hossain, M. S., S. Sarker, S. M. Sharifuzzaman, and S. R. Chowdhury. 2013. New species of stinging catfish *Heteropneustes nani* (Siluriformes: Heteropneustidae) from Noakhali, Bangladesh. VERTEBRATE ZOOLOGY 63:259-267.
- Hovingh, P. 2010. Distribution of a unique limpet (Gastropoda: Ancylidae) in the Colorado River drainage basin, western North America. Western North American Naturalist 508-515.
- Hunter, H. 2014. Collection Of Amphibians And Reptiles In Mexico. Pointcook power store.
- Hunting, W. 2013. A taxonomic revision of the *Cymindis (Pinacodera) limbata* species group (Coleoptera, Carabidae, Lebiini), including description of a new species from Florida, U.S.A. ZooKeys 259:1-73.
- Husband, R. W., and D. O. Husband. 2011. *Eutarsopolipus jamaicaensis* n. sp. (Acari: Podapolipidae) from Jamaica, ectoparasite of *Platynus punctus* (Darlington) (Coleoptera: Carabidae). International Journal of Acarology 37:228-234.
- Husband, R. W., and D. O. Husband. 2014. *Eutarsopolipus hemistylus* sp. nov. (Acari: Podapolipidae), subelytral parasite of *Chlaenius prasinus* Dejean (Coleoptera: Carabidae) from Central and Eastern USA. Great Lakes Entomologist. 47:25-31.
- Husband, R.W. and K. Kurosa. 2013. *Eutarsopolipus asiaticus* s. nov. (Acari: Pdapolipidae), subelytral parasite of *Chlaenius costiger* Chaudior (Coleoptera; Carabidae) from Japan. Systematic and Applied Acarology 18:61-70.
- Husband, R. W., and B. M. O'Connor. 2014. A new genus and species of Podapolipidae (Acari: Heterostigmata) parasitic on *Physonota alutacea* (Boheman)(Coleoptera: Chrysomelidae; Cassidinae) in Mexico and Central America. Systematic and Applied Acarology 19:435-446.
- Husband, R. W., and A. H. Williams. 2014. Notes on *Chrysomelobia labidomerae* (Acari: Heterostigmata: Podapolipidae), Parasites of *Labidomera clivicollis* (Coleoptera: Chrysomelidae) in Michigan and Wisconsin. Great Lakes Entomologist 47:46-50.
- Husband, R. W., and A. Wohltmann. 2011. A redescription of *Eutrombidium locustarum* (Walsh) (Acari: Microtrombidiidae) and a new North American Podapolipoides (Acari: Podapolipidae), parasites of *Schistocerca piceifrons* (Walker) (Orthoptera: Acrididae) from Yucatan, Mexico. International Journal of Acarology 37:260-292.
- Ikejiri, T. 2015. Modes of ontogenetic allometric shifts in crocodylian vertebrae. Biological Journal of the Linnean Society.
- Inoue, K., D. M. Hayes, J. L. Harris, and A. D. Christian. 2013. Phylogenetic and morphometric analyses reveal ecophenotypic plasticity in freshwater mussels *Obovaria jacksoniana* and *Villosa arkansasensis* (Bivalvia: Unionidae). Ecology and Evolution 3:2670-2683.
- Ivanyisky III, S. J., and J. S. Albert. 2014. Systematics and biogeography of *Sternarchellini* (Gymnotiformes: Apteronotidae): Diversification of electric fishes in large Amazonian rivers. Neotropical Ichthyology, (AHEAD), 00-00.

- Jadin, R. C., J. H. Townsend, T. A. Castoe, and J. A. Campbell. 2012. Cryptic diversity in disjunct populations of Middle American Montane Pitvipers: a systematic reassessment of *Cerrophidion godmani*. Zoologica Scripta 41:455-470.
- Jadin, R. C., J. H. Townsend, T. A. Castoe, and J. A. Campbell. 2012. Cryptic diversity in disjunct populations of Middle American Montane Pitvipers: a systematic reassessment of *Cerrophidion godmani*. Zoologica Scripta 41:455-470.
- Janoušek, V., et al. 2012. Genome-wide architecture of reproductive isolation in a naturally occurring hybrid zone between *Mus musculus musculus* and *M. m. domesticus*. Molecular Ecology 21: 3032-3047.
- Janoušek, V., P. Munclinger, L. Wang, K. C. Teeter, and P. K. Tucker. 2015. Functional organization of the genome may shape the species boundary in the house mouse. Molecular Biology and Evolution, msv011.
- Jansa, S. A., and R. S. Voss. 2011. Adaptive evolution of the venom-targeted vWF protein in opossums that eat pitvipers. PLoS ONE 6:e20997.
- Jansa, S. A., F. K. Barker, and R. S. Voss. 2014. The early diversification history of didelphid marsupials: a window into South America's "Splendid Isolation". Evolution 68:684-695.
- Johnston, P. 2011. Cranial muscles of the anurans *Leiopelma hochstetteri* and *Ascaphus truei* and the homologies of the mandibular adductors in Lissamphibia and other gnathostomes. Journal of Morphology 272:1492-1512.
- Jones, C. C., W. L. Smith, and J. S. Sparks. 2010. A New Species of Rainbowfish (Teleostei: Melanotaenioidei: Bedotiidae) from the Makira Region of Northeastern Madagascar. Copeia 2010:284-291.
- Joseph, R. M., III, D. G. Mulcahy, S. Snell, M. E. Acevedo, and J. A. Campbell. 2012. A New Golden Toad (Bufonidae: *Incilius*) from Northwestern Guatemala and Chiapas, Mexico. Journal of Herpetology 46:473-479.
- JoVonn, G. H. 2010. A new species of *Melanoplus* (Orthoptera: Acrididae: Melanoplinae) from the cedar glades of Tennessee, USA. Journal of Orthoptera Research 19:341-345.
- Kaiser, H., C. L. Barrio-Amorós, G. A. Rivas, C. Steinlein, and M. Schmid. 2015. Five new species of *Pristimantis* (Anura: Strabomantidae) from the coastal cloud forest of the Península de Paria, Venezuela. Journal of Threatened Taxa 7:7047-7088.
- Kaplan, M., and P. Heimes. 2011. Tadpole of *Plectrohyla arborescandens*, with Comments on the Identity of the Tadpole of *Plectrohyla cyclada*. Journal of Herpetology 45:463-464.
- Kaplan, M., P. Heimes, and J. McCormack. 2015. Contributions to the Morphology of *Plectrohyla mykter* (Anura: Hylidae), with Comments on Some Controversial Characters and the Diagnosis of this Species. Caldasia 37: 211-220.
- Karanth, K. K., et al. 2010. The shrinking ark: patterns of large mammal extinctions in India. Proceedings of the Royal Society B 277:1971-1979.
- Kass, D. H., V. Janoušek, L. Wang, and P. K. Tucker. 2014. The uncharacterized gene 1700093K21Rik and flanking regions are correlated with reproductive isolation in the house mouse, *Mus musculus*. Mammalian Genome 25:223-234.
- Keck, B. P., and T. J. Near. 2010. A young clade repeating an old pattern: Diversity in *Nothonotus* Darters (Teleostei: Percidae) endemic to the Cumberland River. Molecular Ecology 19:5030-5042.
- Keck, B. P., and T. J. Near. 2010. Geographic and temporal aspects of mitochondrial replacement in *Nothonotus* Darters (Teleostei: Percidae: Etheostomatinae). Evolution 64:1410-1428

- Keck, B. P., and T. J. Near. 2013. A new species of *Nothonotus* darter (Teleostei: Percidae) from the Caney Fork in Tennessee, USA. Bulletin of the Peabody Museum of Natural History 54:3-21.
- Keinath, D., et al. 2010. Range and modeled distribution of Wyoming's species of greatest conservation need. Report prepared by the Wyoming Natural Diversity Database, Laramie Wyoming for the Wyoming Game and Fish Department, Cheyenne, Wyoming and the U.S. Geological Survey, Fort Collins, Colorado.
- Kelaita, M. A., and L. Cortes-Ortiz. 2013. Morphological variation of genetically confirmed *Alouatta pigra A. palliata* hybrids from a natural hybrid zone in Tabasco, Mexico. American Journal of Physical Anthropology 150:223-234.
- Kelaita, M. A., et al. 2011. Impact of Intrasexual Selection on Sexual Dimorphism and Testes Size in the Mexican Howler Monkeys *Alouatta palliata* and *A. pigra*. American Journal of Physical Anthropology 146:179-187.
- Kessler, A. G. O. 2010. Status Of The Culebra Island Giant Anole (*Anolis roosevelti*). Herpetological Conservation and Biology 5:223-232.
- Keyghobadi, N., D. Koscinski, J. D. Weintraub, and D. M. Fonseca. 2013. Historical specimens reveal past relationships and current conservation status of populations in a declining species: the regal fritillary butterfly. Insect Conservation and Diversity 6:234-242.
- Khalafalla, S. M., and C. A. Iudica. 2012. Barn Owl (*Tyto alba*) Predation on Big Brown Bats (*Eptesicus fuscus*) in Pennsylvania. Canadian Field-Naturalist 126:38-40.
- Kim, S. H., K. Shimada, and C. K. Rigsby. 2013. Anatomy and Evolution of Heterocercal Tail in Lamniform Sharks. Anatomical Record 296:433-442.
- Kirchman, J. J., and K. J. Schneider. 2014. Range expansion and the breakdown of Bergmann's Rule in Red-Bellied Woodpeckers (*Melanerpes carolinus*). Wilson J. Ornithol. 126:236-248.
- Klicka, J., et al. 2011. A phylogeographic and poulation genetic analysis of a widespread, sendentary North American bird: the Hairy Woodpecker (*Picoides villosus*). Auk 128:346-362.
- Klimov, P. B., and B. M. OConnor. 2013. Is permanent parasitism reversible? -- Critical evidence from early evolution of house dust mites. Systematic Biology 62:411-423.
- Klimov, P. B., and L. L. Knowles. 2011. Repeated parallel evolution of minimal rRNAs revealed from detailed comparative analyses. J. of Heredity 102:283-293.
- Knight, J. D. M. 2014. *Oreichthys andrewi* (Teleostei: Cyprinidae) a new species from Assam, northeastern India. Journal of Threatened Taxa 6:5357-5361.
- Knight, Jr., V. J. 2010. Mound excavations at Moundville: architecture, elites, and social order. University of Alabama Press, Tuscaloosa.
- Knowles, L. L., and D. F. Alvarado-Serrano. 2010. Exploring the population genetic consequences of the colonization process with spatio-temporally explicit models: insights from coupled ecological, demographic, and genetic models in montane grasshoppers. Molecular Ecology 19:3727-3745.
- Knowles, L. L., and P. B. Klimov. 2011. Estimating phylogenetic relationships despite discordant gene trees across loci: the species tree of a diverse group of feather mites (Acari: Proctophyllodidae). Parasitology (special issue on phylogenetics) 138:1750-1759.
- Köhler, G., and M. Vesely. 2010. A revision of the *Anolis sericeus* complex with the resurrection of *A. wellbornae* and the description of a new species (Squamata: Polychrotidae). Herpetologica 66:207-228.

- Köhler, G., H. H. Diethert, and M. Veselý. 2012. A contribution to the knowledge of the lizard genus *Alopoglossus* (Squamata: Gymnophthalmidae). Herpetological Monographs 26:173-188.
- Kotharambath, R., et al. 2012. On the systematics, distribution and conservation status of *Ichthyophis longicephalus* Pillai, 1986 (Amphibia: Gymnophiona: Ichthyophiidae). Journal of Natural History 46:2935-2939.
- Krebs, R. A., Borden, W. C., Steiner, E. R., Lyons, M. S., Zawiski, W., and Walton, B. M. 2010. Determinants of mussel diversity in Lake Erie tributaries. Journal of the North American Benthological Society, 29(2), 506-520.
- Kucharzewski, C., A. P. Raselimanana, C. Wang, and F. Glaw. 2014. A taxonomic mystery for more than 150 years: Identity, systematic position and Malagasy origin of the snake *Elapotinus picteti* Jan, 1862, and synonymy of *Exallodontophis* Cadle, 1999 (Serpentes: Lamprophiidae). Zootaxa, 3852:179-202.
- Kurczewski, F. E. 2010. Analysis of Ecology, Nesting Behavior, and Prey in North American, Central American, and Caribbean *Tachysphex* (Hymenoptera: Crabronidae). Northeastern Naturalist 17:1-78.
- Kurosa, K., and R. W. Husband. 2011. *Dorsipes diplocheilae* sp. nov. and *Dorsipes zeelandicae* sp. nov.(Acari: Podapolipidae), subelytral parasites of *Diplocheila zeelandica* (Redtenbacher)(Coleoptera: Carabidae) in Japan. Systematic and Applied Acarology 16:255-265.
- Lopez-Gonzalez, C., P. Myers, N. de la Sancha, G. D'alia, and L. Valdez. 2013. Historia de la Mastozoologia en Paraguay. In: Historia de la Mastozoologia en Latinoamerica. Red Latinoamericana de Mastazoologia (RELAM), in Press.
- Landry, C. 2013. Changes in pollinator assemblages following hurricanes affect the mating system of *Laguncularia racemosa* (Combretaceae) in Florida, USA. Jour. Tropical Ecology 29:209-216.
- Landry, C. L. 2013. Pollinator-mediated competition between two co-flowering Neotropical mangrove species, *Avicennia germinans* (Avicenniaceae) and *Laguncularia racemosa* (Combretaceae). Annals of Botany 111:207-214.
- Landry, C. L., and B. J. Rathcke. 2012. Insect visitation rates and foraging patterns differ in androdioecious and hermaphrodite-only populations of *Laguncularia racemosa* (Combretaceae) in Florida. Journal of Tropical Ecology 28:343-351.
- Lee, D. N., et al. 2010. Taxonomic status of the Davis Mountains cottontail, *Sylvilagus robustus*, revealed by amplified fragment length polymorphism. Journal of Mammalogy 91:1473-1483.
- Lee, T., J. Li, C. C. Churchill, and D. Ó Foighil. 2014. Evolutionary history of a vanishing radiation: isolation-dependent persistence and diversification in Pacific Island partulid tree snails. BMC evolutionary biology 14:202.
- Lehtinen, R. M., F. Glaw, F. Andreone, M. Pabijan, and M. Vences. 2012. A New Species of Putatively Pond Breeding Frog of the Genus *Guibemantis* from Southeastern Madagascar. Copeia 2012:648-662.
- Lehtinen, R. M., and J. R. Witter. 2014. DETECTING FROGS AND DETECTING DECLINES: AN EXAMINATION OF OCCUPANCY AND TURNOVER PATTERNS AT THE RANGE EDGE OF BLANCHARD'S CRICKET FROG (*ACRIS BLANCHARDI*). Herpetological Conservation and Biology 9:502-515.

- Lemos-Espinal, J. A., and G. R. Smith. 2015. Amphibians and reptiles of the state of Hidalgo, Mexico. Check List 11:1642.
- Li, J., and D. O'Foighil. 2012. Host-specific morphologies but no host races in the commensal bivalve Neaeromya rugifera. Invertebrate Biology 1313:197-203.
- Li, J., D. O'Foighil, and P. Middelfart. 2012. The evolutionary ecology of biotic association in a megadiverse bivalve superfamily: sponsorship required for permanent residency in sediment. PLoS ONE 7:e42121.
- Li, J., D. O'Foighil, and J. K. Park. 2013. Triton's trident: cryptic Neogene divergences in a marine clam (*Lasaea australis*) correspond to Australia's three temperate biogeographic provinces. Molecular Ecology 22:1933-1946.
- Li, W., J. Zhao, Y. Shi, F.-F. Xiao, X.-C. Zhang, and X.-P. Zhu. 2014. The complete mitochondrial genome of the critically endangered Vietnamese three-striped box turtle (Testudines: Geoemydidae). Mitochondrial DNA 1-2.
- Livezey, B. C. 2010. Phylogenetics of modern shorebirds (Charadriiformes) based on phenotypic evidence: analysis and discussion. Zool. J. Linn. Soc. 160:567-618.
- Llano-Mejía, J., A. M. Cortés-Gómez, and F. Castro-Herrera. 2010. Lista de anfibios y reptiles del departamento del Tolima, Colombia. Biota Colombiana 11:89-106.
- Lopes, I. F., et al. 2010. Genetic characterization of neotropical Jabiru storks: insights for conservation. Waterbirds 33:425-437.
- Lopes, L. E., et al. 2011. Seasonal Distribution and Range of the Blackish-Blue Seedeater (Amaurospiza moesta): A Bamboo-Associated Bird. Wilson J. Ornithol. 123:797-802.
- Lounsberry, Z. T. 2012. Conservation status of Buff-breasted Sandpipers (*Tryngites subruficollis*) in the western hemisphere: a conservation genetic approach. M Sci thesis, Kansas State Univ., Manhattan.
- Lucinda, P. H. F., et al. 2011. Designation of the lectotype of *Poecilia amazonica* Garman, 1895 (Cyprinodontiformes, Poeciliidae) and discussion of its nomenclatural status. Zootaxa 2751:63-64.
- Lundberg, J. G., K. R. Luckenbill, K. S. Babu, and H. H. Ng. 2014. A tomographic osteology of the taxonomically puzzling catfish *Kryptoglanis shajii* (Siluriformes, Siluroidei, incertae sedis): description and a first phylogenetic interpretation. Proceedings of the Academy of Natural Sciences of Philadelphia 163:1-41.
- Luría-Manzano, R., A. Ramírez-Bautista, and L. Canseco-Márquez. 2014. Rediscovery of the Rare Snake *Rhadinaea cuneata* Myers, 1974 (Serpentes: Colubridae: Dipsadinae). Journal of Herpetology 48:122-124.
- Lynch Alfaro, J. W., et al. 2012. Explosive Pleistocene range expansion leads to widespread Amazonian sympatry between robust and gracile capuchin monkeys. Journal of Biogeography 39:272-288
- Lynch, B., P. Keith, and F. PezoLd. 2013. A new species of freshwater goby from Pohnpei, Micronesia (Gobioidei: Sicydiinae). Cybium 37:171-177.
- Martin, C. H., and P. C. Wainwright. 2013. A remarkable species flock of *Cyprinodon* pupfishes endemic to San Salvador Island, Bahamas. Bulletin of the Peabody Museum of Natural History 54:231-241.
- Mabee, P. M., et al. 2011. Gill arch and hyoid arch diversity and cypriniform phylogeny: Distributed integration of morphology and web-based tools. Zootaxa 2877:1-40.
- Maddin, H. C. 2011. Deciphering morphological variation in the braincase of caecilian amphibians (Gymnophiona). Journal of Morphology 272:850-871.

- Maddock, S. T., J. J. Day, R. A. Nussbaum, M. Wilkinson, and D. J. Gower. 2014. Evolutionary origins and genetic variation of the Seychelles treefrog, *Tachycnemis seychellensis* (Duméril and Bibron, 1841)(Amphibia: Anura: Hyperoliidae). Molecular Phylogenetics and Evolution 75:194-201.
- Majka, C. G. 2010. The Distribution of *Gnorimella maculosa* (Knoch) (Coleoptera: Scarabaeidae: Cetoniinae) in North America. Coleopterist's Bulletin 64:337-340.
- Maley, J. M., and R. T. Brumfield. 2013. Mitochondrial and next-generation sequence data used to infer phylogenetic relationships and species limits in the Clapper/King rail complex. Condor 115:316-329.
- Marceniuk, A. P., and J. L. O. Birindelli. 2010. Morphology of the Gas Bladder in Sea Catfishes (Siluriformes: Ariidae). Zootaxa 2579:59-68.
- Marceniuk, A. P., et al. 2012. Review of the Genus *Cathorops* (Siluriformes: Ariidae) from the Caribbean and Atlantic South America, with Description of a New Species. Copeia 2012:77-97.
- Mashinini, P., and L. Mahlangu. 2014. An annotated catalogue of the types of chelonians (Reptilia: Testudines) in the Herpetology collection of the Ditsong National Museum of Natural History, South Africa. Annals of the Ditsong National Museum of Natural History 4:181-186.
- Mason, J. R., K. R. Lips, and J. T. Giermakowski. 2010. New Species of *Pristimantis* (Anura: Terrarana: Strabomantinae) from Lower Central America. Journal of Herpetology 44:193-200
- Mason, N. A., P. O. Title, C. Cicero, K. J. Burns, and R. C. Bowie. 2014. Genetic variation among western populations of the Horned Lark (*Eremophila alpestris*) indicates recent colonization of the Channel Islands off southern California, mainland-bound dispersal, and postglacial range shifts. Auk 131:162-174.
- Mayer, J., et al. 2012. Comparing PreXMRV-2 gag sequence diversity in laboratory and wild mice using deep sequencing. Virus Research 169:30-37.
- McCormack, J., J. Heled, K. S. Delaney, T. A. Peterson, and L. L. Knowles. 2011. Calibrating divergence times on species trees versus gene trees: implications for speciation history of Aphelocoma jays. Evolution 65:184-202.
- McCormack, J. E., A. J. Zellmer, and L.L. Knowles. 2010. Does niche divergence accompany allopatric divergence in Aphelocoma jays as predicted under ecological speciation?: insights from tests with niche models. Evolution 64:1231-1244.
- McDiarmid, R. W., M. S. Foster, C. Guyer, J. W. Gibbons, and N. Chernoff. 2011. Reptile biodiversity: standard methods for inventory and monitoring. Univ of California Press.
- McMahan, C.D., et al. 2011. *Paraneetroplus synspilus* is a Junior Synonym of *Paraneetroplus melanurus* (Teleostei: Cichlidae). Zootaxa 2833:1-14.
- McPherson, J.E. 2012. Redescription of the Holotype of *Sinea sericea*, Supplemented with description of additional males and first description of females. Annals of the Entomological Society of America 105:613-618.
- McPherson, J.E., and I. Ahmad. 2015. *Sinea incognita* McPherson, a New Species of Assassin Bug from America North of Mexico, with Designations of Lectotypes and Paralectotypes for *Sinea complexa* and *Sinea integra* and Analysis and Comparison of the Three Species (Hemiptera: Heteroptera: Reduviidae: Harpactorinae). Ann. Entomol. Soc. Am. 108:70-88.
- Mendes, P., et al. 2010. O conhecimento sobre morcegos (Chiroptera: Mammalia) do estado do Espírito Santo, sudeste do Brasil. Papéis Avulsos de Zoologia (São Paulo) 50: 363-373.

- Menezes, N. A., S. H. Weitzman, and I. Quagio-Grassiotto. 2013. Two new species and a review of the inseminating freshwater fish genus *Monotocheirodon* (Characiformes: Characidae) from Peru and Bolivia. Papéis Avulsos de Zoologia (São Paulo) 53:129-144.
- Merrit, J. F. 2010. The biology of small mammals. Johns Hopkins University Press, Baltimore, Maryland.
- Meza-Lázaro, R. N., and A. Nieto-Montes de Oca. 2015. Long forsaken species diversity in the Middle American lizard *Holcosus undulatus* (Teiidae). Zoological Journal of the Linnean Society.
- Miracle, P. T., and D. Brajkovic. 2010. The palaeoecological significance of the Pleistocene mammalian fauna from Veternica Cave, Croatia. Revision of the Lagomorpha, Canidae, Mustelidae and Felidae. Geologia Croatica 63:207-224.
- Mironov, S. V., and B. M. O'Connor. 2013. Two new genera of mites of the family Hypoderatidae (Acari: Astigmata) from swifts and their nests (Apodiformes: Apodidae) from the Philippines. International Journal of Acarology 39:209-234.
- Miura, O., F. Köhler, T. Lee, J. Li, and D. O'Foighil. 2013. Rare, divergent Korean *Semisulcospira* spp. mitochondrial haplotypes have Japanese sister lineages. Journal of Molluscan Studies 79:86-89.
- Montingelli, G. G., J. H. Valencia, M. A. Benavides, and H. Zaher. 2011. Revalidation of *Herpetodryas reticulata* (Peters, 1863) (Serpentes: Colubridae) from Ecuador. South American Journal of Herpetology 6:189-197.
- Montingelli, G. G., and H. Zaher. 2011. New Species of *Mastigodryas* Amaral, 1934 from Brazilian Amazonia and Guyana (Serpentes: Colubridae). Journal of Herpetology 45:111-119.
- Moore, A. C., J. B. Burch, and T. F. Duda Jr. 2015. Recognition of a highly restricted freshwater snail lineage (Physidae: *Physella*) in southeastern Oregon: convergent evolution, historical context, and conservation considerations. Conservation Genetics 16:113-123.
- Mukherjee, S., et al. 2010. Ecology Driving Genetic Variation: A Comparative Phylogeography of Jungle Cat (*Felis chaus*) and Leopard Cat (*Prionailurus bengalensis*) in India. PLoS ONE 5:e13724.
- Murphy, J. C., and H. K.Voris. 2014. A checklist and key to the Homalopsid Snakes (Reptilia, Squamata, Serpentes), with the description of new genera. Fieldiana Life and Earth Sciences 1-43.
- Myers, C. W., and S. B. McDowell. 2014. New taxa and cryptic species of neotropical snakes (Xenodontinae), with commentary on hemipenes as generic and specific characters. Bulletin of the American Museum of Natural History 385:1-112.
- Myers, P., and B. L. Lundrigan. 2010. Mammals. in K. J. Nadelhoffer, A. L. Hogg Jr., and B. A. Hazlett (eds). Up in Michigan: One Hundred Years of Environmental Change. Univ. Michigan Press.
- Nadelhoffer, K. J., et al. 2010. The changing environment of northern Michigan: a century of science and nature at the University of Michigan Biological Station. University of Michigan Press, Ann Arbor.
- Nekola, J. C., and B. F. Coles. 2010. Pupillid Land Snails of Eastern North America*. American Malacological Bulletin 28:29-57.
- Nekola, J. C., B. F. Coles, and M. Horsák. 2015. Species assignment in *Pupilla* (Gastropoda: Pulmonata: Pupillidae): integration of DNA-sequence data and conchology. Journal of Molluscan Studies 81:196-216.

- Nelson, R. d. A., P. Passos, and S. W. Gotte. 2012. *Leptophis santamartensis* (Serpentes, Colubridae), a Junior Synonym of *Leptophis ahaetulla occidentalis*. Journal of Herpetology 46:248-252.
- Netto-Ferreira, A. L., and R. P. Vari. 2011. New Species of *Steindachnerina* (Characiformes: Curimatidae) from the Rio Tapajos, Brazil, and Review of the Genus in the Rio Tapajos and Rio Xingu Basins. Copeia 2011:523-529.
- Neubert, E., and P. Bouchet. 2015. The Diplommatinidae of Fiji–a hotspot of Pacific land snail biodiversity (Caenogastropoda, Cyclophoroidea). ZooKeys 487:1.
- Ng, H.H. 2010. A new species of miniature catfish from the Malay Peninsula (Teleostei: Bagridae: *Nanobagrus*). Zootaxa 2677:60-68.
- Ng, H.H. 2011. *Akysis bilustris*, a new species of catfish from southern Laos (Siluriformes: Akysidae). Zootaxa 3066:61-68.
- Ng, H.H. 2012. *Mystus velifer*, a new species of catfish from Indochina (Teleostei: Bagridae). Zootaxa 3398:58-68.
- Ng, H. H., and K. W. Conway. 2013. *Pseudolaguvia assula*, a new species of crypto-benthic sisorid catfish from central Nepal (Teleostei: Sisoridae). Ichthyological Exploration of Freshwaters 24.
- Ng, H. H., K. H. Dang, and V. T. Nguyen. 2011. *Clarias gracilentus*, a new walking catfish (Teleostei: Clariidae) from Vietnam and Cambodia. Zootaxa 2823:61-68.
- Ng, H. H., and M. Kottelat. 2012. *Chaca serica*, a new species of frogmouth catfish (Teleostei: Siluriformes) from southern Borneo. Zootaxa 3258:37-45.
- Ng, H. H., and M. Kottelat. 2013. A name for the glass catfish (Teleostei: Siluridae) revisited. Zootaxa 3640:299-300.
- Ng, H. H., and M. Kottelat. 2013. Revision of the Asian catfish genus Hemibagrus Bleeker, 1862 (Teleostei: Siluriformes: Bagridae). Raffles Bulletin of Zoology 61:205-291.
- Ng, H. H., and M. Kottelat. 2013. The identity of the cyprinid fishes *Rasbora dusonensis* and *R. tornieri* (Teleostei: Cyprinidae). Zootaxa 3635:62-70.
- Ng, H. H., and S. O. Kullander. 2013. *Glyptothorax igniculus*, a new species of sisorid catfish (Teleostei: Siluriformes) from Myanmar. Zootaxa 368:552-562.
- Ng, H. H., and Lalramliana. 2010. *Pseudolaguvia spicula*, a new sisorid catfish (Teleostei: Sisoridae) from Bangladesh and northeastern India. Zootaxa 2558:61-68.
- Ng, H. H., and Lalramliana. 2010. *Pseudolaguvia virgulata*, a new sisorid catfish (Teleostei: Sisoridae) from Mizoram, northeastern India. Zootaxa 2518:60-68.
- Ng, H. H., and Lalramlianag. 2012. *Lyptothorax maceriatus*, a new species of sisorid catfish (Actinopterygii: Siluriformes) from north-eastern India. Zootaxa 3416:44-52.
- Ng, H. H. and Lalramliana. 2013. *Glyptothorax radiolus*, a new species of sisorid catfish (Osteichthyes: Siluriformes) from northeastern India, with a redescription of *G. striatus* McClelland 1842. Zootaxa 3682:501-512.
- Ng, H. H., and S. Lalronunga. 2014. *Eutropiichthys cetosus*, a new riverine catfish (Teleostei: Schilbeidae) from northeastern India. Journal of Threatened Taxa 6:6073-6081.
- Ng, H. H., and W. J. Rainboth. 2011. *Tonlesapia amnica*, a new species of dragonet (Teleostei: Callionymidae) from the Mekong delta. Zootaxa 3052:62-68.
- Ng, H. H., and L. Tamang. 2012. *Pseudolaguvia viriosa*, a new catfish (Teleostei: Sisoridae) from north-eastern India. Zootaxa 3522:81-88.

- Ng, H. H., and C. Vidthayanon. 2014. A review of the glyptosternine catfish genus Exostoma Blyth 1860 from Thailand, with descriptions of two new species (Teleostei: Siluriformes). Zootaxa 3869:420-434.
- Ng, H. H., and J. J. Wright. 2010. *Amblyceps cerinum*, a new catfish (Teleostei: Amblycipitidae) from northeastern India. Zootaxa 2672:50-60.
- Ng, H. H., et al. 2012. *Glyptothorax lanceatus*, a new species of sisorid catfish (Teleostei: Siluriformes) from southwestern China. Zootaxa 3250:54-62.
- Ng, H. H., et al. 2012. The catfish genus *Erethistoides* (Siluriformes: Sisoridae) in Myanmar, with descriptions of three new species. Zootaxa 3254:55-68.
- Ng, H. H., et al. 2013. *Pseudolaguvia nubila*, a new sisorid catfish (Teleostei: Sisoridae) from northeastern India. Zootaxa 3647:518-526.
- Nguembock, B. A. 2014. Great Difference Between Sedentary Subspecies of *Laniarius atroflavus* Shelley, 1887 Suggests on the Base of Molecular Data that *Laniarius atroflavus* and *Laniarius craterum* are Two Separate Species. Open Ornithol. J. 7:30-39.
- Nguembock, B., C. Druaud, and C. Denys. 2012. A large evaluation of Passerine Cisticolids (Aves: Passeriformes): more about their phylogeny and diversification. Open Ornithol. J. 5:42-56.
- Nicholson, K. E., and G. KÖHLER. 2014. A new species of the genus *Norops* from Darién, Panama, with comments on *N. sulcifrons* (Cope 1899)(Reptilia, Squamata, Dactyloidae). Zootaxa 3895:225-237.
- Nickle, D. A. 2011. New Species of the Genus *Anisophya* Karabag from Chile (Orthoptera: Tettigoniidae: Phaneropterinae). Journal of Orthoptera Research 20:163-172.
- Nickle, D. A. 2012. Synonymies of Wasp-Mimicking Species within the Katydid Genus *Aganacris* (Orthoptera: Tettigoniidae: Phaneropterinae). Journal of Orthoptera Research 1:245-250.
- Ordóñez-Garza, N., et al. 2014. Systematics of the *Neotoma mexicana* species group (Mammalia: Rodentia: Cricetidae) in Mesoamerica: new molecular evidence on the status and relationships of N. ferruginea Tomes, 1862. Proceedings of the Biological Society of Washington 127:518-532.
- Niemiller, M. L., et al. 2013. Doomed before they are described? The need for conservation assessments of cryptic species complexes using an amblyopsid cavefish (Amblyopsidae: *Typhlichthys*) as a case study. Biodiversity and conservation 22:1799-1820.
- Noé, U., G. D'Elía, and P. Teta. 2012. Systematics of the subgenus of mouse opossums *Marmosa* (*Micoureus*)(Didelphimorphia, Didelphidae) with noteworthy records from Paraguay. Mammalian Biology-Zeitschrift für Säugetierkunde 77:229-236.
- O'Brien, M. F. 2014. *Epiaeschna heros* (Swamp Darner) in Michigan -- A mystery no longer. Argia 26:8-9.
- O'Brien, M. F., and D. S. O'Brien. 2015. *Orocharis saltator* (Orthoptera: Gryllidae) -- Now present in Michigan. Michigan Entomological Society 60:4.
- O'Brien, M. F., D. R. Swanson, and J. Monsma. 2012. *Anthidium oblongatum* (Apoidea: Megachilidae) confirmed as a Michigan resident, with notes on other Michigan Anthidium species. Great Lakes Entomol. 45:102-105.
- O Foighil, D., T. Lee, and J. Slapcinsky. 2011. Prehistoric anthropogenic introduction of partulid tree snails in Papua New Guinean archipelagoes. Journal of Biogeography 38:1625-1632.

- O Foighil, D., J. Li, T. Lee, P. Johnson, R. Evans, and J. B. Burch. 2011. Conservation Genetics of a Critically Endangered Limpet Genus and Rediscovery of an Extinct Species. PLoS One 6:e20496.
- O Foighil, D., T. Lee, and J. Slapcinsky. 2011. Prehistoric anthropogenic introduction of partulid tree snails in Papua New Guinean archipelagos. Journal of Biogeography 38:1625-1632
- Ogawa, L. M. et al. 2015. Opposing demographic histories reveal rapid evolution in grebes (Aves: Podicipedidae). Auk 132:771-786.
- Ohazama et al. 2010. A role for suppressed incisor cuspal morphogenesis in the evolution of mammalian heterodont dentition. Proceedings of the National Academy of Sciences 107:92-97.
- Oldfield, R. G. 2011. Aggression and welfare in a common aquarium fish, the Midas cichlid. Journal of Applied Animal Welfare Science 14:340-360.
- Oldfield, R. G. 2011. Gonad development in the Midas cichlid and the evolution of sex change in fishes. Evolution and Development 13:352-360.
- Oldfield, R. G., and H.A. Hofmann. 2011. Neuropeptide regulation of social behavior in a monogamous cichlid fish. Physiology and Behavior 102:296-303.
- Olsson, U., R. Yosef, and P. Alstrom. 2013. Assessment of species limits in African 'brown buntings' (Emberiza, Passeriformes) based on mitochondrial and nuclear sequence data. Ibis 155:534-543.
- Omar, H., R. Hashim, S. Bhassu, and M. Ruedi. 2013. Morphological and genetic relationships of the *Crocidura* monticola species complex (Soricidae: Crocidurinae) in Sundaland. Mammalian Biology 78:446-454.
- Oneal, E., and L.L. Knowles. 2012. Ecological selection as the cause and sexual differentiation as the consequence of species divergence? Proc. R. Soc. Lond. Series B. 280:20122236.
- Oneal, E., D. Otte, and L.L. Knowles. 2010. Testing for biogeographic mechanisms promoting divergence in Caribbean crickets (genus *Amphiacusta*). J. Biogeogr. 37:530-540.
- Opitz, W. 2010. Classification, Natural History, and Evolution of the Epiphloeinae (Coleoptera: Cleridae). Part VIII. The Genera Acanthocollum Opitz, Stegnoclava Opitz, and Ichnea Laporte. Coleopterists Bulletin 64:1-65.
- Ordóñez-Garza, N., J. O. Matson, R. E. Strauss, R. D. Bradley, and J. Salazar-Bravo. 2010. Patterns of phenotypic and genetic variation in three species of endemic Mesoamerican *Peromyscus* (Rodentia: Cricetidae). Journal of Mammalogy 91:848-859.
- Orozco, J., and T. K. Philips. 2010. Phylogenetic analysis of the American genus *Euphoria* and related groups based on morphological characters of adults (Coleoptera: Scarabaeidae: Cetoniinae: Cetoniini). Insect Systematics and Evolution 41:39-54.
- Ota, R. P., F. C. Lima, and C. S. Pavanelli. 2014. A new species of *Hemigrammus* Gill, 1858 (Characiformes: Characidae) from the rio Madeira and rio Paraguai basins, with a redescription of *H. lunatus*. Neotropical Ichthyology 12:265-279.
- Otte, D. 2014. Revision of the Mexican Genus *Philocleon* (Orthoptera: Acrididae: Melanoplinae). Transactions of the American Entomological Society 140:209-236
- Outlaw, R. K., et al. 2010. Shall we chat? Evolutionary relationships in the genus Cercomela (Muscicapidae) and its relation to Oenanthe reveals extensive polyphyly among chats distributed in Africa, India and the Palearctic. Mol. Phylogen. Evol. 55:284-292.

- Pérez, M. H. S., and J. L. Birindelli. 2013. *Hassar shewellkeimi*, a new species of thorny catfish (Siluriformes: Doradidae) from the upper Tapajós basin, Brazil. Proceedings of the Academy of Natural Sciences of Philadelphia 162:133-156.
- Palacino-Rodriguez, F., E. Gonzalez-Soriano, and C. E. Sarmiento. 2014. Phylogenetic signal of subsets of morphological characters: a case study in the genus *Erythemis* (Anisoptera: Libellulidae). Zoologia Caldasia 36:85-106.
- Pappas, J. L., and D. J. Miller. 2013. A Generalized Approach to the Modeling and Analysis of 3D Surface Morphology in Organisms. PloS One 8:e77551.
- Parra, J. L., et al. 2010. Incorporating clade identity in analyses of phylogenetic community structure: an example with hummingbirds. Am. Nat. 176:573-587.
- Patten, M. A., et al. 2011. An annotated list of the avifauna of Palenque, Chiapas. Rev. mex. Biodiversidad 82:515-537.
- Pauers, M. J., and S. A. McMillan. 2015. Geometric morphometrics reveals surprising diversity in the Lake Malawi cichlid genus *Labeotropheus*. Hydrobiologia 748:145-160.
- Payne, R. B. 2010. Family Estrildidae (waxbills). Pp. 234-377, in Handbook of Birds of the World (J. del Hoyo, A. Eliott, and D. A. Christie, eds.). Lynx Edicions, Barcelona, 15.
- Payne, R. B. 2010. Family Viduidae (whydahs and indigobirds). Pp. 198-233, in Handbook of Birds of the World (J. del Hoyo, A. Eliott, and D. A. Christie, eds.). Lynx Edicions, Barcelona, 15.
- Payne, R. B. 2011. Species accounts: willow flycatcher (*Empidonax traillii*), alder flycatcher (*Empidonax alnorum*), blue-winged warbler (*Vermivora cyanoptera*), golden-winged warbler (*Vermivora chrysoptera*), and indigo bunting (*Passerina cyanea*). In: Chartier, A.T., J.J. Baldy and J. M. Brenneman. 2011. The Second Michigan Breeding Bird Atlas, 2002-2008. Version 1.0. Kalamazoo Nature Center, Kalamazoo, MI. Accessed online at: www.MIBirdAtlas.org.
- Pearce, T. A., and M. E. Paustian. 2013. *Omphalotropis ilapiryensis*, a replacement name for *O. costulata* Emberton and Pearce, 1999 (Gastropoda: Littorinimorpha: Assimineidae).
- Pearce, T., and R. Winters. 2014. NEW DISTRIBUTION RECORDS FOR *VENTRIDENS EUTROPIS* PILSBRY, 1946 AND *V. INTERTEXTUS* (BINNEY, 1841) IN TENNESSEE, USA (GASTROPODA: GASTRODONTIDAE). Nemouria 488-Jan.
- Peer, B. D., et al. 2011. Complex biogeographic history of *Lanius* shrikes and its implications for the evolution of defenses against avian brood parasitism. Condor 113:385-394.
- Peloso, P. L., and T. C. Avila-Pires. 2010. Morphological variation in *Ptychoglossus brevifrontalis* Boulenger, 1912 and the status of *Ptychoglossus nicefori* (Loveridge, 1929)(Squamata, Gymnophthalmidae). Herpetologica 66:357-372.
- Peloso, P. L., et al. 2015. The impact of anchored phylogenomics and taxon sampling on phylogenetic inference in narrow-mouthed frogs (Anura, Microhylidae). Cladistics.
- Peloso, P. L., et al. 2014. Phylogeny, taxonomic revision, and character evolution of the genera *Chiasmocleis* and *Syncope* (Anura, Microhylidae) in Amazonia, with descriptions of three new species. Bulletin of the American Museum of Natural History 386:1-112.
- Perez, K. E., et al. 2014. Molecular phylogeny, evolution of shell shape, and DNA barcoding in Polygyridae (Gastropoda: Pulmonata), an endemic North American clade of land snails. American Malacological Bulletin 32:1-31.
- Peterson, A. T. et al. 2010. Joint effects of marine intrusion and climate change on the Mexican avifauna. Ann. Assoc. Am. Geographers 100:908-916.

- Petersen, J. D., M. J. Petersen, and G. W. Courtney. 2012. Description of a new subgenus *Neophylidorea* (Diptera: Tipulidae) and a new species. Zootaxa. 3555:40-54.
- Pfeiffer, J. M., and D. L. Graf. 2013. Re-analysis confirms the polyphyly of *Lamprotula* Simpson, 1900 (Bivalvia: Unionidae). Journal of Molluscan Studies 79:249-256.
- Pfeiffer, J. M., and D. L. Graf. 2015. Evolution of bilaterally asymmetrical larvae in freshwater mussels (Bivalvia: Unionoida: Unionidae). Zoological Journal of the Linnean Society.
- Phifer-Rixey, M., et al. 2012. Adaptive evolution and effective population size in wild house mice. Molecular Biology and Evolution 29:2949-2955.
- Pine, R. H., et al. 2012. A newly recognized clade of trans-Andean Oryzomyini (Rodentia: Cricetidae), with description of a new genus. Journal of Mammalogy 93:851-870.
- Pinto, R. R., and F. F. Curcio. 2011. On the generic identity of *Siagonodon brasiliensis*, with the description of a new leptotyphlopid from Central Brazil (Serpentes: Leptotyphlopidae). Copeia 2011:53-63.
- Pinto, R. R., and R. Fernandes. 2012. A new blind snake species of the genus Tricheilostoma from Espinhaço Range, Brazil and taxonomic status of *Rena dimidiata* (Jan, 1861)(Serpentes: Epictinae: Leptotyphlopidae). Copeia 2012:37-48.
- Pires, M. G., N. J. Da Silva Jr., D. T. Feitosa, A. Prudente, and H. Zaher. 2014. A new species of triadal coral snake of the genus *Micrurus* Wagler, 1824 (Serpentes: Elapidae) from northeastern Brazil. Zootaxa 3811:569-584.
- Poeser, F. N. 2011. A New Species of *Poecilia* from Honduras (Teleostei: Poeciliidae. Copeia 2011:418-422.
- Pollock, D. A. 2012. Review of the Eustrophinae of America North of Mexico: Coleoptera, Tetratomidae (No. 188). Pensoft Pub.
- Polly, P. D. 2012. Movement adds bite to the evolutionary morphology of mammalian teeth. BMC Biology 10:69.
- Powell, A. et al. 2014. A comprehensive species-level molecular phylogeny of the New World blackbirds (Icteridae). Mol. Phylog. Evol. 71:94-112.
- Puillandre, N., et al. 2014. Molecular phylogeny and evolution of the cone snails (Gastropoda, Conoidea). Molecular Phylogenetics and Evolution 78:290-303.
- Puillandre, N., T. F. Duda, C. Meyer, B. M. Olivera, and P. Bouchet. 2014. One, four or 100 genera? A new classification of the cone snails. Journal of Molluscan Studies, eyu055.
- Pulgarin-R., P. C. 2011. The population history of the Downy Woodpecker (*Picoides pubescens*) in North America: insights from genetics, ecological niche modeling and bioacoustics. M Sc Diss, Univ. Lethbridge, Alberta, Canada.
- Pulgarin-R., P. C., and T. M. Burg. 2012. Genetic signals of demographic expansion in Downy Woodpecker (*Picoides pubescens*) after the last North American glacial maximum. PLoS ONE 7:e40412.
- Quintana. 2011. A New Cryptic Species of Salamander, Genus *Oedipina* (Caudata: Plethodontidae), from Premontane Elevations in Northern Nicaragua, with Comments on the Systematic Status of the Nicaraguan Paratypes of O. pseudouniformis Brame, 1968. Breviora:1-16.
- Ramírez-Chaves, H. E., and W. A. Pérez. 2010. Mamíferos (Mammalia: Theria) del departamento del Cauca, Colombia. *Biota Colombiana* 11:141-171.
- Ramírez-Herrejón, J. P., et al. 2014. Long term changes in the fish fauna of Lago de Pátzcuaro in Central Mexico. Latin American Journal of Aquatic Research 42:137-149.

- Randall, Z. S., and L. M. Page. 2014. A New Species of Homalopteroides (Teleostei: Balitoridae) from Sarawak, Malaysian Borneo. Copeia 2014:160-167.
- Randall, Z. S., and L.M. Page. 2013. Resurrection of the genus *Homalopteroides* (Teleostei: Balitoridae) with a redescription of *H. modestus* (Vinciguerra 1890). Zootaxa 3586:329-346.
- Raselimanana, A. P., C. J. Raxworthy, F. Andreone, F. Glaw, and M. Vences. 2014. An enigmatic new Scaphiophryne toadlet from the rainforests of north-eastern Madagascar (Amphibia: Microhylidae). Vertebrate Zoology 64:95-102.
- Reddy, N. 2013. Comparative phyloclimatic analysis and evolution of ecological niches in the Scimitar Babblers (Aves: Timaliidae: *Pomatorhinus*). PLoS ONE 8(2):e55629.
- Reddy, S., and R. G. Moyle. 2011. Systematics of the scimitar babblers (*Pomatorhinus*: Timaliidae): phylogeny, biogeography, and species-limits of four species complexes. Biol J. Linn. Soc. 102:846-869.
- Reed, M. P. 2014. Freshwater Mussels (Bivalvia: Margaritiferidae and Unionidae) of the Buffalo River Drainage, Tennessee.
- Reese, A. T., et al. 2013. Skeletal indicators of ecological specialization in pika (Mammalia, Ochotonidae). Journal of Morphology 274:585-602.
- Reynolds, R. G., M. L. Niemiller, and L. J. Revell. 2014. Toward a Tree-of-Life for the boas and pythons: Multilocus species-level phylogeny with unprecedented taxon sampling. Molecular Phylogenetics and Evolution 71:201-213.
- River, P. 2014. Conservation Plan for the Black Sandshell and Butterfly Mussels. Frentress Lake Marine Center, East Dubuque, Illinois.
- Robbins, M., and A. Nyari. 2014. Canada to Tierra del Fuego: species limits and historical biogeography of the Sedge Wren (*Cistothorus platensis*). Wilson J. Ornithol. 126:649-662.
- Robison, H. W., R. C. Cashner, M. E. Raley, and T. J. Near. 2014. A New Species of Darter from the Ouachita Highlands in Arkansas Related to *Percina nasuta* (Percidae: Etheostomatinae). Bulletin of the Peabody Museum of Natural History 55:237-252.
- Rocha, L. A. et al. 2014. Specimen collection: an essential tool. Science 344:814-815.
- Rodgers, J. C. 2011. Comparative morphology of the vestibular semicircular canals in therian mammals.
- Rodriguez, M. S., M. R. Cavallaro, and M. R. Thomas. 2012. A New Diminutive Species of *Loricaria* (Siluriformes: Loricariidae) from the Rio Paraguay System, Mato Grosso do Sul, Brazil. Copeia 2012:49-56.
- Roehrs, Z. P., et al. 2012. Mammals of Red Slough Wildlife Management Area, with comments on McCurtain County, Oklahoma. Occasional Papers of the Museum, Texas Tech University 309:1-24.
- Rohwer, S. et al. 2012. Assessing migratory double breeding through complementary specimen densities and breeding records. Condor 114:1-14.
- Ros-Muoz, C. A, and A. G. Navarro-Sigenza. 2012. Patterns of species richness and biogeographic regionalization of the avifaunas of the seasonally dry tropical forest in Mesoamerica. Studies Neotrop. Fauna Environ. 47:171-182.
- Rossi, R. V., R. S. Voss, and D. P. Lunde. 2010. A Revision of the Didelphid Marsupial Genus *Marmosa* Part 1. The Species in Tate's 'Mexicana' and 'Mitis' Sections and Other Closely Related Forms. Bulletin of the American Museum of Natural History 2010:1-83.
- Rothschild, B. 2010. Macroscopic recognition of nontraumatic osseous pathology in the postcranial skeletons of crocodilians and lizards. Journal of Herpetology 44:13-20.

- Rothschild, B. M. 2014. PARAVERTEBRAL MASSES IN BLUE-TAILED MONITOR, *VARANUS DORIANUS*, INDICATIVE OF SOFT-TISSUE INFECTION WITH ASSOCIATED OSTEOMYELITIS. Journal of Zoo and Wildlife Medicine 45:47-52.
- Rothschild, B. M., H.-P. Schultze, and R. Pellegrini. 2012. Summary of Osseous Pathology in Amphibians and Reptiles. Pages 11-53 Herpetological Osteopathology. Springer.
- Rovirosa-Hernandez, M.D. et al. 2013. Seroprevalence of *Trypanosoma cruzi* and *Leishmania mexicana* in Free-Ranging Howler Monkeys in Southeastern Mexico. American Journal of Primatology 75:161-169.
- Rovito, S. M., G. Parra-Olea, D. Lee, and D. B. Wake. 2012. A new species of Bolitoglossa (Amphibia, Caudata) from the Sierra de Juarez, Oaxaca, Mexico. ZooKeys:55.
- Rowell, C. H. F. 2012. The Central American Genus *Rhicnoderma* (Orthoptera, Romaleidae, Bactrophorinae, Bactrophorini) and Some Closely Related New Taxa. Journal of Orthoptera Research 21:1-24.
- Rubin, C. E. 2012. Body Size Changes in Alaskan Red Squirrels (*Tamiasciurus hudsonicus preblei*) Over Decadal Timescales.
- Sadler, J. P. et al. 2011. Robert J. Whittaker Deputy Editors-in-chief: Nicholas J. Gotelli Bradford A. Hawkins.
- San Mauro, D., et al. 2014. Life-history evolution and mitogenomic phylogeny of caecilian amphibians. Molecular Phylogenetics and Evolution 73:177-189.
- Sanborn, A. F., and M. S. Heath. 2012. The Cicadas (Hemiptera: Cicadoidea: Cicadidae) of North America North of Mexico. Thomas Say Publications in Entomology, 227 pp.
- Sanborn A. F., M. S. Heath, P. K. Phillips, and J. E. Heath. 2011. The genus *Cacama* Distant, 1904 (Hemiptera: Cicadidae) with the description of three new species. Zootaxa 2897:35-50.
- Sanborn A. F., M. S. Heath, P. K. Phillips, and J. E. Heath. 2012. The genus *Pacarina* Distant, 1905 (Hemiptera: Cicadidae) with the description of a new species. Journal of Natural History 46: 923-941.
- Sanborn, A. F., and P. K. Phillips. 2011. Elevation of a subspecies of *Tibicen* (Hemiptera: Cicadoidea: Cicadoidea) to a full species. Southwestern Naturalist 56:363-368.
- Sanborn, A. F., and P. K. Phillips. 2013. Biogeography of the Cicadas (Hemiptera: Cicadidae) of North America, North of Mexico. Diversity 5:166-239.
- Sánchez, O., et al. 2014. Mamíferos no voladores de Guanajuato, México: revisión histórica y lista taxonómica actualizada. Acta Universitaria 24:3-37.
- Sanchez-Pacheco, S. J. 2010. A New Microteiid Lizard (Squamata: Gymnophthalmidae: Riama) From Southwestern Colombia. Herpetologica 66:349-356.
- Santos-Barrera, G. 2014a. Geographic variation in Incilius occidentalis (Anura: Bufonidae), an endemic toad from Mexico, with a redescription of the species and delimitation of the type locality. Revista Mexicana de Biodiversidad 85:414-428.
- Santos-Barrera, G. 2014b. Variación geográfica en Incilius occidentalis (Anura: Bufonidae), un sapo endémico de México, con una redescripción de la especie y delimitación de la localidad tipo. Revista mexicana de biodiversidad 85:414-428.
- Santos-Barrera, G., and O. F. Villela. 2011. A New Species of Toad of the Genus *Incilius* from the Sierra Madre Occidental of Chihuahua, Mexico (Anura: Bufonidae). Journal of Herpetology 45:211-215.
- Sarnat, E. M., and E. P. Economo. 2012. The Ants of Fiji. Univ. of California Publications. Entomology. Vol. 132. 384 pp.

- Savage, J. M., C. A. Ugarte, and M. A. Donnelly. 2013. A New Species of Earless Toad (Bufonidae: *Incilius*) from Western Panama. Copeia 2013:8-12.
- Schulenberg, T. S., et al. 2010. Birds of Peru, rev. ed. Princeton Univ. Press
- Schultz, A. J., and K. J. Burns. 2013. Plumage evolution in relation to light environment in a novel clade of Neotropical tanagers. Mol. Phylogen. Evol. 66:112-125.
- Schultze, H.-P., and R. Pellegrini. 2012. Herpetological osteopathology: Annotated bibliography of amphibians and reptiles: Springer.
- Schwartz, M. D. 2011. Revision and phylogenetic analysis of the North American genus *Slaterocoris* Wagner with new synonomy, the description of five new species and a new genus from Mexico, and a review of the genus *Scalponotatus* Kelton (Heteroptera: Miridae: Orthotylinae). Bulletin of the American Museum of Natural History, No. 354. 290 pp.
- Scott, P. V., D. O'Foighil, and J. Li. 2013. Where's Waldo? A new commensal species, *Waldo arthuri* (Mollusca: Bivalvia: Galeommatidae), from the Northeastern Pacific Ocean. Zookeys, In Press.
- Sealy, S. G. 2015. Breeding Status of Ancient Murrelets Attending Gathering Grounds Near Langara Island, British Columbia, 1970-1971. Northwestern Nat. 96:87-92.
- Segura-Trujillo, C. A., and S. Navarro-Perez. 2010. Escenario y problematica de conservacion de los Murcielagos (Chiroptera) cavernicolas del Complejo Volcanico de Colima, Jalisco-Colima, Mexico. Therya 1:189-206.
- Shelley, R. M., et al. 2011. Distribution of the American milliped genus *Boraria* Chamberlin, 1943: Introductions of *B. stricta* (Brölemann, 1896) in New York and *B. infesta* (Chamberlin, 1918) in Connecticut; indigenous occurrence of *B. profuga* (Causey, 1955) in Louisiana (Diplopoda: Polydesmida: Xystodesmidae).
- Shelley, R. M., and S. D. Floyd. 2014. Expanded concept of the milliped family Spirobolidae (Diplopoda: Spirobolida: Spirobolidae): Proposals of Aztecolini n. tribe and Floridobolinae/ini and Tylobolini n. stats.; (re)descriptions of Floridobolus and F. penneri, both Causey, 1957, and F. orini n. sp.; hypotheses on origins and affinities. Insecta Mundi 0357:1-50.
- Shubin, E. 2013. Discrimination Between *Microtus Longicaudus* and *Microtus Montanus* Using Cranial Morphology, External Measurements, DNA Sequencing, and Discriminate Function Analysis.
- Sikora, B., and A. V. Bochkov. 2012. Fur mites of the family Listrophoridae (Acariformes: Sarcoptoidea) associated with South American sigmodontine rodents (Cricetidae: Sigmodontinae). Acta Parasitologica 57:388-396.
- Skoracki, M. 2011. Quill mites (Acari: Syringophilidae) of the Palaearctic region. Zootaxa 2840:1-414.
- Skoracki, M., A. V. Bochkov, and B. M. O'Connor. 2011. Notes on quill mites (Acariformes, Syringophilidae) from aquatic birds in North America. Acta Parasitologica 56:325-330.
- Skoracki, M., E. Glowska, and A. V. Bochkov. 2013. Phylogeny of quill mites of the family Syringophilidae (Acari: Prostigmata) based on their external morphology. Eur. J. Entomol. 110:663-675.
- Smith, G.R. 2010. Guide to Great Lakes Fishes. Michigan Sea Grant and University of Michigan Press, 124 pp.
- Smith, G. R., C. E. Badgley, T. P. Eiting, and P. Larson. 2010. Species diversity gradients in relation to geological history in North American freshwater fishes. Evolutionary Ecology Research 12:693-726.

- Smith, G.R., R. Reynolds, and J. D. Stewart. 2013. Hydrographic significance of fishes of the Early Pliocene White Narrows beds, Clark County, Nevada. Desert Symposium 2013:171-180. Redlands, CA.
- Smith, G. R., J. D. Stewart, N. E. Carpenter. 2013. Fossil and recent mountain suckers and significance of introgression in catostomin fishes of western United States. University of Michigan Museum of Zoology Occasional Publications 743:1-59.
- Smith, N. A. 2014. The fossil record and phylogeny of the auklets (Pan-Alcidae, Aethiini). J. Syst. Paleontol. 12:217-236.
- Smith, P., and R. Deerna. 2015. On the status of Dusky-legged Guan *Penelope obscura* Temminck, 1815 (Aves: Cracidae) in Paraguay. Papeis Avulsos Zool. (Sao Paulo) 55.
- Smith, S. A. 2012. Invertebrate Resources on the Internet. ILAR Journal 52:165-174.
- Soarimalala, V., et al. 2010. New distributional records from central-eastern Madagascar and patterns of morphological variation in the endangered shrew tenrec *Microgale jobihely* (Afrosoricida: Tenrecidae). Mammalia 74:187-188.
- Sorenson, M. D., and J. M. DaCosta. 2011. Genotyping HapSTR loci: phase determination from direct sequencing of PCR products. Mol. Ecol. Res. 11:2068-1075.
- Sparks, J. S. and Z. H. Baldwin. 2012. A new species of *Parapercis* (Teleostei: Pinguipedidae) from Madagascar. Zootaxa 3204:31-39.
- Sparks, J. S., P. V. Loiselle, and Z. H. Baldwin. 2012. Rediscovery and phylogenetic placement of the endemic Malagasy cichlid *Ptychochromoides itasy* (Teleostei: Cichlidae: Ptychochrominae). Zootaxa 3352:17-24.
- Sparks, J. S., and M. L. J. Stiassny. 2010. A new species of *Ptychochromis* from northeastern Madagascar (Teleostei: Cichlidae), with an updated phylogeny and revised diagnosis for the genus. Zootaxa 2341:33-51.
- Sparks, J. S., and R. C. Schelly. 2011. A new species of *Paretroplus* (Teleostei: Cichlidae: Etroplinae) from northeastern Madagascar, with a phylogeny and revised diagnosis for the *P. damii* clade. Zootaxa 2768:55-68.
- Steadman, D. W. et al. 2011. NEW SPECIES AND RECORDS OF BIRDS FROM PREHISTORIC SITES ON NIUE, SOUTHWEST PACIFIC. Wilson Bulletin 112:165-186.
- Stekolnikov, A. A., and P. B. Klimov. 2010. A revision of chiggers of the minuta species-group (Acari: Trombiculidae: *Neotrombicula* Hirst, 1925) using multivariate morphometrics. Systematic Parasitology 77:55-69.
- Steury, B. W., and T. A. Pearce. 2014. Land Snails and Slugs (Gastropoda: Caenogastropoda and Pulmonata) of Two National Parks along the Potomac River near Washington, District of Columbia.
- Sunderland, M. E. 2013. Computerizing natural history collections. Endeavour In Press.
- Sunyer, J., et al. 2011. A New Cryptic Species of Salamander, Genus *Oedipina* (Caudata: Plethodontidae), from Premontane Elevations in Northern Nicaragua, with Comments on the Systematic Status of the Nicaraguan Paratypes of *O. pseudouniformis* Brame, 1968. Breviora, 1-16.
- Swanson, D. R. 2011. New state records and distributional notes for some assassin bugs of the continental United States (Heteroptera: Reduviidae). Great Lakes Entomologist 44:117-138.
- Swanson, D. R. 2011. A synopsis of the Coreoidea (Heteroptera) of Michigan. Great Lakes Entomologist 44:139-162.
- Swanson, D. R. 2012. A Synopsis of the Damsel Bugs (Heteroptera: Nabidae) of Michigan. Great Lakes Entomologist 45:40-55.

- Swanson, D. R. 2012. An updated synopsis of the Pentatomoidea (Heteroptera) of Michigan. Great Lakes Entomologist 45:263-311.
- Swanson, D. R. 2012. A New Synonymy in the Harpactorinae of the New World (Heteroptera: Reduviidae). Proceedings of the Entomological Society of Washington 114:250-254.
- Swanson, D. R. 2013. A Review of the Ambush Bugs (Heteroptera: Reduviidae: Phymatinae) of Michigan: Identification and Additional Considerations for Two Common Eastern Species. Great Lakes Entomologist 46:154-163.
- Swanson, D. R. 2015. First record of the Enicocephalidae (Heteroptera) in Michigan and Ohio. Great lakes Entomologist 48:1-8.
- Swanson, D. R., O. Keller, and J.D. Rowley. 2013. First Record of the Palearctic Predatory Stink Bug, *Picromerus bidens* (Heteroptera: Pentatomidae: Asopinae), in Michigan. Great Lakes Entomologist 46:231-234.
- Swanson, E. M., et al. 2012. Multiple determinants of whole and regional brain volume among terrestrial carnivorans. PLoS ONE 7:e38447.
- Swiderski, D. L., and M. L. Zelditch. 2010. Morphological diversity despite isometric scaling of lever arms. Evolutionary Biology 37:1-18.
- Swiderski, D. L., and M. L. Zelditch. 2013. The complex ontogenetic trajectory of mandibular shape in a laboratory mouse. Journal of Anatomy 223:568-580.
- Swift, C. C., et al. 2011. The Delta Mudsucker, *Gillichthys detrusus*, a Valid Species (Teleostei: Gobiidae) Endemic to the Colorado River Delta, Northernmost Gulf of California, Mexico. Copeia 2011:93-102.
- Szabó, K., C. Dupont, V. Dimitrijević, L. G. Gastélum, and N. Serrand. 2014. Archaeomalacology: Shells in the Archaeological Record. Archaeopress.
- Tan, S. K., and E. Y. Martyn. 2013. FIRST RECORD OF *BABYLONIA SPIRATA* (LINNAEUS) IN SINGAPORE, WITH NOTES ON CONGENERS IN THE LOCAL SEAFOOD TRADE (MOLLUSCA: GASTROPODA: BABYLONIIDAE).
- Taylor, H. L., C. J. Cole, and C. R. Cooley. 2014. Origins and Evolution in the *Aspidoscelis cozumela* Complex of Parthenogenetic Teiid Lizards: Morphological and Karyotypic Evidence and Paradoxes. Journal of Herpetology 48:343-354.
- Taylor, P. J., et al. 2011. Specific limits and emerging diversity patterns in east African populations of laminate-toothed rats, genus *Otomys* (Muridae: Murinae: Otomyini): revision of the *Otomys typus* complex. Zootaxa 3024:1-66.
- Taylor, Z. S., and S. M. G. Hoffman. 2010. Mitochondrial DNA genetic structure transcends natural boundaries in Great Lakes populations of woodland deer mice (*Peromyscus maniculatus gracilis*). Canadian Journal of Zoology 88:404-415.
- Taylor, Z. S., and S. M. G. Hoffman. 2012. Microsatellite Genetic Structure and Cytonuclear Discordance in Naturally Fragmented Populations of Deer Mice (*Peromyscus maniculatus*). Journal of Heredity 103:71-79.
- Taylor, Z. S., P. Myers, and S. M. Hoffman. 2015. Colonization of the Beaver Island Archipelago by deer mice (*Peromyscus maniculatus gracilis*): mtDNA evidence for multiple origins. Canadian Journal of Zoology 93:239-244.
- Teeter, K. C., et al. 2010. The variable genomic architecture of isolation between hybridizing species of house mice. Evolution 64:472-485.
- Thacker, C.E. 2013. Phylogenetic placement of the European sand gobies in Gobionellidae and characterization of gobionellid lineages (Gobiiformes: Gobioidei). Zootaxa 3619:369-382.

- Thacker, C. E. 2014. Species and shape diversification are inversely correlated among gobies and cardinalfishes (Teleostei: Gobiiformes). Organisms Diversity and Evolution 14:419-436.
- Theischinger, G., and S. J. Richards. 2014. The species of Microtrigonia Förster (Anisoptera, Libellulidae). International Dragonfly Fund Report 76:1-12.
- Theischinger, G., and S. J. Richards. 2015. A new species of Microtrigonia Förster (Anisoptera, Libellulidae) from Papua New Guinea. International Dragonfly Fund Report 76:1-6.
- Thomas, M. R., et al. 2013. *Loricaria luciae*, a new species of whiptail catfish (Siluriformes: Loricariidae) from the Paraguay and lower Paraná River basins of southeastern South America. Zootaxa 3745:365-378.
- Thomas, M. R., and M. H. Sabaj Pérez. 2010. A new species of whiptail catfish, genus *Loricaria* (Siluriformes: Loricariidae), from the rio Curuá (Xingu Basin), Brazil. Copeia 2010:274-283.
- Thompson, F. G. 2014. A review of the Mexican and Central American land snails of the genus *Eucalodium* Crosse & Fischer (Pulmonata: Urocoptoidea: Eucalodiidae). Archiv für Molluskenkunde: International Journal of Malacology 143:69-105.
- Thompson, F. G. and D. C. Dourson. 2013. A new land snail of the genus *Eucalodium* from Belize (Gastropoda: Pulmonata: Urocoptoidea: Eucalodiidae). Nautilus 1274:153-155.
- Thompson, F. G., and R. C. Hulbert. 2011. An annotated checklist and bibliography of the land and freshwater snails of Mexico and Central America.
- Thompson, F. G., and E. Naranjo-García. 2012. Echinichidae, a new family of dart-bearing helicoid slugs from Mexico, with the description of a new genus and three new species (Gastropoda: Pulmonata: Xanthonychoidea). Archiv für Molluskenkunde: International Journal of Malacology 141:197-208.
- Thwin, H. K. M. M. et al. 2011. Ornithology of northern Myanmar. Chapter 6 In: Avifauna of the Eastern Himalayas and southeastern sub-Himalayan Mountains: Center of endemism or many species in marginal habitats? Ed. S. C. Renner and J. H. Rappole. Ornithological Monographs 70:95-108.
- Tiemann, J. S. 2014. Freshwater snail surveys of wetlands in northern Illinois.
- Tiemann, J. S., and K. S. Cummings. 2010. New Record for the Freshwater Snail *Lithasia geniculata* (Gastropoda: Pleuroceridae) in the Ohio River, IL, with Comments on Potential Threats to the Population. Southeastern Naturalist 9:1171-1176.
- Tiemann, J. S., K. S. Cummings, C. A. Mayer, and Wildlife Preservation Fund. 2011. Distribution of pleurocerids (Gastropoda) of Illinois.
- Tiemann, J. S. et al. 2013. First occurrences of *Lithasia armigera* and *Lithasia verrucosa* (Gastropoda: Pleuroceridae) in the Mississippi River. Southeastern Naturalist 124:N35-N39.
- Tin, M.M.-Y., E. P. Economo, and A. S. Mikheyev. 2014. Sequencing Degraded DNA from Non-Destructively Sampled Museum Specimens for RAD-Tagging and Low-Coverage Shotgun Phylogenetics. PLoS ONE 9:e96793.
- Tobler, M., and N. Bertrand. 2014. Morphological variation in vanishing Mexican desert fishes of the genus *Characodon* (Goodeidae). Journal of Fish Biology 84:283-296.
- Tolley-Jordan, L., A. D. Huryn, and A. E. Bogan. 2015. Effects of land-use change on a diverse pleurocerid snail assemblage. Aquatic Conservation: Marine and Freshwater Ecosystems 25:235-249.
- Tracy, B. H., and W. C. Starnes. 2013. North Carolina's Imperiled Fish Fauna, Part XI. Am Soc. Fish. Newsletter June:7-12.

- Trovant, B., D. E. Ruzzante, N. G. Basso, and J. M. Orensanz. 2013. Distinctness, phylogenetic relations and biogeography of intertidal mussels (Brachidontes, Mytilidae) from the southwestern Atlantic. Journal of the Marine Biological Association of the United Kingdom 937:1843-1855.
- Tsangaras, K., et al. 2012. Historically low mitochondrial DNA diversity in koalas (*Phascolarctos cinereus*). BMC Genetics 13:92.
- Tucker, P. 2011. Genotype data matrix.
- Tweddale, T., G. Krumins, and K. Cummings. 2012. Multi-state Spatial Database to Assess Threats to Mussels.
- Ugueto, G. N., and M. B. Harvey. 2011. Revision Of *Ameiva Ameiva* Linnaeus (Squamata: Teiidae) In Venezuela: Recognition of Four Species And Status of Introduced Populations in Southern Florida, USA. Herpetological Monographs 25:113-170.
- Valentich-Scott, P., D. Ó Foighil, and J. Li. 2013. Where's Waldo? A new commensal species, *Waldo arthuri* (Mollusca, Bivalvia, Galeommatidae), from the Northeastern Pacific Ocean. *ZooKeys* 316:67.
- van der Poorten, N. 2012. *Macromidia donaldi pethiyagodai* subsp. nov. from Sri Lanka (Odonata: Corduliidae). International Journal of Odonatology 15:99-106.
- Velandia-Perilla, J. H., and C. A. Saavedra-Rodriguez. 2013. Mammalia, Rodentia, Cricetidae, *Neusticomys monticolus* (Anthony, 1921): Noteworthy records of the Montane Fish-Eating Rat in Colombia. Check List 9:686-688.
- Velazco, P. M., et al. 2010. Systematics of the *Platyrrhinus helleri* species complex (Chiroptera: Phyllostomidae), with descriptions of two new species. Zoological Journal of the Linnean Society 159:785-812.
- Von Ellenreider, N. 2012. The *levis* group of *Orthemis* revisited: a synopsis including a synonymy and description of six new species of Orthemis from South America (Odonata: Libellulidae). International Journal of Odonatology 15:115-200.
- von Ellenreider, N. 2013. A revision of Metaleptobasis Calvert (Odonata: Coenagrionidae) with seven synonymies and the description of eighteen new species from South America. Zootaxa 3738:1-155.
- von Ellenreider, N. 2014. A synopsis of the Neotropical genus *Nephepeltia* (Odonata: Libellulidae), including description of a new species, synonymies, and a key to males. Zootaxa 3796:121-146.
- Voss, R. S. 2011. Revisionary notes on Neotropical porcupines (Rodentia: Erethizontidae) 3. An annotated checklist of the species of *Coendou* Lacépède, 1799. American Museum Novitates 3720:1-36.
- Voss, R. S., and D. W. Fleck. 2011. Mammalian diversity and Matses ethnomammalogy in Amazonian Peru part 1: primates. Bulletin of the American Museum of Natural History 1-81.
- Voss, R. S., R. H. Pine, and S. Solari. 2012. A new species of the didelphid marsupial genus *Monodelphis* from eastern Bolivia. American Museum Novitates 3740:1-14.
- Voss, R. S., et al. 2012. A new species of the didelphid marsupial genus *Monodelphis* from eastern Bolivia. American Museum Novitates 3740:1-14.
- Voss, R. S., et al. 2013. Phylogenetic Relationships of New World Porcupines (Rodentia, Erethizontidae): Implications for Taxonomy, Morphological Evolution, and Biogeography. American Museum Novitates 3769:1-36

- Voss, R. S., et al. 2014. Phylogenetic Relationships of Mouse Opossums (Didelphidae, *Marmosa*) with a Revised Subgeneric Classification and Notes on Sympatric Diversity. American Museum Novitates 3817:1-27.
- Walker, T. J., and N. Collins. 2010. New world thermometer crickets: the *Oecanthus rileyi* species group and a new species from North America. Journal of Orthoptera Research 19:371-376.
- Walstrom, V. W., J. Klicka, and G. M. Spellman. 2012. Speciation in the White-breasted Nuthatch (*Sitta carolinensis*): a multilocus perspective. Mol. Ecol. 21:907-920.
- Walther, A. C., J. B. Burch, and D. O'Foighil. 2010. Molecular phylogenetic revision of the freshwater limpet genus *Ferrissia* (Planorbidae: Ancylinae) in North America yields two species: *Ferrissia* (*Ferrissia*) rivularis and *Ferrissia* (*Kincaidilla*) fragilis. Malacologia 53:25-45.
- Wang, G., Z. Zhu, P. Shi, and Y. Zhang. 2010. Comparative genomic analysis reveals more functional nasal chemoreceptors in nocturnal mammals than in diurnal mammals. Chinese Science Bulletin 55:3901-3910.
- Wang, L. et al. 2011. Measures of linkage disequilibrium among neighbouring SNPs indicate asymmetries across the house mouse hybrid zone. Molecular Ecology 20:2985-3000.
- Wang, L. J., J. J. Cherng, Y. J. Chang, and J. L. Jiang. 2013. Description of *Rhinocypha taiwana* sp. nov. from Taiwan, with a preliminary molecular phylogenetic analysis of the *Rhinocypha drusilla*-group (Odonata: Chlorocyphidae). International Journal of Odonatology 16:93-107.
- Wansheng, J. et al. 2011. Monophyly and phylogenetic relationships of the catfish genus *Glyptothorax* (Teleostei: Sisoridae) inferred from nuclear and mitochondrial gene sequences. Molecular Phylogenetics and Evolution 61:278-289.
- Watters, G. T. 2014. A revision of the Annulariidae of Central America (Gastropoda: Littorinoidea). Zootaxa 3878:1-350.
- Welton, L. J., S. L. Travers, C. D. Siler, and R. M. Brown. 2014. Integrative taxonomy and phylogeny-based species delimitation of Philippine water monitor lizards (*Varanus salvator* Complex) with descriptions of two new cryptic species. Zootaxa 3881:201-227.
- Wetterer, J. K. 2010. Worldwide spread of the pharaon ant, *Monomorium pharaonis* (Hymenoptera: Formicidae). Myrmecolgical News 13:115-129.
- Whelan, N. V. 2013. Conservation, life history and systematics of *Leptoxis* Rafinesque 1819 (Gastropoda: Cerithioidea: Pleuroceridae). Ph.D. dissertation, University of Alabama, Tuscaloosa.
- Whelan, N. V., P. D. Johnson, and P. M. Harris. 2012. Rediscovery of *Leptoxis compacta* (Anthony, 1854)(Gastropoda: Cerithioidea: Pleuroceridae). Plos e42499.
- Wiley, J. W. 2014. Juan Cristo Gundlach's contributions to the knowledge of Puerto Rican birds and his influence on the development of natural history in Puerto Rico. Arch. Nat. Hist. 41:251-269.
- WILLIAMS, J. 2015. NATURAL HISTORY NOTES. Herpetological Review 46:2.
- Williams, J. D., R. S. Butler, G. L. Warren, and N. A. Johnson. 2014. Freshwater mussels of Florida. University of Alabama Press.
- Williams, J. D., R. S. Butler, and J. M. Wisniewski. 2011. Annotated synonymy of the recent freshwater mussel taxa of the families Margaritiferidae and Unionidae described from Florida and drainages contiguous with Alabama and Georgia. Florida Museum of Natural History, University of Florida

- Wilson, J. A., D. M. Mohabey, S. E. Peters, and J. J. Head. 2010. Predation upon hatchling dinosaurs by a new snake from the Late Cretaceous of India. PLoS biology 8:e1000322.
- Wilson, L. D., and V. Mata-Silva. 2014. Snakes of the genus *Tantilla* (Squamata: Colubridae) in Mexico: taxonomy, distribution, and conservation. Mesoamerican Herpetology 1:1-95.
- Winemiller, K., et al. 2010. Status of freshwater mussels in Texas. Texas A&M Department of Wildlife and Fisheries Sciences and Texas AandM Institute of Renewable Natural Resources.
- Wittenberg, R. D., R. C. Jadin, A. M. Fenwick, and R. L. Gutberlet, Jr. 2015. Recovering the evolutionary history of Africa's most diverse viper genus: morphological and molecular phylogeny of *Bitis* (Reptilia: Squamata: Viperidae). Organisms, Diversity, and Evolution 15:115-125.
- Wolsan, M., and M. Sotnikova. 2013. Systematics, evolution, and biogeography of the Pliocene stem meline badger *Ferinestrix* (Carnivora: Mustelidae). Zoological Journal of the Linnean Society 167:208-226
- Woodman, N. 2010. Two new species of shrews (Soricidae) from the western highlands of Guatemala. Journal of Mammalogy 91:566-579.
- Woodman, N. 2011. Nomenclatural notes and identification of small-eared shrews (Mammalia: genus *Cryptotis*) from Cobán, Guatemala, in The Natural History Museum, London. Proceedings of the Biological Society of Washington 124:249-258.
- Woodman, N., and R. B. Stephens. 2010. At the foot of the shrew: manus morphology distinguishes closely-related *Cryptotis goodwini* and *Cryptotis griseoventris* (Mammalia: Soricidae) in Central America. Biological Journal of the Linnean Society 99:118-134.
- Woodman, N., et al. 2012. Distributional records of shrews (Mammalia, Soricomorpha, Soricidae) from northern Central America with the first record of *Sorex* from Hondura. Annals of Carnegie Museum 80:207-237.
- Wright, J. J. 2010. Fish Defenses, Volume 2: Pathogens, Parasites and Predators. Copeia 2010:525-529.
- Yahnke, C. J., T. Dewey, and P. Myers. 2013. Animal Diversity Web as a Teaching and Learning Tool to Improve Research and Writing Skills in College Biology Courses. American Biology Teacher 75:494-498.
- Yamashita, M., D. Golani, and H. Motomura. 2011. A new species of *Upeneus* (Perciformes: Mullidae) from southern Japan. Zootaxa 3107:47-58.
- Yang, H. et al. 2011. Subspecific origin and haplotype diversity in the laboratory mouse. Nature Genetics 43:648-655.
- Yu, H.-T. et al. 2011. Molecular delineation of the Y-borne Sry gene in the Formosan pangolin (*Manis pentadactyla pentadactyla*) and its phylogenetic implications for Pholidota in extant mammals. Theriogenology 75:55-64.
- Yu, X., and W. Bu. 2011. Chinese damselflies of the genus *Coenagrion* (Zygoptera: Coenagrionidae). Zootaxa 2808:31-40.
- Zaher, H., et al. 2012. Phylogenetic relationships of the genus *Sibynophis* (Serpentes: Colubroidea). Papéis Avulsos de Zoologia (São Paulo) 52:141-149.
- Zanatta, D.T., and D. A. Woolnough. 2011. Confirmation of *Obovaria olivaria*, hickorynut mussel (Bivalvia), in the Mississagi River, Ontario, Canada. Northeastern Naturalist 18:1-6.
- Zedar, M. A., and H. A. Lapham. 2010. Assessing the reliability of criteria used to identify postcranial bones in sheep, *Ovis*, and goats, *Capra*. Journal of Archaeological Science 37:2887-2905.

- Zelditch, M. L., and D. L. Swiderski. 2011. Epigenetic interactions: the developmental route to functional integration. Pp. 290-316, in Epigenetics: linking genotype and phenotype in development and evolution.
- Zelditch, M. L., D. L. Swiderski, and H. D. Sheets. 2012. Geometric Morphometrics for Biologists: A Primer (Second edition).
- Zhang, B., et al. 2015. Systematics and Species Validity of the Dabieshan Pit Viper *Protobothrops dabieshanensis* Huang et al. 2012: Evidence from a Mitochondrial Gene Sequence Analysis. Asian Herpetological Research 4.
- Zug, G. R., and R. N. Fisher. 2012. A preliminary assessment of the *Nactus pelagicus* species group (Squamata: Gekkonidae) in New Guinea and a new species from the Admiralty Islands. Zootaxa 3257:22-37.