Performance report

choreography-mqueue | test_single_core_1

Generated	2026-10-12 12:13:47
Schedule	Configurable CPU/IO Benchmark
Iterations in logs	100 (#0 - #99), manifest declares 100
Tasks	1=stress_task_1, 2=stress_task_2, 3=stress_task_3, 4=stress_task_4, 5=stress_task_5, 6=stress_task_6
Cores used	4
PERF records	600
Log sources	stress_task_1.log, stress_task_2.log, stress_task_3.log, stress_task_4.log, stress_task_5.log, stress_task_6.log
Manifest	tests/test_0_code/manifest.yaml


Statistics summary

All values in milliseconds | samples per task: 100 iteration(s)

Task ID	Image name	Metric	Mean	Std Dev	Min	Max	Median	p99
1	stress_task_1	q_em_tw_ms	0.089	0.014	0.080	0.208	0.087	0.107
		t_in_tw_ms	86.428	0.253	86.161	87.390	86.326	87.009
		q_tw_em_ms	0.007	0.003	0.005	0.019	0.006	0.019
		total_ms	86.524	0.259	86.250	87.616	86.421	87.122
2	stress_task_2	q_em_tw_ms	0.086	0.016	0.074	0.221	0.083	0.121
		t_in_tw_ms	259.658	0.400	258.988	261.194	259.554	260.529
		q_tw_em_ms	0.009	0.005	0.005	0.020	0.006	0.019
		total_ms	259.753	0.408	259.073	261.421	259.645	260.628
3	stress_task_3	q_em_tw_ms	0.067	0.016	0.060	0.223	0.064	0.093
		t_in_tw_ms	86.566	0.207	86.293	87.215	86.484	87.078
		q_tw_em_ms	0.010	0.005	0.006	0.021	0.007	0.020
		total_ms	86.644	0.211	86.361	87.307	86.560	87.294
4	stress_task_4	q_em_tw_ms	66.660	0.451	65.687	67.757	66.679	67.573
		t_in_tw_ms	86.449	0.204	86.277	87.047	86.386	86.995
		q_tw_em_ms	0.005	0.001	0.004	0.013	0.005	0.012
		total_ms	153.114	0.494	152.010	154.288	153.133	154.198
5	stress_task_5	q_em_tw_ms	0.084	0.016	0.074	0.225	0.082	0.112
		t_in_tw_ms	86.822	0.345	86.609	89.861	86.745	87.382
		q_tw_em_ms	0.009	0.006	0.005	0.036	0.006	0.020
		total_ms	86.916	0.350	86.693	89.956	86.836	87.613
6	stress_task_6	q_em_tw_ms	36.909	0.423	35.779	37.566	36.963	37.549
		t_in_tw_ms	86.976	0.130	86.763	87.537	86.966	87.445
		q_tw_em_ms	0.006	0.002	0.004	0.021	0.005	0.014
		total_ms	123.890	0.465	122.655	125.109	123.897	124.980

Execution plan - iteration 0


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 1


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 2


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 3


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 4


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 8


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 9


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 10


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 11


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 12


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 13


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 14


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 15


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 16


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 17


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 18


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 19


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 20


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 21


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 22


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 23


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 24


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 25


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 26


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 27


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 28


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 29


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 30


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 31


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 32


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 33


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 34


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 35


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 36


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 37


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 38


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 39


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 40


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 41


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 42


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 43


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 44


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 45


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 46


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 47


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 48


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 49


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 50


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 51


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 52


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 53


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 54


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 55


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 56


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 57


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 58


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 59


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 60


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 61


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 62


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 63


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 64


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 65


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 66


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 67


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 68


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 69


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 70


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 71


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 72


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 73


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 74


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 75


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 76


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 77


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 78


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 79


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 80


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 81


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 82


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 83


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 84


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 85


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 86


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 87


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 88


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 89


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 90


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 91


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 92


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 93


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 94


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 95


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 96


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 97


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 98


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 99

One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.