Performance report

choreography-mqueue | test_quad_core_sep_it301_1

Generated	2026-10-19 14:27:31
Schedule	Configurable CPU/IO Benchmark
Iterations in logs	301 (#0 - #300), manifest declares 301
Statistics on	iterations #1 - #300 (first 1 warm-up iteration(s) excluded)
Tasks	1=stress_task_1, 2=stress_task_2, 3=stress_task_3, 4=stress_task_4, 5=stress_task_5, 6=stress_task_6, 7=stress_task_1, 8=stress_task_2, 9=stress_task_3, 10=stress_task_4, 11=stress_task_5, 12=stress_task_6, 13=stress_task_1, 14=stress_task_2, 15=stress_task_3, 16=stress_task_4, 17=stress_task_5, 18=stress_task_6
Cores used	5, 6, 7
PERF records	5418
Log sources	stress_task_1.log, stress_task_2.log, stress_task_3.log, stress_task_4.log, stress_task_5.log, stress_task_6.log
Manifest	tests/test_0_code/manifest.yaml

Statistics summary

All values in milliseconds | samples per task: 300 iteration(s) | iterations #1 - #300 (first 1 warm-up iteration(s) excluded) | tasks 1-6

Task ID	Image name	Metric	Mean	Std Dev	Min	Max	Median	p95	p99
1	stress_task_1	q_em_tw_ms	0.070	0.011	0.048	0.107	0.072	0.084	0.097
		t_in_tw_ms	86.782	0.067	86.570	86.946	86.782	86.882	86.908
		q_tw_em_ms	0.017	0.003	0.011	0.034	0.016	0.023	0.031
		total_ms	86.868	0.069	86.655	87.061	86.867	86.979	87.020
2	stress_task_2	q_em_tw_ms	0.070	0.009	0.046	0.101	0.070	0.082	0.098
		t_in_tw_ms	260.578	0.173	260.120	260.947	260.596	260.847	260.928
		q_tw_em_ms	0.020	0.005	0.013	0.037	0.018	0.032	0.035
		total_ms	260.668	0.174	260.203	261.038	260.686	260.936	261.023
3	stress_task_3	q_em_tw_ms	0.060	0.008	0.047	0.101	0.059	0.075	0.087
		t_in_tw_ms	86.825	0.063	86.646	86.980	86.828	86.917	86.955
		q_tw_em_ms	0.018	0.004	0.012	0.037	0.018	0.025	0.032
		total_ms	86.904	0.065	86.738	87.073	86.909	86.997	87.054
4	stress_task_4	q_em_tw_ms	66.954	0.281	65.910	67.188	67.029	67.121	67.160
		t_in_tw_ms	86.862	0.061	86.695	87.033	86.859	86.959	87.004
		q_tw_em_ms	0.016	0.003	0.012	0.032	0.015	0.023	0.031
		total_ms	153.833	0.296	152.643	154.126	153.910	154.044	154.088
5	stress_task_5	q_em_tw_ms	0.072	0.007	0.051	0.103	0.072	0.082	0.090
		t_in_tw_ms	104.588	0.988	103.244	106.099	104.148	105.962	106.001
		q_tw_em_ms	0.023	0.007	0.011	0.043	0.021	0.038	0.042
		total_ms	104.684	0.985	103.340	106.195	104.237	106.049	106.099
6	stress_task_6	q_em_tw_ms	54.661	1.053	52.531	56.433	54.333	56.235	56.298
		t_in_tw_ms	86.886	0.067	86.693	87.081	86.888	86.991	87.034
		q_tw_em_ms	0.022	0.006	0.012	0.040	0.021	0.032	0.034
		total_ms	141.569	1.058	139.410	143.321	141.258	143.161	143.261

Statistics summary

All values in milliseconds | samples per task: 300 iteration(s) | iterations #1 - #300 (first 1 warm-up iteration(s) excluded) | tasks 7-12

Task ID	Image name	Metric	Mean	Std Dev	Min	Max	Median	p95	p99
7	stress_task_1	q_em_tw_ms	0.034	0.006	0.024	0.059	0.031	0.044	0.050
		t_in_tw_ms	86.541	0.132	85.107	86.689	86.553	86.645	86.671
		q_tw_em_ms	0.028	0.007	0.009	0.051	0.027	0.040	0.048
		total_ms	86.603	0.132	85.183	86.777	86.618	86.711	86.751
8	stress_task_2	q_em_tw_ms	0.032	0.004	0.021	0.061	0.030	0.040	0.043
		t_in_tw_ms	259.996	0.296	255.844	260.380	260.025	260.279	260.346
		q_tw_em_ms	0.028	0.009	0.010	0.048	0.028	0.042	0.044
		total_ms	260.056	0.296	255.914	260.451	260.079	260.333	260.404
9	stress_task_3	q_em_tw_ms	0.033	0.003	0.029	0.045	0.032	0.038	0.041
		t_in_tw_ms	86.622	0.103	85.239	86.807	86.633	86.724	86.759
		q_tw_em_ms	0.029	0.007	0.010	0.048	0.029	0.041	0.045
		total_ms	86.684	0.103	85.303	86.854	86.692	86.782	86.821
10	stress_task_4	q_em_tw_ms	66.737	0.291	65.513	67.007	66.820	66.898	66.940
		t_in_tw_ms	86.687	0.101	85.298	86.842	86.692	86.785	86.823
		q_tw_em_ms	0.027	0.007	0.008	0.053	0.028	0.036	0.041
		total_ms	153.451	0.334	150.840	153.782	153.530	153.670	153.727
11	stress_task_5	q_em_tw_ms	0.032	0.004	0.022	0.048	0.031	0.039	0.043
		t_in_tw_ms	104.108	0.872	102.978	105.749	103.766	105.675	105.718
		q_tw_em_ms	0.026	0.008	0.011	0.053	0.026	0.039	0.042
		total_ms	104.166	0.869	103.037	105.807	103.824	105.729	105.768
12	stress_task_6	q_em_tw_ms	54.155	0.959	52.220	56.015	53.957	55.908	56.004
		t_in_tw_ms	86.718	0.063	86.568	86.863	86.721	86.822	86.854
		q_tw_em_ms	0.026	0.007	0.010	0.047	0.028	0.036	0.038
		total_ms	140.899	0.959	138.956	142.795	140.707	142.669	142.753


Statistics summary

All values in milliseconds | samples per task: 300 iteration(s) | iterations #1 - #300 (first 1 warm-up iteration(s) excluded) | tasks 13-18

Task ID	Image name	Metric	Mean	Std Dev	Min	Max	Median	p95	p99
13	stress_task_1	q_em_tw_ms	0.029	0.003	0.025	0.043	0.028	0.034	0.040
		t_in_tw_ms	86.547	0.105	85.119	86.698	86.556	86.658	86.687
		q_tw_em_ms	0.023	0.010	0.008	0.052	0.024	0.039	0.047
		total_ms	86.599	0.105	85.166	86.745	86.606	86.707	86.737
14	stress_task_2	q_em_tw_ms	0.028	0.002	0.024	0.041	0.027	0.033	0.036
		t_in_tw_ms	259.987	0.300	255.750	260.532	260.007	260.258	260.350
		q_tw_em_ms	0.026	0.009	0.009	0.055	0.027	0.041	0.047
		total_ms	260.041	0.300	255.806	260.573	260.059	260.316	260.405
15	stress_task_3	q_em_tw_ms	0.030	0.002	0.027	0.038	0.030	0.036	0.038
		t_in_tw_ms	86.620	0.102	85.206	86.819	86.627	86.717	86.752
		q_tw_em_ms	0.024	0.009	0.008	0.052	0.025	0.039	0.048
		total_ms	86.674	0.102	85.265	86.870	86.680	86.771	86.813
16	stress_task_4	q_em_tw_ms	66.727	0.287	65.459	67.026	66.803	66.888	66.935
		t_in_tw_ms	86.685	0.103	85.275	86.858	86.694	86.782	86.828
		q_tw_em_ms	0.025	0.008	0.009	0.050	0.026	0.036	0.040
		total_ms	153.437	0.336	150.761	153.876	153.519	153.655	153.696
17	stress_task_5	q_em_tw_ms	0.028	0.003	0.025	0.050	0.027	0.033	0.037
		t_in_tw_ms	104.297	0.900	102.991	105.748	103.893	105.670	105.730
		q_tw_em_ms	0.023	0.007	0.009	0.044	0.022	0.036	0.040
		total_ms	104.349	0.899	103.033	105.801	103.944	105.725	105.777
18	stress_task_6	q_em_tw_ms	54.340	0.978	52.299	56.077	54.065	55.927	56.015
		t_in_tw_ms	86.715	0.061	86.568	86.849	86.722	86.810	86.838
		q_tw_em_ms	0.024	0.007	0.009	0.049	0.025	0.036	0.045
		total_ms	141.079	0.976	139.017	142.841	140.831	142.671	142.761

Execution plan - iteration 0 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 0 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 0 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 1 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 1 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 1 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 2 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 2 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 2 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 3 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 3 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 3 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 4 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 4 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 4 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 5 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 5 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 5 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 6 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 6 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 6 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 7 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 7 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 7 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 8 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 8 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 8 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 9 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 9 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 9 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 10 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 10 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 10 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 11 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 11 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 11 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 12 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 12 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 12 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 13 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 13 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 13 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 14 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 14 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 14 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 15 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 15 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 15 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 16 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 16 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 16 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 17 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 17 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 17 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 18 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 18 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 18 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 19 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 19 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 19 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 20 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 20 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 20 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 21 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 21 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 21 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 22 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 22 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 22 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 23 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 23 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 23 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 24 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 24 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 24 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 25 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 25 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 25 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 26 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 26 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 26 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 27 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 27 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 27 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 28 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 28 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 28 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 29 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 29 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 29 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 30 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 30 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 30 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 31 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 31 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 31 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 32 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 32 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 32 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 33 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 33 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 33 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 34 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 34 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 34 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 35 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 35 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 35 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 36 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 36 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 36 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 37 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 37 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 37 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 38 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 38 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 38 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 39 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 39 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 39 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 40 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 40 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 40 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 41 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 41 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 41 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 42 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 42 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 42 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 43 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 43 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 43 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 44 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 44 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 44 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 45 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 45 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 45 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 46 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 46 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 46 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 47 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 47 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 47 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 48 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 48 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 48 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 49 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 49 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 49 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 50 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 50 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 50 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 51 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 51 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 51 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 52 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 52 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 52 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 53 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 53 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 53 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 54 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 54 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 54 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 55 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 55 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 55 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 56 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 56 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 56 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 57 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 57 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 57 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 58 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 58 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 58 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 59 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 59 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 59 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 60 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 60 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 60 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 61 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 61 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 61 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 62 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 62 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 62 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 63 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 63 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 63 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 64 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 64 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 64 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 65 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 65 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 65 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 66 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 66 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 66 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 67 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 67 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 67 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 68 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 68 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 68 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 69 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 69 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 69 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 70 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 70 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 70 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 71 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 71 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 71 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 72 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 72 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 72 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 73 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 73 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 73 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 74 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 74 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 74 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 75 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 75 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 75 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 76 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 76 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 76 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 77 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 77 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 77 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 78 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 78 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 78 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 79 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 79 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 79 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 80 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 80 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 80 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 81 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 81 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 81 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 82 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 82 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 82 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 83 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 83 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 83 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 84 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 84 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 84 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 85 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 85 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 85 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 86 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 86 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 86 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 87 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 87 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 87 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 88 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 88 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 88 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 89 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 89 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 89 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 90 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 90 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 90 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 91 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 91 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 91 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 92 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 92 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 92 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 93 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 93 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 93 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 94 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 94 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 94 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 95 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 95 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 95 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 96 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 96 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 96 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 97 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 97 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 97 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 98 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 98 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 98 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 99 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 99 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 99 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 100 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 100 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 100 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 101 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 101 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 101 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 102 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 102 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 102 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 103 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 103 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 103 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 104 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 104 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 104 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 105 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 105 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 105 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 106 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 106 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 106 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 107 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 107 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 107 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 108 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 108 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 108 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 109 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 109 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 109 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 110 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 110 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 110 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 111 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 111 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 111 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 112 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 112 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 112 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 113 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 113 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 113 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 114 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 114 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 114 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 115 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 115 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 115 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 116 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 116 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 116 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 117 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 117 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 117 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 118 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 118 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 118 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 119 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 119 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 119 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 120 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 120 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 120 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 121 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 121 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 121 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 122 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 122 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 122 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 123 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 123 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 123 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 124 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 124 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 124 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 125 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 125 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 125 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 126 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 126 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 126 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 127 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 127 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 127 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 128 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 128 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 128 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 129 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 129 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 129 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 130 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 130 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 130 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 131 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 131 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 131 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 132 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 132 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 132 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 133 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 133 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 133 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 134 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 134 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 134 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 135 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 135 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 135 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 136 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 136 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 136 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 137 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 137 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 137 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 138 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 138 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 138 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 139 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 139 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 139 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 140 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 140 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 140 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 141 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 141 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 141 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 142 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 142 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 142 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 143 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 143 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 143 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 144 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 144 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 144 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 145 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 145 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 145 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 146 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 146 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 146 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 147 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 147 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 147 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 148 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 148 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 148 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 149 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 149 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 149 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 150 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 150 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 150 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 151 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 151 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 151 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 152 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 152 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 152 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 153 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 153 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 153 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 154 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 154 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 154 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 155 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 155 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 155 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 156 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 156 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 156 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 157 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 157 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 157 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 158 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 158 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 158 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 159 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 159 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 159 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 160 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 160 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 160 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 161 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 161 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 161 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 162 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 162 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 162 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 163 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 163 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 163 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 164 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 164 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 164 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 165 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 165 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 165 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 166 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 166 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 166 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 167 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 167 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 167 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 168 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 168 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 168 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 169 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 169 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 169 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 170 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 170 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 170 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 171 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 171 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 171 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 172 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 172 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 172 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 173 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 173 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 173 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 174 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 174 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 174 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 175 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 175 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 175 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 176 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 176 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 176 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 177 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 177 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 177 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 178 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 178 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 178 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 179 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 179 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 179 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 180 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 180 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 180 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 181 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 181 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 181 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 182 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 182 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 182 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 183 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 183 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 183 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 184 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 184 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 184 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 185 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 185 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 185 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 186 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 186 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 186 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 187 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 187 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 187 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 188 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 188 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 188 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 189 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 189 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 189 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 190 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 190 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 190 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 191 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 191 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 191 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 192 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 192 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 192 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 193 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 193 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 193 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 194 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 194 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 194 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 195 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 195 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 195 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 196 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 196 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 196 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 197 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 197 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 197 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 198 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 198 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 198 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 199 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 199 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 199 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 200 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 200 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 200 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 201 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 201 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 201 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 202 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 202 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 202 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 203 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 203 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 203 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 204 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 204 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 204 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 205 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 205 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 205 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 206 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 206 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 206 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 207 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 207 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 207 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 208 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 208 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 208 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 209 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 209 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 209 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 210 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 210 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 210 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 211 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 211 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 211 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 212 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 212 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 212 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 213 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 213 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 213 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 214 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 214 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 214 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 215 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 215 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 215 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 216 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 216 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 216 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 217 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 217 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 217 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 218 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 218 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 218 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 219 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 219 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 219 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 220 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 220 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 220 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 221 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 221 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 221 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 222 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 222 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 222 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 223 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 223 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 223 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 224 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 224 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 224 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 225 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 225 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 225 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 226 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 226 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 226 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 227 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 227 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 227 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 228 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 228 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 228 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 229 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 229 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 229 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 230 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 230 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 230 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 231 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 231 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 231 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 232 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 232 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 232 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 233 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 233 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 233 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 234 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 234 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 234 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 235 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 235 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 235 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 236 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 236 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 236 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 237 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 237 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 237 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 238 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 238 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 238 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 239 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 239 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 239 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 240 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 240 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 240 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 241 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 241 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 241 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 242 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 242 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 242 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 243 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 243 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 243 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 244 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 244 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 244 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 245 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 245 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 245 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 246 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 246 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 246 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 247 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 247 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 247 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 248 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 248 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 248 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 249 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 249 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 249 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 250 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 250 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 250 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 251 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 251 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 251 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 252 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 252 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 252 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 253 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 253 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 253 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 254 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 254 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 254 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 255 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 255 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 255 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 256 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 256 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 256 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 257 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 257 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 257 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 258 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 258 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 258 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 259 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 259 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 259 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 260 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 260 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 260 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 261 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 261 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 261 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 262 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 262 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 262 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 263 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 263 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 263 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 264 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 264 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 264 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 265 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 265 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 265 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 266 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 266 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 266 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 267 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 267 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 267 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 268 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 268 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 268 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 269 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 269 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 269 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 270 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 270 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 270 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 271 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 271 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 271 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 272 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 272 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 272 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 273 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 273 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 273 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 274 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 274 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 274 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 275 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 275 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 275 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 276 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 276 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 276 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 277 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 277 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 277 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 278 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 278 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 278 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 279 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 279 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 279 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 280 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 280 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 280 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 281 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 281 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 281 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 282 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 282 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 282 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 283 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 283 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 283 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 284 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 284 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 284 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 285 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 285 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 285 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 286 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 286 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 286 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 287 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 287 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 287 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 288 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 288 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 288 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 289 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 289 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 289 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 290 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 290 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 290 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 291 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 291 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 291 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 292 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 292 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 292 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 293 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 293 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 293 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 294 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 294 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 294 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 295 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 295 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 295 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 296 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 296 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 296 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 297 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 297 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 297 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 298 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 298 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 298 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 299 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 299 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 299 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 300 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 300 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 300 - core 7

One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.