# Performance report

native | test_326436b2

| | |
|---|---|
| Generated | 2026-10-19 12:58:33 |
| Schedule | Configurable CPU/IO Benchmark |
| Iterations in logs | 301 (#0 - #300), manifest declares 301 |
| Statistics on | iterations #1 - #300 (first 1 warm-up iteration(s) excluded) |
| Tasks | 1=stress_task_1, 2=stress_task_2, 3=stress_task_3, 4=stress_task_4, 5=stress_task_5, 6=stress_task_6, 7=stress_task_1, 8=stress_task_2, 9=stress_task_3, 10=stress_task_4, 11=stress_task_5, 12=stress_task_6, 13=stress_task_1, 14=stress_task_2, 15=stress_task_3, 16=stress_task_4, 17=stress_task_5, 18=stress_task_6 |
| Cores used | 5, 6, 7 |
| PERF records | 5418 |
| Log sources | execution-manager.log |
| Manifest | /home/khadas/seip-jeff/rtmf/native/tests/test_0_code/manifest.yaml |

# Statistics summary

All values in milliseconds | samples per task: 300 iteration(s) | iterations #1 - #300 (first 1 warm-up iteration(s) excluded) | tasks 1-6

| Task ID | Image name | Metric | Mean | Std Dev | Min | Max | Median | p95 | p99 |
|---|---|---|---|---|---|---|---|---|---|
| 1 | stress_task_1 | q_em_tw_ms | 0.054 | 0.009 | 0.036 | 0.082 | 0.055 | 0.068 | 0.076 |
| | | t_in_tw_ms | 87.988 | 0.120 | 87.602 | 88.617 | 87.981 | 88.092 | 88.595 |
| | | q_tw_em_ms | 0.016 | 0.004 | 0.010 | 0.038 | 0.015 | 0.021 | 0.033 |
| | | total_ms | 88.058 | 0.121 | 87.672 | 88.686 | 88.053 | 88.167 | 88.661 |
| 2 | stress_task_2 | q_em_tw_ms | 0.054 | 0.007 | 0.035 | 0.094 | 0.054 | 0.064 | 0.069 |
| | | t_in_tw_ms | 264.192 | 0.328 | 263.562 | 266.055 | 264.198 | 264.448 | 266.030 |
| | | q_tw_em_ms | 0.016 | 0.005 | 0.010 | 0.037 | 0.015 | 0.027 | 0.034 |
| | | total_ms | 264.262 | 0.327 | 263.636 | 266.116 | 264.267 | 264.521 | 266.096 |
| 3 | stress_task_3 | q_em_tw_ms | 0.045 | 0.007 | 0.030 | 0.070 | 0.045 | 0.057 | 0.066 |
| | | t_in_tw_ms | 88.041 | 0.111 | 87.858 | 88.670 | 88.040 | 88.132 | 88.647 |
| | | q_tw_em_ms | 0.016 | 0.002 | 0.011 | 0.025 | 0.015 | 0.020 | 0.022 |
| | | total_ms | 88.102 | 0.112 | 87.915 | 88.731 | 88.102 | 88.204 | 88.713 |
| 4 | stress_task_4 | q_em_tw_ms | 68.003 | 0.137 | 67.805 | 69.055 | 67.998 | 68.093 | 68.623 |
| | | t_in_tw_ms | 88.073 | 0.110 | 87.806 | 88.692 | 88.069 | 88.164 | 88.673 |
| | | q_tw_em_ms | 0.015 | 0.003 | 0.010 | 0.035 | 0.014 | 0.020 | 0.027 |
| | | total_ms | 156.092 | 0.231 | 155.700 | 157.319 | 156.092 | 156.261 | 157.308 |
| 5 | stress_task_5 | q_em_tw_ms | 0.056 | 0.006 | 0.037 | 0.075 | 0.056 | 0.065 | 0.069 |
| | | t_in_tw_ms | 88.087 | 0.113 | 87.749 | 88.727 | 88.088 | 88.187 | 88.682 |
| | | q_tw_em_ms | 0.016 | 0.004 | 0.011 | 0.052 | 0.015 | 0.021 | 0.027 |
| | | total_ms | 88.159 | 0.114 | 87.822 | 88.805 | 88.159 | 88.266 | 88.763 |
| 6 | stress_task_6 | q_em_tw_ms | 38.133 | 0.304 | 37.691 | 39.036 | 38.041 | 38.920 | 38.980 |
| | | t_in_tw_ms | 88.102 | 0.110 | 87.816 | 88.717 | 88.094 | 88.202 | 88.704 |
| | | q_tw_em_ms | 0.016 | 0.003 | 0.010 | 0.035 | 0.015 | 0.022 | 0.029 |
| | | total_ms | 126.252 | 0.324 | 125.622 | 127.395 | 126.180 | 126.970 | 127.339 |

# Statistics summary

All values in milliseconds | samples per task: 300 iteration(s) | iterations #1 - #300 (first 1 warm-up iteration(s) excluded) | tasks 7-12

| Task ID | Image name | Metric | Mean | Std Dev | Min | Max | Median | p95 | p99 |
|---|---|---|---|---|---|---|---|---|---|
| 7 | stress_task_1 | q_em_tw_ms | 0.031 | 0.006 | 0.019 | 0.050 | 0.029 | 0.041 | 0.043 |
| | | t_in_tw_ms | 87.745 | 0.094 | 87.238 | 87.930 | 87.758 | 87.860 | 87.895 |
| | | q_tw_em_ms | 0.024 | 0.008 | 0.011 | 0.069 | 0.022 | 0.040 | 0.053 |
| | | total_ms | 87.800 | 0.095 | 87.288 | 88.000 | 87.814 | 87.923 | 87.950 |
| 8 | stress_task_2 | q_em_tw_ms | 0.028 | 0.004 | 0.019 | 0.045 | 0.027 | 0.037 | 0.042 |
| | | t_in_tw_ms | 263.630 | 0.197 | 263.097 | 264.115 | 263.639 | 263.911 | 264.009 |
| | | q_tw_em_ms | 0.018 | 0.007 | 0.008 | 0.052 | 0.016 | 0.035 | 0.048 |
| | | total_ms | 263.676 | 0.198 | 263.140 | 264.154 | 263.688 | 263.963 | 264.055 |
| 9 | stress_task_3 | q_em_tw_ms | 0.028 | 0.003 | 0.024 | 0.039 | 0.027 | 0.035 | 0.038 |
| | | t_in_tw_ms | 87.848 | 0.071 | 87.474 | 88.026 | 87.858 | 87.949 | 87.984 |
| | | q_tw_em_ms | 0.023 | 0.009 | 0.009 | 0.071 | 0.020 | 0.044 | 0.060 |
| | | total_ms | 87.899 | 0.073 | 87.522 | 88.097 | 87.909 | 88.004 | 88.030 |
| 10 | stress_task_4 | q_em_tw_ms | 67.802 | 0.108 | 67.423 | 68.870 | 67.800 | 67.904 | 67.942 |
| | | t_in_tw_ms | 87.912 | 0.067 | 87.767 | 88.088 | 87.919 | 88.010 | 88.048 |
| | | q_tw_em_ms | 0.019 | 0.008 | 0.008 | 0.053 | 0.016 | 0.036 | 0.052 |
| | | total_ms | 155.732 | 0.156 | 155.303 | 156.845 | 155.740 | 155.918 | 156.016 |
| 11 | stress_task_5 | q_em_tw_ms | 0.027 | 0.003 | 0.019 | 0.041 | 0.027 | 0.033 | 0.039 |
| | | t_in_tw_ms | 87.896 | 0.080 | 87.292 | 88.061 | 87.901 | 88.003 | 88.023 |
| | | q_tw_em_ms | 0.022 | 0.008 | 0.008 | 0.064 | 0.019 | 0.037 | 0.054 |
| | | total_ms | 87.945 | 0.082 | 87.342 | 88.101 | 87.951 | 88.060 | 88.078 |
| 12 | stress_task_6 | q_em_tw_ms | 37.930 | 0.299 | 37.232 | 38.817 | 37.846 | 38.734 | 38.782 |
| | | t_in_tw_ms | 88.818 | 8.729 | 87.726 | 175.676 | 87.946 | 88.049 | 89.032 |
| | | q_tw_em_ms | 0.021 | 0.010 | 0.008 | 0.072 | 0.018 | 0.042 | 0.052 |
| | | total_ms | 126.769 | 8.760 | 125.290 | 214.148 | 125.835 | 126.617 | 127.684 |


# Statistics summary

All values in milliseconds | samples per task: 300 iteration(s) | iterations #1 - #300 (first 1 warm-up iteration(s) excluded) | tasks 13-18

| Task ID | Image name | Metric | Mean | Std Dev | Min | Max | Median | p95 | p99 |
|---|---|---|---|---|---|---|---|---|---|
| 13 | stress_task_1 | q_em_tw_ms | 0.027 | 0.004 | 0.022 | 0.042 | 0.026 | 0.036 | 0.039 |
| | | t_in_tw_ms | 87.739 | 0.111 | 86.988 | 87.901 | 87.756 | 87.857 | 87.884 |
| | | q_tw_em_ms | 0.021 | 0.009 | 0.008 | 0.069 | 0.019 | 0.038 | 0.057 |
| | | total_ms | 87.787 | 0.111 | 87.033 | 87.951 | 87.806 | 87.912 | 87.933 |
| 14 | stress_task_2 | q_em_tw_ms | 0.026 | 0.003 | 0.022 | 0.041 | 0.025 | 0.032 | 0.035 |
| | | t_in_tw_ms | 263.623 | 0.201 | 262.966 | 264.058 | 263.644 | 263.914 | 263.992 |
| | | q_tw_em_ms | 0.018 | 0.008 | 0.008 | 0.052 | 0.015 | 0.038 | 0.045 |
| | | total_ms | 263.666 | 0.201 | 263.005 | 264.097 | 263.685 | 263.958 | 264.031 |
| 15 | stress_task_3 | q_em_tw_ms | 0.026 | 0.003 | 0.023 | 0.041 | 0.025 | 0.033 | 0.035 |
| | | t_in_tw_ms | 87.846 | 0.071 | 87.557 | 88.012 | 87.854 | 87.951 | 87.971 |
| | | q_tw_em_ms | 0.021 | 0.011 | 0.008 | 0.066 | 0.018 | 0.050 | 0.059 |
| | | total_ms | 87.892 | 0.071 | 87.606 | 88.050 | 87.900 | 87.994 | 88.020 |
| 16 | stress_task_4 | q_em_tw_ms | 67.792 | 0.108 | 67.503 | 68.863 | 67.793 | 67.894 | 67.929 |
| | | t_in_tw_ms | 87.914 | 0.073 | 87.669 | 88.293 | 87.916 | 88.017 | 88.048 |
| | | q_tw_em_ms | 0.019 | 0.009 | 0.008 | 0.059 | 0.016 | 0.039 | 0.054 |
| | | total_ms | 155.726 | 0.158 | 155.204 | 156.848 | 155.732 | 155.921 | 156.023 |
| 17 | stress_task_5 | q_em_tw_ms | 0.026 | 0.002 | 0.022 | 0.038 | 0.025 | 0.029 | 0.035 |
| | | t_in_tw_ms | 87.892 | 0.079 | 87.411 | 88.052 | 87.901 | 87.998 | 88.030 |
| | | q_tw_em_ms | 0.022 | 0.011 | 0.008 | 0.065 | 0.018 | 0.046 | 0.062 |
| | | total_ms | 87.939 | 0.080 | 87.459 | 88.092 | 87.946 | 88.048 | 88.072 |
| 18 | stress_task_6 | q_em_tw_ms | 37.922 | 0.296 | 37.327 | 38.799 | 37.840 | 38.724 | 38.764 |
| | | t_in_tw_ms | 88.820 | 8.739 | 87.714 | 175.697 | 87.945 | 88.059 | 88.949 |
| | | q_tw_em_ms | 0.019 | 0.008 | 0.008 | 0.052 | 0.016 | 0.038 | 0.047 |
| | | total_ms | 126.761 | 8.737 | 125.285 | 213.598 | 125.831 | 126.600 | 127.628 |

# Execution plan - iteration 0 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 0 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 0  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 1  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 1  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 1  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 2  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 2  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 2  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 3  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 3  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 3 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 4 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 4  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 4  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 5 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 5 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 5 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 6  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 6  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 6  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 7 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 7  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 7 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 8 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 8 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 8 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 9 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 9 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 9 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 10  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 10 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 10  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 11 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 11 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 11 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 12  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 12 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 12  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 13  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 13  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 13 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 14 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 14  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 14 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 15  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 15  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 15 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 16 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 16  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 16 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 17  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 17 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 17 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 18 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 18 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 18 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 19  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 19 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 19 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 20 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 20 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 20 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 21 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 21 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 21 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 22 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 22  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 22 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 23 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 23  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 23 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 24 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 24 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 24 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 25 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 25 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 25 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 26  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 26  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 26  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 27  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 27  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 27  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 28  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 28  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 28 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 29  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 29  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 29  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 30 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 30 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 30  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 31 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 31  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 31  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 32  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 32  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 32  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 33 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 33 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 33 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 34  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 34 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 34 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 35 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 35 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 35 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 36  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 36  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 36  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 37 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 37  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 37 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 38  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 38  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 38  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 39  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 39  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 39  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 40 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 40  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 40 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 41  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 41  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 41  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 42  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 42  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 42 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 43  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 43  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 43  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 44  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 44 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 44  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 45 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 45  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 45 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 46  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 46  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 46  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 47  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 47  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 47  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 48  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 48  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 48  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 49  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 49  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 49  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 50  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 50  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 50  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 51  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 51  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 51  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 52  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 52  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 52  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 53  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 53  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 53  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 54  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 54  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 54  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 55  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 55 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 55  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 56  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 56  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 56  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 57  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 57  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 57  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 58  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 58  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 58  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 59  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 59  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 59  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 60  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 60  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 60  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 61  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 61  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 61  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 62  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 62  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 62  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 63  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 63  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 63  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 64 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 64  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 64  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 65  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 65  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 65  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 66 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 66  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 66  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 67  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 67  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 67  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 68 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 68  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 68  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 69  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 69  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 69  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 70 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 70  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 70 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 71  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 71 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 71  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 72 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 72  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 72  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 73 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 73 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 73  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 74 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 74 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 74  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 75 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 75  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 75 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 76  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 76  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 76  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 77 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 77  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 77  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 78 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 78 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 78 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 79  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 79  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 79  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 80 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 80 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 80 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 81  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 81  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 81  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 82  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 82  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 82 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 83 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 83  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 83  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 84 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 84 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 84 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 85 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 85 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 85 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 86  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 86  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 86  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 87 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 87  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 87 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 88 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 88  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 88 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 89  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 89  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 89  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 90 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 90 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 90 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 91  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 91  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 91 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 92  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 92  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 92  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 93 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 93 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 93 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 94 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 94 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 94 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 95 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 95 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 95 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 96  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 96  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 96  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 97 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 97 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 97 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 98  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 98 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 98 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 99 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 99 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 99 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 100 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 100 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 100 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 101 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 101 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 101 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 102 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 102 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 102 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 103 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 103 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 103 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 104 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 104 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 104 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 105 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 105 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 105 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 106 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 106 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 106  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 107 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 107 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 107 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 108 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 108 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 108 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 109 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 109 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 109 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 110 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 110 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 110 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 111 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 111 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 111 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 112 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 112 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 112 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 113 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 113  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 113 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 114 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 114 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 114  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 115 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 115 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 115 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 116 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 116  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 116 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 117 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 117 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 117 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 118 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 118 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 118 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 119 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 119  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 119 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 120 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 120 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 120 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 121 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 121 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 121 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 122 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 122 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 122 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 123 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 123 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 123 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 124 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 124 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 124  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 125 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 125 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 125 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 126 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 126 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 126 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 127 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 127 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 127 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 128 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 128 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 128 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 129 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 129 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 129 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 130 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 130 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 130 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 131 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 131 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 131 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 132 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 132 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 132 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 133 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 133  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 133 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 134 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 134 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 134 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 135 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 135 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 135 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 136 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 136  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 136 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 137 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 137 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 137 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 138 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 138 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 138 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 139 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 139  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 139 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 140 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 140 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 140 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 141 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 141 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 141 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 142 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 142 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 142 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 143 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 143  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 143  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 144 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 144 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 144 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 145 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 145 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 145 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 146 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 146 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 146 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 147 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 147 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 147 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 148 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 148  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 148 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 149 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 149 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 149  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 150 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 150 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 150 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 151 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 151 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 151 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 152 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 152  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 152 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 153 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 153 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 153 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 154 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 154 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 154  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 155 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 155 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 155 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 156 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 156  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 156  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 157 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 157  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 157 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 158 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 158  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 158 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 159 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 159 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 159 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 160 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 160  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 160 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 161 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 161  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 161 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 162 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 162 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 162 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 163 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 163  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 163  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 164 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 164  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 164 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 165 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 165  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 165 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 166 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 166  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 166  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 167 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 167  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 167 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 168 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 168 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 168  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 169 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 169  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 169 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 170 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 170 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 170  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 171 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 171 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 171 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 172  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 172  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 172  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 173 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 173  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 173  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 174 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 174  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 174  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 175 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 175  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 175 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 176 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 176  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 176 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 177 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 177  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 177 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 178 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 178  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 178 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 179 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 179 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 179 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 180 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 180 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 180 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 181 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 181  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 181 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 182 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 182 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 182 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 183  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 183 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 183 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 184 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 184 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 184  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 185 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 185 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 185 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 186 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 186 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 186 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 187 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 187 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 187 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 188 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 188 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 188 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 189 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 189 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 189 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 190 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 190 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 190 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 191 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 191 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 191 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 192 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 192 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 192 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 193 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 193  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 193 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 194 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 194 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 194 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 195 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 195 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 195 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 196 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 196  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 196 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 197 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 197 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 197 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 198 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 198 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 198 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 199 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 199 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 199 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 200 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 200 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 200 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 201 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 201  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 201 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 202 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 202 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 202 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 203 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 203  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 203  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 204 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 204  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 204 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 205 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 205 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 205 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 206  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 206  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 206  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 207 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 207  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 207 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 208 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 208  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 208 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 209  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 209  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 209  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 210 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 210 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 210 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 211  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 211  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 211  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 212 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 212 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 212 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 213 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 213  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 213  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 214 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 214 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 214  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 215 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 215 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 215 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 216 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 216  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 216 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 217 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 217 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 217 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 218 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 218  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 218 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 219 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 219  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 219 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 220 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 220 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 220 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 221 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 221 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 221 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 222 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 222 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 222 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 223 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 223 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 223 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 224 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 224 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 224 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 225 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 225 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 225 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 226 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 226 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 226 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 227 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 227 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 227 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 228 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 228 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 228 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 229 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 229 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 229 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 230 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 230 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 230 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 231 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 231 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 231 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 232 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 232 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 232 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 233 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 233 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 233 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 234 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 234  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 234 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 235 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 235 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 235 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 236 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 236 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 236  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 237 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 237 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 237 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 238 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 238 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 238 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 239 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 239 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 239 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 240 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 240 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 240 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 241 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 241 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 241 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 242 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 242 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 242 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 243 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 243  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 243 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 244 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 244 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 244 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 245 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 245 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 245 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 246 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 246 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 246  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 247 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 247  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 247 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 248 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 248 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 248 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 249 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 249  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 249 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 250 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 250 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 250 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 251 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 251 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 251 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 252 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 252 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 252 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 253 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 253  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 253 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 254 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 254 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 254 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 255 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 255 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 255 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 256 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 256 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 256  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 257 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 257  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 257 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 258 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 258 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 258  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 259  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 259 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 259  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 260 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 260 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 260 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 261  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 261  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 261 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 262  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 262  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 262  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 263 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 263  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 263 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 264 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 264 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 264 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 265 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 265 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 265 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 266  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 266  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 266 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 267 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 267  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 267 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 268  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 268 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 268  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 269  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 269 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 269  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 270 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 270 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 270 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 271 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 271 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 271 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 272 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 272  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 272  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 273 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 273  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 273  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 274 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 274  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 274 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 275 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 275  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 275 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 276  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 276  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 276  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 277  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 277  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 277 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 278 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 278  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 278 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 279 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 279  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 279 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 280 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 280 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 280 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 281 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 281  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 281 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 282 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 282 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 282 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 283  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 283  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 283 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 284  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 284 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 284 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 285 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 285 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 285 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 286 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 286  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 286  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 287 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 287  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 287 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 288 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 288  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 288  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 289 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 289 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 289  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 290 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 290 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 290 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 291 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 291  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 291  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 292 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 292  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 292  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 293 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 293  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 293 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 294 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 294 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 294 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 295 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 295 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 295 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 296  -  core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 296  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 296  -  core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 297 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 297 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 297 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 298 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 298  -  core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 298 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 299 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 299 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 299 - core 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 300 - core 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 300 - core 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 300 - core 7

One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.