# Performance report

native | test_single_core_it301_1

| | |
|---|---|
| Generated | 2026-10-17 22:29:20 |
| Schedule | Configurable CPU/IO Benchmark |
| Iterations in logs | 301 (#0 - #300), manifest declares 301 |
| Statistics on | iterations #1 - #300 (first 1 warm-up iteration(s) excluded) |
| Tasks | 1=stress_task_1, 2=stress_task_2, 3=stress_task_3, 4=stress_task_4, 5=stress_task_5, 6=stress_task_6 |
| Cores used | 4 |
| PERF records | 1806 |
| Log sources | execution-manager.log |
| Manifest | /home/khadas/seip-jeff/rtmf/native/tests/test_0_code/manifest.yaml |


# Statistics summary

All values in milliseconds | samples per task: 300 iteration(s) | iterations #1 - #300 (first 1 warm-up iteration(s) excluded)

| Task ID | Image name | Metric | Mean | Std Dev | Min | Max | Median | p95 | p99 |
|---|---|---|---|---|---|---|---|---|---|
| 1 | stress_task_1 | q_em_tw_ms | 0.055 | 0.006 | 0.044 | 0.082 | 0.053 | 0.067 | 0.075 |
| | | t_in_tw_ms | 86.305 | 0.044 | 86.197 | 86.400 | 86.318 | 86.359 | 86.378 |
| | | q_tw_em_ms | 0.009 | 0.001 | 0.006 | 0.013 | 0.009 | 0.011 | 0.012 |
| | | total_ms | 86.369 | 0.047 | 86.257 | 86.482 | 86.380 | 86.427 | 86.460 |
| 2 | stress_task_2 | q_em_tw_ms | 0.046 | 0.007 | 0.036 | 0.087 | 0.044 | 0.059 | 0.075 |
| | | t_in_tw_ms | 259.162 | 0.133 | 258.814 | 259.424 | 259.202 | 259.330 | 259.391 |
| | | q_tw_em_ms | 0.007 | 0.001 | 0.004 | 0.010 | 0.007 | 0.008 | 0.009 |
| | | total_ms | 259.215 | 0.134 | 258.866 | 259.474 | 259.255 | 259.384 | 259.447 |
| 3 | stress_task_3 | q_em_tw_ms | 0.032 | 0.004 | 0.028 | 0.055 | 0.031 | 0.038 | 0.051 |
| | | t_in_tw_ms | 86.380 | 0.045 | 86.265 | 86.485 | 86.392 | 86.438 | 86.459 |
| | | q_tw_em_ms | 0.008 | 0.001 | 0.006 | 0.011 | 0.008 | 0.010 | 0.011 |
| | | total_ms | 86.420 | 0.046 | 86.302 | 86.529 | 86.432 | 86.483 | 86.504 |
| 4 | stress_task_4 | q_em_tw_ms | 66.416 | 0.045 | 66.299 | 66.509 | 66.430 | 66.477 | 66.494 |
| | | t_in_tw_ms | 86.355 | 0.045 | 86.246 | 86.547 | 86.367 | 86.408 | 86.445 |
| | | q_tw_em_ms | 0.008 | 0.001 | 0.004 | 0.012 | 0.008 | 0.009 | 0.010 |
| | | total_ms | 152.779 | 0.089 | 152.552 | 152.996 | 152.805 | 152.885 | 152.943 |
| 5 | stress_task_5 | q_em_tw_ms | 0.041 | 0.007 | 0.032 | 0.085 | 0.040 | 0.060 | 0.068 |
| | | t_in_tw_ms | 86.375 | 0.046 | 86.266 | 86.529 | 86.385 | 86.438 | 86.471 |
| | | q_tw_em_ms | 0.007 | 0.001 | 0.004 | 0.010 | 0.007 | 0.009 | 0.010 |
| | | total_ms | 86.424 | 0.050 | 86.309 | 86.599 | 86.431 | 86.496 | 86.547 |
| 6 | stress_task_6 | q_em_tw_ms | 36.398 | 0.047 | 36.286 | 36.557 | 36.407 | 36.462 | 36.497 |
| | | t_in_tw_ms | 86.365 | 0.043 | 86.258 | 86.444 | 86.376 | 86.417 | 86.436 |
| | | q_tw_em_ms | 0.007 | 0.001 | 0.005 | 0.010 | 0.007 | 0.009 | 0.009 |
| | | total_ms | 122.770 | 0.089 | 122.550 | 122.999 | 122.790 | 122.877 | 122.933 |

# Execution plan - iteration 0


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 1


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 2


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 3


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 4


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 5


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 6


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 7


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 8


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 9


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 10


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 11


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 12


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 13


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 14


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 15


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 16


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 17


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 18


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 19


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 20


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 21


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 22


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 23


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 24


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 25


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 26


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 27


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 28


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 29


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 30


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 31


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 32


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 33


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 34


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 35


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 36


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 37


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 38


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 39


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 40


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 41


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 42


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 43


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 44


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 45


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 46


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 47


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 48


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 49


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 50


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 51


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 52


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 53


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 54


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 55


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 56


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 57


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 58


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 59


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 60


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 61


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 62


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 63


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 64


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 65


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 66


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 67


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 68


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 69


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 70


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 71


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 72


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 73


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 74


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 75


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 76


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 77


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 78


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 79


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 80


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 81


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 82


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 83


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 84


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 85


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 86


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 87


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 88


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 89


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 90


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 91


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 92


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 93


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 94


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 95


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 96


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 97


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 98


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 99


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 100


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 101


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 102


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 103


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 104


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 105


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 106


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 107


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 108


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 109


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 110


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 111


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 112


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 113


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 114


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 115


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 116


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 117


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 118


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 119


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 120


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 121


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 122


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 123


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 124


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 125


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 126


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 127


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 128


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 129


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 130


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 131


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 132


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 133


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 134


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 135


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 136


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 137


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 138


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 139


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 140


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 141


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 142


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 143


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 144


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 145


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 146


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 147


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 148


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 149


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 150


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 151


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 152


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 153


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 154


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 155


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 156


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 157


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 158


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 159


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 160


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 161


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 162


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 163


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 164


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 165


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 166


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 167


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 168


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 169


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 170


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 171


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 172


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 173


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 174


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 175


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 176


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 177


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 178


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 179


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 180


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 181


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 182


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 183


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 184


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 185


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 186


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 187


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 188


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 189


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 190


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 191


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 192


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 193


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 194


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 195


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 196


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 197


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 198


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 199


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 200


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 201


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 202


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 203


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 204


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 205


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 206


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 207


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 208


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 209


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 210


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 211


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 212


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 213


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 214


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 215


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 216


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 217


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 218


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 219


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 220


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 221


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 222


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 223


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 224


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 225


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 226


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 227


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 228


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 229


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 230


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 231


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 232


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 233


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 234


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 235


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 236


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 237


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 238


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 239


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 240


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 241


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 242


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 243


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 244


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 245


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 246


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 247


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 248


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 249


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 250


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 251


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 252


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 253


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 254


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 255


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 256


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 257


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 258


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 259


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 260


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 261


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 262


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 263


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 264


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 265


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 266


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 267


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 268


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 269


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 270


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 271


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 272


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 273


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 274


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 275


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 276


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 277


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 278


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 279


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 280


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 281


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 282


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 283


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 284


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 285


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 286


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 287


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 288


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 289


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 290


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 291


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 292


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 293


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 294


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 295


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 296


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 297


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 298


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 299


One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

# Execution plan - iteration 300

One chart per core; each bar is one task call.




Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.