Performance report

choreography-mqueue | test_quad_core_sep_it20_check

Generated	2026-10-27 13:05:47
Schedule	Configurable CPU/IO Benchmark
Iterations in logs	20 (#0 - #19), manifest declares 20
Statistics on	iterations #1 - #19 (first 1 warm-up iteration(s) excluded)
Tasks	1=stress_task_1, 2=stress_task_2, 3=stress_task_3, 4=stress_task_4, 5=stress_task_5, 6=stress_task_6, 7=stress_task_1, 8=stress_task_2, 9=stress_task_3, 10=stress_task_4, 11=stress_task_5, 12=stress_task_6, 13=stress_task_1, 14=stress_task_2, 15=stress_task_3, 16=stress_task_4, 17=stress_task_5, 18=stress_task_6
Cores used	5, 6, 7, 62026
PERF records	354 (5 malformed skipped)
Log sources	stress_task_1.log, stress_task_2.log, stress_task_3.log, stress_task_4.log, stress_task_5.log, stress_task_6.log
Manifest	tests/test_0_code/manifest.yaml

Statistics summary

All values in milliseconds | samples per task: 16-19 iteration(s) | iterations #1 - #19 (first 1 warm-up iteration(s) excluded) | tasks 1-6

Task ID	Image name	Metric	Mean	Std Dev	Min	Max	Median	p95	p99
1	stress_task_1	q_em_tw_ms	0.068	0.009	0.054	0.085	0.067	0.084	0.085
		t_in_tw_ms	86.205	0.031	86.130	86.253	86.216	86.245	86.251
		q_tw_em_ms	0.009	0.001	0.006	0.011	0.009	0.011	0.011
		total_ms	86.282	0.033	86.198	86.324	86.287	86.324	86.324
2	stress_task_2	q_em_tw_ms	0.070	0.006	0.058	0.083	0.069	0.081	0.083
		t_in_tw_ms	258.927	0.056	258.829	259.030	258.909	259.007	259.025
		q_tw_em_ms	0.012	0.000	0.011	0.013	0.012	0.012	0.013
		total_ms	259.009	0.058	258.899	259.110	258.998	259.093	259.107
3	stress_task_3	q_em_tw_ms	0.061	0.007	0.049	0.074	0.060	0.074	0.074
		t_in_tw_ms	86.276	0.018	86.252	86.306	86.270	86.304	86.306
		q_tw_em_ms	0.010	0.002	0.006	0.013	0.010	0.012	0.013
		total_ms	86.347	0.019	86.322	86.386	86.340	86.376	86.384
4	stress_task_4	q_em_tw_ms	66.420	0.442	65.728	67.319	66.421	67.035	67.262
		t_in_tw_ms	86.305	0.023	86.252	86.358	86.305	86.335	86.353
		q_tw_em_ms	0.008	0.001	0.005	0.009	0.008	0.009	0.009
		total_ms	152.733	0.447	152.031	153.660	152.723	153.304	153.589
5	stress_task_5	q_em_tw_ms	0.070	0.006	0.055	0.080	0.070	0.077	0.079
		t_in_tw_ms	86.317	0.020	86.286	86.365	86.316	86.356	86.363
		q_tw_em_ms	0.010	0.001	0.009	0.015	0.010	0.012	0.014
		total_ms	86.396	0.020	86.362	86.444	86.397	86.423	86.440
6	stress_task_6	q_em_tw_ms	36.307	1.010	32.845	37.371	36.480	37.348	37.367
		t_in_tw_ms	86.342	0.021	86.303	86.393	86.343	86.382	86.391
		q_tw_em_ms	0.009	0.001	0.006	0.012	0.009	0.010	0.012
		total_ms	122.658	1.011	119.208	123.748	122.835	123.736	123.746

Statistics summary

All values in milliseconds | samples per task: 16-19 iteration(s) | iterations #1 - #19 (first 1 warm-up iteration(s) excluded) | tasks 7-12

Task ID	Image name	Metric	Mean	Std Dev	Min	Max	Median	p95	p99
7	stress_task_1	q_em_tw_ms	0.036	0.007	0.028	0.051	0.038	0.043	0.049
		t_in_tw_ms	85.957	0.029	85.906	86.012	85.953	86.003	86.010
		q_tw_em_ms	0.013	0.003	0.006	0.020	0.013	0.020	0.020
		total_ms	86.005	0.031	85.948	86.063	85.998	86.051	86.061
8	stress_task_2	q_em_tw_ms	0.031	0.004	0.028	0.043	0.029	0.038	0.042
		t_in_tw_ms	258.369	0.044	258.309	258.507	258.360	258.430	258.492
		q_tw_em_ms	0.021	0.008	0.008	0.038	0.019	0.032	0.037
		total_ms	258.421	0.049	258.365	258.566	258.407	258.491	258.551
9	stress_task_3	q_em_tw_ms	0.033	0.002	0.030	0.039	0.032	0.037	0.039
		t_in_tw_ms	86.075	0.016	86.043	86.116	86.075	86.096	86.112
		q_tw_em_ms	0.014	0.003	0.012	0.027	0.013	0.017	0.025
		total_ms	86.122	0.016	86.091	86.163	86.121	86.144	86.159
10	stress_task_4	q_em_tw_ms	66.216	0.439	65.532	67.089	66.254	66.834	67.038
		t_in_tw_ms	86.144	0.016	86.113	86.190	86.140	86.166	86.185
		q_tw_em_ms	0.016	0.006	0.010	0.028	0.013	0.024	0.027
		total_ms	152.376	0.443	151.682	153.269	152.380	152.987	153.213
11	stress_task_5	q_em_tw_ms	0.030	0.002	0.027	0.034	0.030	0.034	0.034
		t_in_tw_ms	86.116	0.024	86.074	86.158	86.119	86.154	86.157
		q_tw_em_ms	0.012	0.002	0.011	0.017	0.012	0.015	0.017
		total_ms	86.158	0.025	86.116	86.203	86.160	86.200	86.202
12	stress_task_6	q_em_tw_ms	36.090	1.012	32.615	37.126	36.279	37.123	37.125
		t_in_tw_ms	86.169	0.024	86.110	86.217	86.173	86.205	86.215
		q_tw_em_ms	0.011	0.006	0.005	0.029	0.011	0.023	0.028
		total_ms	122.269	1.004	118.818	123.332	122.458	123.253	123.316


Statistics summary

All values in milliseconds | samples per task: 16-19 iteration(s) | iterations #1 - #19 (first 1 warm-up iteration(s) excluded) | tasks 13-18

Task ID	Image name	Metric	Mean	Std Dev	Min	Max	Median	p95	p99
13	stress_task_1	q_em_tw_ms	0.028	0.001	0.026	0.029	0.028	0.029	0.029
		t_in_tw_ms	85.958	0.034	85.892	86.018	85.962	85.996	86.014
		q_tw_em_ms	0.013	0.007	0.006	0.032	0.013	0.027	0.031
		total_ms	85.998	0.034	85.936	86.057	86.005	86.044	86.054
14	stress_task_2	q_em_tw_ms	0.027	0.003	0.025	0.036	0.026	0.030	0.035
		t_in_tw_ms	258.337	0.034	258.274	258.392	258.339	258.375	258.389
		q_tw_em_ms	0.021	0.011	0.007	0.049	0.018	0.043	0.048
		total_ms	258.385	0.037	258.318	258.467	258.388	258.438	258.461
15	stress_task_3	q_em_tw_ms	0.030	0.002	0.028	0.036	0.029	0.034	0.036
		t_in_tw_ms	86.072	0.015	86.045	86.100	86.077	86.092	86.098
		q_tw_em_ms	0.008	0.004	0.005	0.021	0.006	0.016	0.020
		total_ms	86.111	0.015	86.088	86.150	86.111	86.128	86.146
16	stress_task_4	q_em_tw_ms	66.198	0.441	65.504	67.068	66.230	66.821	67.019
		t_in_tw_ms	86.138	0.020	86.106	86.186	86.135	86.176	86.184
		q_tw_em_ms	0.019	0.009	0.005	0.041	0.016	0.029	0.039
		total_ms	152.354	0.443	151.643	153.226	152.363	152.946	153.170
17	stress_task_5	q_em_tw_ms	0.028	0.003	0.025	0.036	0.027	0.035	0.036
		t_in_tw_ms	86.114	0.018	86.083	86.150	86.113	86.148	86.150
		q_tw_em_ms	36.316	43.742	0.005	86.270	0.014	86.266	86.269
		total_ms	122.457	43.745	86.119	172.446	86.160	172.426	172.442
18	stress_task_6	q_em_tw_ms	36.053	1.041	32.564	37.131	36.266	37.066	37.118
		t_in_tw_ms	86.172	0.019	86.137	86.211	86.169	86.204	86.210
		q_tw_em_ms	0.014	0.006	0.005	0.027	0.012	0.024	0.026
		total_ms	122.239	1.036	118.774	123.317	122.449	123.276	123.309

Execution plan - iteration 0 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 0 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 0 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 1 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 1 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 1 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 2 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 2 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 2 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 3 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 3 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 3 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 4 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 4 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 4 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 5 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 5 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 5 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 6 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 6 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 6 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 6 - core 62026


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 7 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 7 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 7 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 7 - core 62026


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 8 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 8 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 8 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 9 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 9 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 9 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 10 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 10 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 10 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 11 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 11 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 11 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 12 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 12 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 12 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 13 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 13 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 13 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 14 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 14 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 14 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 15 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 15 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 15 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 16 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 16 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 16 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 17 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 17 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 17 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 18 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 18 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 18 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 19 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 19 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 19 - core 7

One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.