Performance report

choreography-mqueue | test_quad_core_sep_shifted_it301_1

Generated	2026-10-22 01:53:19
Schedule	Configurable CPU/IO Benchmark
Iterations in logs	301 (#0 - #300), manifest declares 301
Statistics on	iterations #1 - #300 (first 1 warm-up iteration(s) excluded)
Tasks	1=stress_task_1, 2=stress_task_2, 3=stress_task_3, 4=stress_task_4, 5=stress_task_5, 6=stress_task_6, 7=stress_task_1, 8=stress_task_2, 9=stress_task_3, 10=stress_task_4, 11=stress_task_5, 12=stress_task_6, 13=stress_task_1, 14=stress_task_2, 15=stress_task_3, 16=stress_task_4, 17=stress_task_5, 18=stress_task_6
Cores used	5, 6, 7
PERF records	5418
Log sources	stress_task_1.log, stress_task_2.log, stress_task_3.log, stress_task_4.log, stress_task_5.log, stress_task_6.log
Manifest	tests/test_0_code/manifest.yaml

Statistics summary

All values in milliseconds | samples per task: 300 iteration(s) | iterations #1 - #300 (first 1 warm-up iteration(s) excluded) | tasks 1-5

Task ID	Image name	Metric	Mean	Std Dev	Min	Max	Median	p95	p99	Jitter p-p	Jitter avg
1	stress_task_1	q_em_tw_ms	0.068	0.011	0.048	0.108	0.069	0.085	0.101	0.060	0.011
		t_in_tw_ms	87.554	0.050	87.252	87.724	87.559	87.624	87.664	0.472	0.020
		q_tw_em_ms	0.025	0.005	0.017	0.040	0.026	0.034	0.040	0.023	0.004
		response_ms	87.623	0.053	87.320	87.832	87.625	87.704	87.768	0.512	0.024
		total_ms	87.648	0.054	87.348	87.872	87.650	87.730	87.808	0.524	0.025
2	stress_task_2	q_em_tw_ms	0.067	0.007	0.051	0.102	0.066	0.078	0.094	0.051	0.006
		t_in_tw_ms	262.991	0.128	262.658	263.463	263.004	263.168	263.268	0.805	0.042
		q_tw_em_ms	0.031	0.005	0.023	0.043	0.029	0.041	0.042	0.020	0.006
		response_ms	263.058	0.129	262.729	263.558	263.069	263.243	263.332	0.829	0.042
		total_ms	263.090	0.130	262.754	263.596	263.098	263.277	263.360	0.842	0.043
3	stress_task_3	q_em_tw_ms	0.054	0.005	0.046	0.092	0.053	0.061	0.076	0.046	0.004
		t_in_tw_ms	87.622	0.043	87.514	87.776	87.624	87.682	87.705	0.262	0.009
		q_tw_em_ms	0.027	0.004	0.020	0.042	0.025	0.035	0.037	0.022	0.004
		response_ms	87.676	0.044	87.566	87.868	87.680	87.738	87.760	0.302	0.011
		total_ms	87.703	0.044	87.591	87.910	87.706	87.764	87.786	0.319	0.012
4	stress_task_4	q_em_tw_ms	67.446	0.331	67.010	68.531	67.323	68.247	68.401	1.521	0.149
		t_in_tw_ms	87.663	0.042	87.555	87.815	87.666	87.723	87.747	0.260	0.010
		q_tw_em_ms	0.026	0.003	0.021	0.037	0.026	0.032	0.036	0.016	0.003
		response_ms	155.109	0.336	154.638	156.211	154.992	155.921	156.059	1.573	0.150
		total_ms	155.136	0.336	154.665	156.234	155.018	155.950	156.084	1.569	0.150
5	stress_task_5	q_em_tw_ms	0.067	0.006	0.047	0.096	0.066	0.078	0.085	0.049	0.005
		t_in_tw_ms	87.667	0.048	87.554	87.820	87.668	87.737	87.787	0.266	0.019
		q_tw_em_ms	0.028	0.005	0.019	0.045	0.025	0.036	0.039	0.026	0.006
		response_ms	87.733	0.049	87.616	87.902	87.735	87.803	87.870	0.286	0.020
		total_ms	87.761	0.049	87.649	87.946	87.763	87.831	87.908	0.297	0.022

Statistics summary

All values in milliseconds | samples per task: 300 iteration(s) | iterations #1 - #300 (first 1 warm-up iteration(s) excluded) | tasks 6-10

Task ID	Image name	Metric	Mean	Std Dev	Min	Max	Median	p95	p99	Jitter p-p	Jitter avg
6	stress_task_6	q_em_tw_ms	37.749	0.403	37.381	38.775	37.560	38.566	38.660	1.394	0.430
		t_in_tw_ms	87.699	0.044	87.596	87.863	87.701	87.765	87.810	0.267	0.012
		q_tw_em_ms	0.026	0.004	0.021	0.040	0.025	0.034	0.036	0.019	0.004
		response_ms	125.447	0.411	125.018	126.603	125.261	126.295	126.336	1.584	0.435
		total_ms	125.473	0.411	125.043	126.642	125.285	126.329	126.365	1.599	0.436
7	stress_task_1	q_em_tw_ms	0.040	0.008	0.025	0.083	0.040	0.052	0.067	0.058	0.008
		t_in_tw_ms	87.264	0.082	86.857	87.387	87.281	87.357	87.381	0.530	0.062
		q_tw_em_ms	0.018	0.003	0.013	0.035	0.017	0.024	0.033	0.022	0.002
		response_ms	87.304	0.083	86.902	87.465	87.318	87.405	87.440	0.563	0.063
		total_ms	87.322	0.084	86.919	87.500	87.335	87.425	87.471	0.581	0.063
8	stress_task_2	q_em_tw_ms	0.043	0.008	0.029	0.084	0.042	0.054	0.078	0.055	0.007
		t_in_tw_ms	262.357	0.121	262.022	262.743	262.366	262.542	262.588	0.721	0.042
		q_tw_em_ms	0.020	0.005	0.013	0.048	0.018	0.032	0.035	0.035	0.004
		response_ms	262.399	0.121	262.061	262.776	262.411	262.577	262.645	0.716	0.043
		total_ms	262.419	0.121	262.077	262.794	262.428	262.594	262.664	0.717	0.044
9	stress_task_3	q_em_tw_ms	0.038	0.006	0.031	0.075	0.036	0.048	0.055	0.044	0.005
		t_in_tw_ms	87.427	0.040	87.334	87.577	87.430	87.489	87.501	0.243	0.012
		q_tw_em_ms	0.020	0.005	0.013	0.034	0.019	0.032	0.033	0.021	0.004
		response_ms	87.465	0.041	87.376	87.610	87.467	87.525	87.540	0.234	0.014
		total_ms	87.485	0.042	87.391	87.626	87.487	87.548	87.563	0.235	0.015
10	stress_task_4	q_em_tw_ms	67.257	0.337	66.902	68.260	67.115	68.035	68.154	1.358	0.167
		t_in_tw_ms	87.484	0.040	87.398	87.624	87.487	87.544	87.557	0.226	0.012
		q_tw_em_ms	0.019	0.006	0.012	0.036	0.017	0.031	0.033	0.024	0.005
		response_ms	154.741	0.341	154.368	155.725	154.602	155.520	155.621	1.357	0.171
		total_ms	154.760	0.341	154.381	155.746	154.623	155.543	155.633	1.365	0.170

Statistics summary

All values in milliseconds | samples per task: 300 iteration(s) | iterations #1 - #300 (first 1 warm-up iteration(s) excluded) | tasks 11-15

Task ID	Image name	Metric	Mean	Std Dev	Min	Max	Median	p95	p99	Jitter p-p	Jitter avg
11	stress_task_5	q_em_tw_ms	0.040	0.008	0.029	0.076	0.040	0.052	0.074	0.047	0.008
		t_in_tw_ms	87.440	0.056	87.102	87.573	87.444	87.513	87.525	0.471	0.036
		q_tw_em_ms	0.020	0.006	0.014	0.037	0.018	0.032	0.033	0.023	0.005
		response_ms	87.480	0.057	87.135	87.614	87.486	87.554	87.573	0.479	0.037
		total_ms	87.500	0.057	87.152	87.635	87.505	87.573	87.597	0.483	0.039
12	stress_task_6	q_em_tw_ms	37.572	0.439	37.044	38.437	37.338	38.335	38.358	1.393	0.544
		t_in_tw_ms	87.525	0.042	87.432	87.692	87.528	87.586	87.603	0.260	0.012
		q_tw_em_ms	0.021	0.006	0.014	0.037	0.018	0.032	0.034	0.023	0.006
		response_ms	125.097	0.443	124.567	125.942	124.869	125.872	125.909	1.374	0.546
		total_ms	125.117	0.443	124.585	125.956	124.894	125.889	125.930	1.371	0.545
13	stress_task_1	q_em_tw_ms	0.034	0.008	0.026	0.080	0.031	0.047	0.069	0.054	0.008
		t_in_tw_ms	87.310	0.060	86.884	87.416	87.318	87.379	87.398	0.532	0.030
		q_tw_em_ms	0.018	0.005	0.014	0.042	0.016	0.031	0.037	0.028	0.004
		response_ms	87.344	0.060	86.933	87.486	87.352	87.414	87.453	0.553	0.032
		total_ms	87.362	0.061	86.949	87.521	87.368	87.434	87.490	0.572	0.033
14	stress_task_2	q_em_tw_ms	0.039	0.007	0.026	0.083	0.038	0.050	0.064	0.057	0.006
		t_in_tw_ms	262.399	0.133	261.968	262.799	262.406	262.613	262.705	0.831	0.054
		q_tw_em_ms	0.022	0.007	0.014	0.041	0.020	0.035	0.038	0.027	0.007
		response_ms	262.438	0.133	262.003	262.827	262.447	262.652	262.746	0.825	0.054
		total_ms	262.460	0.133	262.019	262.847	262.470	262.671	262.761	0.828	0.054
15	stress_task_3	q_em_tw_ms	0.037	0.007	0.029	0.095	0.035	0.047	0.054	0.066	0.006
		t_in_tw_ms	87.435	0.041	87.344	87.593	87.438	87.501	87.520	0.249	0.014
		q_tw_em_ms	0.019	0.005	0.012	0.042	0.018	0.031	0.032	0.030	0.004
		response_ms	87.472	0.042	87.376	87.631	87.475	87.537	87.562	0.255	0.016
		total_ms	87.491	0.043	87.390	87.652	87.493	87.558	87.589	0.262	0.017

Statistics summary

All values in milliseconds | samples per task: 300 iteration(s) | iterations #1 - #300 (first 1 warm-up iteration(s) excluded) | tasks 16-18

Task ID	Image name	Metric	Mean	Std Dev	Min	Max	Median	p95	p99	Jitter p-p	Jitter avg
16	stress_task_4	q_em_tw_ms	67.348	0.396	66.971	68.326	67.133	68.085	68.130	1.355	0.239
		t_in_tw_ms	87.485	0.047	87.208	87.633	87.488	87.551	87.620	0.425	0.015
		q_tw_em_ms	0.019	0.006	0.011	0.035	0.017	0.031	0.032	0.024	0.005
		response_ms	154.833	0.403	154.290	155.808	154.629	155.577	155.629	1.518	0.244
		total_ms	154.852	0.403	154.306	155.829	154.651	155.593	155.648	1.523	0.243
17	stress_task_5	q_em_tw_ms	0.039	0.008	0.027	0.080	0.038	0.049	0.073	0.053	0.008
		t_in_tw_ms	87.479	0.040	87.381	87.561	87.483	87.540	87.554	0.180	0.012
		q_tw_em_ms	0.020	0.006	0.014	0.034	0.018	0.031	0.033	0.020	0.006
		response_ms	87.518	0.041	87.417	87.610	87.522	87.578	87.600	0.192	0.014
		total_ms	87.538	0.042	87.437	87.640	87.542	87.598	87.617	0.203	0.017
18	stress_task_6	q_em_tw_ms	37.586	0.425	37.098	38.455	37.357	38.364	38.384	1.357	0.494
		t_in_tw_ms	87.508	0.041	87.407	87.628	87.513	87.569	87.585	0.221	0.012
		q_tw_em_ms	0.022	0.006	0.014	0.044	0.019	0.032	0.036	0.030	0.006
		response_ms	125.094	0.430	124.579	125.964	124.875	125.892	125.924	1.385	0.497
		total_ms	125.116	0.430	124.599	125.983	124.902	125.914	125.946	1.384	0.496

Response time jitter


All values in milliseconds | iterations #1 - #300 (first 1 warm-up iteration(s) excluded)

p-p = max - min (peak-to-peak jitter); avg = mean |R(k) - R(k-1)| over consecutive iterations; mean = mean response time

			Without return latency (T3 - T1)			With return latency (T4 - T1)		
Task ID	**Image name**	**Core**	**p-p**	**avg**	**mean**	**p-p**	**avg**	**mean**
1	stress_task_1	5	0.512	0.024	87.623	0.524	0.025	87.648
2	stress_task_2	5	0.829	0.042	263.058	0.842	0.043	263.090
3	stress_task_3	5	0.302	0.011	87.676	0.319	0.012	87.703
4	stress_task_4	5	1.573	0.150	155.109	1.569	0.150	155.136
5	stress_task_5	5	0.286	0.020	87.733	0.297	0.022	87.761
6	stress_task_6	5	1.584	0.435	125.447	1.599	0.436	125.473
7	stress_task_1	6	0.563	0.063	87.304	0.581	0.063	87.322
8	stress_task_2	6	0.716	0.043	262.399	0.717	0.044	262.419
9	stress_task_3	6	0.234	0.014	87.465	0.235	0.015	87.485
10	stress_task_4	6	1.357	0.171	154.741	1.365	0.170	154.760
11	stress_task_5	6	0.479	0.037	87.480	0.483	0.039	87.500
12	stress_task_6	6	1.374	0.546	125.097	1.371	0.545	125.117
13	stress_task_1	7	0.553	0.032	87.344	0.572	0.033	87.362
14	stress_task_2	7	0.825	0.054	262.438	0.828	0.054	262.460
15	stress_task_3	7	0.255	0.016	87.472	0.262	0.017	87.491
16	stress_task_4	7	1.518	0.244	154.833	1.523	0.243	154.852
17	stress_task_5	7	0.192	0.014	87.518	0.203	0.017	87.538
18	stress_task_6	7	1.385	0.497	125.094	1.384	0.496	125.116

Execution plan - iteration 0 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 0 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 0 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 1 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 1 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 1 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 2 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 2 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 2 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 3 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 3 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 3 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 4 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 4 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 4 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 5 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 5 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 5 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 6 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 6 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 6 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 7 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 7 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 7 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 8 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 8 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 8 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 9 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 9 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 9 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 10 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 10 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 10 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 11 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 11 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 11 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 12 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 12 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 12 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 13 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 13 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 13 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 14 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 14 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 14 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 15 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 15 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 15 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 16 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 16 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 16 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 17 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 17 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 17 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 18 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 18 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 18 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 19 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 19 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 19 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 20 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 20 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 20 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 21 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 21 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 21 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 22 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 22 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 22 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 23 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 23 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 23 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 24 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 24 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 24 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 25 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 25 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 25 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 26 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 26 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 26 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 27 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 27 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 27 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 28 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 28 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 28 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 29 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 29 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 29 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 30 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 30 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 30 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 31 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 31 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 31 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 32 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 32 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 32 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 33 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 33 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 33 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 34 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 34 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 34 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 35 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 35 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 35 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 36 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 36 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 36 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 37 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 37 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 37 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 38 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 38 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 38 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 39 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 39 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 39 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 40 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 40 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 40 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 41 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 41 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 41 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 42 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 42 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 42 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 43 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 43 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 43 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 44 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 44 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 44 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 45 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 45 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 45 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 46 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 46 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 46 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 47 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 47 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 47 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 48 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 48 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 48 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 49 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 49 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 49 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 50 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 50 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 50 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 51 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 51 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 51 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 52 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 52 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 52 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 53 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 53 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 53 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 54 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 54 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 54 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 55 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 55 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 55 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 56 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 56 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 56 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 57 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 57 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 57 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 58 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 58 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 58 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 59 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 59 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 59 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 60 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 60 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 60 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 61 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 61 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 61 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 62 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 62 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 62 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 63 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 63 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 63 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 64 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 64 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 64 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 65 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 65 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 65 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 66 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 66 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 66 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 67 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 67 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 67 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 68 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 68 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 68 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 69 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 69 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 69 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 70 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 70 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 70 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 71 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 71 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 71 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 72 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 72 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 72 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 73 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 73 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 73 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 74 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 74 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 74 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 75 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 75 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 75 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 76 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 76 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 76 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 77 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 77 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 77 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 78 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 78 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 78 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 79 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 79 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 79 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 80 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 80 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 80 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 81 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 81 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 81 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 82 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 82 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 82 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 83 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 83 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 83 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 84 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 84 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 84 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 85 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 85 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 85 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 86 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 86 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 86 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 87 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 87 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 87 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 88 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 88 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 88 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 89 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 89 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 89 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 90 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 90 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 90 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 91 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 91 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 91 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 92 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 92 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 92 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 93 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 93 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 93 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 94 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 94 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 94 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 95 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 95 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 95 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 96 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 96 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 96 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 97 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 97 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 97 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 98 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 98 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 98 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 99 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 99 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 99 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 100 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 100 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 100 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 101 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 101 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 101 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 102 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 102 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 102 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 103 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 103 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 103 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 104 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 104 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 104 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 105 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 105 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 105 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 106 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 106 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 106 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 107 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 107 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 107 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 108 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 108 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 108 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 109 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 109 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 109 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 110 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 110 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 110 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 111 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 111 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 111 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 112 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 112 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 112 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 113 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 113 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 113 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 114 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 114 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 114 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 115 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 115 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 115 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 116 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 116 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 116 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 117 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 117 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 117 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 118 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 118 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 118 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 119 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 119 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 119 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 120 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 120 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 120 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 121 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 121 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 121 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 122 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 122 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 122 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 123 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 123 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 123 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 124 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 124 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 124 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 125 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 125 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 125 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 126 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 126 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 126 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 127 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 127 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 127 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 128 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 128 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 128 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 129 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 129 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 129 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 130 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 130 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 130 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 131 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 131 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 131 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 132 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 132 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 132 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 133 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 133 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 133 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 134 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 134 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 134 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 135 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 135 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 135 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 136 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 136 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 136 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 137 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 137 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 137 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 138 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 138 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 138 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 139 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 139 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 139 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 140 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 140 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 140 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 141 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 141 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 141 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 142 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 142 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 142 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 143 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 143 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 143 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 144 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 144 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 144 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 145 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 145 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 145 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 146 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 146 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 146 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 147 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 147 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 147 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 148 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 148 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 148 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 149 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 149 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 149 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 150 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 150 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 150 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 151 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 151 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 151 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 152 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 152 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 152 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 153 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 153 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 153 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 154 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 154 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 154 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 155 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 155 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 155 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 156 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 156 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 156 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 157 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 157 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 157 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 158 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 158 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 158 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 159 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 159 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 159 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 160 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 160 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 160 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 161 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 161 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 161 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 162 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 162 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 162 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 163 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 163 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 163 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 164 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 164 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 164 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 165 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 165 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 165 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 166 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 166 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 166 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 167 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 167 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 167 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 168 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 168 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 168 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 169 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 169 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 169 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 170 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 170 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 170 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 171 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 171 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 171 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 172 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 172 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 172 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 173 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 173 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 173 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 174 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 174 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 174 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 175 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 175 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 175 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 176 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 176 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 176 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 177 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 177 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 177 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 178 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 178 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 178 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 179 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 179 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 179 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 180 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 180 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 180 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 181 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 181 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 181 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 182 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 182 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 182 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 183 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 183 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 183 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 184 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 184 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 184 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 185 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 185 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 185 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 186 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 186 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 186 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 187 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 187 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 187 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 188 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 188 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 188 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 189 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 189 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 189 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 190 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 190 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 190 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 191 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 191 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 191 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 192 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 192 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 192 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 193 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 193 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 193 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 194 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 194 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 194 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 195 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 195 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 195 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 196 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 196 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 196 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 197 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 197 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 197 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 198 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 198 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 198 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 199 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 199 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 199 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 200 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 200 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 200 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 201 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 201 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 201 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 202 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 202 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 202 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 203 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 203 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 203 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 204 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 204 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 204 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 205 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 205 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 205 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 206 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 206 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 206 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 207 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 207 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 207 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 208 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 208 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 208 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 209 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 209 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 209 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 210 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 210 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 210 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 211 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 211 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 211 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 212 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 212 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 212 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 213 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 213 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 213 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 214 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 214 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 214 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 215 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 215 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 215 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 216 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 216 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 216 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 217 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 217 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 217 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 218 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 218 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 218 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 219 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 219 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 219 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 220 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 220 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 220 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 221 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 221 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 221 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 222 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 222 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 222 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 223 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 223 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 223 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 224 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 224 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 224 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 225 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 225 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 225 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 226 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 226 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 226 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 227 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 227 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 227 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 228 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 228 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 228 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 229 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 229 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 229 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 230 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 230 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 230 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 231 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 231 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 231 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 232 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 232 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 232 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 233 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 233 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 233 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 234 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 234 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 234 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 235 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 235 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 235 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 236 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 236 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 236 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 237 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 237 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 237 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 238 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 238 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 238 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 239 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 239 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 239 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 240 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 240 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 240 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 241 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 241 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 241 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 242 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 242 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 242 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 243 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 243 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 243 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 244 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 244 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 244 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 245 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 245 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 245 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 246 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 246 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 246 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 247 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 247 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 247 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 248 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 248 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 248 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 249 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 249 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 249 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 250 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 250 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 250 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 251 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 251 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 251 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 252 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 252 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 252 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 253 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 253 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 253 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 254 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 254 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 254 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 255 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 255 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 255 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 256 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 256 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 256 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 257 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 257 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 257 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 258 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 258 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 258 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 259 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 259 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 259 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 260 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 260 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 260 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 261 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 261 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 261 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 262 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 262 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 262 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 263 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 263 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 263 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 264 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 264 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 264 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 265 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 265 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 265 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 266 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 266 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 266 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 267 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 267 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 267 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 268 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 268 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 268 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 269 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 269 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 269 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 270 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 270 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 270 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 271 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 271 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 271 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 272 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 272 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 272 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 273 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 273 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 273 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 274 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 274 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 274 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 275 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 275 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 275 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 276 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 276 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 276 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 277 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 277 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 277 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 278 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 278 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 278 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 279 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 279 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 279 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 280 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 280 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 280 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 281 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 281 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 281 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 282 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 282 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 282 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 283 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 283 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 283 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 284 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 284 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 284 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 285 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 285 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 285 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 286 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 286 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 286 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 287 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 287 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 287 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 288 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 288 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 288 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 289 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 289 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 289 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 290 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 290 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 290 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 291 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 291 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 291 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 292 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 292 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 292 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 293 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 293 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 293 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 294 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 294 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 294 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 295 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 295 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 295 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 296 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 296 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 296 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 297 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 297 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 297 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 298 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 298 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 298 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 299 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 299 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 299 - core 7


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 300 - core 5


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 300 - core 6


One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.

Execution plan - iteration 300 - core 7

One chart per core; each bar is one task call.



Segments narrower than a few pixels are drawn at a minimum visible width; exact values are in the statistics table and perf.csv.