PHYTOS

GREENCODE FINAL · 3-MINUTE LIVE DEMO

Pitch-morning checklist

Start 2 h before the pitch
Laptop: repo at tag **freeze-2026-10-30**, pnpm 12.9.1
gcloud as zulugeoffrey034@gmail.com · run from the repo root

1. Warm the API — 2 MIN

- ☐ `bash infra/scale.sh 1` → **ok: min instances 1; {"status":"ok",…}** (about US$2 a day until step 9)

2. Re-arm the live demo at the venue — 5 MIN

- ☐ Dry run: `pnpm --filter @repo/seed seed --live-demo --demo-issue tuta_absoluta --demo-center=-15.388311,28.346069 --demo-district Lusaka`
- ☐ Good: **4 qualifying tuta_absoluta reports within 10 km**, **Armed until** a time **after the pitch**, no **Checks failed**
- ☐ Same command again with `--commit`

3. Rehearse the presenter's report, then undo it — 5 MIN

- ☐ `pnpm --filter @repo/admin-tools outbreak-e2e --image leaf-mines.jpg --center -15.388311,28.346069 --district Lusaka`
- ☐ Good: **All checks passed**; report → dispatched under 30 s (8 to 13 s); **risk/lusaka … (HIGH)**. If it says ELEVATED, P2 says Elevated on stage, not High. It cleans up; the demo stays armed.
- ☐ `pnpm --filter @repo/admin-tools smoke-e2e --image leaf-mines.jpg --crop tomato` → **all checks passed**, including the advice check

4. SMS (Africa's Talking) — 5 MIN

- ☐ Secrets in Secret Manager and deployed? If not, alerts go by push only and the SMS is logged: say so on stage
- ☐ Account balance checked
- ☐ Judges' phones subscribed with consent: `sms-subscribe add --phone +260… --district Lusaka --consent "verbal, at the venue, 1 Nov"`

5. Quota and spend — 3 MIN

- ☐ A **429** in step 3 means Gemini quota pressure: wait 10 min, re-run, keep the recordings ready
- ☐ Billing → Budgets: `cropwatch-hackathon` well under its first 50% alert

6. Devices — 10 MIN

- ☐ **Demo phone:** Phytos installed from the capture URL, camera and location allowed, **4G, venue wifi off**, battery above 80%; "Send alerts for Lusaka to this phone" on if there is no SMS
- ☐ **The leaf:** tomato with **LEAF MINES**. Photograph the mines close up in daylight. **Not fruit** (a fruit photo once came back as early blight)
- ☐ **Laptop:** officer signed in; queue pre-opened on **In a cluster, not verified** (pick the tab, then back to the map: it is remembered); national map up, focus **Lusaka and Chongwe**, **bell drawer closed**, projector checked from the back of the room
- ☐ **Kit:** hotspot charged; backup recordings on the desktop and the USB stick; printed copy of this sheet

7. One full run of the final script, with a stopwatch — 5 MIN

`0:00` P2: map on screen; the problem	1:30 P1 at the laptop: queue (already on **In a cluster, not verified**), top row, Confirm; counter ticks; bell: verified cluster alert
`0:20` P1: leaf, photo, Send, phone down; P2 bridge with the safety line	2:10 P2: Outgrower View: camps and field officers on load
`0:50` Report lands, cluster ring, district High; P1 holds the phone (SMS) to the mic	2:50 P2: back on the national map; close; "We're Team Phytos"

- ☐ Practice reports near the venue complete the cluster: if this run used the real leaf near the venue, **repeat step 2 (--commit)** before the pitch

8. If it goes wrong on stage

- ☐ "An officer will review": verify it in the queue; that completes the cluster
- ☐ Wrong issue: "an honest miss: this is why officers verify"; correct it to Tuta absoluta
- ☐ Wifi or API dies: "let me show you this morning's run", play the recording, no apology, keep narrating
- ☐ Diagnosis slow: P1 silent; P2 extends the bridge with the safety line
- ☐ SMS doesn't buzz: point at the alert in the bell drawer and move on

9. After the demo

- ☐ `bash infra/scale.sh 0` → **min instances 0**
- ☐ Optional: `pnpm --filter @repo/seed seed --commit` (default demo data, not armed)

Never say

"predicts", "probability", a confidence percentage, "the model learns from corrections", "registered" for a PMDG product, "platform".

Capture https://crop-watch01-capture.web.app · Command Center https://crop-watch01.web.app · API https://cropwatch-api-24960589333.europe-west1.run.app/api/v1 · Full runbook: docs/demo-ops.md