

Results for session s0003

Test Name: ogcapi-features-1.0
Test version: 1.4
Time: 2023-03-20T11:46:46.223Z

Test INPUT:
noofcollections : -1
Tested Instance : https://demo.pygeoapi.io/cite/

Result:
Passed Core conformance classes (Implementations passing these classes can be certified): No
Number of conformance classes tested: 2
Number of conformance classes passed: 0
Number of conformance classes failed: 2

Core conformance classes (Pass = Green; Fail = Red; Skip = Grey):
Core

Color Legend Pass Fail Skip

Core

Pass: 98 Fail: 1 Skip: 1 Total tests: 100

Name	Reason
validate Features Operation Query Param Invalid	
validate Features With Bounding Box Response Features Property	
validate Features With Bounding Box Response Features Property	
validate Features With Bounding Box Response Features Property	
validate Features With Bounding Box Response Features Property	
validate Features With Bounding Box Response Features Property	
validate Features With Bounding Box Response Features Property	
validate Features With Bounding Box Response Features Property	
validate Features With Limit Response Features Property	
validate Features With Limit Response Features Property	
validate Features Response Number Returned	
validate Features Response Number Returned	
validate Features Response Number Returned	
validate Features Response Number Returned	
validate Features Response Number Returned	
validate Features Response Number Returned	
validate Features Response Type Property	
validate Features With Limit Response Type Property	
validate Features With Limit Response Type Property	
validate Feature Collections Metadata Operation Response Crs Property	
openapi Document Retrieval	

bounding Box Parameter Definition	java.lang.AssertionError: Expected property 'schema -> minItems' with value 'null' for collections path '/collections/canada-hydat-daily-mean-02hc003/items' but was 'null'. expected object to not be null
validate Feature Collections Metadata Operation Response Items	
validate Feature Collections Metadata Operation Response Content	
http	
validate Features Response Number Returned	
validate Features Response Number Returned	
validate Conformance Operation And Response	
validate Features Response Links	
validate Features With Bounding Box Response	
validate Features With Bounding Box Response	
validate Features With Bounding Box Response	
validate Features With Bounding Box Response	
validate Features With Bounding Box Response	
validate Features With Bounding Box Response	
validate Features With Bounding Box Response	
validate Features Response Time Stamp	
validate Features With Limit Response Links	
validate Features With Limit Response Links	
validate Feature Collections Metadata Operation	
api Definition Validation	
time Parameter Definition	
validate Features Operation Query Param Unknown	org.testng.SkipException: Free-form parameters are supported for collection with id canada-hydat-daily-mean-02hc003
validate Features Response Geometry In CRS84	
validate Features Response Geometry In CRS84	
validate Features Response Geometry In CRS84	
validate Features Response Geometry In CRS84	
validate Features Response Geometry In CRS84	
validate Features Response Geometry In CRS84	
validate Features Response Geometry In CRS84	
validate Features With Bounding Box Response Links	
validate Features With Bounding Box Response Links	
validate Features With Bounding Box Response Links	
validate Features With Bounding Box Response Links	
validate Features With Bounding Box Response Links	
validate Features With Bounding Box Response Links	
validate Feature Collection Metadata Response	
validate Features With Bounding Box Response Number Matched	
validate Features With Bounding Box Response Number Matched	
validate Features With Bounding Box Response Number Matched	

validate Features With Bounding Box Response Number Matched	
validate Features With Bounding Box Response Number Matched	
validate Features With Bounding Box Response Number Matched	

Coordinate Reference Systems by Reference

Pass: 0	Fail: 1	Skip: 24	Total tests: 25
---------	---------	----------	-----------------

Name	Reason
verify Feature Crs Parameter Transform Without Crs Parameter	java.lang.Throwable: Method FeatureCrsParameterTransform.verifyFeatureCrsParameterTransformWithoutCrsParameter(java.lang.String, io.restassured.path.json.JsonPath, java.lang.String, org.opengis.cite.ogcapifeatures10.conformance.crs.query.crs.CoordinateSystem, org.opengis.cite.ogcapifeatures10.conformance.crs.query.crs.CoordinateSystem) [pri:1, instance:org.opengis.cite.ogcapifeatures10.conformance.crs.query.crs.feature.FeatureCrsParameterTransform@29e638f1] depends on not successfully finished methods in group "crs-conformance"
verify Collection Crs Identifier Of Crs Property	java.lang.Throwable: Method DiscoveryCollectionStorageCrs.verifyCollectionCrsIdentifierOfCrsProperty(java.lang.String, io.restassured.path.json.JsonPath) [pri:0, instance:org.opengis.cite.ogcapifeatures10.conformance.crs.discovery.collection.DiscoveryCollectionStorageCrs@5606c2e2] depends on not successfully finished methods in group "crs-conformance"
verify Features Crs Parameter Transform Without Crs Parameter	java.lang.Throwable: Method FeaturesCrsParameterTransform.verifyFeaturesCrsParameterTransformWithoutCrsParameter(java.lang.String, io.restassured.path.json.JsonPath) [pri:1, instance:org.opengis.cite.ogcapifeatures10.conformance.crs.query.crs.features.FeaturesCrsParameterTransform@3f50535] depends on not successfully finished methods in group "crs-conformance"
verify Requirement Class	Requirement class CRS is not supported by the test instance. Tests will be skipped.
verify Bbox Crs Parameter With Default Crs	java.lang.Throwable: Method BBoxCrsParameter.verifyBboxCrsParameterWithDefaultCrs(java.lang.String, io.restassured.path.json.JsonPath, org.opengis.cite.ogcapifeatures10.conformance.crs.query.crs.CoordinateSystem) [pri:1, instance:org.opengis.cite.ogcapifeatures10.conformance.crs.query.bboxcrs.BBoxCrsParameter@40d85aa3] depends on not successfully finished methods in group "crs-conformance"
verify Features Crs Parameter Default	java.lang.Throwable: Method FeaturesCrsParameterDefault.verifyFeaturesCrsParameterDefault(java.lang.String, io.restassured.path.json.JsonPath) [pri:1, instance:org.opengis.cite.ogcapifeatures10.conformance.crs.query.crs.features.FeaturesCrsParameterDefault@117a5373] depends on not successfully finished methods in group "crs-conformance"
verify Collections Collection Crs Identifier Of Storage Crs	java.lang.Throwable: Method DiscoveryCollectionsCrsUri.verifyCollectionsCollectionCrsIdentifierOfStorageCrs(org.opengis.cite.ogcapifeatures10.openapi3.TestPoint, io.restassured.path.json.JsonPath, java.util.Map) [pri:0, instance:org.opengis.cite.ogcapifeatures10.conformance.crs.discovery.collections.DiscoveryCollectionsCrsUri@626a601b] depends on not successfully finished methods in group "crs-conformance"
verify Collections Path Collection Crs Property Contains Default Crs	java.lang.Throwable: Method DiscoveryCollectionsStorageCrs.verifyCollectionsPathCollectionCrsPropertyContainsDefaultCrs(org.opengis.cite.ogcapifeatures10.openapi3.TestPoint, io.restassured.path.json.JsonPath, java.util.Map) [pri:0, instance:org.opengis.cite.ogcapifeatures10.conformance.crs.discovery.collections.DiscoveryCollectionsStorageCrs@710b9e62] depends on not successfully finished methods in group "crs-conformance"
verify Features Crs Parameter Invalid	java.lang.Throwable: Method FeaturesCrsParameterInvalid.verifyFeaturesCrsParameterInvalid(java.lang.String, io.restassured.path.json.JsonPath) [pri:1, instance:org.opengis.cite.ogcapifeatures10.conformance.crs.query.crs.features.FeaturesCrsParameterInvalid@322ec1d3] depends on not successfully finished methods in group "crs-conformance"
verify Feature Crs Parameter Default	java.lang.Throwable: Method FeatureCrsParameterDefault.verifyFeatureCrsParameterDefault(java.lang.String, io.restassured.path.json.JsonPath, java.lang.String) [pri:1, instance:org.opengis.cite.ogcapifeatures10.conformance.crs.query.crs.feature.FeatureCrsParameterDefault@2914c55] depends on not successfully finished methods in group "crs-conformance"
verify Feature Crs Parameter Transform With Crs Parameter	java.lang.Throwable: Method FeatureCrsParameterTransform.verifyFeatureCrsParameterTransformWithCrsParameter(java.lang.String, io.restassured.path.json.JsonPath, java.lang.String) [pri:1, instance:org.opengis.cite.ogcapifeatures10.conformance.crs.query.crs.feature.FeatureCrsParameterTransform@29e638f1] depends on not successfully finished methods in group "crs-conformance"
verify Bbox Crs Parameter Default	java.lang.Throwable: Method BBoxCrsParameterDefault.verifyBboxCrsParameterDefault(java.lang.String, io.restassured.path.json.JsonPath, org.opengis.cite.ogcapifeatures10.conformance.crs.query.crs.CoordinateSystem) [pri:1, instance:org.opengis.cite.ogcapifeatures10.conformance.crs.query.bboxcrs.BBoxCrsParameterDefault@644a75cf] depends on not successfully finished methods in group "crs-conformance"

verifyCollectionsCollectionCrsIdentifierOfCrsProperty	java.lang.Throwable: Method DiscoveryCollectionsCrsUri.verifyCollectionsCollectionCrsIdentifierOfCrsProperty(org.opengis.cite.ogcapifeatures10.openapi3.TestPoint, io.restassured.path.json.JsonPath, java.util.Map) [pri:0, instance:org.opengis.cite.ogcapifeatures10.conformance.crs.discovery.collections.DiscoveryCollectionsCrsUri@626a601b] depends on not successfully finished methods in group "crs-conformance"
verifyCollectionsPathCollectionCrsPropertyContainsDefaultCrs	java.lang.Throwable: Method DiscoveryCollectionsDefaultCrs.verifyCollectionsPathCollectionCrsPropertyContainsDefaultCrs(org.opengis.cite.ogcapifeatures10.openapi3.TestPoint, io.restassured.path.json.JsonPath, java.util.Map) [pri:0, instance:org.opengis.cite.ogcapifeatures10.conformance.crs.discovery.collections.DiscoveryCollectionsDefaultCrs@62c827e8] depends on not successfully finished methods in group "crs-conformance"
verifyBboxCrsParameter	java.lang.Throwable: Method BBoxCrsParameter.verifyBboxCrsParameter(java.lang.String, io.restassured.path.json.JsonPath, org.opengis.cite.ogcapifeatures10.conformance.crs.query.crs.CoordinateSystem, org.opengis.cite.ogcapifeatures10.conformance.crs.query.crs.CoordinateSystem) [pri:1, instance:org.opengis.cite.ogcapifeatures10.conformance.crs.query.bboxcrs.BBoxCrsParameter@40d85aa3] depends on not successfully finished methods in group "crs-conformance"
verifyCollectionsCrsIdentifierOfCrsProperty	java.lang.Throwable: Method DiscoveryCollectionsCrsUri.verifyCollectionsCrsIdentifierOfCrsProperty(org.opengis.cite.ogcapifeatures10.openapi3.TestPoint, io.restassured.path.json.JsonPath) [pri:0, instance:org.opengis.cite.ogcapifeatures10.conformance.crs.discovery.collections.DiscoveryCollectionsCrsUri@626a601b] depends on not successfully finished methods in group "crs-conformance"
verifyCollectionsCrsIdentifierOfStorageCrs	java.lang.Throwable: Method DiscoveryCollectionsCrsUri.verifyCollectionsCrsIdentifierOfStorageCrs(org.opengis.cite.ogcapifeatures10.openapi3.TestPoint, io.restassured.path.json.JsonPath) [pri:0, instance:org.opengis.cite.ogcapifeatures10.conformance.crs.discovery.collections.DiscoveryCollectionsCrsUri@626a601b] depends on not successfully finished methods in group "crs-conformance"
verifyFeaturesCrsParameterTransformWithCrsParameter	java.lang.Throwable: Method FeaturesCrsParameterTransform.verifyFeaturesCrsParameterTransformWithCrsParameter(java.lang.String, io.restassured.path.json.JsonPath, org.opengis.cite.ogcapifeatures10.conformance.crs.query.crs.CoordinateSystem, org.opengis.cite.ogcapifeatures10.conformance.crs.query.crs.CoordinateSystem) [pri:1, instance:org.opengis.cite.ogcapifeatures10.conformance.crs.query.crs.features.FeaturesCrsParameterTransform@3f50535] depends on not successfully finished methods in group "crs-conformance"
verifyFeaturesCrsParameter	java.lang.Throwable: Method FeaturesCrsParameter.verifyFeaturesCrsParameter(java.lang.String, io.restassured.path.json.JsonPath, org.opengis.cite.ogcapifeatures10.conformance.crs.query.crs.CoordinateSystem) [pri:1, instance:org.opengis.cite.ogcapifeatures10.conformance.crs.query.crs.features.FeaturesCrsParameter@6d025cdb] depends on not successfully finished methods in group "crs-conformance"
verifyFeatureCrsParameterInvalid	java.lang.Throwable: Method FeatureCrsParameterInvalid.verifyFeatureCrsParameterInvalid(java.lang.String, io.restassured.path.json.JsonPath, java.lang.String) [pri:1, instance:org.opengis.cite.ogcapifeatures10.conformance.crs.query.crs.feature.FeatureCrsParameterInvalid@501adf54] depends on not successfully finished methods in group "crs-conformance"
verifyFeatureCrsParameter	java.lang.Throwable: Method FeatureCrsParameter.verifyFeatureCrsParameter(java.lang.String, io.restassured.path.json.JsonPath, java.lang.String, org.opengis.cite.ogcapifeatures10.conformance.crs.query.crs.CoordinateSystem) [pri:1, instance:org.opengis.cite.ogcapifeatures10.conformance.crs.query.crs.feature.FeatureCrsParameter@2f01aueb] depends on not successfully finished methods in group "crs-conformance"
verifyCollectionCrsIdentifierOfCrsProperty	java.lang.Throwable: Method DiscoveryCollectionCrsUri.verifyCollectionCrsIdentifierOfCrsProperty(java.lang.String, org.opengis.cite.ogcapifeatures10.conformance.crs.query.crs.CoordinateSystem) [pri:0, instance:org.opengis.cite.ogcapifeatures10.conformance.crs.discovery.collection.DiscoveryCollectionCrsUri@37106d5f] depends on not successfully finished methods in group "crs-conformance"
verifyCollectionCrsIdentifierOfCrsProperty	java.lang.Throwable: Method DiscoveryCollectionDefaultCrs.verifyCollectionCrsIdentifierOfCrsProperty(java.lang.String, io.restassured.path.json.JsonPath) [pri:0, instance:org.opengis.cite.ogcapifeatures10.conformance.crs.discovery.collection.DiscoveryCollectionDefaultCrs@a733024] depends on not successfully finished methods in group "crs-conformance"
verifyBboxCrsParameterInvalid	java.lang.Throwable: Method BBoxCrsParameterInvalid.verifyBboxCrsParameterInvalid(java.lang.String, io.restassured.path.json.JsonPath) [pri:1, instance:org.opengis.cite.ogcapifeatures10.conformance.crs.query.bboxcrs.BBoxCrsParameterInvalid@48234416] depends on not successfully finished methods in group "crs-conformance"
verifyCollectionCrsIdentifierOfStorageCrsProperty	java.lang.Throwable: Method DiscoveryCollectionCrsUri.verifyCollectionCrsIdentifierOfStorageCrsProperty(java.lang.String, org.opengis.cite.ogcapifeatures10.conformance.crs.query.crs.CoordinateSystem) [pri:0, instance:org.opengis.cite.ogcapifeatures10.conformance.crs.discovery.collection.DiscoveryCollectionCrsUri@37106d5f] depends on not successfully finished methods in group "crs-conformance"

See the [detailed old test report](#).

Execute this session again

Delete this session

Download log Files

[Sessions list](#)

TEAM Engine 5.4.1

If you have any questions or suggestions, feel free to contact the [site administrator](#).