

Sr. No.	Project Name/Phase	Question	Date Raised	Author	Originating Group	Status	Feedback	Date Closed	Owner
068	Initiating-Design Validation	What level of integration between GeoPlan system and Samoooha ERP system? In reference to "The middleware must seamlessly post inventory movements into SAP using bulk and aggregated transactions", will GeoPlan send / receive the stock data without the RFID number? i.e. SKU number, Barcode, UOM, QTY, Batch Number, Expiry Date	1-June-2026	Chris W	Samoooha	Completed	Geoplan: The integration points we recommend are for the ff: 1. RFID Tag Printing 2. warehouse/zone inventory 3. Order validation/dispatch Please confirm If Samoooha can have additional field for EPC ID? we recommend to house the EPC data in Samoooha since other applications integrates with Samoooha directly SSI: Unique RFID Tag should come from samoooha (SKU). This is managed through the RFID System For Warehouse: GeoPlan clarified that specific warehouse processes, such as picking and put away, will not use RFID but will instead be managed using a barcode reader via the current mobile application. SSI and GeoPlan - the EPC ID must be paired with a correlated unique ID from Samoooha, like the Item code or SKU. EPC will be housed on the Geoplan side Jun-09 Samoooha confirmed CLOSED		
069	Initiating-Design Validation	What are the expected outbound transactions touch points between GeoPlan RFID system and Samoooha ERP system? For example: Vendor Returns? Goods Delivery? What information is required for the outbound? How is the workflow for these outbound transactions? How to qualify a transaction for the RFID scanning?	1-June-2026	Chris W	Samoooha	In-Progress On Track	Vendor Returns (return from RMK to principal): please confirm if the vendor returns still have RFID tags when returned to warehouse SSI: establish a process to be able to update the RFID system Goods Delivery: RFID can be used to batch validate (confirming the items of the order are complete or not) the order before dispatching SSI: RFID should only be able to return what was received in the goods, delivery and crediting. Scanning information from samoooha. Workflow for outbound transactions: - warehouse receives the order from store or another warehouse - warehouse facilitate the picking based on order details. This is barcode process - warehouse consolidates the items and validate the order before dispatch Action Item: this will be part of Discovery Workshop and FSD review Jun-09 - Samoooha confirmed this is closed for now for SOW.		
070	Initiating-Design Validation	What are the expected inbound transactions touch points between GeoPlan RFID system and Samoooha ERP system? For example: Purchase Invoice -> ASN or Goods Receipt, Credit Note -> Customer Returns What information is required for the inbound? How is the workflow for these inbound transactions? How to qualify a transaction for the RFID scanning?	1-June-2026	Chris W	Samoooha	Completed	Inbound transaction touchpoints: - Goods receipt from factory order - Goods receipt from vendor returns - RFID label printing SSI: RFID label printing is now out of scope since RFID tags will be included when items are delivered. Jun-09 - Samoooha can refer to below queries with confirmations. Confirmed CLOSED		
070.1	Initiating-Design Validation	Additional ask on no. 070	1-June-2026	Chris W	Samoooha	In-Progress On Track	RMK - Merch has tags when items arrive. no retagging at WH. RFID enabled already RFID - can help with goods receipt to validate the qty of the delivery based on PO GeoPlan - requires Samoooha to send the PO reference to RFID Middleware including EPC details RMK - brands prepare the purchase invoice in Samoooha as soon as the invoice from the principal comes in GeoPlan - The main purpose of the RFID system for inbound is just to scan the goods; the other related validation process will be done on the Samoooha side SSI - RFID should send back to samoooha the Vendor Item Code or the samoooha item code from the PO Goods Receipt (Inbound) - Samoooha must first send the PO ID to the RFID system (Geoplan) so that Geoplan can reference it during scanning. Geoplan will return the PO ID along with the EPC ID or UPC details to Samoooha. Samoooha - confirmed that when goods arrive at the warehouse, the reference numbers used will be the ASN (Advance Shipment Notice) along with the PO (Purchase Order) number Action Item: Samoooha - provide vendor product code mapping to Geoplan (Goods Receipt, Goods Delivery) - SSI - Samoooha to provide customer info to GeoPlan. Confirmed that Samoooha should send vendor product code and SKU - Note: Need to check who will be sending the data to Principal (if internal or GeoPlan) - Jun-09 - GeoPlan - confirmed this can be tackled during Discovery Workshop and FSD		
070.2	Initiating-Design Validation	additional ask on customer returns: When do we trigger Geoplan scanning? Is it upon receipt of the customer return in the warehouse, followed by scanning and then sending the data to Samoooha?			Samoooha	In-Progress On Track	SSI - Need to establish a process on RFID Middleware to handle this. No control if RFID is still active or not for customer return scenario. Samoooha - customer return using credit note scenario. SSI confirmed that this is can be handled through under delivery and over delivered process. SSI confirmed that as-is process may still apply. GeoPlan - as long as RFID tag is intact, RFID reader can read it. GeoPlan - confirmed that even RFID tag is deactivated, RFID can still read it GeoPlan - after selling the item, it will be settled by value, so it will not trigger an alarm at security gates at the store. Action Item: This will be a part of the Discovery Workshop and FSD Review		
071	Initiating-Design Validation	Does the RFID reader for the RMK warehouses include bins locations (i.e. A01-A01, A01-A02, etc) or only the high level warehouse / store codes tracking (i.e. 10000-01, 10000-02, etc)?	1-June-2026	Chris W	Samoooha	Completed	Geoplan: Please confirm if Samoooha support bin level location. Otherwise, we can do it in Geoplan side Samoooha is doing this at bin - level only. SSI - no need for Bin Level. Not part of reporting to Principal.		

Sr. No.	Project Name/Phase	Question	Date Raised	Author	Originating Group	Status	Feedback	Date Closed	Owner
072	Initiating-Design Validation	Any new or customized reports with RFID data needed for Samoooha?	1-June-2026	Chris W	Samoooha	Completed	SSI - Samoooha no need. Need facility in RFID Middleware to be able to produce data which are needed for Principal Data Integration reports. GeoPlan - Physical Inventory Count - need RFID to speed up process for inventory. SSI - if doable and can apply.		
073	Initiating-Design Validation	Can we request to visit the warehouse and observe the current environment process? are there any available process flow for the warehouse transactions?	4-June-2026	Vic	Geoplan	Completed	Geoplan: Related to 072, we may need to do a site visit to the warehouse to check the environmental factors in relation to the warehouse inventory using RFID. Action Item: Please confirm on available date and location? - vic.valdon@geosense.biz to provide list of resources by Jun-10 EOD operations@geosense.biz - Jireh Gonzales - to check availability on Jun-15		
074	Initiating-Design Validation	How is the process of inventory done currently and is the RFID applicable for the whole or zone inventory in warehouse?	4-June-2026	Vic	Geoplan	In-Progress On Track	GeoPlan - since tags are made at factory level, there would be data to be sent out to RFID related to EPC ID. SSI - will validate if this will be part of ASN. need for clear separation between RMK and SSI integrations due to potential Universal Product Code (UPC) sharing but differing EPC IDs. GeoPlan - if available, need data structure/definition re the data that will be transmitted Action Item: Confirmation of the ASN for us to determine the EPC ID relating to the SKU or UPC that we will be receiving June-15 Action Item: Principal requested for time for internal review prior to their feedback.		
075	Initiating-Design Validation	Stock Take Stock adjustment	4-June-2026		Samoooha	Completed	RMK - No wh to store transfers. it would be outright account transactions. SSI - wh to wh transfer, is a possibility. RMK to to define which wh the items to be kept and managed.		
076	Initiating-Design Validation	Stock Take Stock adjustment	4-June-2026		Samoooha	Completed	SSI - wh to wh transfer, is a possibility. RMK to to define which wh the items to be kept and managed. if same wh, there will be no movements. Action: Need to validate with Brand and WH Managers		
077	Initiating-Design Validation	Internal SKU with Samoooha	4-June-2026	Jireh	RMK	Completed	Yes we can already start		
078	Initiating-Design Validation	To confirm that most / all of the communication between Samoooha ERP system and GeoPlan RFID is one way, that is Samoooha to send the transaction document data to GeoPlan, no need for return validation from GeoPlan? For Example, when there are ON Brand line items in the documents, Samoooha send to GeoPlan: a. (inbound) Good Receipt doc data at the point of document creation: PO Ref #, Vendor Name, Warehouse Code, SKU Codes, VPM Codes, and Qty b. (inbound) Customer Returns doc data at the point of document creation: CN Ref #, Customer Name, Warehouse Code, SKU Codes, VPM Codes, and Qty c. (outbound) Goods Delivery doc data at the point of document creation: PO Ref #, Customer Name, Warehouse Code, SKU Codes, VPM Codes, and Qty d. (outbound) Vendor Returns doc data at the point of document creation: DN Ref #, Vendor Name, Warehouse Code, SKU Codes, VPM Codes, and Qty	4-June-2026	Chris W	Samoooha	In-Progress On Track	GeoPlan - The integration between Samoooha and GeoPlan is two-way. Samoooha sends item details (document ref #, warehouse code, SKU codes, qty) to GeoPlan before the scanning point. After the scanning complete, GeoPlan returns the matched EPC IDs or UPC details. Jun-09: - GeoPlan - can support one-way transaction as stated by Samoooha (Note: for other cliens, handshake at document level only) - GeoPlan to return code/log to Samoooha (data return) if successful or failed transmission - SSI - there should be a confirmation from RFID back to Samoooha (e.g. transaction log) - Samoooha - can provide log that data has been sent out to RFID (e.g. log of no. of docs sent and received to and from RFID-GeoPlan) - Example: Samoooha - batch is handled in ASN level and transformed to Goods Receipt (will be handled in line level of the document) - GeoPlan - need to send return data after scanning and send to Samoooha (qty scanned per each SKU) SSI confirmation for the following: -ON Brand line items in the documents, Samoooha send to GeoPlan: Stock Take Process: --- will be reviewed after Jun-15 Site Visit Action Items: SSI - need to determine if will be at BIN level". Need to ensure to use RFID system for Stock Take - WH would need both, mobile reader via barcode scanning - WH RFID can facilitate. - Please see email. - WH Ops is at Stock Take Level for RFID per confirmation from WH visit by GeoPlan but internally it will be Bin Level for the mobile barcode scanner. MSD to validate on this and WH Ops and confirm back. - Validation from Ms. Tere for WH operations Inventory Adjustments:--- will be reviewed after Jun-15 Site Visit SSI - GeoPlan should be updated and RFID system to be used (at EPC level) - where to house the EPC - will be housed on the geoplan side. - Master Data (Stock and EPC) push at the start for Samoooha to RFID and need to sync Delta going forward - Samoooha will push the Articles and EPC or unique that samoooha is using to GeoPlan via the interface. It should be synced to GeoPlan. EPC will be printed outright on the WH level. - Inventory (Master) will not be push to RFID as per GeoPlan - GeoPlan doesn't need the stock level. - For Stock Level: Variance - business logic will be done on Samoooha side as per GeoPlan - Submission of vendor product mapping from Samoooha to GeoPlan. - SSI schedule would be done nightly. RMK schedule would also be done nightly for scheduler. Stock Transfers from WH - 1 WH only Stock Transfer from WH to Store - Out of Scope Customer Returns: GeoPlan - Yes, document status flag is recommended so warehouse staff know whether the RFID scanning step has been done or not. Jun-09 Action Item - will be reviewed after Jun-15 Site Visit - Validation from Ms. Tere for WH operations		
078.1	Initiating-Design Validation	No return data or validation need to be send back from GeoPlan to Samoooha ERP system, is this correct? Does RMK need status for indicating documents that have been sent to GeoPlan in the Samoooha ERP system?	4-June-2026	Chris W	Samoooha	In-Progress On Track	GeoPlan - Yes, document status flag is recommended so warehouse staff know whether the RFID scanning step has been done or not. Jun-09 Action Item - will be reviewed after Jun-15 Site Visit - Validation from Ms. Tere for WH operations		
078.2	Initiating-Design Validation	Does Samoooha need to filter out other brands' SKUs from the data to be sent to GeoPlan, when the documents contain mixed brands SKUs? Or will GeoPlan ignore the data for other brands aside of ON Brand for RMK?	4-June-2026	Chris W	Samoooha	Completed	GeoPlan - Samoooha must filter and transmit only RFID-enabled brand SKUs before sending to GeoPlan. If Samoooha includes non-RFID brands, those items will have no scan result returned. Jun-09 - SSI - confirmed that filtering will be done on Samoooha side		

[illegible]