## $RWorksheet\_Trongoy\#3a$

## George Eduard Trongoy

## 2024-10-03

```
1.
LETTERS
## [1] "A" "B" "C" "D" "E" "F" "G" "H" "I" "J" "K" "L" "M" "N" "O" "P" "Q" "R" "S"
## [20] "T" "U" "V" "W" "X" "Y" "Z"
letters
## [1] "a" "b" "c" "d" "e" "f" "g" "h" "i" "j" "k" "l" "m" "n" "o" "p" "q" "r" "s"
## [20] "t" "u" "v" "w" "x" "y" "z"
f11 <- LETTERS[1:11]
## [1] "A" "B" "C" "D" "E" "F" "G" "H" "I" "J" "K"
  b.
odd <- LETTERS[seq(1, 26, by = 2)]
print(odd)
## [1] "A" "C" "E" "G" "I" "K" "M" "O" "Q" "S" "U" "W" "Y"
vowels <- LETTERS[LETTERS %in% c("A", "E", "I", "O", "U")]</pre>
## [1] "A" "E" "I" "O" "U"
15 <- letters[22:26]
## [1] "v" "w" "x" "v" "z"
mid <- letters[15:24]
## [1] "o" "p" "q" "r" "s" "t" "u" "v" "w" "x"
  2.
citytemp<- c(Tuguegarao = 42, Manila = 39, Iloilo = 34, Tacloban = 34, Samal_Island = 30, Davao = 27)
                      Manila
                                   Iloilo
                                              Tacloban Samal_Island
                                                                            Davao
     Tuguegarao
```

```
42 39 34 34 30
                                                                           27
##
  a..
city <- c("Tuguegarao City", "Manila", "Iloilo City", "Tacloban", "Samal Island", "Davao City")
city
## [1] "Tuguegarao City" "Manila"
                                         "Iloilo City"
                                                           "Tacloban"
## [5] "Samal Island" "Davao City"
temp \leftarrow c(42, 39, 34, 34, 30, 27)
## [1] 42 39 34 34 30 27
citytempdf <- data.frame(city, temp)</pre>
citytempdf
##
               city temp
## 1 Tuguegarao City
## 2
             Manila
                      39
       Iloilo City
## 3
                      34
## 4
        Tacloban
                    34
## 5
     Samal Island 30
## 6
       Davao City 27
str(citytempdf)
## 'data.frame':
                   6 obs. of 2 variables:
## $ city: chr "Tuguegarao City" "Manila" "Iloilo City" "Tacloban" ...
## $ temp: num 42 39 34 34 30 27
  f.
citytempdf[3:4, ]
           city temp
                  34
## 3 Iloilo City
## 4
       Tacloban
highesttempcity <- citytempdf[which.max(citytempdf$Temperature), ]</pre>
highesttempcity
## [1] city temp
## <0 rows> (or 0-length row.names)
lowesttempcity <- citytempdf[which.min(citytempdf$Temperature), ]</pre>
lowesttempcity
## [1] city temp
## <0 rows> (or 0-length row.names)
Matrices 2. a.
```

```
matrix_1 \leftarrow matrix(c(1:8, 11:14), nrow = 3, ncol = 4, byrow = TRUE)
matrix_1
## [,1] [,2] [,3] [,4]
## [1,] 1 2 3 4
       5 6 7
## [2,]
                       8
## [3,]
       11 12 13 14
b.
matrix_2 <- matrix_1 * 2</pre>
matrix_2
## [,1] [,2] [,3] [,4]
## [1,] 2
## [2,] 10 12 14 16
## [3,] 22 24 26 28
 c.
matrix_1[2, ]
## [1] 5 6 7 8
 d.
matrix_1[1:2, 3:4]
## [,1] [,2]
## [1,] 3 4
## [2,] 7 8
matrix_1[3, 2:3]
## [1] 12 13
 f.
matrix_1[, 4]
## [1] 4 8 14
  g.
# Name rows and columns
rownames(matrix_2) <- c("isa", "dalawa", "tatlo")</pre>
colnames(matrix_2) <- c("uno", "dos", "tres", "quatro")</pre>
matrix_2
##
        uno dos tres quatro
## isa
         2 4 6
                         8
## dalawa 10 12 14
                        16
## tatlo 22 24 26
                        28
dim(matrix_1) <- c(6, 2)</pre>
matrix_1
## [,1] [,2]
## [1,] 1 3
```

```
## [2,]
       5 7
## [3,]
            13
       11
## [4,]
       2
            4
## [5,]
       6
             8
## [6,]
        12
             14
ARRAYS 3. a.
values \leftarrow rep(c(1, 2, 3, 6, 7, 8, 9, 0, 3, 4, 5, 1), times = 2)
array \leftarrow array(values, dim = c(2, 4, 3))
array
## , , 1
     [,1] [,2] [,3] [,4]
## [1,] 1 3 7 9
## [2,] 2 6 8
##
## , , 2
##
    [,1] [,2] [,3] [,4]
## [1,]
       3 5 1
       4 1
                   2
## [2,]
##
## , , 3
##
      [,1] [,2] [,3] [,4]
## [1,] 7 9 3 5
## [2,]
       8 0 4 1
 b.
dim(array)
## [1] 2 4 3
  c.
dimnames(array) <- list(</pre>
 c("a", "b"),
c("A", "B", "C", "D"),
c("1st-Dimensional Array", "2nd-Dimensional Array", "3rd-Dimensional Array")
array
## , , 1st-Dimensional Array
##
## A B C D
## a 1 3 7 9
## b 2 6 8 0
## , , 2nd-Dimensional Array
## A B C D
## a 3 5 1 3
## b 4 1 2 6
##
```

```
## , , 3rd-Dimensional Array
##
## A B C D
## a 7 9 3 5
## b 8 0 4 1
```