

Text to Speech documentation

Scripts

splitfiction.py - Used to take the whole text of the book and convert them into individual chapter text files

chapters.py - Also splits text by chapter but only with book chapters that use roman numeral

batch.py - Used to generate audio files and place them inside of folders that contain chunks per chapter

rename.py - Used to Rename files as the names of their subfolder and to delete them folder and leave the files

compress.py - Compresses the size of the files

list.txt - list of chunk names that is used to combine smaller mp3 chunk files created by batch.py

Procedure

Copy full text of a book into a text file.

✓ books_output	35
✓ Book1	36
≡ 01_The_Workshop.txt	37
≡ 02_The_Preaching.txt	38
≡ 03_After_the_Preaching.txt	39
≡ 04_Home_and_Its_Sorrows.txt	40
≡ 05_The_Rector.txt	41
≡ 06_The_Hall_Farm.txt	42
≡ 07_The_Dairy.txt	43
≡ 08_A_Vocation.txt	44
≡ 09_Dinah_Visits_Lisbeth.txt	45
≡ 10_In_the_Cottage.txt	46
≡ 11_In_the_Wood.txt	47
≡ 12_Evening_in_the_Wood.txt	48
≡ 13_The_Return_Home.txt	49
≡ 14_The_Two_Bed-Chambers.txt	50
≡ 15_Links.txt	51
✗ book2	52
	53
	54
	55

Use **splitfiction.py** to convert text into chapters if chapters are named “chapter 1, chapter 2, etc..”

Use **chapters.py** if chapters are named “chapter I, chapter II, chapter III, etc..”

```
Processing complete for 'Book3\04_The_Games.txt'. Temporary files are kept at: temp_audio_04_The_Games_7d49f862-2c5f-464b-98eb-6ef9f54d5b89
```

```
---
Processing file: Book3\05_The_Dance.txt
Output file will be: output.mp3\05_The_Dance_output.mp3
Temporary folder created for 'Book3\05_The_Dance.txt': temp_audio_05_The_Dance_13b12ac1-1ffa-4ed4-99f9-abcd22d550d0
Text split into 2 chunks.
Synthesizing chunk 1 to temp_audio_05_The_Dance_13b12ac1-1ffa-4ed4-99f9-abcd22d550d0\chunk_1.mp3...
Generated file size for temp_audio_05_The_Dance_13b12ac1-1ffa-4ed4-99f9-abcd22d550d0\chunk_1.mp3: 40004846 bytes
Synthesizing chunk 2 to temp_audio_05_The_Dance_13b12ac1-1ffa-4ed4-99f9-abcd22d550d0\chunk_2.mp3...
Generated file size for temp_audio_05_The_Dance_13b12ac1-1ffa-4ed4-99f9-abcd22d550d0\chunk_2.mp3: 8222446 bytes
Combined audio saved to output.mp3\05_The_Dance_output.mp3
Processing complete for 'Book3\05_The_Dance.txt'. Temporary files are kept at: temp_audio_05_The_Dance_13b12ac1-1ffa-4ed4-99f9-abcd22d550d0
```

```
PS C:\Users\twrig\Downloads\Adam Beade\books_output> python Batchforbede.py Book4 output.mp3
```

```
---
Processing file: Book4\01_A_Crisis.txt
Output file will be: output.mp3\01_A_Crisis_output.mp3
Temporary folder created for 'Book4\01_A_Crisis.txt': temp_audio_01_A_Crisis_94bef3f3-b3d4-4322-a752-0d84ed91bee7
Text split into 2 chunks.
Synthesizing chunk 1 to temp_audio_01_A_Crisis_94bef3f3-b3d4-4322-a752-0d84ed91bee7\chunk_1.mp3...
```


✓ book5

✓ 01_The_Journey_of_Hope

🔊 chunk_1.mp3

- > 02_The_Journey_in_Despair
- > 03_The_Quest
- > 04_The_Tidings
- > 05_The_Bitter_Waters_Spread
- > 06_The_Eve_of_the_Trial
- > 07_The_Morning_of_the_Trial
- > 08_The_Verdict
- > 09_In_the_Prison
- > 10_The_Hours_of_Suspense
- > 11_The_Last_Moment
- > 12_Another_Meeting_in_the_Wood


Use **batch.py** to make the folders with audio chunks of mp3 files inside of them.



Use the **list.txt** to list out all of the chunk files that are found inside of the folder that they are placed inside of.

```
Metadata:  
encoder          : Lavc61.19.101 libmp3lame  
[libmp3lame @ 0000017cfa828e00] Trying to remove 576 samples, but the queue is empty  
[out#0/mp3 @ 00000017cfa818100] video:0KiB audio:31162KiB subtitle:0KiB other streams:0KiB global headers:0KiB muxing over  
rhead: 0.002394%  
size= 31163KiB time=00:26:35.41 bitrate= 160.0kbits/s speed= 440x  
PS C:\Users\twrig\Downloads\March\Chapter 6> cd ..  
PS C:\Users\twrig\Downloads\March> cd "Chapter 3"  
PS C:\Users\twrig\Downloads\March\Chapter 3> ffmpeg -f concat -safe 0 -i list.txt -c:a libmp3lame -b:a 192k combined.mp3  
3  
ffmpeg version 7.1.1-full_build-www.gyan.dev Copyright (c) 2000-2025 the FFmpeg developers  
built with gcc 14.2.0 (Rev1, Built by MSYS2 project)  
configuration: --enable-gpl --enable-version3 --enable-static --disable-w32threads --disable-autodetect --enable-fontconfig  
--enable-iconv --enable-gnutls --enable-lcms2 --enable-libxml2 --enable-gmp --enable-bzlib --enable-lzma --enable-libsnappy  
--enable-zlib --enable-librist --enable-librt --enable-libssh --enable-libzmq --enable-avisynth --enable-libb_luray  
--enable-libcaca --enable-libdvdnav --enable-libdvdrread --enable-sdl2 --enable-libaribb24 --enable-libaricapcaption  
--enable-libdavld --enable-libdavds2 --enable-libopenjpeg --enable-libquirc --enable-libuavs3d --enable-libxvid --enable-libzvbi  
--enable-libqrencode --enable-librav1e --enable-libsvtav1 --enable-libvenc --enable-libwebp --enable-libx264 --enable-libx265  
--enable-libxavs2 --enable-libxavs2 --enable-libxhevc --enable-libxvid --enable-libx264 --enable-libx265 --enable-libx265  
--enable-mediafoundation --enable-libass --enable-frei0r --enable-libfreetype --enable-libfridi --enable-libharfbuzz --enable
```

Use this command to combine files inside of folder: `ffmpeg -f concat -safe 0 -i list.txt -c:a libmp3lame -b:a 192k combined_output.mp3`



```
🔊 _The_Rector.mp3
🔊 _The_Workshop.mp3
🔊 A_Vocation.mp3
🔊 After_the_Preaching.mp3
🔊 Dinah_Visits_Lisbeth.mp3
🔊 Evening_in_the_Wood.mp3
🔊 Home_and_Its_Sorrows_.mp3
🔊 In_the_Cottage.mp3
🔊 In_the_Wood.mp3
🔊 Links.mp3
🔊 The_Dairy.mp3
🔊 The_Hall_Farm_.mp3
🔊 The_Preaching.mp3
🔊 The_Return_Home.mp3
🔊 The_Two_Bed-Chambers.mp3
```

Use **rename.py** to delete the subfolder and have the mp3 file rename and overwrite the folder it is found inside of.

Use **compress.py** to compress the size of all of the files found inside of the folder.