




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.

P001: partial pooling across participants and a continuous sigmoid across SOA




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.

P002: partial pooling across participants and a continuous sigmoid across SOA




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.

P003: partial pooling across participants and a continuous sigmoid across SOA




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.


P004: partial pooling across participants and a continuous sigmoid across SOA




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.



Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.

P009: partial pooling across participants and a continuous sigmoid across SOA




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.

P010: partial pooling across participants and a continuous sigmoid across SOA




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.

P013: partial pooling across participants and a continuous sigmoid across SOA




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.

P014: partial pooling across participants and a continuous sigmoid across SOA




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.

P015: partial pooling across participants and a continuous sigmoid across SOA




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.

P017: partial pooling across participants and a continuous sigmoid across SOA




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.

P018: partial pooling across participants and a continuous sigmoid across SOA




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.

P019: partial pooling across participants and a continuous sigmoid across SOA




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.

P020: partial pooling across participants and a continuous sigmoid across SOA




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.


P021: partial pooling across participants and a continuous sigmoid across SOA



Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.


P022: partial pooling across participants and a continuous sigmoid across SOA






Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.

P023: partial pooling across participants and a continuous sigmoid across SOA




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.


P024: partial pooling across participants and a continuous sigmoid across SOA



Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.

P027: partial pooling across participants and a continuous sigmoid across SOA




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.

P028: partial pooling across participants and a continuous sigmoid across SOA




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.

P029: partial pooling across participants and a continuous sigmoid across SOA




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.

P030: partial pooling across participants and a continuous sigmoid across SOA




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.

P031: partial pooling across participants and a continuous sigmoid across SOA




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.

P032: partial pooling across participants and a continuous sigmoid across SOA




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.

P034: partial pooling across participants and a continuous sigmoid across SOA




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.

P035: partial pooling across participants and a continuous sigmoid across SOA




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.

P036: partial pooling across participants and a continuous sigmoid across SOA




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.

P038: partial pooling across participants and a continuous sigmoid across SOA




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.

P039: partial pooling across participants and a continuous sigmoid across SOA




Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.

P040: partial pooling across participants and a continuous sigmoid across SOA



Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.

P041: partial pooling across participants and a continuous sigmoid across SOA



Top: unsmoothed observations ± marginal SE; band = 95% expected-response interval. Baseline error is shared across distances.
Bottom: standardized model illustration, with measured segment shaded. Centering/scaling guarantees a visible S; extrapolated bends are assumptions, not observations.
Plug-in curves use marginal parameter medians; they differ from the pointwise posterior median response. Signed amplitudes and all four cells are retained.