






P000: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 38.8 [-48.4, 175.8] cm
Sharpness 0.0026 [0.0005, 0.0288] /cm
Control Inhale
Midpoint 52.5 [-29.6, 176.3] cm
Sharpness 0.0022 [0.0004, 0.0238] /cm
Viscereality Exhale
Midpoint 42.7 [-45.2, 183.8] cm
Sharpness 0.0022 [0.0004, 0.0300] /cm
Viscereality Inhale
Midpoint 68.6 [-10.4, 189.9] cm
Sharpness 0.0027 [0.0006, 0.0319] /cm
Audio–Tactile minus matched baseline RT (ms)
150
100
50
0
−50
−100
−150
−200
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P001: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 34.1 [-44.5, 139.2] cm
Sharpness 0.0027 [0.0007, 0.0229] /cm
Control Inhale
Midpoint 47.1 [-23.5, 147.7] cm
Sharpness 0.0026 [0.0006, 0.0217] /cm
Viscereality Exhale
Midpoint 47.0 [-36.7, 159.4] cm
Sharpness 0.0022 [0.0005, 0.0263] /cm
Viscereality Inhale
Midpoint 66.9 [-5.0, 176.7] cm
Sharpness 0.0031 [0.0007, 0.0309] /cm
Audio–Tactile minus matched baseline RT (ms)
50
0
−50
−100
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P002: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 38.9 [-63.8, 183.8] cm
Sharpness 0.0025 [0.0005, 0.0229] /cm
Control Inhale
Midpoint 52.1 [-36.8, 190.3] cm
Sharpness 0.0022 [0.0004, 0.0259] /cm
Viscereality Exhale
Midpoint 39.3 [-55.7, 195.7] cm
Sharpness 0.0021 [0.0005, 0.0263] /cm
Viscereality Inhale
Midpoint 66.7 [-14.7, 198.8] cm
Sharpness 0.0027 [0.0005, 0.0308] /cm
Audio–Tactile minus matched baseline RT (ms)
200
100
0
−100
−200
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P003: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 40.1 [-48.9, 179.3] cm
Sharpness 0.0026 [0.0005, 0.0244] /cm
Control Inhale
Midpoint 51.6 [-37.1, 188.3] cm
Sharpness 0.0022 [0.0005, 0.0254] /cm
Viscereality Exhale
Midpoint 40.5 [-39.9, 190.6] cm
Sharpness 0.0023 [0.0004, 0.0278] /cm
Viscereality Inhale
Midpoint 66.3 [-16.6, 196.7] cm
Sharpness 0.0029 [0.0005, 0.0342] /cm
Audio–Tactile minus matched baseline RT (ms)
100
50
0
−50
−100
−150
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P004: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 56.8 [-3.2, 106.7] cm
Sharpness 0.0037 [0.0011, 0.0270] /cm
Control Inhale
Midpoint 53.7 [-8.9, 118.2] cm
Sharpness 0.0028 [0.0008, 0.0242] /cm
Viscereality Exhale
Midpoint 55.0 [-4.0, 119.3] cm
Sharpness 0.0027 [0.0008, 0.0266] /cm
Viscereality Inhale
Midpoint 73.8 [7.1, 142.6] cm
Sharpness 0.0030 [0.0007, 0.0328] /cm
Audio–Tactile minus matched baseline RT (ms)
40
20
0
−20
−40
−60
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P005: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 40.5 [-56.1, 172.6] cm
Sharpness 0.0023 [0.0004, 0.0247] /cm
Control Inhale
Midpoint 51.0 [-46.8, 181.6] cm
Sharpness 0.0019 [0.0004, 0.0239] /cm
Viscereality Exhale
Midpoint 38.1 [-51.1, 178.9] cm
Sharpness 0.0019 [0.0004, 0.0251] /cm
Viscereality Inhale
Midpoint 65.6 [-16.1, 184.8] cm
Sharpness 0.0024 [0.0005, 0.0331] /cm
Audio–Tactile minus matched baseline RT (ms)
40
20
0
−20
−40
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P006: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 29.8 [-50.1, 202.0] cm
Sharpness 0.0030 [0.0006, 0.0323] /cm
Control Inhale
Midpoint 55.0 [-21.2, 204.7] cm
Sharpness 0.0027 [0.0006, 0.0281] /cm
Viscereality Exhale
Midpoint 38.3 [-35.8, 214.9] cm
Sharpness 0.0030 [0.0006, 0.0310] /cm
Viscereality Inhale
Midpoint 80.8 [8.3, 214.7] cm
Sharpness 0.0041 [0.0008, 0.0439] /cm
Audio–Tactile minus matched baseline RT (ms)
100
50
0
−50
−100
−150
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P007: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 40.5 [-44.1, 193.3] cm
Sharpness 0.0025 [0.0005, 0.0232] /cm
Control Inhale
Midpoint 54.8 [-30.7, 202.1] cm
Sharpness 0.0022 [0.0004, 0.0242] /cm
Viscereality Exhale
Midpoint 43.3 [-37.4, 208.8] cm
Sharpness 0.0022 [0.0004, 0.0248] /cm
Viscereality Inhale
Midpoint 70.3 [-7.0, 203.9] cm
Sharpness 0.0027 [0.0005, 0.0268] /cm
Audio–Tactile minus matched baseline RT (ms)
50
0
−50
−100
−150
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P008: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 39.5 [-53.7, 153.3] cm
Sharpness 0.0025 [0.0005, 0.0252] /cm
Control Inhale
Midpoint 50.9 [-37.4, 158.3] cm
Sharpness 0.0021 [0.0004, 0.0229] /cm
Viscereality Exhale
Midpoint 40.0 [-40.9, 159.8] cm
Sharpness 0.0024 [0.0005, 0.0226] /cm
Viscereality Inhale
Midpoint 62.0 [-20.7, 162.4] cm
Sharpness 0.0030 [0.0006, 0.0372] /cm
Audio–Tactile minus matched baseline RT (ms)
150
100
50
0
−50
−100
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P009: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 39.6 [-48.8, 140.5] cm
Sharpness 0.0024 [0.0005, 0.0221] /cm
Control Inhale
Midpoint 48.3 [-38.6, 150.7] cm
Sharpness 0.0021 [0.0005, 0.0202] /cm
Viscereality Exhale
Midpoint 40.7 [-41.8, 163.1] cm
Sharpness 0.0021 [0.0005, 0.0239] /cm
Viscereality Inhale
Midpoint 62.6 [-9.7, 162.6] cm
Sharpness 0.0027 [0.0006, 0.0291] /cm
Audio–Tactile minus matched baseline RT (ms)
60
40
20
0
−20
−40
−60
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.


P010: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 40.2 [-50.2, 173.4] cm
Sharpness 0.0026 [0.0005, 0.0268] /cm
Control Inhale
Midpoint 51.0 [-28.5, 174.3] cm
Sharpness 0.0022 [0.0005, 0.0210] /cm
Viscereality Exhale
Midpoint 42.8 [-40.4, 183.0] cm
Sharpness 0.0022 [0.0004, 0.0260] /cm
Viscereality Inhale
Midpoint 67.3 [-15.0, 186.5] cm
Sharpness 0.0029 [0.0006, 0.0398] /cm
Audio–Tactile minus matched baseline RT (ms)
75
50
25
0
−25
−50
−75
−100
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P012: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 40.0 [-53.3, 187.9] cm
Sharpness 0.0022 [0.0004, 0.0287] /cm
Control Inhale
Midpoint 50.9 [-42.1, 184.6] cm
Sharpness 0.0020 [0.0004, 0.0250] /cm
Viscereality Exhale
Midpoint 43.2 [-42.0, 192.0] cm
Sharpness 0.0020 [0.0004, 0.0271] /cm
Viscereality Inhale
Midpoint 65.0 [-19.8, 196.2] cm
Sharpness 0.0026 [0.0005, 0.0334] /cm
Audio–Tactile minus matched baseline RT (ms)
50
25
0
−25
−50
−75
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P013: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 48.6 [-37.3, 186.5] cm
Sharpness 0.0028 [0.0006, 0.0241] /cm
Control Inhale
Midpoint 56.2 [-20.1, 179.1] cm
Sharpness 0.0023 [0.0005, 0.0255] /cm
Viscereality Exhale
Midpoint 51.5 [-27.6, 181.8] cm
Sharpness 0.0025 [0.0005, 0.0236] /cm
Viscereality Inhale
Midpoint 72.6 [-0.7, 198.0] cm
Sharpness 0.0028 [0.0006, 0.0339] /cm
Audio–Tactile minus matched baseline RT (ms)
100
50
0
−50
−100
−150
−200
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P014: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 34.9 [-50.5, 185.9] cm
Sharpness 0.0024 [0.0005, 0.0261] /cm
Control Inhale
Midpoint 48.3 [-32.1, 191.4] cm
Sharpness 0.0022 [0.0004, 0.0245] /cm
Viscereality Exhale
Midpoint 41.0 [-41.0, 200.5] cm
Sharpness 0.0023 [0.0005, 0.0286] /cm
Viscereality Inhale
Midpoint 65.6 [-11.5, 196.5] cm
Sharpness 0.0028 [0.0006, 0.0369] /cm
Audio–Tactile minus matched baseline RT (ms)
50
0
−50
−100
−150
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.





Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P016: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 43.1 [-37.6, 155.2] cm
Sharpness 0.0027 [0.0006, 0.0270] /cm
Control Inhale
Midpoint 54.1 [-26.7, 153.5] cm
Sharpness 0.0023 [0.0005, 0.0276] /cm
Viscereality Exhale
Midpoint 49.9 [-27.7, 160.8] cm
Sharpness 0.0026 [0.0006, 0.0258] /cm
Viscereality Inhale
Midpoint 72.4 [-7.8, 170.6] cm
Sharpness 0.0030 [0.0007, 0.0341] /cm
Audio–Tactile minus matched baseline RT (ms)
150
100
50
0
−50
−100
−150
−200
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P017: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 48.1 [-31.7, 174.8] cm
Sharpness 0.0027 [0.0006, 0.0244] /cm
Control Inhale
Midpoint 55.3 [-19.5, 170.7] cm
Sharpness 0.0023 [0.0005, 0.0239] /cm
Viscereality Exhale
Midpoint 51.2 [-24.9, 167.3] cm
Sharpness 0.0023 [0.0006, 0.0234] /cm
Viscereality Inhale
Midpoint 74.7 [2.2, 178.2] cm
Sharpness 0.0030 [0.0007, 0.0322] /cm
Audio–Tactile minus matched baseline RT (ms)
50
0
−50
−100
−150
−200
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.


P018: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 40.9 [-68.4, 161.8] cm
Sharpness 0.0024 [0.0005, 0.0222] /cm
Control Inhale
Midpoint 48.5 [-51.2, 174.6] cm
Sharpness 0.0020 [0.0004, 0.0205] /cm
Viscereality Exhale
Midpoint 41.9 [-64.2, 166.4] cm
Sharpness 0.0023 [0.0004, 0.0247] /cm
Viscereality Inhale
Midpoint 66.8 [-31.2, 170.7] cm
Sharpness 0.0028 [0.0006, 0.0304] /cm
Audio–Tactile minus matched baseline RT (ms)
100
50
0
−50
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P019: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 33.7 [-50.3, 148.1] cm
Sharpness 0.0024 [0.0006, 0.0236] /cm
Control Inhale
Midpoint 41.9 [-45.0, 149.8] cm
Sharpness 0.0020 [0.0005, 0.0249] /cm
Viscereality Exhale
Midpoint 33.3 [-37.3, 120.0] cm
Sharpness 0.0029 [0.0007, 0.0245] /cm
Viscereality Inhale
Midpoint 53.4 [-14.5, 132.1] cm
Sharpness 0.0034 [0.0007, 0.0320] /cm
Audio–Tactile minus matched baseline RT (ms)
150
100
50
0
−50
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P020: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 45.7 [-37.6, 149.5] cm
Sharpness 0.0035 [0.0007, 0.0274] /cm
Control Inhale
Midpoint 56.2 [-27.2, 155.7] cm
Sharpness 0.0026 [0.0006, 0.0260] /cm
Viscereality Exhale
Midpoint 46.8 [-24.8, 168.4] cm
Sharpness 0.0026 [0.0006, 0.0311] /cm
Viscereality Inhale
Midpoint 73.4 [-2.9, 179.7] cm
Sharpness 0.0031 [0.0006, 0.0330] /cm
Audio–Tactile minus matched baseline RT (ms)
200
100
0
−100
−200
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P021: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 40.4 [-56.4, 189.2] cm
Sharpness 0.0024 [0.0005, 0.0273] /cm
Control Inhale
Midpoint 54.2 [-34.4, 191.8] cm
Sharpness 0.0021 [0.0005, 0.0265] /cm
Viscereality Exhale
Midpoint 43.4 [-46.9, 196.9] cm
Sharpness 0.0022 [0.0004, 0.0264] /cm
Viscereality Inhale
Midpoint 68.0 [-14.8, 200.3] cm
Sharpness 0.0026 [0.0006, 0.0304] /cm
Audio–Tactile minus matched baseline RT (ms)
100
50
0
−50
−100
−150
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.





Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P023: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 41.0 [-52.0, 181.5] cm
Sharpness 0.0026 [0.0005, 0.0232] /cm
Control Inhale
Midpoint 53.6 [-25.7, 188.1] cm
Sharpness 0.0023 [0.0004, 0.0243] /cm
Viscereality Exhale
Midpoint 42.6 [-36.6, 188.4] cm
Sharpness 0.0023 [0.0004, 0.0265] /cm
Viscereality Inhale
Midpoint 68.9 [-6.2, 196.8] cm
Sharpness 0.0029 [0.0005, 0.0317] /cm
Audio–Tactile minus matched baseline RT (ms)
300
200
100
0
−100
−200
−300
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P024: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 37.1 [-65.3, 163.4] cm
Sharpness 0.0024 [0.0005, 0.0249] /cm
Control Inhale
Midpoint 44.4 [-65.1, 165.2] cm
Sharpness 0.0020 [0.0004, 0.0248] /cm
Viscereality Exhale
Midpoint 40.2 [-50.3, 166.9] cm
Sharpness 0.0021 [0.0005, 0.0266] /cm
Viscereality Inhale
Midpoint 60.1 [-41.2, 168.1] cm
Sharpness 0.0028 [0.0006, 0.0335] /cm
Audio–Tactile minus matched baseline RT (ms)
100
50
0
−50
−100
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P025: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 38.3 [-46.0, 190.4] cm
Sharpness 0.0026 [0.0004, 0.0262] /cm
Control Inhale
Midpoint 52.1 [-32.2, 190.4] cm
Sharpness 0.0021 [0.0004, 0.0206] /cm
Viscereality Exhale
Midpoint 39.7 [-36.9, 195.2] cm
Sharpness 0.0021 [0.0004, 0.0252] /cm
Viscereality Inhale
Midpoint 66.2 [-11.3, 201.8] cm
Sharpness 0.0025 [0.0005, 0.0279] /cm
Audio–Tactile minus matched baseline RT (ms)
100
50
0
−50
−100
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P026: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 49.7 [-27.7, 141.0] cm
Sharpness 0.0029 [0.0006, 0.0227] /cm
Control Inhale
Midpoint 59.0 [-17.5, 158.3] cm
Sharpness 0.0022 [0.0005, 0.0241] /cm
Viscereality Exhale
Midpoint 58.1 [-20.6, 143.7] cm
Sharpness 0.0024 [0.0006, 0.0236] /cm
Viscereality Inhale
Midpoint 76.2 [5.3, 168.3] cm
Sharpness 0.0028 [0.0006, 0.0314] /cm
Audio–Tactile minus matched baseline RT (ms)
75
50
25
0
−25
−50
−75
−100
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P027: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 31.5 [-71.3, 165.3] cm
Sharpness 0.0026 [0.0005, 0.0258] /cm
Control Inhale
Midpoint 44.6 [-40.9, 161.3] cm
Sharpness 0.0022 [0.0005, 0.0234] /cm
Viscereality Exhale
Midpoint 40.8 [-46.9, 168.5] cm
Sharpness 0.0022 [0.0005, 0.0268] /cm
Viscereality Inhale
Midpoint 66.4 [-21.5, 166.9] cm
Sharpness 0.0029 [0.0006, 0.0328] /cm
Audio–Tactile minus matched baseline RT (ms)
150
100
50
0
−50
−100
−150
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P028: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 36.0 [-61.6, 155.3] cm
Sharpness 0.0024 [0.0005, 0.0234] /cm
Control Inhale
Midpoint 46.0 [-46.3, 170.6] cm
Sharpness 0.0022 [0.0004, 0.0233] /cm
Viscereality Exhale
Midpoint 39.6 [-51.4, 172.8] cm
Sharpness 0.0020 [0.0005, 0.0255] /cm
Viscereality Inhale
Midpoint 65.1 [-16.9, 177.3] cm
Sharpness 0.0027 [0.0005, 0.0275] /cm
Audio–Tactile minus matched baseline RT (ms)
100
50
0
−50
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P029: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 39.8 [-32.8, 169.6] cm
Sharpness 0.0026 [0.0006, 0.0245] /cm
Control Inhale
Midpoint 63.9 [-11.3, 168.7] cm
Sharpness 0.0023 [0.0005, 0.0182] /cm
Viscereality Exhale
Midpoint 44.2 [-30.4, 174.2] cm
Sharpness 0.0021 [0.0006, 0.0253] /cm
Viscereality Inhale
Midpoint 77.6 [11.4, 181.8] cm
Sharpness 0.0030 [0.0006, 0.0247] /cm
Audio–Tactile minus matched baseline RT (ms)
50
0
−50
−100
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P030: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 35.8 [-69.6, 151.3] cm
Sharpness 0.0024 [0.0005, 0.0228] /cm
Control Inhale
Midpoint 48.5 [-41.7, 162.1] cm
Sharpness 0.0022 [0.0005, 0.0215] /cm
Viscereality Exhale
Midpoint 37.4 [-56.2, 161.4] cm
Sharpness 0.0021 [0.0004, 0.0251] /cm
Viscereality Inhale
Midpoint 64.0 [-20.6, 166.7] cm
Sharpness 0.0027 [0.0006, 0.0301] /cm
Audio–Tactile minus matched baseline RT (ms)
100
50
0
−50
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P031: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 33.2 [-51.2, 173.8] cm
Sharpness 0.0022 [0.0005, 0.0200] /cm
Control Inhale
Midpoint 56.4 [-35.0, 186.4] cm
Sharpness 0.0019 [0.0004, 0.0222] /cm
Viscereality Exhale
Midpoint 37.6 [-43.0, 184.5] cm
Sharpness 0.0019 [0.0004, 0.0252] /cm
Viscereality Inhale
Midpoint 67.3 [-14.4, 191.1] cm
Sharpness 0.0023 [0.0005, 0.0264] /cm
Audio–Tactile minus matched baseline RT (ms)
40
20
0
−20
−40
−60
−80
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P032: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 45.3 [-45.9, 143.8] cm
Sharpness 0.0030 [0.0006, 0.0244] /cm
Control Inhale
Midpoint 53.8 [-29.2, 148.6] cm
Sharpness 0.0023 [0.0004, 0.0228] /cm
Viscereality Exhale
Midpoint 49.6 [-36.5, 144.2] cm
Sharpness 0.0026 [0.0006, 0.0326] /cm
Viscereality Inhale
Midpoint 69.1 [-13.3, 165.5] cm
Sharpness 0.0029 [0.0006, 0.0383] /cm
Audio–Tactile minus matched baseline RT (ms)
100
50
0
−50
−100
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P034: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 27.0 [-54.2, 108.9] cm
Sharpness 0.0040 [0.0009, 0.0293] /cm
Control Inhale
Midpoint 32.3 [-42.9, 109.7] cm
Sharpness 0.0034 [0.0008, 0.0239] /cm
Viscereality Exhale
Midpoint 29.4 [-49.6, 125.6] cm
Sharpness 0.0031 [0.0007, 0.0321] /cm
Viscereality Inhale
Midpoint 47.8 [-11.4, 120.9] cm
Sharpness 0.0042 [0.0008, 0.0333] /cm
Audio–Tactile minus matched baseline RT (ms)
300
200
100
0
−100
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P035: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 38.3 [-46.5, 128.4] cm
Sharpness 0.0026 [0.0006, 0.0235] /cm
Control Inhale
Midpoint 43.1 [-29.1, 123.5] cm
Sharpness 0.0024 [0.0005, 0.0238] /cm
Viscereality Exhale
Midpoint 38.6 [-31.9, 103.7] cm
Sharpness 0.0031 [0.0008, 0.0352] /cm
Viscereality Inhale
Midpoint 59.0 [-1.5, 123.7] cm
Sharpness 0.0038 [0.0009, 0.0347] /cm
Audio–Tactile minus matched baseline RT (ms)
150
100
50
0
−50
−100
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.



P036: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 35.4 [-57.2, 159.4] cm
Sharpness 0.0024 [0.0005, 0.0206] /cm
Control Inhale
Midpoint 47.8 [-46.1, 169.1] cm
Sharpness 0.0020 [0.0004, 0.0214] /cm
Viscereality Exhale
Midpoint 37.9 [-48.8, 171.3] cm
Sharpness 0.0021 [0.0004, 0.0216] /cm
Viscereality Inhale
Midpoint 62.6 [-19.2, 176.3] cm
Sharpness 0.0028 [0.0006, 0.0310] /cm
Audio–Tactile minus matched baseline RT (ms)
75
50
25
0
−25
−50
−75
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.


P037: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 28.5 [-54.3, 140.7] cm
Sharpness 0.0027 [0.0006, 0.0230] /cm
Control Inhale
Midpoint 52.1 [-34.2, 143.9] cm
Sharpness 0.0025 [0.0005, 0.0245] /cm
Viscereality Exhale
Midpoint 33.9 [-44.1, 151.4] cm
Sharpness 0.0024 [0.0005, 0.0271] /cm
Viscereality Inhale
Midpoint 63.0 [-7.3, 146.3] cm
Sharpness 0.0035 [0.0007, 0.0348] /cm
Audio–Tactile minus matched baseline RT (ms)
150
100
50
0
−50
−100
−150
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.


P038: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 42.8 [-51.3, 177.2] cm
Sharpness 0.0023 [0.0005, 0.0263] /cm
Control Inhale
Midpoint 53.5 [-24.8, 179.0] cm
Sharpness 0.0020 [0.0003, 0.0228] /cm
Viscereality Exhale
Midpoint 44.8 [-34.5, 183.9] cm
Sharpness 0.0020 [0.0004, 0.0289] /cm
Viscereality Inhale
Midpoint 67.2 [-5.7, 190.2] cm
Sharpness 0.0026 [0.0005, 0.0306] /cm
Audio–Tactile minus matched baseline RT (ms)
60
40
20
0
−20
−40
−60
−80
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.


P039: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 51.7 [-53.1, 170.5] cm
Sharpness 0.0030 [0.0006, 0.0250] /cm
Control Inhale
Midpoint 53.9 [-33.3, 186.6] cm
Sharpness 0.0024 [0.0005, 0.0261] /cm
Viscereality Exhale
Midpoint 47.6 [-44.7, 188.6] cm
Sharpness 0.0024 [0.0005, 0.0286] /cm
Viscereality Inhale
Midpoint 65.9 [-13.4, 199.5] cm
Sharpness 0.0031 [0.0005, 0.0346] /cm
Audio–Tactile minus matched baseline RT (ms)
50
0
−50
−100
−150
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.


P040: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 37.0 [-51.3, 152.4] cm
Sharpness 0.0028 [0.0006, 0.0240] /cm
Control Inhale
Midpoint 45.7 [-38.4, 150.1] cm
Sharpness 0.0027 [0.0006, 0.0256] /cm
Viscereality Exhale
Midpoint 40.7 [-37.5, 158.0] cm
Sharpness 0.0023 [0.0005, 0.0259] /cm
Viscereality Inhale
Midpoint 64.8 [-14.2, 155.2] cm
Sharpness 0.0031 [0.0006, 0.0328] /cm
Audio–Tactile minus matched baseline RT (ms)
400
300
200
100
0
−100
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.


P041: observed responses and joint Bayesian logistic approximation
Control Exhale
Midpoint 27.3 [-62.0, 194.4] cm
Sharpness 0.0030 [0.0006, 0.0317] /cm
Control Inhale
Midpoint 51.2 [-32.4, 200.3] cm
Sharpness 0.0026 [0.0005, 0.0280] /cm
Viscereality Exhale
Midpoint 33.1 [-40.2, 204.3] cm
Sharpness 0.0024 [0.0005, 0.0315] /cm
Viscereality Inhale
Midpoint 62.4 [-4.8, 204.6] cm
Sharpness 0.0031 [0.0007, 0.0316] /cm
Audio–Tactile minus matched baseline RT (ms)
100
50
0
−50
−100
−150
20
40
60
80
100
Registered distance (cm); measured range only
Dots: unsmoothed means ± marginal sampling SE. Band: 95% posterior interval for expected RT.
Baseline error is shared across distances. Finite model parameters do not establish an observed sigmoid.