





Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.



P001 · Bayesian raw response and assumed sigmoid geometry
Control · Exhale
Control · Inhale
Viscereality · Exhale
Viscereality · Inhale
Raw RT response (ms)
800
750
700
650
600
m 54.9 [-31.3, 141.1] cm
sharpness 0.0075 cm⁻¹
m 50.6 [-30.6, 139.8] cm
sharpness 0.0069 cm⁻¹
m 63.3 [-31.9, 141.8] cm
sharpness 0.0103 cm⁻¹
m 50.4 [-32.0, 141.8] cm
sharpness 0.0096 cm⁻¹
Conditional increasing unit-amplitude geometry
1.0
0.8
0.6
0.4
0.2
0.0
20
40
60
80
100
Nominal distance (cm)
Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.




Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.




Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.




Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.




Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.




Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.



P007 · Bayesian raw response and assumed sigmoid geometry
Control · Exhale
Control · Inhale
Viscereality · Exhale
Viscereality · Inhale
Raw RT response (ms)
950
900
850
800
750
700
650
m 71.2 [-29.2, 140.8] cm
sharpness 0.0075 cm⁻¹
m 73.5 [-31.0, 141.8] cm
sharpness 0.0088 cm⁻¹
m 58.5 [-31.9, 141.8] cm
sharpness 0.0093 cm⁻¹
m 54.8 [-32.0, 142.0] cm
sharpness 0.0096 cm⁻¹
Conditional increasing unit-amplitude geometry
1.0
0.8
0.6
0.4
0.2
0.0
20
40
60
80
100
Nominal distance (cm)
Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.




Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.




Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.




Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.




Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.




Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.





Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.




Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.



P015 · Bayesian raw response and assumed sigmoid geometry
Control · Exhale
Control · Inhale
Viscereality · Exhale
Viscereality · Inhale
Raw RT response (ms)
650
600
550
500
Conditional increasing unit-amplitude geometry
1.0
0.8
0.6
0.4
0.2
0.0
m 56.8 [-32.0, 142.1] cm
sharpness 0.0101 cm⁻¹
m 91.3 [-28.6, 140.4] cm
sharpness 0.0161 cm⁻¹
m 41.8 [-32.0, 141.8] cm
sharpness 0.0123 cm⁻¹
m 43.1 [-30.0, 139.3] cm
sharpness 0.0071 cm⁻¹
20
40
60
80
100
Nominal distance (cm)
Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.


P016 · Bayesian raw response and assumed sigmoid geometry
Control · Exhale
Control · Inhale
Viscereality · Exhale
Viscereality · Inhale
Raw RT response (ms)
1000
900
800
700
600
Conditional increasing unit-amplitude geometry
1.0
0.8
0.6
0.4
0.2
0.0
m 62.1 [-31.7, 141.9] cm
sharpness 0.0106 cm⁻¹
m 74.5 [-30.2, 140.3] cm
sharpness 0.0090 cm⁻¹
m 62.3 [-28.9, 138.4] cm
sharpness 0.0075 cm⁻¹
m 54.4 [-32.1, 142.1] cm
sharpness 0.0101 cm⁻¹
20
40
60
80
100
Nominal distance (cm)
Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.



P017 · Bayesian raw response and assumed sigmoid geometry
Control · Exhale
Control · Inhale
Viscereality · Exhale
Viscereality · Inhale
Raw RT response (ms)
900
850
800
750
700
650
600
550
Conditional increasing unit-amplitude geometry
1.0
0.8
0.6
0.4
0.2
0.0
m 44.0 [-31.8, 141.3] cm
sharpness 0.0083 cm⁻¹
m 20.6 [-31.5, 140.1] cm
sharpness 0.0126 cm⁻¹
m 66.3 [-31.4, 141.6] cm
sharpness 0.0085 cm⁻¹
m 26.0 [-31.6, 140.9] cm
sharpness 0.0113 cm⁻¹
20
40
60
80
100
Nominal distance (cm)
Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.




Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.




Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.



P020 · Bayesian raw response and assumed sigmoid geometry
Control · Exhale
Control · Inhale
Viscereality · Exhale
Viscereality · Inhale
Raw RT response (ms)
1200
1100
1000
900
800
700
Conditional increasing unit-amplitude geometry
1.0
0.8
0.6
0.4
0.2
0.0
m 78.6 [-24.7, 136.0] cm
sharpness 0.0109 cm⁻¹
m 46.3 [-31.9, 141.5] cm
sharpness 0.0093 cm⁻¹
m 32.5 [-31.3, 140.0] cm
sharpness 0.0088 cm⁻¹
m 64.8 [-31.6, 141.9] cm
sharpness 0.0111 cm⁻¹
20
40
60
80
100
Nominal distance (cm)
Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.




Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.




Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.




Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.




Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.




Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.




Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.



P027 · Bayesian raw response and assumed sigmoid geometry
Control · Exhale
Control · Inhale
Viscereality · Exhale
Viscereality · Inhale
Raw RT response (ms)
850
800
750
700
650
600
550
500
Conditional increasing unit-amplitude geometry
1.0
0.8
0.6
0.4
0.2
0.0
m 55.6 [-32.0, 142.0] cm
sharpness 0.0099 cm⁻¹
m 55.7 [-31.7, 141.6] cm
sharpness 0.0095 cm⁻¹
m 54.3 [-31.8, 141.8] cm
sharpness 0.0091 cm⁻¹
m 53.2 [-31.4, 141.3] cm
sharpness 0.0085 cm⁻¹
20
40
60
80
100
Nominal distance (cm)
Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.




Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.




Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.



P030 · Bayesian raw response and assumed sigmoid geometry
Control · Exhale
Control · Inhale
Viscereality · Exhale
Viscereality · Inhale
Raw RT response (ms)
700
650
600
550
Conditional increasing unit-amplitude geometry
1.0
0.8
0.6
0.4
0.2
0.0
m 43.6 [-31.9, 141.7] cm
sharpness 0.0104 cm⁻¹
m 26.8 [-30.7, 139.1] cm
sharpness 0.0107 cm⁻¹
m 50.2 [-32.0, 141.9] cm
sharpness 0.0102 cm⁻¹
m 67.7 [-31.4, 141.7] cm
sharpness 0.0091 cm⁻¹
20
40
60
80
100
Nominal distance (cm)
Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.




Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.




Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.




Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.




Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.





Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.


P036 · Bayesian raw response and assumed sigmoid geometry
Control · Exhale
Control · Inhale
Viscereality · Exhale
Viscereality · Inhale
Raw RT response (ms)
800
750
700
650
600
m 48.4 [-31.9, 141.8] cm
sharpness 0.0098 cm⁻¹
m 54.4 [-32.0, 142.1] cm
sharpness 0.0100 cm⁻¹
m 49.0 [-31.5, 141.2] cm
sharpness 0.0080 cm⁻¹
m 36.1 [-30.5, 140.1] cm
sharpness 0.0079 cm⁻¹
Conditional increasing
unit-amplitude geometry
1.0
0.8
0.6
0.4
0.2
0.0
20
40
60
80
100
Nominal distance (cm)
Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.




Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.



P038 · Bayesian raw response and assumed sigmoid geometry
Control · Exhale
Control · Inhale
Viscereality · Exhale
Viscereality · Inhale
Raw RT response (ms)
650
600
550
500
Conditional increasing unit-amplitude geometry
1.0
0.8
0.6
0.4
0.2
0.0
m 34.5 [-31.8, 141.5] cm
sharpness 0.0120 cm⁻¹
m 55.6 [-32.0, 142.0] cm
sharpness 0.0093 cm⁻¹
m 68.0 [-31.8, 142.1] cm
sharpness 0.0108 cm⁻¹
m 21.2 [-31.4, 140.9] cm
sharpness 0.0165 cm⁻¹
20
40
60
80
100
Nominal distance (cm)
Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.



Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.



Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.



Top: raw means ± 1.96 SE; posterior response median and 95% band retain signed amplitude. Bottom: increasing unit-amplitude sigmoid geometry, not normalized observations.
Dashed: representative marginal-median shape. The imposed S and finite midpoint do not demonstrate an observed PPS boundary. Shared axes; measured distances only.