

P000: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile




Viscereality Inhale — Baseline




Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P001: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile




Viscereality Inhale — Baseline




Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P002: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile




Viscereality Inhale — Baseline




Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P003: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile




Viscereality Inhale — Baseline




Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P004: every eligible hit, with violins and standardized deviations
included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile




Viscereality Inhale — Baseline




Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P005: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile





Viscereality Inhale — Baseline





Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.


P006: every eligible hit, with violins and standardized deviations included in primary40 inference
















Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P007: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile




Viscereality Inhale — Baseline




Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P008: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile




Viscereality Inhale — Baseline




Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P009: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile




Viscereality Inhale — Baseline




Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P010: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile





Viscereality Inhale — Baseline





Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.


P011: every eligible hit, with violins and standardized deviations
excluded from primary40: unresolved recording linkage


















Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.


P012: every eligible hit, with violins and standardized deviations included in primary40 inference


















Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.


P013: every eligible hit, with violins and standardized deviations
included in primary40 inference
























Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.


P014: every eligible hit, with violins and standardized deviations included in primary40 inference
















Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P015: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile




Viscereality Inhale — Baseline




Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P016: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile




Viscereality Inhale — Baseline




Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P017: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile





Viscereality Inhale — Baseline





Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.


P018: every eligible hit, with violins and standardized deviations included in primary40 inference






















Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P019: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile




Viscereality Inhale — Baseline




Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P020: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile




Viscereality Inhale — Baseline




Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P021: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile




Viscereality Inhale — Baseline




Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P022: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile




Viscereality Inhale — Baseline




Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P023: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile




Viscereality Inhale — Baseline




Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P024: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile




Viscereality Inhale — Baseline




Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P025: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile




Viscereality Inhale — Baseline




Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P026: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile





Viscereality Inhale — Baseline





Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P027: every eligible hit, with violins and standardized deviations included in primary40 inference











Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P028: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile





Viscereality Inhale — Baseline





Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P029: every eligible hit, with violins and standardized deviations
included in primary40 inference











Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P030: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile




Viscereality Inhale — Baseline




Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P031: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile





Viscereality Inhale — Baseline





Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.


P032: every eligible hit, with violins and standardized deviations included in primary40 inference
























Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.


P033: every eligible hit, with violins and standardized deviations
excluded from primary40: unresolved recording linkage
























Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.


P034: every eligible hit, with violins and standardized deviations included in primary40 inference






















Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P035: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile




Viscereality Inhale — Baseline




Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P036: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile




Viscereality Inhale — Baseline




Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P037: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile




Viscereality Inhale — Baseline




Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P038: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile




Viscereality Inhale — Baseline




Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P039: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile




Viscereality Inhale — Baseline




Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P040: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile




Viscereality Inhale — Baseline




Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.

P041: every eligible hit, with violins and standardized deviations included in primary40 inference


Control Exhale — Audio-Tactile




Control Exhale — Baseline




Control Inhale — Audio-Tactile




Control Inhale — Baseline




Viscereality Exhale — Audio-Tactile




Viscereality Exhale — Baseline



Viscereality Inhale — Audio-Tactile



Viscereality Inhale — Baseline



Blue: retained. Red: original global exclusion. Orange: additional local exclusion. Every point is one eligible recorded hit.
Labels are local z scores using global-retained reference means/SDs; g denotes global z fallback. n shows eligible→retained.
Grey ranges: local μ ±2.5 sample SD. Horizontal jitter is layout only. Misses/catches and missing RTs remain in the separate audit. No visual cutoff tuning.