

P000 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P000 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P001 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry





Viscereality Inhale / model geometry





Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.


P001 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits






















Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P002 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P002 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P003 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P003 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P004 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P004 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P005 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P005 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P006 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P006 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P007 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P007 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P008 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry





Viscereality Inhale / model geometry





Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.


P008 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits






















Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P009 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P009 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P010 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry





Viscereality Inhale / model geometry





Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.


P010 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits






















Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P012 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry





Viscereality Inhale / model geometry





Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.


P012 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits






















Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P013 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P013 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P014 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry





Viscereality Inhale / model geometry





Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.


P014 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits






















Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P015 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P015 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P016 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P016 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P017 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P017 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P018 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry





Viscereality Inhale / model geometry





Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.


P018 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits






















Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P019 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P019 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P020 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P020 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P021 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P021 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P022 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P022 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P023 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P023 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P024 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P024 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P025 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P025 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P026 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry





Viscereality Inhale / model geometry





Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.


P026 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits






















Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P027 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P027 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P028 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry





Viscereality Inhale / model geometry





Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.


P028 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits






















Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P029 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry





Viscereality Inhale / model geometry





Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.


P029 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits






















Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P030 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P030 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P031 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry





Viscereality Inhale / model geometry





Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.


P031 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits






















Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P032 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry





Viscereality Inhale / model geometry





Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.


P032 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits






















Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P034 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P034 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P035 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry





Viscereality Inhale / model geometry





Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.


P035 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits






















Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P036 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P036 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P037 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry





Viscereality Inhale / model geometry





Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.


P037 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits






















Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P038 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P038 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P039 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P039 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry




Viscereality Inhale / model geometry




Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P040 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry





Viscereality Inhale / model geometry





Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.


P040 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits






















Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.

P041 — all six blocks
Added local SD filtering; raw and covariance-aware rolling fits


Control Exhale




Control Inhale




Viscereality Exhale




Viscereality Inhale




Control Exhale / model geometry




Control Inhale / model geometry



Viscereality Exhale / model geometry





Viscereality Inhale / model geometry





Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.


P041 — first three blocks of EACH intervention
Added local SD filtering; raw and covariance-aware rolling fits




















Top: expected RT functions and unsmoothed observations. Rolling markers are at pair midpoints for display only.
Bottom: sigmoid at marginal median parameters, not normalized observations; red/purple visible-S geometry is imposed by priors.
Intervals use 1,200 balanced draws for plotting. * Failed full-model convergence gate: provisional. All tables use every retained draw.