




P000: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P001: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P002: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P003: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P004: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P005: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P006: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P007: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P008: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P009: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P010: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P012: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P013: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P014: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P015: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P016: joint global-session-time adjustment and four PPS cells




















Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.

P017: joint global-session-time adjustment and four PPS cells

Control Exhale

Control Inhale

Viscereality Exhale

Viscereality Inhale

Corrected RT at common time (ms)

Distance (cm)

Time-standardized means
Linear time / broad *
Linear time / rolling
Linear time / visible S
Linear time / rolling S
Quadratic time / broad
Raw matched means ± SE

Control Exhale / model geometry

Control Inhale / model geometry

Viscereality Exhale / model geometry


Viscereality Inhale / model geometry


Unit-amplitude component


Distance (cm)


Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P018: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P019: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P020: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P021: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P022: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P023: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P024: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P025: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P026: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P027: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P028: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P029: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P030: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P031: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P032: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P034: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P035: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P036: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P037: joint global-session-time adjustment and four PPS cells




















Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.

P038: joint global-session-time adjustment and four PPS cells

Control Exhale

Control Inhale

Viscereality Exhale

Viscereality Inhale

Time-standardized means
Linear time / broad *
Linear time / rolling
Linear time / visible S
Linear time / rolling S
Quadratic time / broad
Raw matched means ± SE

Corrected RT at common time (ms)

Distance (cm)

Control Exhale / model geometry

Control Inhale / model geometry

Viscereality Exhale / model geometry

Viscereality Inhale / model geometry

Unit-amplitude component

Distance (cm)

Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.

P039: joint global-session-time adjustment and four PPS cells

Control Exhale

Control Inhale

Viscereality Exhale

Viscereality Inhale

Corrected RT at common time (ms)

Distance (cm)

Time-standardized means
Linear time / broad *
Linear time / rolling
Linear time / visible S
Linear time / rolling S
Quadratic time / broad
Raw matched means ± SE

Control Exhale / model geometry

Control Inhale / model geometry

Viscereality Exhale / model geometry


Viscereality Inhale / model geometry


Unit-amplitude component


Distance (cm)


Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P040: joint global-session-time adjustment and four PPS cells
























Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.


P041: joint global-session-time adjustment and four PPS cells




















Both consecutive interventions share the session-wide RT trend; early-block restriction is not a fatigue control.
Bottom curves are model geometry at marginal median parameters. Visible S is imposed, not normalized observations.
* Failed full-model convergence gate: provisional. Plot lines use 1,200 balanced draws; all tables use every retained draw.