

Study 6 VR Questionnaire Materials

Landscape documentation of Quest-rendered questionnaire panels

This PDF documents participant-facing questionnaire and flow panels as one landscape page per rendered VR panel.

Screenshots are taken from the native Quest panel view-draw artifact, with searchable captions and response-variable notes.

The participant ID setup screen is omitted because it is an administrator setup screen, not a questionnaire material.

Included panels

- Demographics
- Self-Assessment Manikin
- Emotion representation VAS
- Ready for next session
- Self-Assessment Manikin - lower state
- Virtual hand embodiment
- VR task instructions
- Affect VAS
- Questionnaire complete

One-time participant information and readiness panel

Figure 1. Quest-rendered VR panel: Demographics.

- Captures language, participant name fields, age, handedness, gender, and consent confirmation.
- Shows the native Polar H10 readiness strip before the participant begins the study flow.

Participant-facing control panel before each VR block

Figure 2. Quest-rendered VR panel: Ready for next session.

- Lets the participant start the next condition block when ready.
- This is a flow-control panel, not a scored psychometric response page.

VR task instructions

Condition and audio preparation panel




Figure 3. Quest-rendered VR panel: VR task instructions.

Implementation notes

- Displays the active block condition and assigned audio file before the VR exposure.
- Native code owns timing, audio playback, ECG gating, and block metadata.

Self-Assessment Manikin

Retrospective 1-9 pictographic emotion ratings

How did you feel during the last session?

How pleasant did this experience feel?
Unpleasant 1 / 9 Pleasant

Unpleasant Pleasant

1 2 3 4 5 6 7 8 9

How activated did you feel?
Low Energy 1 / 9 High Energy

Low Energy High Energy

1 2 3 4 5 6 7 8 9

How much control did you feel during your experience?
Not in control 1 / 9 In control

Not in control In control

1 2 3 4 5 6 7 8 9

For each row, choose the picture that best matches how you felt.

Continue

Figure 4. Quest-rendered VR panel: Self-Assessment Manikin.

Implementation notes

- Collects valence, arousal, and dominance/control using 9-position SAM picture rows.
- Variables: sam_valence_raw_1_9, sam_arousal_raw_1_9, sam_dominance_raw_1_9.

Self-Assessment Manikin - lower state

Scrolled rendering used to document full panel content

How did you feel during the last session?

Unpleasant 1 2 3 4 5 6 7 8 9 Pleasant

How activated did you feel?
Low Energy 1 / 9 High Energy

Low Energy 1 2 3 4 5 6 7 8 9 High Energy

How much control did you feel during your experience?
Not in control 1 / 9 In control

Not in control 1 2 3 4 5 6 7 8 9 In control

For each row, choose the picture that best matches how you felt.

Continue

Figure 5. Quest-rendered VR panel: Self-Assessment Manikin - lower state.

Implementation notes

- Documents the lower rendered state of the SAM panel, including all rows and the Continue action.
- Included because the VR artifact captured both normal and lower scroll states.

Affect VAS

Retrospective signed valence and arousal sliders

How pleasant and activated did the last session feel?

Each scale starts at 0 (neutral). Touch each slider once to confirm your answer; 0 is allowed after you touch the slider.

How pleasant did the previous experience feel?
Value: 0 (neutral)

-100 0 (neutral) +100
Unpleasant Pleasant

How activated did you feel in the previous experience?
Value: 0 (neutral)

-100 0 (neutral) +100
Low Energy High Energy

Back

Continue

Figure 6. Quest-rendered VR panel: Affect VAS.

Implementation notes

- Collects pleasantness and activation on independent -100 to +100 visual analog scales.
- Variables: affect_vas_valence_raw_neg100_pos100, affect_vas_arousal_raw_neg100_pos100.

Emotion representation VAS

Particle-motion emotion representation ratings

Which emotions were represented by the particle movement?

Move each scale to indicate how strongly the particle movement represented that emotion.

Anger Value: 50	Disgust Value: 50	Fear Value: 50			
					
Not represented	Clearly represented	Not represented	Clearly represented	Not represented	Clearly represented
Happiness Value: 50	Sadness Value: 50	Surprise Value: 50			
					
Not represented	Clearly represented	Not represented	Clearly represented	Not represented	Clearly represented

Back **Continue**

Figure 7. Quest-rendered VR panel: Emotion representation VAS.

Implementation notes

- Collects independent 0-100 ratings for Anger, Disgust, Fear, Happiness, Sadness, and Surprise.
- The sliders document perceived emotion representation in the particle movement, not rank order.

Virtual hand embodiment

Adapted VEQ ownership and agency agreement ratings

Did the virtual hands feel like they are your hands?

Rate how much you agree or disagree with each statement.

The virtual hands felt like my own hands.

Strongly disagree

1 2 3 4 5 6 7

Strongly agree

I felt in control of the virtual hands.

Strongly disagree

1 2 3 4 5 6 7

Strongly agree

Back Next block

Figure 8. Quest-rendered VR panel: Virtual hand embodiment.

Implementation notes

- Collects two required 1-7 agreement ratings for virtual hand ownership and agency.
- Variables: hand_embodiment_ownership_raw_1_7, hand_embodiment_agency_raw_1_7.

Questionnaire complete

Write confirmation and participant flow closeout

Complete

Polar negotiating_mtu

Questionnaire complete

All expected block questionnaires have been completed and written by the native panel controller.

Participant: PH3

APK variant: DYNAMIC_HANDS_STATIC_ICOSPHERE

Done

Figure 9. Quest-rendered VR panel: Questionnaire complete.

Implementation notes

- Confirms that expected block questionnaires were completed and written by the panel controller.
- This is a completion/status panel, not a scored questionnaire response page.