

Shear Mapping in Python (SMPy): Modular, Extensible, and Accessible Dark Matter Mapping

Georgios N. Vassilakis¹✉, Jacqueline E. McCleary¹, Maya Amit¹, and Sayan Saha¹

¹ Department of Physics, Northeastern University, USA ✉ Corresponding author

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) ↗
- [Repository](#) ↗
- [Archive](#) ↗

Editor: [Open Journals](#) ↗

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

Understanding the universe's large-scale distribution of dark matter is a central objective in the era of precision cosmology. A key technique for the study of dark matter is weak gravitational lensing; a phenomenon where light from distant galaxies is sheared as it passes through the gravitational field of a massive object, like a galaxy cluster. This shear, which manifests as a slight (weak) distortion of shapes over thousands of galaxies, allows astrophysicists to infer the distribution of total matter, including both luminous and dark matter.

Obtaining a mass distribution from a catalog of galaxy shears requires an intermediate step. A common tool for this step is the mapping of convergence (κ), which quantifies how much a gravitational lens converges the light from distant galaxies, resulting in a magnification of their shapes. This value is directly proportional to the projected mass density, enabling easy visualization of the overall mass distribution. For a comprehensive review of weak gravitational lensing, please refer to ([Umetsu, 2020](#)).

The **Shear Mapping in Python (SMPy)** package provides a standardized, well-documented, and open-source solution for creating convergence maps from weak lensing galaxy shear measurements. SMPy was initially developed to support the Superpressure Balloon-borne Imaging Telescope (SuperBIT), a stratospheric, near-UV to near-IR observing platform which completed its 45-night observing run in spring 2023 with over 30 galaxy cluster observations ([Gill et al., 2024](#)), ([Sirks et al., 2023](#)). SMPy has since evolved into a general-purpose tool suitable for analyzing the weak lensing data from any source of galaxies.

Statement of Need

While mass maps are a critical deliverable of many cosmological analyses ([Madhavacheril et al., 2024](#)) ([Jeffrey et al., 2021](#)) ([Oguri et al., 2017](#)), scientists are often left to make these maps from scratch. Existing tools do exist for mass mapping, such as lenspack and jax-lensing ([Remy et al., 2022](#)). However, they are either not well-documented and lack algorithmic rigor, or they are highly specialized and inaccessible for general use cases. SMPy addresses an outstanding need for the lensing community: a robust, well-documented, and open-source tool to construct publication-quality mass maps from galaxy shear data. It is, to our knowledge, the first convergence mapping software to prioritize both accessibility and advanced features. SMPy provides a unified, user-friendly platform that supports multiple coordinate systems and creates a foundation for open-source contribution of new mapping methods.

SMPy was built with the following design principles in mind:

1. **Accessibility:** SMPy is written entirely in Python and deliberately relies only on widely-used scientific Python packages (numpy, scipy, pandas, astropy, matplotlib, and pyyaml). This choice of standard dependencies ensures that users can easily install the packages

- 41 without complex dependency chains, and that the codebase is maintainable and familiar
42 to the scientific Python community.
- 43 2. **Extensibility:** SMPy is built with a modular architecture that allows for easy implementation
44 of new mass mapping techniques beyond the currently implemented Kaiser-Squires
45 inversion algorithm (Kaiser & Squires, 1993). An example convergence map is shown in
46 Figure 1, created from simulated galaxy cluster observations from SuperBIT (McCleary
47 et al., 2023). Aperture mass mapping (Leonard et al., 2012) and KS+ (Pires, 2020)
48 algorithms are currently planned to be added to the codebase.
- 49 3. **Usability:** Creating convergence maps with SMPy requires minimal input - users need
50 only provide a catalog of galaxies with their associated shears (g_1 & g_2) and coordinates.
51 This straightforward input requirement makes the tool accessible to researchers at all
52 levels. A flexible configuration system is integrated via a single YAML file that defines
53 file paths, convergence map algorithm settings, plotting parameters, and more.
- 54 4. **Robustness:** Designed to be mathematically and algorithmically accurate, allowing the
55 user to create convergence maps with any galaxy shear data. The coordinate system
56 abstraction handles both RA/Dec celestial coordinates (with proper spherical geometry
57 approximations) or pixel-based coordinates through a unified interface. Signal-to-noise
58 maps can be generated using either spatial shuffling (randomizing galaxy positions while
59 preserving shear values) or orientation shuffling (randomizing shear orientations while
60 preserving positions) to distinguish real signals from noise.




Figure 1: Example convergence map created with SMPy showing the mass distribution of a simulated galaxy cluster. The map was generated using the Kaiser-Squires inversion method on simulated weak lensing data from SuperBIT. The color scale represents the dimensionless surface mass density (convergence), with brighter regions indicating higher mass concentrations.

61 Software References

- 62 SMPy is written in Python 3.8+ and uses the following packages:
- 63 ■ NumPy (Harris et al., 2020)
 - 64 ■ SciPy (Virtanen et al., 2020)
 - 65 ■ Pandas (team, 2024)
 - 66 ■ Astropy (Astropy Collaboration et al., 2022) (Astropy Collaboration et al., 2018) (Astropy
67 Collaboration et al., 2013)
 - 68 ■ Matplotlib (Hunter, 2007)

69 ■ PyYAML (Simonov, 2024)

70 Acknowledgements

71 This material is based upon work supported by a Northeastern University Undergraduate
72 Research and Fellowships PEAK Summit Award.

73 References

- 74 Astropy Collaboration, Price-Whelan, A. M., Lim, P. L., Earl, N., Starkman, N., Bradley, L.,
75 Shupe, D. L., Patil, A. A., Corrales, L., Brasseur, C. E., Nöthe, M., Donath, A., Tollerud,
76 E., Morris, B. M., Ginsburg, A., Vaher, E., Weaver, B. A., Tocknell, J., Jamieson, W., ...
77 Astropy Project Contributors. (2022). The Astropy Project: Sustaining and Growing a
78 Community-oriented Open-source Project and the Latest Major Release (v5.0) of the Core
79 Package. *935*(2), 167. <https://doi.org/10.3847/1538-4357/ac7c74>
- 80 Astropy Collaboration, Price-Whelan, A. M., Sipőcz, B. M., Günther, H. M., Lim, P. L.,
81 Crawford, S. M., Conseil, S., Shupe, D. L., Craig, M. W., Dencheva, N., Ginsburg, A.,
82 VanderPlas, J. T., Bradley, L. D., Pérez-Suárez, D., de Val-Borro, M., Aldcroft, T. L.,
83 Cruz, K. L., Robitaille, T. P., Tollerud, E. J., ... Astropy Contributors. (2018). The Astropy
84 Project: Building an Open-science Project and Status of the v2.0 Core Package. *156*(3),
85 123. <https://doi.org/10.3847/1538-3881/aabc4f>
- 86 Astropy Collaboration, Robitaille, T. P., Tollerud, E. J., Greenfield, P., Droettboom, M., Bray,
87 E., Aldcroft, T., Davis, M., Ginsburg, A., Price-Whelan, A. M., Kerzendorf, W. E., Conley,
88 A., Crighton, N., Barbary, K., Muna, D., Ferguson, H., Grollier, F., Parikh, M. M., Nair, P.
89 H., ... Streicher, O. (2013). Astropy: A community Python package for astronomy. *558*.
- 90 Gill, A. S., Benton, S. J., Damaren, C. J., Everett, S. W., Fraisse, A. A., Hartley, J. W.,
91 Harvey, D., Holder, B., Huff, E. M., Jauzac, M., Jones, W. C., Lagattuta, D., Leung, J.
92 S.-Y., Li, L., Luu, T. V. T., Massey, R., McCleary, J. E., Nagy, J. M., Netterfield, C. B., ...
93 Vitorelli, A. Z. (2024). SuperBIT superpressure flight instrument overview and performance:
94 Near-diffraction-limited astronomical imaging from the stratosphere. *The Astronomical*
95 *Journal*, *168*(2), 85. <https://doi.org/10.3847/1538-3881/ad5840>
- 96 Harris, C. R., Millman, K. J., Walt, S. J. van der, Gommers, R., Virtanen, P., Cournapeau, D.,
97 Wieser, E., Taylor, J., Berg, S., Smith, N. J., Kern, R., Picus, M., Hoyer, S., Kerkwijk,
98 M. H. van, Brett, M., Haldane, A., Río, J. F. del, Wiebe, M., Peterson, P., ... Oliphant,
99 T. E. (2020). Array programming with NumPy. *Nature*, *585*(7825), 357–362. <https://doi.org/10.1038/s41586-020-2649-2>
- 100 Hunter, J. D. (2007). Matplotlib: A 2D graphics environment. *Computing in Science &*
101 *Engineering*, *9*(3), 90–95. <https://doi.org/10.1109/MCSE.2007.55>
- 102 Jeffrey, N., Gatti, M., Chang, C., Whiteway, L., Demirbozan, U., Kovacs, A., Pollina, G.,
103 Bacon, D., Hamaus, N., Kacprzak, T., Lahav, O., Lanusse, F., Mawdsley, B., Nadathur, S.,
104 Starck, J. L., Vielzeuf, P., Zeurcher, D., Alarcon, A., Amon, A., ... Collaboration, D. (2021).
105 Dark energy survey year 3 results: Curved-sky weak lensing mass map reconstruction.
106 *Monthly Notices of the Royal Astronomical Society*, *505*(3), 4626–4645. <https://doi.org/10.1093/mnras/stab1495>
- 107 Kaiser, N., & Squires, G. (1993). Mapping the dark matter with weak gravitational lensing.
108 *404*, 441–450. <https://doi.org/10.1086/172297>
- 109 Leonard, A., Pires, S., & Starck, J.-L. (2012). Fast calculation of the weak lensing aperture
110 mass statistic. *Monthly Notices of the Royal Astronomical Society*, *423*(4), 3405–3412.
111 <https://doi.org/10.1111/j.1365-2966.2012.21133.x>
- 112 <https://doi.org/10.1111/j.1365-2966.2012.21133.x>
- 113 <https://doi.org/10.1111/j.1365-2966.2012.21133.x>

- 114 Madhavacheril, M. S., Qu, F. J., Sherwin, B. D., MacCrann, N., Li, Y., Abril-Cabezas, I., Ade,
115 P. A. R., Aiola, S., Alford, T., Amiri, M., Amodeo, S., An, R., Atkins, Z., Austermann, J. E.,
116 Battaglia, N., Battistelli, E. S., Beall, J. A., Bean, R., Beringue, B., ... Zheng, K. (2024). The
117 atacama cosmology telescope: DR6 gravitational lensing map and cosmological parameters.
118 *The Astrophysical Journal*, 962(2), 113. <https://doi.org/10.3847/1538-4357/acff5f>
- 119 McCleary, J. E., Everett, S. W., Shaaban, M. M., Gill, A. S., Vassilakis, G. N., Huff, E.
120 M., Massey, R. J., Benton, S. J., Brown, A. M., Clark, P., Holder, B., Fraisse, A.
121 A., Jauzac, M., Jones, W. C., Lagattuta, D., Leung, J. S.-Y., Li, L., Luu, T. V. T.,
122 Nagy, J. M., ... Tam, S. I. (2023). Lensing in the blue. II. Estimating the sensitivity of
123 stratospheric balloons to weak gravitational lensing. *The Astronomical Journal*, 166(3),
124 134. <https://doi.org/10.3847/1538-3881/ace7ca>
- 125 Oguri, M., Miyazaki, S., Hikage, C., Mandelbaum, R., Utsumi, Y., Miyatake, H., Takada,
126 M., Armstrong, R., Bosch, J., Komiyama, Y., Leauthaud, A., More, S., Nishizawa, A. J.,
127 Okabe, N., & Tanaka, M. (2017). Two- and three-dimensional wide-field weak lensing
128 mass maps from the hyper supprime-cam subaru strategic program S16A data. *Publications*
129 *of the Astronomical Society of Japan*, 70(SP1), S26. <https://doi.org/10.1093/pasj/psx070>
- 130 Pires, S. (2020). Euclid: Reconstruction of weak-lensing mass maps for non-gaussianity studies.
131 *Astronomy & Astrophysics*, 638, A141. <https://doi.org/10.1051/0004-6361/201936865>
- 132 Remy, B., Lanusse, F., Jeffrey, N., Liu, J., Starck, J.-L., Osato, K., & Schrabback, T. (2022).
133 Probabilistic mass-mapping with neural score estimation. *Astronomy & Astrophysics*, 672.
134 <https://doi.org/10.1051/0004-6361/202243054>
- 135 Simonov, K. (2024). PyYAML. <https://pyyaml.org/>
- 136 Sirks, E. L., Massey, R., Gill, A. S., Anderson, J., Benton, S. J., Brown, A. M., Clark, P.,
137 English, J., Everett, S. W., Fraisse, A. A., Franco, H., Hartley, J. W., Harvey, D., Holder,
138 B., Hunter, A., Huff, E. M., Hynous, A., Jauzac, M., Jones, W. C., ... Vassilakis, G. N.
139 (2023). Data downloaded via parachute from a NASA super-pressure balloon. *Aerospace*,
140 10(11). <https://doi.org/10.3390/aerospace10110960>
- 141 team, T. pandas development. (2024). *Pandas-dev/pandas: pandas* (Version v2.2.2). Zenodo.
142 <https://doi.org/10.5281/zenodo.10957263>
- 143 Umetsu, K. (2020). Cluster-galaxy weak lensing. *The Astronomy and Astrophysics Review*,
144 28(1), 106. <https://doi.org/10.1007/s00159-020-00129-w>
- 145 Virtanen, P., Gommers, R., Oliphant, T. E., Haberland, M., Reddy, T., Cournapeau, D.,
146 Burovski, E., Peterson, P., Weckesser, W., Bright, J., van der Walt, S. J., Brett, M., Wilson,
147 J., Millman, K. J., Mayorov, N., Nelson, A. R. J., Jones, E., Kern, R., Larson, E., ... SciPy
148 1.0 Contributors. (2020). SciPy 1.0: Fundamental Algorithms for Scientific Computing in
149 Python. *Nature Methods*, 17, 261–272. <https://doi.org/10.1038/s41592-019-0686-2>