M-Sized Clusters

The Riemann Hypothesis as Subconscious Substructures Applied Through Second-Order Logic

A formal conceptual framework distinguishing mathematical truth, logical representation, and empirical psychological hypotheses

Central idea. Treat clusters as objects in a domain of latent features, and use second-order variables to quantify over sets and relations of those features. Then formulate a testable bridge between a zeta-derived mathematical pattern and measured data—without asserting that the Riemann Hypothesis is itself a theory of mind.

Prepared 17 October 2026

1. First define “m-sized”

“M-sized” is not a unique standard term. In this framework, m is a positive integer and an m-sized cluster is a set containing exactly m members. This is the cleanest interpretation if the goal is to formalize groups of latent features.

$$\exists x\blacksquare \ldots \exists x\blacksquare \, [\, \text{pairwise-distinct}(x\blacksquare,\ldots,x\blacksquare) \wedge \forall y \, (C(y) \leftrightarrow (y=x\blacksquare \vee \ldots \vee y=x\blacksquare)) \,]$$

Read this as: there exist m distinct objects, and an object belongs to cluster C if and only if it is one of those m objects. The displayed formula is schematic shorthand; a fully formal version expands pairwise distinctness into all required inequalities.

Other meanings are possible: m could be a window length, scale parameter, or index naming the m-th cluster. Those are different definitions and should not be mixed. The rest of this note uses exact cardinality: the cluster has precisely m elements.

2. What second-order logic adds

First-order logic quantifies over individual objects (for example, x or y). Second-order logic can also quantify over predicates, sets, and/or relations over the domain. That allows the model to speak not only about individual latent features, but about a property shared by a collection of features or a relation connecting them.

$$\text{First-order: } \forall x \, (\text{Feature}(x) \rightarrow \ldots)$$
$$\text{Second-order: } \exists F \, \forall x \, (F(x) \leftrightarrow \ldots)$$

Here F is a predicate variable. The second-order statement says that there is a property F whose extension is exactly the set of objects satisfying the specified condition. Under full second-order semantics, predicate variables range over all subsets of the domain; under Henkin semantics, they range over a specified collection. This semantic choice matters for formal claims.

3. A typed domain for the proposed model

Let the domain U contain candidate latent features derived from observations such as word associations, response patterns, or reaction-time profiles. Let Feature(x) say that x is an admissible feature. Let R(x,y) be a defined relation—such as measured similarity—between two features. Let C(x) identify members of a candidate cluster.

$$\text{Cluster}(C) \wedge \forall x \, [C(x) \rightarrow \text{Feature}(x)] \wedge \text{ExactSize}(C,m)$$

The predicate Cluster(C) can be treated as a second-order variable when clusters are sets of domain elements. ExactSize(C,m) means that C contains exactly m distinct elements. For a fixed m, it can be expanded using m existentially quantified, pairwise-distinct members and a universal condition excluding all other members.

A cluster cohesion condition can be added, for example:

$$\forall x \forall y \, [(C(x) \wedge C(y) \wedge x \neq y) \rightarrow R(x,y)]$$

This says every pair of distinct cluster members satisfies R. It is appropriate only if R is intended to be a strict all-pairs similarity relation; many real clustering algorithms instead use average similarity, graph connectivity, or distance thresholds.

4. Where the Riemann Hypothesis enters—and where it does not

The Riemann Hypothesis states that every non-trivial zero ρ of the analytically continued Riemann zeta function has real part 1/2. In conventional notation:

$$\forall \rho \, [\text{NonTrivialZero}(\rho) \rightarrow \text{Re}(\rho)=1/2]$$

This formula is a logical rendering of RH relative to a formal language that already defines complex numbers, the zeta function, and non-trivial zeros. It is not by itself a complete foundational formalization of complex analysis. RH remains an unsolved mathematical conjecture.

Second-order logic could quantify over sets or relations built from zero ordinates, for example a set Z of selected zero-derived values, or a relation encoding a specified spacing statistic. But second-order notation does not prove RH

and does not establish a psychological connection. The mathematical reference pattern and the psychological data must be linked by a separate, testable hypothesis.

5. A second-order bridge hypothesis

Let Z be a pre-defined reference structure derived from a specified finite list of non-trivial zeta-zero ordinates or a published statistic about them. Let M be a measured dataset, and let Latent(x) identify features inferred by a fixed procedure. Let S(C,Z) be a pre-registered similarity statistic between a cluster and the reference structure.

$$\exists C\,[\mathrm{Cluster}(C) \wedge \mathrm{ExactSize}(C,m) \wedge \forall x(C(x) \rightarrow \mathrm{Latent}(x)) \wedge S(C,Z) \geq \tau]$$

This states that there exists an m-sized cluster of latent features whose similarity score to the reference Z meets threshold τ. If S is encoded as a relation or function in the formal language, its meaning and scale must be explicitly defined. The expression is a schema for a hypothesis, not a claim that such a cluster has been observed.

A stronger empirical claim would compare the observed score against a null distribution:

$$P_{null}(S \geq S_{observed}) < \alpha$$

This probability statement is statistical rather than purely logical. It requires a sampling model, data, and a justified null hypothesis. It should include controls for searching over many m values, cluster definitions, reference sequences, and similarity metrics.

6. Interpreting “subconscious substructures” carefully

For research purposes, “subconscious substructure” should be an operational label for latent organization inferred from observable behaviour. It is not a directly inspected object and should not be treated as a settled single mechanism of the mind. Possible measurements include repeated association patterns, response-time distributions, or stable feature relationships across tasks.

In this model, the analogy is:

Formal object	Possible modelling role	Boundary
Zeta-zero-derived reference Z	A mathematical pattern used for comparison.	No claim that a zero is a mental state.
Second-order predicate C	A set of related latent features.	Membership depends on a defined method.
ExactSize(C,m)	A cluster with m members.	m must be fixed or selected under a stated rule.
Similarity S(C,Z)	A quantitative comparison between structures.	Similarity alone does not imply causation or explanation.

This framework is an analogy and a possible research design. It is not established that cognition follows zeta-zero statistics, that prime numbers encode unconscious thought, or that RH explains consciousness.

7. Research protocol: making the proposal falsifiable

1 — Define observations. Use a transparent dataset and state what is measured. Treat latent features as model outputs, not direct access to the subconscious.

2 — Fix m. Pre-specify cluster size or specify a principled procedure for evaluating several values of m. Searching many values without correction inflates false-positive risk.

3 — Define the logical predicates. State the domain U, Feature(x), Latent(x), R(x,y), Cluster(C), and ExactSize(C,m). Explain how each maps to code or measurements.

4 — Define Z and S. Specify which zeta-derived quantities are used, how they are normalized, and the similarity statistic before inspecting the results.

5 — Compare with nulls. Use shuffled labels, random reference sequences with matched distribution, and alternative clustering methods. Report uncertainty and multiple-testing corrections.

6 — Replicate. Evaluate the fixed method on held-out data or an independent sample. Report null results as well as positive ones.

7 — Limit the conclusion. Evidence of a robust statistical association would support only that association under the tested conditions. It would not prove RH or establish that RH is a mechanism of subconscious processing.

8. Compact second-order specification

A schematic theory for this proposal can be summarized as:

$$\exists C\,[\mathrm{Cluster}(C) \wedge \mathrm{ExactSize}(C,m) \wedge \forall x(C(x)\rightarrow \mathrm{Latent}(x)) \wedge \mathrm{Cohesive}(C,R) \wedge \mathrm{RelatedTo}(C,Z)]$$

Interpretation: there exists a set C of exactly m latent features; the set satisfies a pre-defined cohesion criterion R and a separately defined relation to a zeta-derived reference Z. The predicates Cohesive and RelatedTo must be operationally defined. This is a second-order modelling schema because C is treated as a variable over sets/predicates, not merely as an individual object.

It is best understood as a formal research proposal—not a theorem, a proof of RH, or a validated theory of mind.

Glossary

Second-order logic: a logic allowing quantification over predicates, sets, or relations in addition to individual objects.

Full semantics: second-order variables range over all subsets/relations on the domain; this is expressive but lacks the same effective proof-theoretic completeness properties as first-order logic.

Henkin semantics: second-order variables range over a designated collection of subsets/relations, allowing a more first-order-like model theory.

Latent feature: a representation inferred from measured observations.

Null model: a baseline used to estimate how often an apparent relationship could occur by chance under specified assumptions.

Further reading

• Tarski, A. (1956), *Logic, Semantics, Metamathematics* — foundations of formal semantics.
• Shapiro, S. (1991), *Foundations without Foundationalism: A Case for Second-Order Logic* — philosophical and logical treatment of second-order logic.
• Edwards, H. M. (1974), *Riemann's Zeta Function* — classical mathematical treatment of the zeta function and RH.

Scope note: This document proposes a formal analogy and a possible empirical test. It does not report experimental results or imply that the subconscious has been shown to instantiate the Riemann zeta function.