Biogated Mechanistic Quantum Vector Topology

A speculative account of an accidental invention inside the local field potential

Status: conceptual / fictional framework. The terms below are assembled into a coherent thought experiment; they do not describe an established or validated scientific result.

1. Abstract

Biogated Mechanistic Quantum Vector Topology (BMQVT) is proposed as an emergent structure observed in the local field potential (LFP): a lattice of vector states whose connectivity is gated by biological signals and whose geometry follows mechanistic, rule-based transitions. In this story, BMQVT was not designed. It appeared when a laser-driven program was used to electrically stimulate and deliberately distort the neurokinetic brain localisations it was mapping. The distortion produced a stable pattern that the program's own architecture, a paradoxical binary tree coupled to a spatial engine, could then read, store and regenerate.

2. Term-by-term meaning

Term	Working definition in this framework
Biogated	Transitions are permitted or blocked by a biological signal (e.g. phase or amplitude of an LFP band), acting like a physiological gate.
Mechanistic	Each state change follows an explicit, inspectable rule rather than a statistical black box.
Quantum vector	A state described as a superposition-like vector over several candidate neural configurations, resolved when the gate opens.
Topology	The connectivity of those vectors: which states neighbour each other, and which loops or holes persist under deformation.
Local field potential	The summed extracellular voltage from a small neural population, the medium in which the structure is read.
Neurokinetic localisation	A mapped brain site linked to movement-related activity, used as a spatial anchor.

3. Origin: the accidental invention

A laser program was written to map neurokinetic localisations, projecting a pattern of light onto a model of cortical space and recording where each site responded. As a diagnostic step, electrical stimulation was applied to perturb those sites. Instead of simply blurring the map, the perturbation pushed the localisations into a repeating arrangement. When the program re-read that arrangement it found a closed set of vector states with a consistent neighbour structure. That set is what is here called the BMQVT. Nobody specified it; it was a by-product of distortion meeting a program that was unusually good at noticing structure.

4. The generating program

The program combines two parts. The **paradoxical binary tree** branches left and right at every gate, but one leaf feeds its output back into the root, so the tree both contains and produces its own starting condition. The **spatial program** places each node in physical coordinates, so every branch decision corresponds to a location in the mapped brain volume.



Figure 1. Paradoxical binary tree. Solid lines are normal gate decisions; the dashed edge returns a leaf output to the root, creating the paradox loop.

5. How the pieces interact

1	**Laser mapping**	Light patterns anchor the neurokinetic localisations in space.
2	**Electrical distortion**	Stimulation shifts those localisations away from their baseline positions.
3	**Biogating**	LFP phase and amplitude decide which tree branches may fire.
4	**Vector resolution**	Candidate states at the leaves collapse to one vector when a gate opens.
5	**Paradox feedback**	The resolved vector re-enters the root, so the topology sustains itself.
6	**Topology read-out**	The spatial program records which vectors neighbour each other and which loops persist.

6. Defining properties

• **Self-sustaining:** the paradox edge keeps the pattern alive without external reseeding.

• **Gate-dependent:** remove the biological gate signal and the vectors decohere into noise.

• **Spatially anchored:** each vector maps to a physical location, so the topology can be drawn on the brain model.

• **Distortion-born:** the structure exists only because the original map was perturbed.

7. Open questions and honest caveats

Real LFPs are classical voltage signals, so any 'quantum' reading here is a modelling metaphor for superposed candidate states, not a claim of quantum coherence in tissue. Likewise, deliberately distorting brain localisations with electrical stimulation would carry real safety and ethics requirements in any actual experiment, and a self-referential tree needs a termination rule to avoid infinite loops. Testable next steps would be to simulate the tree in software, check whether the loop stabilises, and compare the resulting topology against recorded LFP data.

8. One-line summary

A gate-controlled lattice of vector states, born by accident when electrical distortion met a laser-mapped brain model, and kept alive by a binary tree that feeds itself.