

THE PROBLEM

Phishing is the #1 way credentials get stolen.

AI now writes fluent, personalized lures and spins up lookalike domains at scale — and the people most exposed (students, seniors) are the least equipped to spot a `paypa1-secure-login.tk` in a sea of links.

3.4B

phishing emails sent daily

90%

of breaches start with phishing

\$4.9M

avg cost of a phishing breach

HOW IT WORKS

Four detection layers, zero cloud calls.

1

URL forensics

typosquats · homoglyphs · punycode · user@host · abused TLDs · entropy

2

Page signals

credential forms off-domain / over HTTP · CVV/SSN/OTP fields · hidden iframes

3

Language analysis

urgency & scare copy — “verify within 24 hours”

4

Explainable score

0–100 risk + a plain-language reason for every flag

VERDICT

87 / 100

DANGEROUS

“Homoglyph of paypal
— paypa1.com (1 → l)
+ password form posts
over plaintext HTTP”

WHY IT MATTERS

Protection without surveillance.

Every check runs locally in the browser — nothing you browse is ever uploaded. PhishLens doesn't just block; it teaches. Each warning names the exact signals that fired, so users learn what phishing looks like while staying safe.

Manifest V3 · Chrome + Firefox

pure JS engine · zero dependencies

open source · MIT

Built for the people phishing hits hardest:
students · seniors · non-native speakers