

# Library Database

## Names:

Fady George Attallah Soliman	43831
David Nader Yacoub Gerges	43779
George Mohsen Refaat Fawzy	43468
Kirollos Sherif Henry Tadros	43840

# Description

- ❑ We Have designed a database for a library.
- ❑ Any Member in this library can borrow any of its items.
- ❑ Library Items are: CDs, Magazines and Books.
- ❑ Membership of the Library members has an end date.
- ❑ This Library store in its database list of authors in which The Library contains book written by them because many members choose the book to read according to its author.
- ❑ As long as this book doesn't have a return date this mean it is with one of the Library members and it is not in the library.
- ❑ The Library also store the publisher in its database.
- ❑ The Library Divides its items into section in order to allow member find their interest in an easy way.

## Assumptions:

- Each book it written by only one author.
- The library doesn't have more than one copy of the same item.
- As long as the return date of an item is NULL this item is borrowed by the member and he hasn't returned it yet.


The ER diagram illustrates the database structure for a library system. It includes the following entities and their attributes:

- Author**: Author\_ID (Primary Key), Author\_Name
- Section**: S\_ID (Primary Key), S\_Name
- Item**: Item\_ID (Primary Key), Title, CDName
- Publisher**: Publisher\_ID (Primary Key), Publisher\_Name
- Member**: SSN (Primary Key), Address, Phone, Name, F\_Name, L\_Name, Age, End\_Membership\_date

The relationships between these entities are defined as follows:

- Has**: A relationship between **Section** and **Item** with cardinality N:M.
- Written**: A relationship between **Author** and **Item** with cardinality 1:M.
- Borrowed**: A relationship between **Item** and **Member** with cardinality M:N.

# Schema of the EER Diagram



# Sample of Tables Creation

```
CREATE DATABASE BookShop
```

```
use BookShop
```

```
CREATE TABLE Section (
```

```
ID INT NOT NULL,
```

```
SName VARCHAR(50) NOT NULL,
```

```
PRIMARY KEY (ID)
```

```
);
```

```
CREATE TABLE Publisher (
```

```
ID INT NOT NULL,
```

```
Publisher_Name VARCHAR(100) NOT NULL,
```

```
PRIMARY KEY (ID)
```

```
);
```

```
CREATE TABLE Item(
```

```
ID INT NOT NULL,
```

```
Publisher_ID INT,
```

```
Section_ID INT,
```

```
FOREIGN KEY (Publisher_ID) REFERENCES Publisher (ID) ON
```

```
DELETE RESTRICT ON UPDATE CASCADE,
```

```
PRIMARY KEY (ID),
```

```
FOREIGN KEY (Section_ID) REFERENCES Section (ID) ON  
DELETE RESTRICT ON UPDATE CASCADE  
);
```

```
CREATE TABLE Member  
(  
    SSN INT NOT NULL,  
    First_Name VARCHAR(50) NOT NULL,  
    Last_Name VARCHAR(50),  
    Phone VARCHAR(20),  
    End_Membership_Date DATE,  
    Age INT,  
    Adr VARCHAR(120),  
    PRIMARY KEY (SSN)  
);
```

```
CREATE TABLE Borrows (  
    SSN INT NOT NULL,  
    FOREIGN KEY (SSN) REFERENCES Member (SSN) ON DELETE  
    RESTRICT ON UPDATE CASCADE,  
    Item_ID INT NOT NULL,  
    FOREIGN KEY (Item_ID) REFERENCES Item (ID) ON DELETE  
    RESTRICT ON UPDATE CASCADE,
```

Borrow\_Date DATE NOT NULL,  
Return\_Date DATE,  
PRIMARY KEY (SSN,Item\_ID)  
);

```
CREATE TABLE Section (  
ID INT NOT NULL,  
SName VARCHAR(50) NOT NULL,  
PRIMARY KEY (ID)  
);  
  
CREATE TABLE Publisher (  
ID INT NOT NULL,  
Publisher_Name VARCHAR(100) NOT NULL,  
PRIMARY KEY (ID)  
);
```

```
CREATE TABLE Member  
(  
SSN INT NOT NULL,  
First_Name VARCHAR(50) NOT NULL,  
Last_Name VARCHAR(50),  
Phone VARCHAR(20),  
End_Membership_Date DATE,  
Age INT,  
Adr VARCHAR(120),  
PRIMARY KEY (SSN)  
);
```

## Sample of Data Insertion

INSERT INTO `Written`

(Item\_ID,Title,Magazine\_Flag,Released\_Date,Book\_Flag,Author\_ID,Num  
berOfPages)

VALUES (1,'Gray's Anatomy',NULL,NULL,1,5,1200);

```
INSERT INTO `Written`  
(Item_ID,Title,Magazine_Flag,Released_Date,Book_Flag,Author_ID,Num  
berOfPages)  
VALUES (2,'Calculus',NULL,NULL,1,6,900);
```

```
INSERT INTO `Written`  
(Item_ID,Title,Magazine_Flag,Released_Date,Book_Flag,Author_ID,Num  
berOfPages)  
VALUES (3,'Database Systems',NULL,NULL,1,7,1000);
```

```
INSERT INTO `Section` (ID,SName) VALUES (1,'Engineering');
```

```
INSERT INTO `Section` (ID,SName) VALUES (2,'Medicine');
```

```
INSERT INTO `Publisher` (ID,Publisher_Name) VALUES (1,'Al Ahram');
```

```
INSERT INTO `Publisher` (ID,Publisher_Name) VALUES (2,'O'Reilly');
```

```
INSERT INTO `Member`  
(SSN,First_Name,Last_Name,Phone,End_Membership_Date,Age,Adr)  
VALUES (111,'Amira','Nagy','01001234567','5/1/2019',26,'8 Main St.');
```

```
INSERT INTO `Member`  
(SSN,First_Name,Last_Name,Phone,End_Membership_Date,Age,Adr)  
VALUES (222,'Adel','Zaki','01221234567','4/2/2019',22,'13 Main Sq.');
```



INSERT INTO `Item` (ID,Publisher\_ID,Section\_ID) VALUES (1,3,2);

INSERT INTO `Item` (ID,Publisher\_ID,Section\_ID) VALUES (2,2,1);

INSERT INTO `Item` (ID,Publisher\_ID,Section\_ID) VALUES (3,2,1);

```
INSERT INTO `Borrows` (SSN,Item_ID,Borrow_Date,Return_Date) VALUES (111,1,'2018-12-01',NULL);
INSERT INTO `Borrows` (SSN,Item_ID,Borrow_Date,Return_Date) VALUES (111,6,'2018-07-05','2018-07-19');
INSERT INTO `Borrows` (SSN,Item_ID,Borrow_Date,Return_Date) VALUES (222,2,'2018-04-01','2018-04-10');
INSERT INTO `Borrows` (SSN,Item_ID,Borrow_Date,Return_Date) VALUES (222,3,'2018-11-25',NULL);
INSERT INTO `Borrows` (SSN,Item_ID,Borrow_Date,Return_Date) VALUES (333,6,'2018-11-1','2018-11-16');
INSERT INTO `Borrows` (SSN,Item_ID,Borrow_Date,Return_Date) VALUES (333,5,'2018-11-16','2018-11-26');
INSERT INTO `Borrows` (SSN,Item_ID,Borrow_Date,Return_Date) VALUES (333,4,'2018-26-11','2018-12-05');
INSERT INTO `Author` (ID,Author_Name) VALUES (2,'Taha Hussein');
INSERT INTO `Author` (ID,Author_Name) VALUES (3,'William Shakespeare');
INSERT INTO `Author` (ID,Author_Name) VALUES (4,'Charles Dickens');
INSERT INTO `Author` (ID,Author_Name) VALUES (5,'Henry Gray');
INSERT INTO `Author` (ID,Author_Name) VALUES (6,'James Stewart');
INSERT INTO `Author` (ID,Author_Name) VALUES (7,'Ramez Elmasri');
COMMIT;
```

# Reports

---

## 1. Get all books, and the corresponding author, publisher and section

```
select title, author_name, sname, publisher_name
from item
join written on item.id = written.item_Id
join author on author.id = written.author_id
join section on section.id = item.section_id
join publisher on publisher.id = item.publisher_id
```

	Title	Author_Name	SName	Publisher_Name
1	Gray's Anatomy	Henry Gray	Medicine	Pearson
2	Calculus	James Stewart	Engineering	O'Reilly
3	Database Systems	Ramez Elmasri	Engineering	O'Reilly
4	الأيام	Taha Hussein	Literature	Al Ahram
5	Hamlet	William Shakespeare	Literature	Penguin
6	Oliver Twist	Charles Dickens	Literature	Penguin

---

## 2. Get total number of books in each section

```
select sname, count(*) AS "Number of books"
from item
join written on item.id = written.item_id
join section on item.section_id = section.id
where written.book_flag IS NOT NULL
group by sname
```

	SName	Number of books
1	Engineering	2
2	Literature	3
3	Medicine	1

---

### 3. Get list of unreturned books, and the member who borrowed them

```
select title, borrow_date, first_name, last_name, phone
from item
join written on (item.id = written.item_id)
join borrows on (item.id = borrows.item_id)
join member on (member.ssn = borrows.ssn)
where written.book_flag is not null and
borrows.return_date is null
```

	Title	Borrow_Date	First_Name	Last_Name	Phone
1	Gray's Anatomy	2018-12-01	Amira	Nagy	01001234567
2	Database Systems	2018-11-25	Adel	Zaki	01221234567

### 4. Get members who never borrowed a book

```
select *
from member
where not exists (select *
                  from borrows
                  where member.ssn = borrows.ssn)
```

	SSN	First_Name	Last_Name	Phone	End_Membership_Date	Age	Adr
1	444	Rania	Ramzy	01001234567	21/3/2019	12	9 Blue St.

### 5. Get sections that has less than 2 books

```
select sname, count(*)
from section
join item on item.section_id = section.id
join written on item.id = written.item_id
where written.book_flag is not NULL
group by sname
having count(*) < 2
order by count(*)
```

	SName	count(*)
1	Medicine	1

6. Get total number of borrows for each member (including members who never borrowed a book)

```
select      first_name, last_name, count(borrows.ssn) as "Number of borrows"
from        member
           left outer join borrows on member.ssn = borrows.ssn
group by    member.ssn
order by    "Number of borrows" DESC
```

	First_Name	Last_Name	Number of borrows
1	Ramy	Fouad	3
2	Amira	Nagy	2
3	Adel	Zaki	2
4	Rania	Ramzy	0

	ID	Author_Name
1	2	Taha Hussein
2	3	William Shakespeare
3	4	Charles Dickens
4	5	Henry Gray
5	6	James Stewart
6	7	Ramez Elmasri

**Author**

	ID	Publisher_Name
1	1	Al Ahram
2	2	O'Reilly
3	3	Pearson
4	4	Penguin
5	5	Nahdet Masr
6	6	Disney

**Publisher**

	Item_ID	Title	Magazine_Flag	Released_Date	Book_Flag	Author_ID	NumberOfPages
1	1	Gray's Anatomy	NULL	NULL	1	5	1200
2	2	Calculus	NULL	NULL	1	6	900
3	3	Database Systems	NULL	NULL	1	7	1000
4	4	الأيام	NULL	NULL	1	2	600
5	5	Hamlet	NULL	NULL	1	3	550
6	6	Oliver Twist	NULL	NULL	1	4	500
7	7	ميكي	1	2018-12-13	NULL	NULL	25
8	8	ميكي	1	2018-12-20	NULL	NULL	25

**Written**

	SSN	First_Name	Last_Name	Phone	End_Membership_Date	Age	Adr
1	111	Amira	Nagy	01001234567	5/1/2019	26	8 Main St.
2	222	Adel	Zaki	01221234567	4/2/2019	22	13 Main Sq.
3	333	Ramy	Fouad	01991234567	29/12/2018	17	3 Green St.
4	444	Rania	Ramzy	01001234567	21/3/2019	12	9 Blue St.

**Member**

	ID	SName
1	1	Engineering
2	2	Medicine
3	3	Literature
4	4	Comics & Cartoons

**Section**

	Item_ID	CD_Name
1	9	Oliver Twist - The movie
2	10	Tom and Jerry

**CD**

	SSN	Item_ID	Borrow_Date	Return_Date
1	111	1	2018-12-01	NULL
2	111	6	2018-07-05	2018-07-19
3	222	2	2018-04-01	2018-04-10
4	222	3	2018-11-25	NULL
5	333	6	2018-11-1	2018-11-16
6	333	5	2018-11-16	2018-11-26
7	333	4	2018-26-11	2018-12-05

**Borrows**

	ID	Publisher_ID	Section_ID
1	1	3	2
2	2	2	1
3	3	2	1
4	4	1	3
5	5	4	3
6	6	4	3
7	7	5	4
8	8	5	4
9	9	6	4
10	10	6	4

**Item**