SWTES1301-T9 (1.0) - [TG1][Georgi Dimitrov] Login Negative as normal user with incorrect username and correct password

Details

Key	SWTES1301-T9
Name	[TG1][Georgi Dimitrov] Login Negative as normal user with incorrect username and correct password
Objective	1. The user shall be able to input username and password: 2. .If provided username and/or password are incorrect, the user should not be able to login into the application. Link to the US: http://jira.softacad.bg/browse/SWTES1301-2
Precondition	1. The user can load the application 2. The user has registration and granted permissions
Folder	TestGroup1/Georgi Dimitrov/Login functionality/Login negative/As a user
Status	Draft
Priority	High
Component	-
Owner	Georgi Dimitrov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/02/2022 00:02:00 by Georgi Dimitrov Updated on 02/04/2022 08:38:49 by Georgi Dimitrov

Test Script

1	**Step**
	Navigate to the application URL
	Test Data

	http://poll-app5-20220113.softacad.bg
	Expected Result
	The application is loaded properly
2	**Step**
	Click on the "Login button" in the top right corner
	Test Data
	Expected Result
	The login page is loaded
3	**Step**
	Enter the incorrect username
	Test Data
	wrongUser1
	Expected Result
	The username is visualized and accepted by the field
4	**Step**
	Enter the correct password
	Test Data
	123456
	Expected Result
	The password is masked and accepted by the field
5	**Step**
	Click on the "Login button" below the password field
	Test Data
	Expected Result
	The user receives a message notifying for incorrect credentials. The user is not logged into the application. The user remains on the login page.

SWTES1301-T27 (1.0) - [TG1][Georgi Dimitrov] Login Positive as a normal user with email and password

Details

Key	SWTES1301-T27
Name	[TG1][Georgi Dimitrov] Login Positive as a normal user with email and password
Objective	1. The user shall be able to input username and password: 2. If the provided username and password are correct, the user shall be able to login into the application Link to the US: http://jira.softacad.bg/browse/SWTES1301-2
Precondition	1. The user can load the application 2. The user has registration and granted permissions
Folder	TestGroup1/Georgi Dimitrov/Login functionality/Login positive/As user
Status	Draft
Priority	High
Component	-
Owner	Georgi Dimitrov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/02/2022 14:58:39 by Georgi Dimitrov Updated on 02/04/2022 10:41:26 by Georgi Dimitrov

Test Script

1	**Step**
	Navigate to the application URL
	Test Data

	Expected Result
	The application is loaded properly
2	**Step**
	Click on the "Login button" in the top right corner
	Test Data
	Expected Result
	The user is redirected to the login screen
3	**Step**
	Enter the correct email
	Test Data
	test@test.org
	Expected Result
	The email is visualized and accepted by the field
4	**Step**
	Enter the correct password
	Test Data
	123456
	Expected Result
	The password is masked and accepted by the field
5	**Step**
	Click on the "Login button" below the password field
	Test Data
	Expected Result
	The user is successfully logged on
6	**Step**
	Click on the profile icon in the top right corner and verify that the user is logged on to the right account.
	Test Data

Expected Result

The user is logged in the right account

SWTES1301-T28 (1.0) - [TG1][Georgi Dimitrov] Login Positive as admin with username and password

Details

Key	SWTES1301-T28
Name	[TG1][Georgi Dimitrov] Login Positive as admin with username and password
Objective	1. The user shall be able to input username and password: 2. If the provided username and password are correct, the user shall be able to login into the application Link to the US: http://jira.softacad.bg/browse/SWTES1301-2
Precondition	1. The user can load the application 2. The user has registration and granted permissions
Folder	TestGroup1/Georgi Dimitrov/Login functionality/Login positive/As admin
Status	Draft
Priority	High
Component	-
Owner	Georgi Dimitrov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/02/2022 15:03:43 by Georgi Dimitrov Updated on 02/06/2022 08:45:39 by Georgi Dimitrov

Test Script

1	**Step**
	Navigate to the application URL
	Test Data

	http://poll-app5-20220113.softacad.bg
	Expected Result
	The application is loaded properly
2	**Step**
	Click on the "Login button" in the top right corner
	Test Data
	Expected Result
	The user is redirected to the login screen
3	**Step**
	Enter the correct username
	Test Data
	tg1admin
	Expected Result
	The username is visualized and accepted by the field
4	**Step**
	Enter the correct password
	Test Data
	123456
	Expected Result
	The password is masked and accepted by the field
5	**Step**
	Click on the "Login button" below the password field
	Test Data
	Expected Result
	The Admin is successfully logged on
6	**Step**
	Click on the profile icon in the top right corner and verify that the user is logged on to the right account.
	Test Data

Expected Result

The Admin is logged in the right account

SWTES1301-T31 (1.0) - [TG1][Georgi Dimitrov] Login Positive as admin with email and password

Details

Key	SWTES1301-T31
Name	[TG1][Georgi Dimitrov] Login Positive as admin with email and password
Objective	1. The user shall be able to input username and password: 2. If the provided username and password are correct, the user shall be able to login into the application Link to the US: http://jira.softacad.bg/browse/SWTES1301-2
Precondition	1. The user can load the application 2. The user has registration and granted permissions
Folder	TestGroup1/Georgi Dimitrov/Login functionality/Login positive/As admin
Status	Draft
Priority	High
Component	-
Owner	Georgi Dimitrov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/02/2022 15:06:24 by Georgi Dimitrov Updated on 02/06/2022 08:46:14 by Georgi Dimitrov

Test Script

1	**Step**
	Navigate to the application URL
	Test Data

	http://poll-app5-20220113.softacad.bg
	Expected Result
	The application is loaded properly
2	**Step**
	Click on the "Login button" in the top right corner
	Test Data
	Expected Result
	The user is redirected to the login screen
3	**Step**
	Enter the correct email
	Test Data
	tg1admin@test.org
	Expected Result
	The email is visualized and accepted by the field
4	**Step**
	Enter the correct password
	Test Data
	123456
	Expected Result
	The password is masked and accepted by the field
5	**Step**
	Click on the "Login button" below the password field
	Test Data
	Expected Result
	The Admin is successfully logged on
6	**Step**
	Click on the profile icon in the top right corner and verify that the user is logged on to the right account.
	Test Data

Expected Result

The Admin is logged in the right account

SWTES1301-T38 (1.0) - [TG1][Georgi Dimitrov] Login Positive as a normal user with username and password

Details

Key	SWTES1301-T38
Name	[TG1][Georgi Dimitrov] Login Positive as a normal user with username and password
Objective	1. The user shall be able to input username and password: 2. If the provided username and password are correct, the user shall be able to login into the application Link to the US: http://jira.softacad.bg/browse/SWTES1301-2
Precondition	1. The user can load the application 2. The user has registration and granted permissions
Folder	TestGroup1/Georgi Dimitrov/Login functionality/Login positive/As user
Status	Draft
Priority	High
Component	-
Owner	Georgi Dimitrov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/02/2022 15:22:12 by Georgi Dimitrov Updated on 02/04/2022 08:42:44 by Georgi Dimitrov

Test Script

1	**Step**
	Navigate to the application URL
	Test Data

	http://poll-app5-20220113.softacad.bg
	Expected Result
	The application is loaded properly
2	**Step**
	Click on the "Login button" in the top right corner
	Test Data
	Expected Result
	The user is redirected to the login screen
3	**Step**
	Enter the correct username
	Test Data
	normalUser1
	Expected Result
	The username is visualized and accepted by the field
4	**Step**
	Enter the correct password
	Test Data
	123456
	Expected Result
	The password is masked and accepted by the field
5	**Step**
	Click on the "Login button" below the password field
	Test Data
	Expected Result
	The user is successfully logged on
6	**Step**
	Click on the profile icon in the top right corner and verify that the user is logged on to the right account.
	Test Data

Expected Result

The user is logged in the right account

SWTES1301-T41 (1.0) - [TG1][Georgi Dimitrov] Login Negative as normal user with correct username and incorrect password

Details

Key	SWTES1301-T41
Name	[TG1][Georgi Dimitrov] Login Negative as normal user with correct username and incorrect password
Objective	1. The user shall be able to input username and password: 2. .If provided username and/or password are incorrect, the user should not be able to login into the application. Link to the US: http://jira.softacad.bg/browse/SWTES1301-2
Precondition	1. The user can load the application 2. The user has registration and granted permissions
Folder	TestGroup1/Georgi Dimitrov/Login functionality/Login negative/As a user
Status	Draft
Priority	High
Component	-
Owner	Georgi Dimitrov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/02/2022 15:25:08 by Georgi Dimitrov Updated on 02/04/2022 08:39:00 by Georgi Dimitrov

Test Script

1	**Step**
	Navigate to the application URL
	Test Data

	http://poll-app5-20220113.softacad.bg
	Expected Result
	The application is loaded properly
2	**Step**
	Click on the "Login button" in the top right corner
	Test Data
	Expected Result
	The login page is loaded
3	**Step**
	Enter the correct username
	Test Data
	normalUser1
	Expected Result
	The username is visualized and accepted by the field
4	**Step**
	Enter the incorrect password
	Test Data
	1234567
	Expected Result
	The password is masked and accepted by the field
5	**Step**
	Click on the "Login button" below the password field
	Test Data
	Expected Result
	The user receives a message notifying for incorrect credentials. The user is not logged into the application. The user remains on the login page.

SWTES1301-T43 (1.0) - [TG1][Georgi Dimitrov] Login Negative as normal user with incorrect username and incorrect password

Details

Key	SWTES1301-T43
Name	[TG1][Georgi Dimitrov] Login Negative as normal user with incorrect username and incorrect password
Objective	1. The user shall be able to input username and password: 2. .If provided username and/or password are incorrect, the user should not be able to login into the application. Link to the US: http://jira.softacad.bg/browse/SWTES1301-2
Precondition	1. The user can load the application 2. The user has registration and granted permissions
Folder	TestGroup1/Georgi Dimitrov/Login functionality/Login negative/As a user
Status	Draft
Priority	High
Component	-
Owner	Georgi Dimitrov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/02/2022 15:33:03 by Georgi Dimitrov Updated on 02/04/2022 08:39:09 by Georgi Dimitrov

Test Script

1	Step
	Navigate to the application URL
	Test Data

	http://poll-app5-20220113.softacad.bg
	Expected Result The application is loaded properly
2	**Step** Click on the "Login button" in the top right corner
	Test Data
	Expected Result The login page is loaded
3	**Step** Enter the incorrect username
	Test Data wrongUser1
	Expected Result The username is visualized and accepted by the field
4	**Step** Enter the incorrect password
	Test Data 1234567
	Expected Result The password is masked and accepted by the field
5	**Step** Click on the "Login button" below the password field
	Test Data
	Expected Result The user receives a message notifying for incorrect credentials. The user is not logged into the application. The user remains on the login page.

SWTES1301-T46 (1.0) - [TG1][Georgi Dimitrov] Login Negative as Admin with incorrect username and correct password

Details

Key	SWTES1301-T46
Name	[TG1][Georgi Dimitrov] Login Negative as Admin with incorrect username and correct password
Objective	1. The user shall be able to input username and password: 2. .If provided username and/or password are incorrect, the user should not be able to login into the application. Link to the US: http://jira.softacad.bg/browse/SWTES1301-2
Precondition	1. The user can load the application 2. The user has registration and granted permissions
Folder	TestGroup1/Georgi Dimitrov/Login functionality/Login negative/As a admin
Status	Draft
Priority	High
Component	-
Owner	Georgi Dimitrov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/02/2022 15:37:31 by Georgi Dimitrov Updated on 02/04/2022 08:40:44 by Georgi Dimitrov

Test Script

1	**Step**
	Navigate to the application URL
	Test Data

	http://poll-app5-20220113.softacad.bg	
	Expected Result	
	The application is loaded properly	
2	**Step**	
	Click on the "Login button" in the top right corner	
	Test Data	
	Expected Result	
	The login page is loaded	
3	**Step**	
	Enter the incorrect username	
	Test Data	
	admin	
	Expected Result	
	The username is visualized and accepted by the field	
4	**Step**	
	Enter the correct password	
	Test Data	
	123456	
	Expected Result	
	The password is masked and accepted by the field	
5	**Step**	
	Click on the "Login button" below the password field	
	Test Data	
	Expected Result	
	The user receives a message notifying for incorrect credentials. The user is not logged into the application. The user remains on the login page.	

SWTES1301-T47 (1.0) - [TG1][Georgi Dimitrov] Login Negative as normal user with incorrect email and correct password

Details

Key	SWTES1301-T47
Name	[TG1][Georgi Dimitrov] Login Negative as normal user with incorrect email and correct password
Objective	1. The user shall be able to input username and password: 2. .If provided username and/or password are incorrect, the user should not be able to login into the application. Link to the US: http://jira.softacad.bg/browse/SWTES1301-2
Precondition	1. The user can load the application 2. The user has registration and granted permissions
Folder	TestGroup1/Georgi Dimitrov/Login functionality/Login negative/As a user
Status	Draft
Priority	High
Component	-
Owner	Georgi Dimitrov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/02/2022 15:40:33 by Georgi Dimitrov Updated on 02/04/2022 08:39:22 by Georgi Dimitrov

Test Script

1	**Step**
	Navigate to the application URL
	Test Data

	http://poll-app5-20220113.softacad.bg
	Expected Result
	The application is loaded properly
2	**Step**
	Click on the "Login button" in the top right corner
	Test Data
	Expected Result
	The login page is loaded
3	**Step**
	Enter the incorrect email
	Test Data
	admin@test.org
	Expected Result
	The email is visualized and accepted by the field
4	**Step**
	Enter the correct password
	Test Data
	123456
	Expected Result
	The password is masked and accepted by the field
5	**Step**
	Click on the "Login button" below the password field
	Test Data
	Expected Result
	The user receives a message notifying for incorrect credentials. The user is not logged into the application. The user remains on the login page.

SWTES1301-T48 (1.0) - [TG1][Georgi Dimitrov] Login Negative as normal user with correct email and incorrect password

Details

Key	SWTES1301-T48
Name	[TG1][Georgi Dimitrov] Login Negative as normal user with correct email and incorrect password
Objective	1. The user shall be able to input username and password: 2. .If provided username and/or password are incorrect, the user should not be able to login into the application. Link to the US: http://jira.softacad.bg/browse/SWTES1301-2
Precondition	1. The user can load the application 2. The user has registration and granted permissions
Folder	TestGroup1/Georgi Dimitrov/Login functionality/Login negative/As a user
Status	Draft
Priority	High
Component	-
Owner	Georgi Dimitrov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/02/2022 15:42:50 by Georgi Dimitrov Updated on 02/04/2022 08:39:35 by Georgi Dimitrov

Test Script

1	**Step**
	Navigate to the application URL
	Test Data

	http://poll-app5-20220113.softacad.bg	
	Expected Result	
	The application is loaded properly	
2	**Step**	
	Click on the "Login button" in the top right corner	
	Test Data	
	Expected Result	
	The login page is loaded	
3	**Step**	
	Enter the correct email	
	Test Data	
	test@test.org	
	Expected Result	
	The email is visualized and accepted by the field	
4	**Step**	
	Enter the incorrect password	
	Test Data	
	1234567	
	Expected Result	
	The password is masked and accepted by the field	
5	**Step**	
	Click on the "Login button" below the password field	
	Test Data	
	Expected Result	
	The user receives a message notifying for incorrect credentials. The user is not logged into the application. The user remains on the login page.	

SWTES1301-T50 (1.0) - [TG1][Georgi Dimitrov] Login Negative as normal user with incorrect email and incorrect password

Details

Key	SWTES1301-T50
Name	[TG1][Georgi Dimitrov] Login Negative as normal user with incorrect email and incorrect password
Objective	1. The user shall be able to input username and password: 2. .If provided username and/or password are incorrect, the user should not be able to login into the application. Link to the US: http://jira.softacad.bg/browse/SWTES1301-2
Precondition	1. The user can load the application 2. The user has registration and granted permissions
Folder	TestGroup1/Georgi Dimitrov/Login functionality/Login negative/As a user
Status	Draft
Priority	High
Component	-
Owner	Georgi Dimitrov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/02/2022 15:44:58 by Georgi Dimitrov Updated on 02/04/2022 08:39:46 by Georgi Dimitrov

Test Script

1	Step
	Navigate to the application URL
	Test Data

	http://poll-app5-20220113.softacad.bg	
	Expected Result	
	The application is loaded properly	
2	**Step**	
	Click on the "Login button" in the top right corner	
	Test Data	
	Expected Result	
	The login page is loaded	
3	**Step**	
	Enter the incorrect email	
	Test Data	
	tg1test@test.org	
	Expected Result	
	The email is visualized and accepted by the field	
4	**Step**	
	Enter the incorrect password	
	Test Data	
	1234567	
	Expected Result	
	The password is masked and accepted by the field	
5	**Step**	
	Click on the "Login button" below the password field	
	Test Data	
	Expected Result	
	The user receives a message notifying for incorrect credentials. The user is not logged into the application. The user remains on the login page.	

SWTES1301-T54 (1.0) - [TG1][Georgi Dimitrov] Login Negative as normal user with no username and correct password

Details

Key	SWTES1301-T54
Name	[TG1][Georgi Dimitrov] Login Negative as normal user with no username and correct password
Objective	1. The user shall be able to input username and password: 2. .If provided username and/or password are incorrect, the user should not be able to login into the application. Link to the US: http://jira.softacad.bg/browse/SWTES1301-2
Precondition	1. The user can load the application 2. The user has registration and granted permissions
Folder	TestGroup1/Georgi Dimitrov/Login functionality/Login negative/As a user
Status	Draft
Priority	High
Component	-
Owner	Georgi Dimitrov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/02/2022 15:58:13 by Georgi Dimitrov Updated on 02/04/2022 08:39:58 by Georgi Dimitrov

Test Script

1	**Step**
	Navigate to the application URL
	Test Data

	http://poll-app5-20220113.softacad.bg	
	Expected Result	
	The application is loaded properly	
2	**Step**	
	Click on the "Login button" in the top right corner	
	Test Data	
	Expected Result	
	The login page is loaded	
3	**Step**	
	Use empty field for username	
	Test Data	
	Expected Result	
	The field is empty and accepted by the field	
4	**Step**	
	Enter the correct password	
	Test Data	
	123456	
	Expected Result	
	The password is masked and accepted by the field	
5	**Step**	
	Click on the "Login button" below the password field	
	Test Data	
	Expected Result	
	The user receives a message notifying for incorrect credentials. The user is not logged into the application. The user remains on the login page.	

SWTES1301-T60 (1.0) - [TG1][Georgi Dimitrov] Login Negative as normal user with username and no password

Details

Key	SWTES1301-T60
Name	[TG1][Georgi Dimitrov] Login Negative as normal user with username and no password
Objective	1. The user shall be able to input username and password: 2. .If provided username and/or password are incorrect, the user should not be able to login into the application. Link to the US: http://jira.softacad.bg/browse/SWTES1301-2
Precondition	1. The user can load the application 2. The user has registration and granted permissions
Folder	TestGroup1/Georgi Dimitrov/Login functionality/Login negative/As a user
Status	Draft
Priority	High
Component	-
Owner	Georgi Dimitrov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/02/2022 16:04:30 by Georgi Dimitrov Updated on 02/04/2022 08:40:12 by Georgi Dimitrov

Test Script

1	**Step**
	Navigate to the application URL
	Test Data

	http://poll-app5-20220113.softacad.bg
	Expected Result The application is loaded properly
2	**Step** Click on the "Login button" in the top right corner
	Test Data
	Expected Result The login page is loaded
3	**Step** Enter correct username
	Test Data normalUser1
	Expected Result The username is visualized and accepted by the field
4	**Step** Use empty password field
	Test Data
	Expected Result The password field is empty and accepted by the field
5	**Step** Click on the "Login button" below the password field
	Test Data
	Expected Result The user receives a message notifying for incorrect credentials. The user is not logged into the application. The user remains on the login page.

SWTES1301-T62 (1.0) - [TG1][Georgi Dimitrov] Login Negative as normal user with no email and correct password

Details

Key	SWTES1301-T62
Name	[TG1][Georgi Dimitrov] Login Negative as normal user with no email and correct password
Objective	1. The user shall be able to input username and password: 2. .If provided username and/or password are incorrect, the user should not be able to login into the application. Link to the US: http://jira.softacad.bg/browse/SWTES1301-2
Precondition	1. The user can load the application 2. The user has registration and granted permissions
Folder	TestGroup1/Georgi Dimitrov/Login functionality/Login negative/As a user
Status	Draft
Priority	High
Component	-
Owner	Georgi Dimitrov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/02/2022 16:14:32 by Georgi Dimitrov Updated on 02/04/2022 08:40:20 by Georgi Dimitrov

Test Script

1	**Step**
	Navigate to the application URL
	Test Data

	http://poll-app5-20220113.softacad.bg
	Expected Result The application is loaded properly
2	**Step** Click on the "Login button" in the top right corner
	Test Data
	Expected Result The login page is loaded
3	**Step** Use empty field for email
	Test Data
	Expected Result The field is empty and accepted by the field
4	**Step** Enter the correct password
	Test Data 123456
	Expected Result The password is masked and accepted by the field
5	**Step** Click on the "Login button" below the password field
	Test Data
	Expected Result The user receives a message notifying for incorrect credentials. The user is not logged into the application. The user remains on the login page.

SWTES1301-T63 (1.0) - [TG1][Georgi Dimitrov] Login Negative as normal user with email and no password

Details

Key	SWTES1301-T63
Name	[TG1][Georgi Dimitrov] Login Negative as normal user with email and no password
Objective	1. The user shall be able to input username and password: 2. .If provided username and/or password are incorrect, the user should not be able to login into the application. Link to the US: http://jira.softacad.bg/browse/SWTES1301-2
Precondition	1. The user can load the application 2. The user has registration and granted permissions
Folder	TestGroup1/Georgi Dimitrov/Login functionality/Login negative/As a user
Status	Draft
Priority	High
Component	-
Owner	Georgi Dimitrov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/02/2022 16:15:39 by Georgi Dimitrov Updated on 02/04/2022 08:40:29 by Georgi Dimitrov

Test Script

1	**Step**
	Navigate to the application URL
	Test Data

		http://poll-app5-20220113.softacad.bg
		Expected Result
		The application is loaded properly
2		**Step**
		Click on the "Login button" in the top right corner
		Test Data
		Expected Result
		The login page is loaded
3		**Step**
		Enter correct email
		Test Data
		test@test.org
		Expected Result
		The email is visualized and accepted by the field
4		**Step**
		Use empty password field
		Test Data
		Expected Result
		The password field is empty and accepted by the field
5		**Step**
		Click on the "Login button" below the password field
		Test Data
		Expected Result
		The user receives a message notifying for incorrect credentials. The user is not logged into the application. The user remains on the login page.

SWTES1301-T65 (1.0) - [TG1][Georgi Dimitrov] Login Negative as Admin with correct username and incorrect password

Details

Key	SWTES1301-T65
Name	[TG1][Georgi Dimitrov] Login Negative as Admin with correct username and incorrect password
Objective	1. The user shall be able to input username and password: 2. .If provided username and/or password are incorrect, the user should not be able to login into the application. Link to the US: http://jira.softacad.bg/browse/SWTES1301-2
Precondition	1. The user can load the application 2. The user has registration and granted permissions
Folder	TestGroup1/Georgi Dimitrov/Login functionality/Login negative/As a admin
Status	Draft
Priority	High
Component	-
Owner	Georgi Dimitrov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/02/2022 16:24:04 by Georgi Dimitrov Updated on 02/04/2022 08:40:55 by Georgi Dimitrov

Test Script

1	**Step**
	Navigate to the application URL
	Test Data

	http://poll-app5-20220113.softacad.bg
	Expected Result
	The application is loaded properly
2	**Step**
	Click on the "Login button" in the top right corner
	Test Data
	Expected Result
	The login page is loaded
3	**Step**
	Enter the correct username
	Test Data
	tg1admin
	Expected Result
	The username is visualized and accepted by the field
4	**Step**
	Enter the incorrect password
	Test Data
	1234567
	Expected Result
	The password is masked and accepted by the field
5	**Step**
	Click on the "Login button" below the password field
	Test Data
	Expected Result
	The user receives a message notifying for incorrect credentials. The user is not logged into the application. The user remains on the login page.

SWTES1301-T67 (1.0) - [TG1][Georgi Dimitrov] Login Negative as Admin with incorrect email and correct password

Details

Key	SWTES1301-T67
Name	[TG1][Georgi Dimitrov] Login Negative as Admin with incorrect email and correct password
Objective	1. The user shall be able to input username and password: 2. .If provided username and/or password are incorrect, the user should not be able to login into the application. Link to the US: http://jira.softacad.bg/browse/SWTES1301-2
Precondition	1. The user can load the application 2. The user has registration and granted permissions
Folder	TestGroup1/Georgi Dimitrov/Login functionality/Login negative/As a admin
Status	Draft
Priority	High
Component	-
Owner	Georgi Dimitrov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/02/2022 16:27:24 by Georgi Dimitrov Updated on 02/04/2022 08:41:04 by Georgi Dimitrov

Test Script

1	**Step**
	Navigate to the application URL
	Test Data

	http://poll-app5-20220113.softacad.bg	
	Expected Result	
	The application is loaded properly	
2	**Step**	
	Click on the "Login button" in the top right corner	
	Test Data	
	Expected Result	
	The login page is loaded	
3	**Step**	
	Enter the incorrect email	
	Test Data	
	admin@test.org	
	Expected Result	
	The email is visualized and accepted by the field	
4	**Step**	
	Enter the correct password	
	Test Data	
	123456	
	Expected Result	
	The password is masked and accepted by the field	
5	**Step**	
	Click on the "Login button" below the password field	
	Test Data	
	Expected Result	
	The user receives a message notifying for incorrect credentials. The user is not logged into the application. The user remains on the login page.	

SWTES1301-T68 (1.0) - [TG1][Georgi Dimitrov] Login Negative as Admin with correct email and incorrect password

Details

Key	SWTES1301-T68
Name	[TG1][Georgi Dimitrov] Login Negative as Admin with correct email and incorrect password
Objective	1. The user shall be able to input username and password: 2. .If provided username and/or password are incorrect, the user should not be able to login into the application. Link to the US: http://jira.softacad.bg/browse/SWTES1301-2
Precondition	1. The user can load the application 2. The user has registration and granted permissions
Folder	TestGroup1/Georgi Dimitrov/Login functionality/Login negative/As a admin
Status	Draft
Priority	High
Component	-
Owner	Georgi Dimitrov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/02/2022 16:28:58 by Georgi Dimitrov Updated on 02/04/2022 08:41:14 by Georgi Dimitrov

Test Script

1	**Step**
	Navigate to the application URL
	Test Data

	http://poll-app5-20220113.softacad.bg	
	Expected Result	
	The application is loaded properly	
2	**Step**	
	Click on the "Login button" in the top right corner	
	Test Data	
	Expected Result	
	The login page is loaded	
3	**Step**	
	Enter the correct email	
	Test Data	
	tg1admin@test.org	
	Expected Result	
	The email is visualized and accepted by the field	
4	**Step**	
	Enter the incorrect password	
	Test Data	
	1234567	
	Expected Result	
	The password is masked and accepted by the field	
5	**Step**	
	Click on the "Login button" below the password field	
	Test Data	
	Expected Result	
	The user receives a message notifying for incorrect credentials. The user is not logged into the application. The user remains on the login page.	

SWTES1301-T69 (1.0) - [TG1][Georgi Dimitrov] Login Negative as Admin with no username and correct password

Details

Key	SWTES1301-T69
Name	[TG1][Georgi Dimitrov] Login Negative as Admin with no username and correct password
Objective	1. The user shall be able to input username and password: 2. .If provided username and/or password are incorrect, the user should not be able to login into the application. Link to the US: http://jira.softacad.bg/browse/SWTES1301-2
Precondition	1. The user can load the application 2. The user has registration and granted permissions
Folder	TestGroup1/Georgi Dimitrov/Login functionality/Login negative/As a admin
Status	Draft
Priority	High
Component	-
Owner	Georgi Dimitrov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/02/2022 16:35:44 by Georgi Dimitrov Updated on 02/04/2022 08:41:27 by Georgi Dimitrov

Test Script

1	**Step**
	Navigate to the application URL
	Test Data

	http://poll-app5-20220113.softacad.bg
	Expected Result The application is loaded properly
2	**Step** Click on the "Login button" in the top right corner
	Test Data
	Expected Result The login page is loaded
3	**Step** Use empty username field
	Test Data
	Expected Result The field is empty and accepted by the field
4	**Step** Enter the incorrect password
	Test Data 123456
	Expected Result The password is masked and accepted by the field
5	**Step** Click on the "Login button" below the password field
	Test Data
	Expected Result The user receives a message notifying for incorrect credentials. The user is not logged into the application. The user remains on the login page.

SWTES1301-T70 (1.0) - [TG1][Georgi Dimitrov] Login Negative as Admin with no email and correct password

Details

Key	SWTES1301-T70
Name	[TG1][Georgi Dimitrov] Login Negative as Admin with no email and correct password
Objective	1. The user shall be able to input username and password: 2. .If provided username and/or password are incorrect, the user should not be able to login into the application. Link to the US: http://jira.softacad.bg/browse/SWTES1301-2
Precondition	1. The user can load the application 2. The user has registration and granted permissions
Folder	TestGroup1/Georgi Dimitrov/Login functionality/Login negative/As a admin
Status	Draft
Priority	High
Component	-
Owner	Georgi Dimitrov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/02/2022 16:36:47 by Georgi Dimitrov Updated on 02/04/2022 08:41:35 by Georgi Dimitrov

Test Script

1	**Step**
	Navigate to the application URL
	Test Data

	http://poll-app5-20220113.softacad.bg	
	Expected Result	
	The application is loaded properly	
2	**Step**	
	Click on the "Login button" in the top right corner	
	Test Data	
	Expected Result	
	The login page is loaded	
3	**Step**	
	Use empty email field	
	Test Data	
	Expected Result	
	The field is empty and accepted by the field	
4	**Step**	
	Enter the correct password	
	Test Data	
	123456	
	Expected Result	
	The password is masked and accepted by the field	
5	**Step**	
	Click on the "Login button" below the password field	
	Test Data	
	Expected Result	
	The user receives a message notifying for incorrect credentials. The user is not logged into the application. The user remains on the login page.	

SWTES1301-T76 (1.0) - [TG1][Georgi Dimitrov] Login Negative as Admin with username and no password

Details

Key	SWTES1301-T76
Name	[TG1][Georgi Dimitrov] Login Negative as Admin with username and no password
Objective	1. The user shall be able to input username and password: 2. .If provided username and/or password are incorrect, the user should not be able to login into the application. Link to the US: http://jira.softacad.bg/browse/SWTES1301-2
Precondition	1. The user can load the application 2. The user has registration and granted permissions
Folder	TestGroup1/Georgi Dimitrov/Login functionality/Login negative/As a admin
Status	Draft
Priority	High
Component	-
Owner	Georgi Dimitrov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/02/2022 17:08:45 by Georgi Dimitrov Updated on 02/04/2022 08:41:47 by Georgi Dimitrov

Test Script

1	**Step**
	Navigate to the application URL
	Test Data

	http://poll-app5-20220113.softacad.bg
	Expected Result
	The application is loaded properly
2	**Step**
	Click on the "Login button" in the top right corner
	Test Data
	Expected Result
	The login page is loaded
3	**Step**
	Enter correct username
	Test Data
	tg1admin
	Expected Result
	The username is visualized and accepted by the field
4	**Step**
	Use empty password field
	Test Data
	Expected Result
	The field is empty and accepted by the field
5	**Step**
	Click on the "Login button" below the password field
	Test Data
	Expected Result
	The user receives a message notifying for incorrect credentials. The user is not logged into the application. The user remains on the login page.

SWTES1301-T79 (1.0) - [TG1][Georgi Dimitrov] Login Negative as Admin with email and no password

Details

Key	SWTES1301-T79
Name	[TG1][Georgi Dimitrov] Login Negative as Admin with email and no password
Objective	1. The user shall be able to input username and password: 2. .If provided username and/or password are incorrect, the user should not be able to login into the application. Link to the US: http://jira.softacad.bg/browse/SWTES1301-2
Precondition	1. The user can load the application 2. The user has registration and granted permissions
Folder	TestGroup1/Georgi Dimitrov/Login functionality/Login negative/As a admin
Status	Draft
Priority	High
Component	-
Owner	Georgi Dimitrov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/02/2022 17:12:13 by Georgi Dimitrov Updated on 02/04/2022 08:41:57 by Georgi Dimitrov

Test Script

1	**Step**
	Navigate to the application URL
	Test Data

		http://poll-app5-20220113.softacad.bg
		Expected Result
		The application is loaded properly
2		**Step**
		Click on the "Login button" in the top right corner
		Test Data
		Expected Result
		The login page is loaded
3		**Step**
		Enter correct email
		Test Data
		tg1admin@test.org
		Expected Result
		The email is visualized and accepted by the field
4		**Step**
		Use empty password field
		Test Data
		Expected Result
		The field is empty and accepted by the field
5		**Step**
		Click on the "Login button" below the password field
		Test Data
		Expected Result
		The user receives a message notifying for incorrect credentials. The user is not logged into the application. The user remains on the login page.

SWTES1301-T390 (1.0) - [TG1][Georgi Dimitrov] Login Negative as normal user with username + special symbol and correct password

Details

Key	SWTES1301-T390
Name	[TG1][Georgi Dimitrov] Login Negative as normal user with username + special symbol and correct password
Objective	1. The user shall be able to input username and password: 2. .If provided username and/or password are incorrect, the user should not be able to login into the application. Link to the US: http://jira.softacad.bg/browse/SWTES1301-2
Precondition	1. The user can load the application 2. The user has registration and granted permissions
Folder	TestGroup1/Georgi Dimitrov/Login functionality/Login negative/As a user
Status	Draft
Priority	High
Component	-
Owner	Georgi Dimitrov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/05/2022 10:01:15 by Georgi Dimitrov Updated on 02/05/2022 18:43:42 by Georgi Dimitrov

Test Script

1	**Step**
	Navigate to the application URL
	Test Data

	http://poll-app5-20220113.softacad.bg	
	Expected Result	
	The application is loaded properly	
2	**Step**	
	Click on the "Login button" in the top right corner	
	Test Data	
	Expected Result	
	The login page is loaded	
3	**Step**	
	Enter the username + special symbol	
	Test Data	
	normalUser1#	
	Expected Result	
	The username is visualized and accepted by the field	
4	**Step**	
	Enter the correct password	
	Test Data	
	123456	
	Expected Result	
	The password is masked and accepted by the field	
5	**Step**	
	Click on the "Login button" below the password field	
	Test Data	
	Expected Result	
	The user receives a message notifying for incorrect credentials. The user is not logged into the application. The user remains on the login page.	

SWTES1301-T392 (1.0) - [TG1][Georgi Dimitrov] Login Negative as Admin with username + special symbol and correct password

Details

Key	SWTES1301-T392
Name	[TG1][Georgi Dimitrov] Login Negative as Admin with username + special symbol and correct password
Objective	1. The user shall be able to input username and password: 2. .If provided username and/or password are incorrect, the user should not be able to login into the application. Link to the US: http://jira.softacad.bg/browse/SWTES1301-2
Precondition	1. The user can load the application 2. The user has registration and granted permissions
Folder	TestGroup1/Georgi Dimitrov/Login functionality/Login negative/As a admin
Status	Draft
Priority	High
Component	-
Owner	Georgi Dimitrov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/05/2022 10:04:10 by Georgi Dimitrov Updated on 02/05/2022 18:43:25 by Georgi Dimitrov

Test Script

1	**Step**
	Navigate to the application URL
	Test Data

	http://poll-app5-20220113.softacad.bg
	Expected Result
	The application is loaded properly
2	**Step**
	Click on the "Login button" in the top right corner
	Test Data
	Expected Result
	The login page is loaded
3	**Step**
	Enter the username + special symbol
	Test Data
	tg1admin#
	Expected Result
	The username is visualized and accepted by the field
4	**Step**
	Enter the correct password
	Test Data
	123456
	Expected Result
	The password is masked and accepted by the field
5	**Step**
	Click on the "Login button" below the password field
	Test Data
	Expected Result
	The user receives a message notifying for incorrect credentials. The user is not logged into the application. The user remains on the login page.