

Package `classe`

# Class `Kurs`

`java.lang.Object`  
`classe.Kurs`

`public class Kurs`  
`extends Object`

## Constructor Summary

### Constructors

Constructor	Description
<code>Kurs(String name, Person teacher, int maxEnrollment, List&lt;Student&gt; studentsEnrolled, int credits)</code>	

## Method Summary

All Methods	Instance Methods	Concrete Methods
Modifier and Type	Method	Description
<code>int</code>	<code>getCredits()</code>	
<code>int</code>	<code>getMaxEnrollment()</code>	
<code>String</code>	<code>getName()</code>	
<code>List&lt;Student&gt;</code>	<code>getStudentsEnrolled()</code>	
<code>Person</code>	<code>getTeacher()</code>	
<code>void</code>	<code>setCredits(int credits)</code>	
<code>void</code>	<code>setMaxEnrollment(int maxEnrollment)</code>	
<code>void</code>	<code>setName(String name)</code>	
<code>void</code>	<code>setStudentsEnrolled(List&lt;Student&gt; studentsEnrolled)</code>	
<code>void</code>	<code>setTeacher(Person teacher)</code>	
<code>String</code>	<code>toString()</code>	

### Methods inherited from class `java.lang.Object`

`clone` , `equals` , `finalize` , `getClass` , `hashCode` , `notify` , `notifyAll` , `wait` , `wait` , `wait`

## Constructor Details

### Kurs

```
public Kurs(String name,  
            Person teacher,  
            int maxEnrollment,  
            List <Student> studentsEnrolled,  
            int credits)
```

## Method Details

### getName

```
public String getName()
```

### setName

```
public void setName(String name)
```

### getTeacher

```
public Person getTeacher()
```

### setTeacher

```
public void setTeacher(Person teacher)
```

### getMaxEnrollment

```
public int getMaxEnrollment()
```

### setMaxEnrollment

```
public void setMaxEnrollment(int maxEnrollment)
```

### getStudentsEnrolled

```
public List <Student> getStudentsEnrolled()
```

### **setStudentsEnrolled**

```
public void setStudentsEnrolled(List <Student> studentsEnrolled)
```

### **getCredits**

```
public int getCredits()
```

### **setCredits**

```
public void setCredits(int credits)
```

### **toString**

```
public String toString()
```

**Overrides:**

`toString` in class `Object`