














Central Australia Reactivated Proterozoic (CARP) - Class: 3.0








Eastern Australia Passive Margin (EAPM) - Class: 7.0








Eastern Tasmania (ETAS) - Class: 4.0








Flinders and Mt Lofty Ranges (FMLR) - Class: 2.0








Gawler Craton (GAWL) - Class: 2.0








Banda 200-300km (BS_200_300) - Class: 11.0








Pilbara Craton (PLBR) - Class: 1.0








South Australian Passive Margin (SAPM) - Class: 7.0







Region of New Britain Deep (RNBD) - Class: 11.0








Woodlark Microplate (WM) - Class: 9.0







Seram 100-200km (SRM_100_200) - Class: 11.0







West Banda Sea (WBS) - Class: 9.0








Yilgarn Craton (YLGN) - Class: 1.0








Nusa Tenggara Shallow (NTS) - Class: 9.0








Tanimbar (TB) - Class: 9.0








South Bismarck Plate (SBS) - Class: 9.0








Bewani-Torricelli Fault Zone Deep (BTFZD) - Class: 11.0








Papuan Fold-Thrust Belt (PFTB) - Class: 9.0








Lengguru (LGR) - Class: 9.0








Memberamo Thrust Belt (MTB) - Class: 9.0








Bewani-Torricelli Fault Zone South (BTFZS) - Class: 9.0








Nusa Tenggara 40-100km (NT_40_100) - Class: 11.0







Cendrawasih (CDW) - Class: 9.0








Banda 100-200km (BS_100_200) - Class: 11.0








New Britain Trench (NBT) - Class: 10.0








Huon Peninsula (HP) - Class: 9.0








New Britain Outer Trench (NBOT) - Class: 9.0







Papua Fold-Thrust Belt - Fly Platform Boundary (PFTB-FPB) - Class: 9.0







Waropen (WRP) - Class: 9.0







Seram 40-100km (SRM_40_100) - Class: 11.0








Timor 40-100km (TMR_40_100) - Class: 11.0








Owen Stanley Fault Zone Deep (OSFZD) - Class: 11.0








Mamberamo Thrust Belt Deep (MTBD) - Class: 11.0








Wapengo (WPG) - Class: 9.0








Taira Adiuna Fault System (TAFS) - Class: 9.0







Northwest Oceanic (NWO) - Class: 8.0








Woodlark Basin (WB) - Class: 9.0








Bismarck Sea Seismic Lineation (BSSL) - Class: 9.0








Adelbert Block (ADB) - Class: 9.0







Wandamen Ransiki Fault Zone (WRFS) - Class: 9.0








Banda 40-100km (BS_40_100) - Class: 11.0








Timor 100-200km (TMR_100_200) - Class: 11.0







Nusa Tenggara 100-200km (NT_100_200) - Class: 11.0







Banda 300-400km (BS_300_400) - Class: 11.0







Timor 200-300km (TMR_200_300) - Class: 11.0







Nusa Tenggara 200-300km (NT_200_300) - Class: 11.0








Timor 300-400km (TMR_300_400) - Class: 11.0








Nusa Tenggara 300-400km (NT_300_400) - Class: 11.0








Banda 400-500km (BS_400_500) - Class: 11.0








Banda_500_600km (BS_500_600) - Class: 11.0







Banda Sea (BS) - Class: 9.0








Otway-Sorell-Gippsland Basins (OSGB) - Class: 5.0







Kimberly Craton (KMBY) - Class: 1.0








Western Australia Passive Margin (WAPM) - Class: 7.0








North Australian Orogens (NAOR) - Class: 3.0








North Australian Craton (NACR) - Class: 1.0








Western Australian Extended Proterozoic (WAEP) - Class: 6.0








Southern Oceanic Buffer (SOB) - Class: 8.0







Western Oceanic Buffer (WOB) - Class: 8.0







Southeastern Oceanic Buffer (SEOB) - Class: 8.0



Western Tasmania (WTAS) - Class: 2.0



Tasmanides (TSMN) - Class: 4.0



Northwest Margin - Buffer1 (NWMB1) - Class: 7.0

