















# Northwest Oceanic (NWO) - Class: 8.0








# Otway-Sorell-Gippsland Basins (OSGB) - Class: 5.0







# South Australian Passive Margin (SAPM) - Class: 7.0




# Yilgarn Craton (YLGN) - Class: 1.0








# Pilbara Craton (PLBR) - Class: 1.0







# Central Australia Reactivated Proterozoic (CARP) - Class: 3.0








# Eastern Australia Passive Margin (EAPM) - Class: 7.0








# Kimberly Craton (KMBY) - Class: 1.0







# Western Australia Passive Margin (WAPM) - Class: 7.0








# North Australian Orogens (NAOR) - Class: 3.0








# North Australian Craton (NACR) - Class: 1.0







# Western Australian Extended Proterozoic (WAEP) - Class: 6.0








# Southern Oceanic Buffer (SOB) - Class: 8.0







# Western Oceanic Buffer (WOB) - Class: 8.0







# Southeastern Oceanic Buffer (SEOB) - Class: 8.0







# Eastern Tasmania (ETAS) - Class: 4.0








# Western Tasmania (WTAS) - Class: 2.0








# Gawler Craton (GAWL) - Class: 2.0








# Flinders and Mt Lofty Ranges (FMLR) - Class: 2.0



# Tasmanides (TSMN) - Class: 4.0



# Northwest Margin - Buffer1 (NWMB1) - Class: 7.0



## Domains PGA PGA 10% in 50-Year Mean Hazard on AS1170.4 Site Class B<sub>e</sub>

