















Northwest Oceanic (NWO) - Class: 8.0








Otway-Sorell-Gippsland Basins (OSGB) - Class: 5.0








South Australian Passive Margin (SAPM) - Class: 7.0







Yilgarn Craton (YLGN) - Class: 1.0








Pilbara Craton (PLBR) - Class: 1.0







Central Australia Reactivated Proterozoic (CARP) - Class: 3.0








Eastern Australia Passive Margin (EAPM) - Class: 7.0








Kimberly Craton (KMBY) - Class: 1.0







Western Australia Passive Margin (WAPM) - Class: 7.0








North Australian Orogens (NAOR) - Class: 3.0







North Australian Craton (NACR) - Class: 1.0








Western Australian Extended Proterozoic (WAEP) - Class: 6.0








Southern Oceanic Buffer (SOB) - Class: 8.0








Western Oceanic Buffer (WOB) - Class: 8.0







Southeastern Oceanic Buffer (SEOB) - Class: 8.0







Eastern Tasmania (ETAS) - Class: 4.0








Western Tasmania (WTAS) - Class: 2.0








Gawler Craton (GAWL) - Class: 2.0








Flinders and Mt Lofty Ranges (FMLR) - Class: 2.0



Tasmanides (TSMN) - Class: 4.0



Northwest Margin - Buffer1 (NWMB1) - Class: 7.0



Domains PGA PGA 10% in 50-Year Mean Hazard on AS1170.4 Site Class Be

