

ADA Compliance Report

City of Bois ACA [Production] Portal

Client	City of Boise
Portal	Accela Citizen Access (ACA) Production
Tool	Google Lighthouse (Desktop, Accessibility only)
Scan Date	03/16/2026
Report Date	03/16/2026

1. Executive Summary

A desktop-only Lighthouse 12.8.2 accessibility audit was conducted across 11 pages of the **CITY OF BOIS** ACA supplemental (PROD) environment. Pages were evaluated in both logged-out and logged-in states. Of the 14pages targeted, all were successfully audited.

#	Page	State	Score
1	Home (Logged Out)	Logged Out	74
2	Login Page	Logged Out	85
3	Home (Logged In)	Logged In	81
4	Building Module	Logged In	Redirects to welcome page
5	Licenses Module	Logged In	84
6	Public Works Module	Logged In	83
7	Fire Module	Logged In	81
8	Planning Module	Logged In	85
9	My Account	Logged In	81

2. Scope

Base URL : <https://permits.cityofboise.org/CitizenAccess>

Audited pages :7

#	Page	URL
1	Home (logged out)	/welcome.aspx
2	Login Page	/Login.aspx
3	Building Module	/Cap/CapType.aspx?Module=Building&stepNumber=1&pageNumber=1&isFeeEstimator=&createdBy=PUBLICUSER51907&TabName=Building
4	Fire Module	/Cap/CapType.aspx?Module=Fire&stepNumber=1&pageNumber=1&isFeeEstimator=&createdBy=PUBLICUSER51907&TabName=Fire
5	Licensing Module	/Cap/CapApplyDisclaimer.aspx?module=Licenses&TabName=Licenses
6	Planning Module	/Cap/CapType.aspx?Module=Planning&stepNumber=1&pageNumber=1&isFeeEstimator=&createdBy=PUBLICUSER63467&TabName=Planning

#	Page	URL
7	Public Works Module	/Cap/CapType.aspx?Module=PublicWorks&stepNumber=1&pageNumber=1&isFeeEstimator=&createdBy=PUBLICUSER63467&TabName=PublicWorks
8	Home (Logged in)	Dashboard.aspx
9	My Account	Account/AccountManager.aspx


3. Cross-Page Findings Summary

Audit ID	Description	Pages Impacted
Best Practices	Document does not have a main landmark.	15
Aria	[Elements use prohibited ARIA attributes	15
Best Practices	Touch targets do not have sufficient size or spacing.	15
Navigation	Heading elements are not in a sequentially descending order	16
Best Practices	All heading elements contain content. A heading with no content or inaccessible text prevents screen reader users from accessing information on the page's structure.	10
Contrast	Links rely on color to be distinguishable. Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision	2
Names and labels	Links do not have a discernible name These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.	7
Tables and lists	List items () are not contained within , or <menu> parent elements. These are opportunities to improve the experience of reading tabular or list data using assistive technology, like a screen reader.	1
Best Practices	Identical links have the same purpose. Links with the same destination should have the same description, to help users understand the link's purpose and decide whether to follow it	1
Best Practices	[user-scalable="no"] is used in the <meta name="viewport"> element or the [maximum-scale] attribute is less than 5.	16
Names and Labels	Document doesn't have a <title> element These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.	1

4. Page-by-Page Results

P1 — Home Logged out

URL: <https://permits.cityofboise.org/CitizenAccess/Welcome.aspx>
Accessibility Score: 74/ 100
Failing Audits: 9



The screenshot shows the City of Boise Permitting and Licensing website. The page has a dark teal header with the City of Boise logo and navigation links: HOME, SEARCH, APPLY, and REQUEST. Below the header is a large teal banner with the text "City of Boise Permitting and Licensing". To the right of the banner are links for "Register for an Account", "Reports (15)", and "Login". A red banner below the header contains a "Scam Alert: Phishing Emails Targeting Boise Planning and Development users. [Learn More](#)".

The main content area is titled "Welcome to City of Boise Permitting and Licensing". It includes a paragraph: "We are pleased to offer you access to permitting and licensing services online, powered by **Accela**™. By creating an account you will be able to view and apply for Boise City Clerk, Boise Fire Department, and Planning and Development Services permits and licenses, check the status of pending requests and activities, access payment information for permits and licenses, and more."

Below the welcome message is a "Sign In" section with two input fields: "USERNAME OR EMAIL:" and "PASSWORD:". There is a "Forgot Password?" link and a blue "SIGN IN" button. A checkbox labeled "Remember me on this device" is also present.

On the right side of the screenshot, a Lighthouse accessibility audit overlay is visible. It shows a score of 74 and lists several failing audits under the "BEST PRACTICES" section:


- [user-scalable="no"] is used in the <meta name="viewport"> element or the [maximum-scale] attribute is less than 5.
- Touch targets do not have sufficient size or spacing.
- Document does not have a main landmark.
- Identical links have the same purpose.

Below these are sections for "ARIA" and "CONTRAST", each with one failing audit:

- Elements use prohibited ARIA attributes

P2— Home Logged in

URL: <https://permits.cityofboise.org/CitizenAccess/dashboard.aspx>
Accessibility Score: 85/ 100
Failing Audits: 5



The screenshot shows the City of Boise Permitting and Licensing dashboard. The page has a teal header with the City of Boise logo and navigation links: HOME, SEARCH, APPLY, and REQUEST. Below the header, there's a section for "City of Boise Permitting and Licensing" with links for "My Saved Projects (0)", "Cart (0)", "Reports (15)", "Account Management", and "Logout". A red banner alerts users about phishing emails. A search bar is present with the text "Search Records...". The main content area says "Hello, MJoy M" and shows a shopping cart with 0 items. A Lighthouse accessibility audit is overlaid on the right side, showing a score of 85 and five failing audits.

Accessibility Score: 85

Failing Audits:


- ▲ [user-scalable="no"] is used in the <meta name="viewport"> element or the [maximum-scale] attribute is less than 5.
- ▲ Touch targets do not have sufficient size or spacing.
- ▲ Document does not have a main landmark.
- ▲ Elements use prohibited ARIA attributes
- ▲ Heading elements are not in a sequentially-descending order

P3 — Login Page

URL: <https://permits.cityofboise.org/CitizenAccess/login.aspx>

Accessibility Score: 85 / 100

Failing Audits: 2



The screenshot shows the City of Boise Permitting and Licensing website. The page has a dark teal header with the City of Boise logo and navigation links: HOME, SEARCH, APPLY, and REQUEST. Below the header, there's a section for "Permitting and Licensing" with links to "Register for an Account", "Reports (15)", and "Login". A red alert box states: "Scam Alert: Phishing Emails Targeting Boise Planning and Development users. [Learn More](#)".

The main content area is titled "Please Login" and includes a "Sign In" section with fields for "USERNAME OR EMAIL:" and "PASSWORD:". There is a "Forgot Password?" link and a "SIGN IN" button. Below this is a "New Users" section with a link to "register for a free City of Boise Permitting and Licensing account. It only takes a few steps and".


On the right side, a Lighthouse accessibility audit is displayed. The overall score is 85. The audit highlights several issues:

- BEST PRACTICES:**
 - [user-scalable="no"] is used in the <meta name="viewport"> element or the [maximum-scale] attribute is less than 5.
 - Touch targets do not have sufficient size or spacing.
 - Document does not have a main landmark.
- ARIA:**
 - Elements use prohibited ARIA attributes.
- NAVIGATION:**
 - Heading elements are not in a sequentially-descending order.

P4 — search/abandoned Vehicle Page

URL: <https://permits.cityofboise.org/citizenaccess/Cap/CapHome.aspx?module=Police&TabName=Police>
Accessibility Score: 83 / 100

Failing Audits: 6



The screenshot shows a web application interface for searching records. The main content area displays a table with columns: Date, Record Number, Record Type, Description, Project Name, Expiration Date, Status, Action, and Short Notes. Below the table, there is a section titled "Search for Records" with a form for entering search criteria. The form includes fields for Site Address, Contractor License Information, Parcel Number, Record Information, and Contact Information. There is also a dropdown menu for "General Search" and a checkbox for "Search my records only".

Overlaid on the right side of the screen is a Lighthouse accessibility audit report. The report shows an overall score of 83. The "BEST PRACTICES" section lists several issues:

- [user-scalable="no"] is used in the <meta name="viewport"> element or the [maximum-scale] attribute is less than 5.
- Touch targets do not have sufficient size or spacing.
- Document does not have a main landmark.

The "ARIA" section lists one issue:

- Elements use prohibited ARIA attributes

The "NAMES AND LABELS" section lists one issue:


- Links do not have a discernible name

P5 -search/code compliance

URL: <https://permits.cityofboise.org/citizenaccess/Cap/CapHome.aspx?module=Enforcement&TabName=Enforcement>

Accessibility Score: 83 / 100

Failing Audits: 7



The screenshot shows the City of Boise Permitting and Licensing website. The page has a dark teal header with the City of Boise logo and navigation links: HOME, SEARCH, APPLY, and REQUEST. Below the header, there's a section for "City Limits Errors on New Applications" with a detailed explanation of a technical issue and instructions on how to file a request. A search bar is visible with the text "Search Records...".

Overlaid on the right side of the page is the Lighthouse accessibility audit results. The overall score is 83. The audit highlights several failing audits under the categories: BEST PRACTICES, ARIA, and NAMES AND LABELS.

Category	Audit	Score
BEST PRACTICES	[user-scalable="no"] is used in the <meta name="viewport"> element or the [maximum-scale] attribute is less than 5.	0
	Touch targets do not have sufficient size or spacing.	0
	Document does not have a main landmark.	0
	All heading elements contain content.	0
ARIA	Elements use prohibited ARIA attributes	0
NAMES AND LABELS	(No specific audit details visible)	(No score visible)


P3 — [search/building]

URL: <https://permits.cityofboise.org/citizenaccess/Cap/CapHome.aspx?module=Building&TabName=Building>

Accessibility Score: 83 / 100

Failing Audits: 6

Failing Audits: Best Practices, Aria, Names and labels, Navigation



permits.cityofboise.org/citizenaccess/Cap/CapHome.aspx?module=Building&TabName=Building

Boise

Meridian

Hillcrest Country Club

MTA Green Field Army National Guard

Boise Airport

Boise State University

Boise Ranch Golf Course

Mungotio Site

Show on Map Cancel

Showing 0-0 of 0

Date	Record Number	Status	Description	Project Name	Address	Expiration Date	Action
No records found.							

Search for Records

Enter information below to search for records.

- Site Address
- Contractor License Information
- Parcel Number
- Record Information
- Contact Information

Select the search type from the drop-down list.

General Search

General Search

Search my records only.

Accessibility

83

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

BEST PRACTICES

- ▲ [user-scalable="no"] is used in the <meta name="viewport"> element or the [maximum-scale] attribute is less than 5.
- ▲ Touch targets do not have sufficient size or spacing.
- ▲ Document does not have a main landmark.

These items highlight common accessibility best practices.

ARIA

- ▲ Elements use prohibited ARIA attributes

These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

NAMES AND LABELS

- ▲ Links do not have a discernible name


P3 — [search/fire]

URL: <https://permits.cityofboise.org/citizenaccess/Cap/CapHome.aspx?module=Enforcement&TabName=Enforcement>

Accessibility Score: 82 / 100

Failing Audits: 6

Failing Audits: Best Practices, Aria, Names and labels, Navigation



The screenshot shows the City of Boise Permitting and Licensing website. The page has a dark teal header with the text "City of Boise" and "Permitting and Licensing". Below the header, there are navigation links: "My Saved Projects (0)", "Cart (0)", "Reports (15)", "Account Management", and "Logout". A red banner with a "Scam Alert" is visible. A search bar labeled "Search Records..." is present. The "Records" section shows "Showing 0-0 of 0" and a table with columns: Date, Record Number, Record Type, Description, Project Name, Expiration Date, Status, Action, and Short Notes. Below the table, it says "No records found." A "Search for Records" section prompts the user to enter information to search for records, with a list of search criteria: Site Address, Contractor License Information, Parcel Number, Record Information, and Contact Information. On the right side, a Lighthouse accessibility audit is displayed, showing an "Accessibility" score of 82. The audit includes sections for "BEST PRACTICES", "ARIA", and "NAMES AND LABELS", each with a list of failing audits.

Accessibility Score: 82 / 100

Failing Audits: 6

Failing Audits: Best Practices, Aria, Names and labels, Navigation


P3 — [search/license]

URL: <https://permits.cityofboise.org/citizenaccess/Cap/CapHome.aspx?module=Licenses&TabName=Licenses>

Accessibility Score: 82 / 100

Failing Audits: 6

Failing Audits: Best Practices, Aria, Names and labels, Navigation



Records

Showing 0-0 of 0

Date	Record Number	Record Type	Sub Type	Organization or Pet	Expiration Date	Status	Action
No records found.							

Search for Records

Enter information below to search for records.

- License Information
- Location Information
- Contact Information

Select the search type from the drop-down list.

General Search

General Search

☐ Search my records only

License Number:

License Type:

License Status:

Accessibility Score: 82

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

BEST PRACTICES

- ☐ [user-scalable="no"] is used in the <meta name="viewport"> element or the [maximum-scale] attribute is less than 5.
- ☐ Touch targets do not have sufficient size or spacing.
- ☐ Document does not have a main landmark.

These items highlight common accessibility best practices.

ARIA

- ☐ Elements use prohibited ARIA attributes

These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

NAMES AND LABELS

- ☐ Links do not have a discernible name


P3 — [search/Planning]

URL: <https://permits.cityofboise.org/citizenaccess/Cap/CapHome.aspx?module=Planning&TabName=Planning>

Accessibility Score: 79 / 100

Failing Audits: 7

Failing Audits: Best Practices, Aria, Names and labels, Navigation



The screenshot shows the City of Boise Permitting and Licensing website. The page has a dark teal header with the City of Boise logo and navigation links: HOME, SEARCH, APPLY, and REQUEST. Below the header, there's a section for "Permitting and Licensing" with links to "My Saved Projects (0)", "Cart (0)", "Reports (15)", "Account Management", and "Logout". A red banner alerts users about phishing emails. A search bar is present with the text "Search Records...". Below this, a section titled "Records" shows "Showing 0-0 of 0" and a table with columns: Date, Record Number, Record Type, Description, Project Name, Expiration Date, Status, Action, and Short Notes. The table is empty, displaying "No records found." Below the table is a "Search for Records" section with a prompt to "Enter information below to search for records." and two search criteria: "Site Address" and "Contractor License Information".

Overlaid on the right side of the screenshot is a Lighthouse accessibility audit. The audit score is 79. The title is "Accessibility". The text states: "These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged." The audit lists several failing audits under the categories "BEST PRACTICES", "ARIA", and "CONTRAST".

Best Practices:

- [user-scalable="no"] is used in the <meta name="viewport"> element or the [maximum-scale] attribute is less than 5.
- Touch targets do not have sufficient size or spacing.
- Document does not have a main landmark.

ARIA:

- Elements use prohibited ARIA attributes

CONTRAST:

- Links rely on color to be distinguishable.


P3 — [search/Public Works]

URL: <https://permits.cityofboise.org/citizenaccess/Cap/CapHome.aspx?module=PublicWorks&TabName=PublicWork>

Accessibility Score: 82 / 100

Failing Audits: 7

Failing Audits: Best Practices, Aria, Names and labels, Navigation



Records

Showing 0-0 of 0

Date	Record Number	Record Type	Description	Project Name	Expiration Date	Status	Action	Short Notes
No records found.								

Search for Records

Enter information below to search for records.

- Site Address
- Contractor License Information
- Parcel Number
- Record Information
- Contact Information

Select the search type from the drop-down list.

General Search General Search

☐ Search my records only

Record Number:

Record Type: --Select--

Record Status: --Select--

Start Date: 03/14/2023

End Date: 03/16/2026

Accessibility

82

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

BEST PRACTICES

- ▲ [\[user-scalable="no"\] is used in the <meta name="viewport"> element or the \[maximum-scale\] attribute is less than 5.](#)
- ▲ [Touch targets do not have sufficient size or spacing.](#)
- ▲ [Document does not have a main landmark.](#)
- [All heading elements contain content.](#)

These items highlight common accessibility best practices.

ARIA

- ▲ [Elements use prohibited ARIA attributes](#)

These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.


NAMES AND LABELS

P6 — Register Page

URL: <https://permits.cityofboise.org/CitizenAccess/register.aspxv>

Accessibility Score: 91 / 100

Failing Audits: 3



The screenshot shows the City of Boise Permitting and Licensing website. The main heading is "Permitting and Licensing". Below it, there is a "Login Information" section titled "Step 1 of 2: Account Details". The login form includes fields for "USER NAME:", "E-MAIL ADDRESS:", and "PASSWORD:". A red asterisk indicates required fields. A message states: "If you are having trouble with the reCAPTCHA authentication tool below, please reach out to us 208-608-7070 or email permits@cityofboise.org".

On the right side, a Lighthouse accessibility audit overlay is visible, showing a score of 91. The audit includes sections for "BEST PRACTICES", "NAMES AND LABELS", "NAVIGATION", and "ADDITIONAL ITEMS TO MANUALLY CHECK (10)".


P7 — Request /Code Compliance

URL:

<https://permits.cityofboise.org/citizenaccess/Cap/CapEdit.aspx?Module=Enforcement&stepNumber=2&pageNumber=1&isFeeEstimator=&TabName=Enforcement>

Accessibility Score: 84/ 100

Failing Audits: 6



City Limits Errors on New Applications

Due to a technical issue with our location information, several addresses in Boise are listed as outside of city limits incorrectly. If you are submitting an application today and receive an error message stating that your location is outside city limits, please call 208-972-8150 and report your issue. Thank you!

To file a request with our Code Compliance team, click request above and log in to begin. If already logged in, continue your online request below.

Code Compliance

1 Contact and Details	2 Location
3 Review	4 Pay Fees
5 Submitted	

Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

BEST PRACTICES

- ▲ `[user-scalable="no"]` is used in the `<meta name="viewport">` element or the `[maximum-scale]` attribute is less than 5.
- ▲ Touch targets do not have sufficient size or spacing.
- ▲ Document does not have a main landmark.
- All heading elements contain content.

These items highlight common accessibility best practices.

ARIA

- ▲ Elements use prohibited ARIA attributes

These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

NAVIGATION

Step 1: Contact and Details > Service Request Details


P8— Request/Abandoned Vehicle

URL:

<https://permits.cityofboise.org/citizenaccess/Cap/CapEdit.aspx?Module=Police&stepNumber=2&pageNumber=1&isFeeEstimator=&TabName=Police>

Accessibility Score: 84/ 100

Failing Audits: 6



The screenshot shows the City of Boise Permitting and Reporting Party page. The page has a navigation bar with links for HOME, SEARCH, APPLY, and REQUEST. The main content area is titled "Permitting and Reporting Party" and includes a "Scam Alert" banner, a "Search Records..." button, and a "Reporting Party" section. A Lighthouse accessibility audit is overlaid on the right side of the page, showing an overall score of 84. The audit highlights several issues, including missing alt text for images, missing main landmarks, and missing ARIA attributes. The audit also provides a list of best practices and a navigation section.

City of Boise

HOME SEARCH APPLY REQUEST

Abandoned Vehicle Building Inspection Code Compliance

My Saved Projects (0) Cart (0) reports (10) Account Management Logout

Logged in as: MJoy M

Scam Alert: Phishing Emails Targeting Boise Planning and Development users. [Learn More](#)

Search Records...

Abandoned Vehicle

1 Service Request	2 Review
3 Pay Fees	4 Submitted

Step 1: Service Request > Contact and Location

Show Map

* indicates a required field.

Reporting Party

To add new contacts, click the Select from Account or Add New button. To edit a contact, click the Edit...

Accessibility

84

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

BEST PRACTICES

- ▲ [user-scalable="no"] is used in the <meta name="viewport"> element or the [maximum-scale] attribute is less than 5.
- ▲ Touch targets do not have sufficient size or spacing.
- ▲ Document does not have a main landmark.
- All heading elements contain content.

These items highlight common accessibility best practices.

ARIA

- ▲ Elements use prohibited ARIA attributes

These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

NAVIGATION

P8— PublicWorks Module

URL: Planning.aspx

Accessibility Score: 85 / 100

Failing Audits: 5

Accela Citizen Access

https://permitsdev.cityofboise.org/citizenaccess/Cap/CapEdit.aspx?stepNumber=5&pageNumber=3¤tStep=3¤tPage=2&Module=PublicWorks&ssn=1&isRenewal...

CITY of BOISE
HOME SEARCH APPLY REQUEST

City of Boise
Permitting and Licensing

Logged in as: Joy M My Saved Projects (0) Cart (0) Reports (14) Account Management Logout

Search Records...

Community Compost Giveback

1	2 Delivery Address	3 Contacts	4 Delivery Site Information	5 Review	6 Submitted
---	--------------------	------------	-----------------------------	----------	-------------

Step 4: Delivery Site Information > Page 3 of 3

* Indicates a required field.

Attach Requested Delivery Site Photos

Please click on the **Add** button below and attach photos of the proposed delivery site location.

At a minimum, include a photo of the front of the property, the access route for the delivery truck, and a photo noting the requested compost delivery site.

The maximum file size allowed is 40 MB.
ade;adp;bat;chm;cmd;com;cpl;exe;hta;htm;html;ins;isp;jar;js;jse;lib;lnk;mde;mht;mhtml;msc;mst;php;plf;scr;sct;shb;sys;
are disallowed file types to upload.

The Lighthouse tool provides links to content hosted on third-party websites.

Don't show again

https://permitsdev.cityofboise.org/citizenaccess/Cap/CapEdit.aspx?st...

84

Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

BEST PRACTICES

- [user-scalable="no"] is used in the <meta name="viewport"> element or the [maximum-scale] attribute is less than 5.
- Document does not have a main landmark.
- All heading elements contain content.

These items highlight common accessibility best practices.

ARIA

Console Issues

top Filter Default levels 4 1 hidden


not triggered (top: 1480px; left: 1480px; width: 1480px; height: 1480px; background-color: #f0f0f0; border: 1px solid #ccc; margin: 10px; padding: 10px; font-family: sans-serif; font-size: 12px; color: #333; border-radius: 5px; box-shadow: 0 2px 4px #ccc; position: relative; z-index: 1000; font-weight: bold; font-size: 14px; margin-bottom: 10px;">
DataDog Browser SDK: Ignoring Premium Sample Rate because Session Replay Sample Rate is set

P9— Planning Module

URL: Planning.aspx

Accessibility Score: 88 / 100

Failing Audits: 5




The screenshot displays the City of Boise Permitting and Licensing system interface. The page title is "Permitting and Licensing". The user is logged in as Joy M. The system has been upgraded, and the user is prompted to visit the FAQ page for more information. The page also displays the in-person hours for the Planning Division, which are Monday - Wednesday 8 a.m. to 5 p.m., Thursday 8 a.m. to 4 p.m., and Fridays by appointment only. The user can reach the Planning Division by emailing zoninginfo@cityofboise.org or calling 208-608-7100. The page includes a progress bar with three steps: 1. Select item to pay, 2. Payment information, and 3. Receipt and Confirmation. The current step is Step 3: Receipt and Confirmation. The page displays a receipt for the user's application, stating that the application has been successfully submitted and the record number is listed below. The user is prompted to note the record number for future reference and to print the receipt if a payment was made. On the right side of the screenshot, the Lighthouse accessibility audit results are shown, indicating an Accessibility Score of 88. The audit highlights several issues, including the use of prohibited ARIA attributes and the lack of a main landmark. The audit also provides best practices for improving accessibility, such as using ARIA attributes and ensuring that all heading elements contain content.

P10— Licenses Module

URL: licenses.aspx

Accessibility Score: 84 / 100

Failing Audits: 5



CITY of BOISE

HOME SEARCH APPLY REQUEST

City of Boise
Permitting and Licensing

My Saved Projects (0) Cart (0) Reports (15) Account Management Logout
Logged in as: MJoy M

Search Records...

Fingerprints

Online fingerprint appointment scheduling for all licensing and permitting applications and renewals is now available. Click [here](#) for more information and to schedule your appointment.

Account Status

To access status updates for license applications or renewals you have submitted, please select the "Home" tab and then "My Records." Please ensure you're logged in to the system to view your updates.

Accessibility

84

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

BEST PRACTICES

- ▲ `[user-scalable="no"]` is used in the `<meta name="viewport">` element or the `[maximum-scale]` attribute is less than 5.
- ▲ Touch targets do not have sufficient size or spacing.
- ▲ Document does not have a main landmark.

These items highlight common accessibility best practices.

ARIA

- ▲ Elements use prohibited ARIA attributes

These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

NAVIGATION


- ▲ Heading elements are not in a sequentially-descending order

P11 — Fire Module

URL: Fire.aspxv

Accessibility Score: 85 / 100

Failing Audits: 6



The screenshot shows the City of Boise Permitting and Licensing website. The page has a green header with the City of Boise logo and navigation links. A large green banner reads "THIS IS A DEVELOPMENT SITE" with instructions for citizens to navigate to a specific URL. Below this is a "Fire Operational Permits" section with a progress bar showing steps 1 through 7. The current step is "2 Site Address". A "Scam Alert" banner is also visible. On the right, a Lighthouse accessibility audit overlay shows a score of 85 and lists several failing audits under categories like BEST PRACTICES, ARIA, and CONTRAST.

City of Boise Permitting and Licensing

Logged in as: Joy M | My Saved Projects (0) | Cart (0) | Reports (14) | Account Management | Logout

THIS IS A DEVELOPMENT SITE

City of Boise Citizens Please navigate to: <https://permits.cityofboise.org/CitizenAccess/Default.aspx>

Scam Alert: Phishing Emails Targeting Boise Planning and Development users. [Learn More](#)

Fire Operational Permits

1 Applicant	2 Site Address	3 Permit Information	4 Documents	5 Review	6	7
-------------	----------------	----------------------	-------------	----------	---	---

Step 2: Site Address > Location of Permit Activity

*Indicates a required field.

Address

Enter the **street number** and first three characters of the **street name** (excluding N, E, S, W)

Accessibility Audit Results:

- Score:** 85
- Best Practices:**
 - [user-scalable="no"] is used in the <meta name="viewport"> element or the [maximum-scale] attribute is less than 5.
 - Document does not have a main landmark.
- ARIA:**
 - Elements use prohibited ARIA attributes
- CONTRAST:**
 - Background and foreground colors do not have a sufficient contrast ratio.

P12-Building

URL: <https://permits.cityofboise.org/CitizenAccess/building.aspx>

Accessibility Score: 86/ 100

Failing Audits: 6

The screenshot displays the "The Permitting & Licensing system has been upgraded!" message at the top. Below this, there's a navigation bar with links like "Logged in as: Joy M", "My Saved Projects (0)", "Cart (0)", "Reports (14)", "Account Management", and "Logout". A search bar labeled "Search Records..." is also present.

412-Application for Proprietary Inspection

1 Project Requirements	2 Project Location	3 Contacts	4 Project Details	5 Review	6	7
------------------------	--------------------	------------	-------------------	----------	---	---

Step 2: Project Location>Page 1 of 1

[Show Map](#)

Search by Address

Please enter the Street Number and the first few characters of the Street Name (excluding a direction) of the home's **Current Address** and click search.
If the **Current Address** is located outside of Ada County, please contact Planning and Development Services for assistance.

If you are unable to search for your address, please visit the [Boise Address Validation Map](#) to locate a valid address before running the search again.

Fields for search:

- Street No.: [Input Field]
- Street Name: [Input Field]
- Street Type: --Select--
- Direction: --Select--
- Unit Type: --Select--
- Unit No.: [Input Field]


City: [Input Field] State: [Input Field]

*Indicates a required field.

P13-My Account/Account Management

URL: <https://permits.cityofboise.org/CitizenAccess/Account/AccountManager.aspx>
Accessibility Score: 81/ 100

Failing Audits: 7




The screenshot shows a web browser window with the URL `https://permits.cityofboise.org/citizenaccess/Account/AccountManager.aspx?TabName=Home`. The page is titled "CITY of BOISE" and "Permitting and Licensing". It features a navigation bar with links for HOME, SEARCH, APPLY, and REQUEST. Below the navigation bar, there is a section for "City of Boise Permitting and Licensing" with links for "My Saved Projects (0)", "Cart (0)", "Reports (15)", "Account Management", and "Logout". A red alert box states: "Scam Alert: Phishing Emails Targeting Boise Planning and Development users. [Learn More](#)". Below this, there is a "Manage Your Account" section with the text: "Your current account information is shown below. Click an Edit button to update information within a section." and a "Login Information" section with an "Edit" button. A Lighthouse accessibility audit overlay is visible on the right side of the browser window, showing a score of 81. The audit includes sections for "BEST PRACTICES", "ARIA", and "NAMES AND LABELS".

P14-REPORTS

There were 14 reports found in the environment

1Ada County Info report

Accessibility rate: was not able to access the report



2.Commercial permits under review

Title **(no title)**

Filename **0035-Commercial Permits Under Review.pdf**

Language **(no language)**

Pages **5**

Tags **(no tags)**

Size **211 KB**

This PDF file is not WCAG 2.2 compliant.

Checkpoint	Passed	Warned	Failed
1.1 Text Alternatives	-	-	-
1.2 Time-based Media	-	-	-
1.3 Adaptable	911	-	755
1.4 Distinguishable	732	-	-
2.1 Keyboard Accessible	-	-	-
2.2 Enough Time	-	-	-
2.3 Seizures and Physical Reactions	-	-	-
2.4 Navigable	1	-	2
2.5 Input Modalities	-	-	-
3.1 Readable	-	-	749
3.2 Predictable	-	-	-
3.3 Input Assistance	-	-	-
4.1 Compatible	12	-	-

3. Building Permits Received

Title **(no title)**

Filename **0036-BLD Building Permits Received.pdf**

Language **(no language)**

Pages **13**

Tags **(no tags)**

Size **204 KB**

PDF/UA

WCAG

Quality

AI

This PDF file is not WCAG 2.2 compliant.

Checkpoint	Passed	Warned	Failed
1.1 Text Alternatives	-	-	-
1.2 Time-based Media	-	-	-
1.3 Adaptable	1572	-	1132
1.4 Distinguishable	1005	-	-
2.1 Keyboard Accessible	-	-	-
2.2 Enough Time	-	-	-
2.3 Seizures and Physical Reactions	-	-	-
2.4 Navigable	1	-	2
2.5 Input Modalities	-	-	-
3.1 Readable	-	-	1072
3.2 Predictable	-	-	-
3.3 Input Assistance	-	-	-
4.1 Compatible	28	-	-

4.Planning Division Permits

Open document

Title (no title)

Filename 0038-Planning Division Permits Received.pdf

Language (no language)

Pages 36

Tags (no tags)

Size 361 KB

PDF/UA

WCAG

Quality

AI

This PDF file is not PDF/UA compliant.

Checkpoint	Passed	Warned	Failed
✓ PDF Syntax (ISO 32000-1)	74	-	-
✓ Fonts	4	-	-
✗ Content	4732	-	3513
⊗ Embedded Files	-	-	-
✗ Natural language	-	-	3340
⊗ Structure Elements	-	-	-
⊗ Structure tree	-	-	-
⊗ Role mapping	-	-	-
⊗ Alternative Descriptions	-	-	-
✗ Metadata	-	-	3
✗ Document settings	2	-	1

Results in detail

PDF report

5. Occupancy Report

Title **(no title)**

Filename **0039-Occupancy Report.pdf**

Language **(no language)**

Pages **1**

Tags **(no tags)**

Size **181 KB**

This PDF file is not WCAG 2.2 compliant.

Checkpoint	Passed	Warned	Failed
1.1 Text Alternatives	-	-	-
1.2 Time-based Media	-	-	-
1.3 Adaptable	18	-	22
1.4 Distinguishable	12	-	-
2.1 Keyboard Accessible	-	-	-
2.2 Enough Time	-	-	-
2.3 Seizures and Physical Reactions	-	-	-
2.4 Navigable	1	-	2
2.5 Input Modalities	-	-	-
3.1 Readable	-	-	14
3.2 Predictable	-	-	-
3.3 Input Assistance	-	-	-
4.1 Compatible	4	-	-

6. Permits Ready for pickup

Title **(no title)**

Filename **0047-Permits Ready for Pick-up.pdf**

Language **(no language)**

Pages **9**

Tags **(no tags)**

Size **369 KB**

PDF/UA
 WCAG
 Quality
 AI

This PDF file is not WCAG 2.2 compliant.

Checkpoint	Passed	Warned	Failed
1.1 Text Alternatives	-	-	-
1.2 Time-based Media	-	-	-
1.3 Adaptable	1411	-	1466
1.4 Distinguishable	1241	-	-
2.1 Keyboard Accessible	-	-	-
2.2 Enough Time	-	-	-
2.3 Seizures and Physical Reactions	-	-	-
2.4 Navigable	1	-	2
2.5 Input Modalities	-	-	-
3.1 Readable	-	-	1270
3.2 Predictable	-	-	-
3.3 Input Assistance	-	-	-
4.1 Compatible	20	-	-

Results in detail
 PDF report

7.Issued Building Permits

Title **(no title)**

Filename **0050-Issued Building Permits.pdf**

Language **(no language)**

Pages **1**

Tags **(no tags)**

Size **187 KB**

PDF/UA

WCAG

Quality

AI

This PDF file is not WCAG 2.2 compliant.

Checkpoint	Passed	Warned	Failed
1.1 Text Alternatives	-	-	-
1.2 Time-based Media	-	-	-
1.3 Adaptable	75	-	42
1.4 Distinguishable	37	-	-
2.1 Keyboard Accessible	-	-	-
2.2 Enough Time	-	-	-
2.3 Seizures and Physical Reactions	-	-	-
2.4 Navigable	1	-	2
2.5 Input Modalities	-	-	-
3.1 Readable	-	-	42
3.2 Predictable	-	-	-
3.3 Input Assistance	-	-	-
4.1 Compatible	4	-	-

Results in detail

PDF report

8. Building Permits Issued

Title **(no title)**

Filename **0076-Building Permits Issued.pdf**

Language **(no language)**

Pages **1**

Tags **(no tags)**

Size **189 KB**

PDF/UA

WCAG

Quality

AI

This PDF file is not WCAG 2.2 compliant.

Checkpoint	Passed	Warned	Failed
1.1 Text Alternatives	-	-	-
1.2 Time-based Media	-	-	-
1.3 Adaptable	128	-	112
1.4 Distinguishable	89	-	-
2.1 Keyboard Accessible	-	-	-
2.2 Enough Time	-	-	-
2.3 Seizures and Physical Reactions	-	-	-
2.4 Navigable	1	-	2
2.5 Input Modalities	-	-	-
3.1 Readable	-	-	110
3.2 Predictable	-	-	-
3.3 Input Assistance	-	-	-
4.1 Compatible	4	-	-

9. Building Issued Group By Park Area

Title

(no title)

Filename

0077-Building Issued Group by Park Area.pdf

Language

(no language)

Pages

5

Tags

(no tags)

Size

340 KB

PDF/UA

WCAG

Quality

AI

This PDF file is not WCAG 2.2 compliant.

Checkpoint	Passed	Warned	Failed
1.1 Text Alternatives	-	-	-
1.2 Time-based Media	-	-	-
1.3 Adaptable	1963	-	348
1.4 Distinguishable	345	-	-
2.1 Keyboard Accessible	-	-	-
2.2 Enough Time	-	-	-
2.3 Seizures and Physical Reactions	-	-	-
2.4 Navigable	1	-	2
2.5 Input Modalities	-	-	-
3.1 Readable	-	-	352
3.2 Predictable	-	-	-
3.3 Input Assistance	-	-	-
4.1 Compatible	12	-	-

10. Issued Electrical Permits

Title **(no title)**

Filename **0053-Issued Electrical Permits.pdf**

Language **(no language)**

Pages **87**

Tags **(no tags)**

Size **1 MB**

PDF/UA

WCAG

Quality

AI

This PDF file is not WCAG 2.2 compliant.

Checkpoint	Passed	Warned	Failed
1.1 Text Alternatives	-	-	-
1.2 Time-based Media	-	-	-
1.3 Adaptable	15987	-	16790
1.4 Distinguishable	13547	-	-
2.1 Keyboard Accessible	-	-	-
2.2 Enough Time	-	-	-
2.3 Seizures and Physical Reactions	-	-	-
2.4 Navigable	1	-	2
2.5 Input Modalities	-	-	-
3.1 Readable	-	-	13896
3.2 Predictable	-	-	-
3.3 Input Assistance	-	-	-
4.1 Compatible	176	-	-

Results in detail

PDF report

11.Issued Mechanical Permits

Title **(no title)**

Filename **0054-Issued Mechanical Permits.pdf**

Language **(no language)**

Pages **6**

Tags **(no tags)**

Size **275 KB**

PDF/UA
 WCAG
 Quality
 AI

This PDF file is not WCAG 2.2 compliant.

Checkpoint	Passed	Warned	Failed
1.1 Text Alternatives	-	-	-
1.2 Time-based Media	-	-	-
1.3 Adaptable	1046	-	1059
1.4 Distinguishable	868	-	-
2.1 Keyboard Accessible	-	-	-
2.2 Enough Time	-	-	-
2.3 Seizures and Physical Reactions	-	-	-
2.4 Navigable	1	-	2
2.5 Input Modalities	-	-	-
3.1 Readable	-	-	893
3.2 Predictable	-	-	-
3.3 Input Assistance	-	-	-
4.1 Compatible	14	-	-

Results in detail
 PDF report

12. Issued Mechanical Permits

Title **(no title)**

Filename **0054-Issued Mechanical Permits.pdf**

Language **(no language)**

Pages **6**

Tags **(no tags)**

Size **275 KB**

PDF/UA

WCAG

Quality

AI

This PDF file is not WCAG 2.2 compliant.

Checkpoint	Passed	Warned	Failed
1.1 Text Alternatives	-	-	-
1.2 Time-based Media	-	-	-
1.3 Adaptable	1046	-	1059
1.4 Distinguishable	868	-	-
2.1 Keyboard Accessible	-	-	-
2.2 Enough Time	-	-	-
2.3 Seizures and Physical Reactions	-	-	-
2.4 Navigable	1	-	2
2.5 Input Modalities	-	-	-
3.1 Readable	-	-	893
3.2 Predictable	-	-	-
3.3 Input Assistance	-	-	-
4.1 Compatible	14	-	-

Results in detail

PDF report

13. Idaho Business Review

Title (no title)

Filename 0065-Idaho Business Review.pdf

Language (no language)

Pages 6

Tags (no tags)

Size 269 KB

PDF/UA

WCAG

Quality

AI

This PDF file is not WCAG 2.2 compliant.

Checkpoint	Passed	Warned	Failed
1.1 Text Alternatives	-	-	-
1.2 Time-based Media	-	-	-
1.3 Adaptable	2604	-	1014
1.4 Distinguishable	849	-	-
2.1 Keyboard Accessible	-	-	-
2.2 Enough Time	-	-	-
2.3 Seizures and Physical Reactions	-	-	-
2.4 Navigable	1	-	2
2.5 Input Modalities	-	-	-
3.1 Readable	-	-	874
3.2 Predictable	-	-	-
3.3 Input Assistance	-	-	-
4.1 Compatible	14	-	-

5. Recommendations

Based on the audit findings, the following remediation steps are recommended:

1. Update the ``<meta name="viewport">`` tag to remove ``user-scalable="no"`` and allow users to zoom up to 500%
2. Add a ``<main>`` landmark element to wrap the primary content area on all page templates
3. Identify and remove prohibited ARIA attributes from interactive elements flagged in the audit report
4. Increase CSS sizing for all buttons and links to ensure a minimum touch target size of 44×44 pixels
5. Restructure heading tags (`<h1>` – `<h6>`) to ensure they follow a sequential descending order without skipping levels
6. Populate all empty heading elements with visible text or change them to non-heading tags if decorative
7. Add non-colour visual indicators (such as underlines) to links so they are distinguishable without relying solely on colour
8. Add descriptive text or ``aria-label`` attributes to all links that currently lack a discernible name
9. Wrap all orphaned ``<li>`` elements within proper parent containers (`<ul>`, `<ol>`, or `<menu>`)
10. Standardize link text for identical destinations to ensure users understand the link purpose consistently
11. Add a unique and descriptive ``<title>`` element to the ``<head>`` of every page missing one

6. Notes & Observations

The prod environment exhibits identical accessibility defects to the Non prod environment for all 9 pages that could be evaluated. This confirms the issues originate in shared ACA template components rather than environment-specific configuration. Fixing them in the shared codebase will remediate both environments simultaneously.

Audit performed using Google Lighthouse 12.8.2 in Desktop mode. Manual testing with a screen reader (NVDA/JAWS) is recommended to supplement these automated findings.