



Notice: This is a testing environment. If you are seeking the live environment, please visit <https://aca-prod.accela.com/gwinnett/welcome.aspx>



Inspection Portal

Your access inspections, and permitting records

 **Begin Inspection**

What You'll Need

- ✓ Your permit number
- ✓ High-quality photos of your work
- ✓ Contact information (optional)



Inspection Portal

Your access inspections, and permitting records



Enter Permit Number

Please enter your permit number to begin the remote inspection process.

Permit Number *

RES25-00000-00017

Validate

 Enter your permit number exactly as it appears on your permit documents.

[← Back to Home](#)

© 2025 Gwinnett County Board of Commissioners

[Privacy Policy](#) [Terms of Service](#) [Accessibility](#)



Robert Conner - Jul 18, 2025, 2:02 PM

Subject: Note

@Deanna Smith question: Have we brought Greg in on this? As our UX person, he may have some good insights about user experience. Kaylin and I are making a lot of comments in regards to County style, but it would be good to have someone from Web weight in on best practices for icon use, etc in apps. That's not really my area of expertise.



Kaylin Yang - Jul 18, 2025, 11:33 AM

Subject: Note

Add Light Gray line (HEX #B7BBBE) 0.5pt stroke around all screens with white/light backgrounds.



Deanna Smith - Jul 15, 2025, 4:35 PM

Subject: Rectangle

change web address to GwinnettZIP.com



Deanna Smith - Jul 15, 2025, 4:35 PM

Subject: Rectangle

remove comma



Deanna Smith - Jul 15, 2025, 4:35 PM

Subject: Rectangle

remove comma



Robert Conner - Jul 18, 2025, 2:54 PM

Subject: Note

remove icon



Kaylin Yang - Jul 18, 2025, 3:31 PM

Subject: Rectangle

Weird empty space. Move contents up.



Kaylin Yang - Jul 18, 2025, 3:30 PM

Subject: Free Hand

Switch places.



Kaylin Yang - Jul 18, 2025, 3:44 PM

Subject: Rectangle

Change play symbol icon to a regular line arrow, and place it to the right of "Begin Inspection."



Validate

Enter your permit number exactly as it appears on your permit documents.

✓ Permit Validated

RECEIVED

Permit Number

RES25-00000-00017

Permit Type

Residential Accessory Building

Status

Received

Category

Residential

Address

123 Test Street,
Gwinnett, GA 30043

Issued Date

May 15, 2025

✓ Ready to Proceed!

permit has been validated successfully. You can now continue with the inspection type selection.

→ Continue to Inspection Type



Select Inspection Type

Choose the type of inspection you want to submit for remote review.

Permit: RES25-00000-00017
(Residential Accessory Building)

Available Inspection Types *

☐ Electrical Final
Electric Vehicle Charging Outlet

☐ Mechanical Final
Mechanical Direct Repair or Replacement

☐ Plumbing Final
Water Heater or Water Softener Replacement

☐ Temporary Power Pole
Temporary Power Pole

☐ Electrical Rough
Solar Panel

☐ Electrical Final
Solar Panel



Kaylin Yang - Jul 18, 2025, 11:33 AM

Subject: Note

Remove all drop shadows.



Robert Conner - Jul 18, 2025, 2:54 PM

Subject: Note

remove icon



Kaylin Yang - Jul 18, 2025, 11:55 AM

Subject: Rectangle

Make it a solid color. No gradient.



Robert Conner - Jul 18, 2025, 2:50 PM

Subject: Note

remove icon



Kaylin Yang - Jul 18, 2025, 11:55 AM

Subject: Rectangle

Gwinnett's icon style is line art, not filled. But I don't think icons are needed here.

@Robert Conner Thoughts?

Robert Conner - Jul 18, 2025, 2:34 PM

@Kaylin Yang I agree. I don't think they add any value. They could be removed to reduce clutter.



Deanna Smith - Jul 15, 2025, 4:36 PM

Subject: Rectangle

change text to:

Your permit was successfully validated. Please continue to the next step.

Kaylin Yang - Jul 18, 2025, 3:32 PM

Also decrease leading a bit



Robert Conner - Jul 18, 2025, 2:34 PM

Subject: Rectangle




is it possible to vertically center the arrow between both lines of text?



Kaylin Yang - Jul 18, 2025, 11:57 AM

Subject: Rectangle

Move "Inspection" down next to "Type"





Kaylin Yang - Jul 18, 2025, 3:51 PM

Subject: Note

I think all this info can fit on one screen without having to scroll. Perhaps you can remove the icons, and move the small gray text into the green boxes (same for the "Avoids"), then change text color.



Kaylin Yang - Jul 18, 2025, 3:33 PM

Subject: Rectangle

Remove icon.

You may want to reword this. It says photo examples, but there aren't any actual examples. They're more like tips or guidelines.

@Deanna Smith Thought?



Deanna Smith - Jul 15, 2025, 4:48 PM

Subject: Rectangle

remove comma



Robert Conner - Jul 18, 2025, 2:47 PM

Subject: Note

Robert Conner - Jul 18, 2025, 2:47 PM

use lineart version. make lineweight consistent



Robert Conner - Jul 18, 2025, 2:44 PM

Subject: Note

Can we substitute this icons for these lineart versions? Adjust lineweight to be consistent.

Robert Conner - Jul 18, 2025, 2:45 PM

angles

Robert Conner - Jul 18, 2025, 2:45 PM

detail

Robert Conner - Jul 18, 2025, 2:45 PM

clear work area

Robert Conner - Jul 18, 2025, 2:45 PM

detail option 2



Kaylin Yang - Jul 18, 2025, 3:35 PM

Subject: Rectangle

Reword this for mobile view. Can't drag and drop on phone.



Kaylin Yang - Jul 18, 2025, 3:48 PM

Subject: Note

It looks like there are different categories for the user to submit photos (see page 13 for reference.) Is there a way for the user to categorize these photos? Can we see the page for it?



Robert Conner - Jul 18, 2025, 2:41 PM

Subject: Note

remove icons. You can use bullets if need to separate items



Robert Conner - Jul 18, 2025, 2:46 PM

Subject: Note

let's switch to this lineart version. Make weight consistent with others

Robert Conner - Jul 18, 2025, 2:46 PM

too dark



Contact Information

Please provide your contact information for inspection follow-up (optional).



Permit: RES25-00000-00017
(Residential Accessory Building)



Inspection: Electrical Final -
Electric Vehicle Charging Outlet



Photos: 1 uploaded

First Name

Enter your first name

Last Name

Enter your last name

Email Address

Enter your email address

 We'll send inspection updates to this email address.

Phone Number

Enter your phone number

 Optional: For urgent inspection matters only.

Additional Comments

 We'll send inspection updates to this email address.

Phone Number

Enter your phone number

 Optional: For urgent inspection matters only.

Additional Comments

Any additional information about your inspection (optional)

 I understand that providing contact information is optional and will only be used for inspection-related communications.

[← Back to Photo Upload](#)



Review & Submit



Robert Conner - Jul 18, 2025, 2:48 PM

Subject: Note

remove icon



Kaylin Yang - Jul 18, 2025, 11:58 AM

Subject: Rectangle

Have all text left-aligned.



Kaylin Yang - Jul 18, 2025, 11:59 AM

Subject: Rectangle

Keep "Permit" "Inspection" and "Photos" bold. Make the rest of the text regular weight.



Kaylin Yang - Jul 18, 2025, 12:00 PM

Subject: Note

Change icons into lineart style, or remove.

@Robert Conner Thoughts?

Robert Conner - Jul 18, 2025, 2:48 PM

remove



Kaylin Yang - Jul 18, 2025, 12:01 PM

Subject: Rectangle

Make checkbox into a square.



Robert Conner - Jul 18, 2025, 2:49 PM

Subject: Note

remove icon





Inspection Portal

Your access inspections, and permitting records



Review & Submit

Please review your remote inspection submission before submitting.



Permit Information

Permit Number
RES25-00000-00017

Permit Type
Residential Accessory Building

Status
Received

Address
123 Test Street, Gwinnett, GA 30043



Inspection Type



Inspection Type

Inspection Category
Electrical Final

Work Type
Electric Vehicle Charging Outlet



Uploaded Photos

Number of Photos
1



eefavicon.png



Contact Information

Contact Information
None provided



I certify that:

- All work shown in the photos has been completed according to approved plans and applicable codes
- The photos accurately represent the current state of the work



Kaylin Yang - Jul 18, 2025, 12:01 PM

Subject: Note

Change to Mid Blue (HEX #006098)



Deanna Smith - Jul 15, 2025, 4:49 PM

Subject: Rectangle

remove comma



Kaylin Yang - Jul 18, 2025, 12:02 PM

Subject: Note

Change to Mid Blue (HEX #006098)



Kaylin Yang - Jul 18, 2025, 12:02 PM

Subject: Rectangle

Remove eye icon



Deanna Smith - Jul 15, 2025, 4:50 PM

Subject: Rectangle

change to:
information



Kaylin Yang - Jul 18, 2025, 3:38 PM

Subject: Rectangle

Make checkbox into a square and bigger.



Deanna Smith - Jul 15, 2025, 4:52 PM

Subject: Rectangle

change to:
was



Deanna Smith - Jul 15, 2025, 4:53 PM

Subject: Caret


insert period



Deanna Smith - Jul 15, 2025, 4:53 PM

Subject: Caret

insert period





Kaylin Yang - Jul 18, 2025, 11:37 AM

Subject: Note

Is there a reason why this screen is in a 3D phone mockup? If not, please keep it simple and same format as the other pages.



Kaylin Yang - Jul 18, 2025, 12:04 PM

Subject: Note

Change to Mid Blue



Deanna Smith - Jul 15, 2025, 4:54 PM

Subject: Rectangle

remove comma



Deanna Smith - Jul 15, 2025, 5:01 PM

Subject: Rectangle

change to:
was



Kaylin Yang - Jul 18, 2025, 12:03 PM

Subject: Rectangle

Remove icon. The green block should be enough to symbolize the completion.



Deanna Smith - Jul 15, 2025, 5:01 PM

Subject: Rectangle

change to:
was successfully



Deanna Smith - Jul 15, 2025, 5:01 PM

Subject: Caret

insert period



Deanna Smith - Jul 15, 2025, 4:53 PM

Subject: Rectangle

change to:
two to three



Robert Conner - Jul 18, 2025, 2:56 PM

Subject: Rectangle

could we get a rounded rectangle around this so it looks more like a button?

INVALID PERMIT UI



Inspection Portal

Your access inspections, and permitting records

Invalid Permit Number



Permit Not Found

The permit number you entered could not be found in our system.

Please check the permit number and try again.

Permit Number: TES23-00000-00017

[Try Again](#)

[Contact Support](#)

 Need help? Make sure your permit number is correct and try again.



Kaylin Yang - Jul 18, 2025, 12:04 PM

Subject: Note

Change these specific blues to Mid Blue throughout the document.



Deanna Smith - Jul 15, 2025, 4:54 PM

Subject: Rectangle

remove comma



Kaylin Yang - Jul 18, 2025, 12:04 PM

Subject: Note

Change to Mid Red (HEX #AA182C)



Deanna Smith - Jul 15, 2025, 4:54 PM

Subject: Rectangle

this call out should state who to contact for additional support


FAILED INSPECTION UI WORKFLOW

Notice: This is a testing environment. If you are seeking the live environment, please visit <https://aca-prod.accela.com/gwinnett/welcome.aspx>



Inspection Portal

Your access inspections, and permitting records



 **Begin Inspection**

What You'll Need

- ✓ Your permit number
- ✓ High-quality photos of your work
- ✓ Contact information (optional)

Notice: This is a testing environment. If you are seeking the live environment, please visit <https://aca-prod.accela.com/gwinnett/welcome.aspx>



Inspection Portal

Your access inspections, and permitting records

Enter Permit Number

Please enter your permit number to begin the remote inspection process.

Permit Number *

Enter permit number (e.g., RES25-00000)

Validate

 Enter your permit number exactly as it appears on your permit documents.

 **Back to Home**



Deanna Smith - Jul 15, 2025, 4:55 PM

Subject: Rectangle

change web address to GwinnettZIP.com



Deanna Smith - Jul 15, 2025, 4:56 PM

Subject: Rectangle

remove comma



Kaylin Yang - Jul 18, 2025, 3:26 PM

Subject: Rectangle

Weird empty space here. Move contents up.



Kaylin Yang - Jul 18, 2025, 3:53 PM

Subject: Rectangle

Remove icon



Kaylin Yang - Jul 18, 2025, 3:43 PM

Subject: Rectangle

Change play symbol icon to a regular line arrow, and place it to the right of "Begin Inspection."



Kaylin Yang - Jul 18, 2025, 3:27 PM

Subject: Free Hand

Switch places.

Notice: This is a testing environment. If you are seeking the live environment, please visit <https://aca-prod.accela.com/gwinnett/welcome.aspx>



Inspection Portal

Your access inspections, and permitting records

Remote Inspections

Permit Number: [TES23-00000-00017](#)

Address: 123 Main St, Sugar Hill, GA

Description: 400 sqft Residential addition

⚠️ There is an outstanding remote inspection!

Continue

© 2025 Gwinnett County Board of Commissioners





Inspection Portal

Your access inspections, and permitting records

Remote Inspection Failed

ⓘ

Your remote inspection has failed and requires photo resubmission. Please review the failed items below and upload new photos.

Permit Information

Permit Number: [TES23-00000-00017](#)

Address: 123 Test Street, Gwinnett, GA 30043

Description: N/A

Inspection Type: Remote Inspection

ⓘ There is an outstanding remote inspection!

The following photos need to be resubmitted for review.

Failed Photos - Resubmission Required

Overall Work Area	Failed
-------------------	--------



Deanna Smith - Jul 15, 2025, 4:56 PM

Subject: Rectangle

change web address to GwinnettZIP.com



Deanna Smith - Jul 15, 2025, 4:56 PM

Subject: Rectangle

remove comma



Deanna Smith - Jul 15, 2025, 4:56 PM

Subject: Rectangle

remove comma



Kaylin Yang - Jul 18, 2025, 12:05 PM

Subject: Note

@Robert Conner Change to Dark Yellow?

Robert Conner - Jul 18, 2025, 3:11 PM

I think Mid Yellow #E2E735 there's a little less green tint in mid yellow so i think it would work well as a "caution/not passing" warning.



Kaylin Yang - Jul 18, 2025, 3:40 PM

Subject: Rectangle

Make spacing consistent between lines of text.



Deanna Smith - Jul 15, 2025, 4:57 PM

Subject: Rectangle

change to a period



Deanna Smith - Jul 15, 2025, 4:57 PM

Subject: Rectangle

change to a period

inspection!
The following photos need to be resubmitted for review.

Failed Photos - Resubmission Required

Overall Work Area

Failed

Inspector Comments:

The overall work area is not clearly visible. Please provide a wider angle photo showing the complete work area.

Requirements:

Photo should show the entire work area with all completed work clearly visible.

Upload New Photo *

Choose File No file chosen

Max 10MB. JPG, PNG, HEIC formats.

Detail Work

Failed

Inspector Comments:

Critical details are not visible in the submitted photo. Please provide a closer, clearer photo of the work performed.

Requirements:

Photo must clearly show the specific work performed with all connections and installations visible.



Critical details are not visible in the submitted photo. Please provide a closer, clearer photo of the work performed.

Requirements:

Photo must clearly show the specific work performed with all connections and installations visible.

Upload New Photo *

Choose File No file chosen

Max 10MB. JPG, PNG, HEIC formats.

Additional Comments (Optional)

Any additional information or questions for the inspector...

Back to Permit Entry

Save Draft

Resubmit Photos

[View Inspection History](#)

Need Help?

If you have questions about the failed inspection or need assistance:

Call: (770) 822-7400

Email: inspections@gwinnettcountry.com





Kaylin Yang - Jul 18, 2025, 3:46 PM

Subject: Note

Can you submit more than one photo for each category?



Robert Conner - Jul 18, 2025, 3:11 PM

Subject: Note

any issues with this being the same blue of the other submit buttons? If so, you can make it mid yellow like the warning ribbon



Kaylin Yang - Jul 18, 2025, 1:56 PM

Subject: Rectangle

770.822.7400



Deanna Smith - Jul 15, 2025, 4:58 PM

Subject: Rectangle

camel case



Inspection Portal

Your access inspections, and permitting records

✓ Remote Inspection Submitted

Your remote inspection request has been successfully submitted.



Remote Inspections

Permit Number: TES23-00000-00017

Address: 123 Main St, Sugar Hill, GA

Description: 400 sqft Residential addition

Remote Inspection has successfully been submitted





Deanna Smith - Jul 15, 2025, 4:58 PM

Subject: Rectangle

remove comma



Deanna Smith - Jul 15, 2025, 4:59 PM

Subject: Rectangle

change to:

Your remote inspection request was successfully submitted.



Robert Conner - Jul 18, 2025, 3:12 PM

Subject: Note

remove



Deanna Smith - Jul 15, 2025, 4:59 PM

Subject: Rectangle

change to:

was successfully



Deanna Smith - Jul 15, 2025, 5:00 PM

Subject: Caret

insert period